RAINFALL CHARTS. 1911-1920.

ALDWINKLE (ST PETER RECTORY)	1911-20
ALTHORP HOUSE (PARK GARDENS)	1911-20
ASHBY ST LEDGERS	1917, 1918, 1920.
ASTROP (GREY COURT)	1911 - 1918
BERRYwood. (MENTAL HOSPITAL)	1911-1915, 1917, 1919-1920
BLISWORTH (crieff HOUSE)	1911-20
BLISWORTH	1911-20
BRACKLEY (BRACKLEY HOUSE)	1911-20
BRADDON (THE RECTORY)	1911-1912
BRIXWORTH HALL	1913-18
CARLTON (PARK GARDENS)	1912-20
CASTLE ASHBY	1911-20
CLAPTON MANOR	1911-19.
COLLYWESTON (CUCKOO LODGE)	1914
CROWLAND (BANK HOUSE)	1913.
DAVENTRY	1911-14
DAVENTRY (TUNNEL END)	1911-20
DEENE (THE RECTORY)	1916-1919.
DESBOROUGH (COUNCIL SCHOOL)	1911-1914, 1917-20
DINGLEY HALL	1911-1920
ETTON (MARKET DEEPING)	1911-1920
FAWSLEY PARK	1911-13
FINEDON HALL	1911-1912.

CONTINUED.

FINESHADE ABBEY	1911-1919.
GREAT BILLING	1911-1918
GREAT BRINGTON	1911-20
GRETTON	1912-20
GRETTON (COUNCIL SCHOOL)	1913, 1915-20
GWELL (RESEVOIR)	1914
HARGRAVE HALL	1911-20
HARTWELL (THE VICARAGE)	1913-20.
HAZELBOROUGH WOOD'S	1919-20
KETTERING	1911-1914
KETTERING WATERWORKS (CLOVER HILL)	1911-20
KETTERING WATER WORKS (THORPE MALSOR)	1911-20
KETTERING (SEWAGE WORKS)	1911-20
KETTERING WATER WORKS (CRANSLEY)	1911-20
KINGS SUTTON (MANOR HOUSE)	1919-20
KINGS SUTTON (SCHOOL)	1915-20
LAMPORT (HALL GDN'S)	1912, 1915-20
LILBOURNE (THE VICARAGE)	1911-13
LILFORD (HALL GDNS)	1911-13, 1916-20
LITCHBOROUGH HALL	1911-20
LITTLE HOUGHTON HOUSE	1911-20
MARSTON TRUSSELL (THE RECTORY)	1911-20
MIDDLETON CHENEY	1912-14

CONTINUED

NASEBY (THE RESRVIOR)	1918-20
NEWBOROUGH	1911-20
NORTHAMPTON (CHEYNE WALK)	1919-20
NORTHAMPTON (GENERAL HOSPITAL)	1911-20
NORTHAMPTON (THE GARTH DARLINGTON)	1911-20
NORTHAMPTON {HAZELWOOD RD KINGSLEY RD}	1911-1917
NORTHAMPTON (ORLINGBURY HALL)	1911-1912
NORTHAMPTON (TOWER WORKS STUMPSON AVENUE)	1919-20
OUNDLE (SCHOOL)	1914-15, 1918-20
PETERBOROUGH (ABBEYFIELD'S)	1911-20
PETERBOROUGH (ASHFIELD)	1911-20
PETERBOROUGH (EYE)	1911-1916, 1919-20
PETERBOROUGH (MILTON GARDENS)	1911-15, 1917-20
PETERBOROUGH (WESTBOURNE HOUSE)	1911-20
RAUND'S	1911-20
RAVEN'S THORPE	1911-20
ROCKINGHAM CASTLE	1911-20
ROTHWELL (WATER WORKS.)	1915-20
RUSHDEN - (SCHOOL GDN'S)	1911-1919
RUSHTON MANOR	1911-20
SALCEY FOREST	1919-20
SALCEY LAWN	1915
SEDGEBROOKE (PITSFORD)	1911-20

CONTINUED

STOKE (BRUERNE PARK)	1911
SYWELL HALL	1911-20
SYWELL (RESERVOIR)	1913.
THRAPSTON - (THE LIMES)	1916-1917
THRAPSTON - (UNION BANK HOUSE)	1915-18
THRASTON - (DRAYTON HOUSE)	1916-20
WATFORD COURT (RUGBY)	1911-20
WELDON GRANGE	1911-1919
WELFORD (SALFORD HOUSE)	1911-1917
WELLINGBOROUGH	1918-20
WELLINGBOROUGH (BUSHFIELD WATER WORKS)	1914-20
WELLINGBOROUGH (PUMPING STATION)	1912-20
WELLINGBOROUGH (SWANSPOOL)	1911-20
WELLINGBOROUGH (CROYLAND ABBEY)	1912-14
WESTON BY WELLARD	1919-1920
WINWICK WARREN	1911-20
WITTERING (THE RECTORY)	1911-20
WITTERING (WHITEWATER LODGE)	1914-1919
WOODFORD HOUSE	1911-1918.

from Nor

REGI ll

NORTHANTS

ALDWINKLE ST PETER RECTORY

1911–1920

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Aldwinkle

in.

ove Ground ft. in.

in the County of Northam

Sea Level ft.

by F.G. Hodgson C.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured d and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04							.04			.02	.03	1
2	.15				.10			.03	.01		.05	.04	2
3					.16			.11		.04	.05	.03	3
4				.07					.06	.28	.20	.30	4
5	.05		.10	.02				.10		.07	.03		5
6	.15			.02							.03	.29	6
7	.03									.02	.15	.14	7
8	.15		.10								.08	.12	8
9	.10									.02	.06	.03	9
10	.19	.10									.06	.22	10
11			.21					.08			.33		11
12	.18		.36						.03		.21		12
13			.15		.03				.25			.35	13
14			.04		.39					.07		.37	14
15		.08	.20						.02	.03	.08		15
16						.02					.37	.08	16
17											.06	.15	17
18		.15				.06					.11	.05	18
19					.05	.05				.05	.26	.25	19
20		.03		.04				.44	.05	.10		.23	20
21		.09						1.61	.07	.11		.11	21
22	.03		13	.03						10	.04	.35	22
23		.04	12			.59		.05	.31			.11	23
24		.09				.29				.33		.11	24
25		.10	.05	.05	.38	.03		.14	.02	.04	.03		25
26				.32	.05			.02		.30	.17	.21	26
27		.20	.16	.10			.45		.11				27
28		.19		.13		.02		.25			.06		28
29				.05		.11	.05		21	.27			29
30						.02				.11			30
31					.02								31
Total	1.07	1.07	1.62	.83	1.18	1.19	.50	2.87	1.14	1.94	2.45	3.56	TOTAL for year 19.42
No. of Rain Days.	10	10	11	10	8	9	2	11	11	16	21	21	140

W. 8,000, X. '11.

from Nor

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

¼ RR

Kept at Aldwinkle St Peter's Rec Thrapston

in the County of Northamptonshire 4

by F. G. Hodgson C. A. Markham

RAIN GAUGE Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04							.04			.02	.02	1
2	.15				.10			.03	.01		.05	.04	2
3					.16			.11		.04	.05	.03	3
4				.07					.06	.28	.20	.30	4
5	.05		.10	.02				.10		.07	.03		5
6	.15			.02							.03	.29	6
7	.03									.02	.15	.14	7
8	.15		.10								.08	.12	8
9	.10									.02	.06	.03	9
10	.19	.10									.06	.22	10
11			.21					.08			.33		11
12	.18		.36						.03		.21		12
13			.15		.03				.25			.35	13
14			.04		.39					.07		.37	14
15		.08	.20						.02	.03	.08		15
16						.02					.37	.08	16
17											.06	.15	17
18		.15				.06					.11	.05	18
19					.05	.05				.05	.26	.25	19
20		.03		.04				.44	.05	.10		.23	20
21		.09						1.61	.07	.11		.11	21
22	.03		.13	.03						.10	.04	.35	22
23		.04	12			.59		.05	.31			.11	23
24		.09				.29				.33		.11	24
25		.10	.05	.05	.38	.03		.14	.02	.04	.03		25
26				.32	.05			.02		.30	.17	.21	26
27		.20	.16	.10			.45		.11				27
28		.19		.13		.02		.25			.06		28
29				.05		.11	.05		21	.27			29
30						.02				.11			30
31					.02								31
Total	1.07	1.07	1.62	.83	1.18	1.19	.50	2.87	1.14	1.94	2.45	3.56	TOTAL for year 19.42
No. of Rain Days.	10	10	11	10	8	9	2	11	11	16	21	21	140

W. 8,000, X. '11.

P. made

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

25 MAR 1913

Kept at Aldwinkle St Peter Rectory

in the County of Northants 4

by C. A. Markham, F. G. Hodgson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.04	.02		.06	.04	.04	.05			.15	1
2		.05	.10	.02		.32	.46		.04				2
3	.19		.04		.04	.20	.08	.35	.05			.10	3
4			.40		.10	.28		.05			.25		4
5	.16	.11	.22			.10		.11	.03		.05		5
6	.26	.13	.02			.07	.24	.20					6
7					.02	.91	.02					.04	7
8	.31	.20	.10			.07	.16	.09	.10				8
9		.11	.04	.05		.38	.03					.08	9
10						.03		.05			.33		10
11	.15	.08			.06	.09		.03	.02		.03	.27	11
12	.09	.11				.15	.02				.04	.02	12
13	.02	.02	.04		.10	.03		.04			.13	.03	13
14	.05					.05		.03		.05			14
15			.15		.32	.12		.02				.11	15
16	.42		.17		.03	.06		.08		.04			16
17	.35		.11			.15		.15				.20	17
18	.09		.08				.03	.05			.03	.04	18
19	.25	.11	.05				.14	.18		.03			19
20	.04		.15				.15	.84		.20			20
21			.10		.45		.02	.75		.19	.05		21
22	.31				.40		1.21	.31		.06		.02	22
23	.12	.30	.26		.02		.82	.45			.05	.30	23
24	.11	.05				.10	.06	.18				.10	24
25						.09	.25	.55			.20	.40	25
26		.03					.16	1.45		.53	.25	.20	26
27						.05		.03		.36		.24	27
28							.15	.44	.04	.21	.17	.63	28
29						.16	.27	.01	.52	.29			29
30	.02				.08	.03			.15	.12			30
31					.10		.47	05					31
Total	2.94	1.30	2.07	.09	1.72	3.50	4.78	6.53	1.00	2.08	1.58	2.93	YEAR'S TOTAL 30.52
Rain Days.	17	12	17	3	12	22	20	26	9	11	12	17	178

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Aldwinkle, St Peter's Rectory
in the County of Northamptonshire, 4 Thrapston
by F. G. Hodgson per C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·16					·51		·12		1
2		·12			·11		·09		·23	·02	·02		2
3	·04		·13		·48		·02		·02	·11		·04	3
4	·30				·08		·10			·62	·05	·11	4
5	·02	·02				·05	·02		·04	1·19	·02		5
6					·22	·09	·06			·11			6
7		·08			·06	·05				·59	·05		7
8					·19	·10					·07		8
9		·25	·05	·02	·03	·12					·05	·02	9
10				·05	·02	·01	·75				·60		10
11	·71			·46				·68		·07	·07		11
12					·15						·36		12
13				·03							·25		13
14	·05		·23	·03						·06	·03		14
15	·15		·20	·31			·10		·08		·01		15
16	·03		·75	·06									16
17		·03	·06	·15		·21	·05				·03	·06	17
18			·14	·06			·04		·02				18
19	·20		·07				·03		·06			·05	19
20	·18		·19							·31	·02		20
21	·02		·20		·06		·03				·20		21
22	·31		·15					·03	·15				22
23						·05		·10	·03			·02	23
24	·04			·09				·09					24
25				·10						·02			25
26		·04	·25	·05						·33	·05	·14	26
27				·06	·03					·02			27
28	·31		·07	·13						·06		·09	28
29	·04		·15	·61	·11					·03		·02	29
30	·15			·02				·08		·06	·15	·09	30
31					·11			·59					31
													YEAR'S TOTAL
Total	2·55	·54	2·74	2·39	1·65	·68	1·29	1·57	1·14	3·60	2·15	·64	20·94
Rain Days.	15	6	15	17	13	8	11	6	9	15	18	10	143

W. 7,500, XI. ·12

Copied from C ExLMcC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
8 - MAR 1915

Kept at Aldwinkle St Peters Rectory
in the County of Northampton .4.
by F. G. Hodgson C. A. Markham

Lat.________ Long.________
Time of Observation________
Nearest Railway Station________
Diameter of Rain Gauge________in.
Height of top of Gauge above Ground________ft.________in.
" " " " Sea Level________ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·02	·05	-	-	·09	·27	-	·02	·06	·03	1
2	-	-	·11	·05	-	-	-	·15	-	-	·10	·17	2
3	-	-	-	·05	·18	-	·35	-	-	-	·04	-	3
4	·18	-	-	·17	-	-	-	·40	-	-	·47	·21	4
5	-	-	-	·11	·03	·07	·14	·10	-	-	-	-	5
6	-	-	-	·02	·04	-	-	·02	-	-	·03	-	6
7	-	-	·38	·09	·02	·03	·05	-	-	-	-	·06	7
8	·04	·08	·05	-	·10	·73	·18	·17	-	-	-	·05	8
9	·34	·05	·22	·08	-	1·30	-	·02	·09	-	-	·02	9
10	·19	·05	-	·08	·06	-	-	-	·10	·02	-	-	10
11	-	·07	·29	-	·12	·14	-	-	·02	-	·40	·29	11
12	-	-	·12	-	-	·02	-	-	·30	-	·03	·31	12
13	·03	·15	·13	-	-	-	-	-	·04	·51	·12	·20	13
14	-	·05	·19	-	-	-	·02	-	-	·80	·10	·25	14
15	·03	-	·15	-	-	-	-	·05	·05	-	·11	·10	15
16	-	-	·03	-	-	-	·12	-	·03	-	·05	-	16
17	·02	·19	·05	-	-	-	-	-	·19	-	-	·17	17
18	-	-	·04	-	-	-	·16	-	-	-	-	·38	18
19	-	·03	·11	-	-	·19	·03	-	·02	-	·08	·13	19
20	-	·10	·23	-	-	-	-	-	·02	-	-	·18	20
21	-	·11	·10	-	-	·04	-	-	-	·09	-	-	21
22	-	-	-	-	·10	·02	·12	·11	-	·08	-	-	22
23	-	-	·06	-	·09	·03	-	-	-	·04	-	-	23
24	-	-	·02	·02	-	-	·12	·04	-	·15	·12	-	24
25	·05	-	·01	-	-	-	-	·14	-	·49	·02	·18	25
26	-	-	-	-	-	-	-	·10	-	·05	·16	·21	26
27	·02	-	-	-	-	-	-	-	-	-	·13	·15	27
28	-	·09	-	-	·03	-	·02	-	-	·31	·10	1·17	28
29	-		·10	-	·05	-	-	-	-	·30	·16	-	29
30	-	X	-	-	-	·09	-	-	-	·06	·22	·22	30
31	-	X	-	X	·04	X	·05	-	X	-	X	-	31
Total	·90	·97	2·41	·72	·86	2·66	1·45	1·57	·86	2·92	2·50	4·48	YEAR'S TOTAL 22·30
Rain Days.	9	11	20	10	12	11	13	12	10	13	19	20	160

W. 8,000. X. 14.

Northampton Nat His Soc

4223

FORM A.
BRITISH RAINFALL.
[illegible] MAR 1916

REGISTER OF RAINFALL IN 1915

Kept at Aldwinkle St Peters Rectory Thrapston

in the County of Northamptonshire 4

by Major C. A. Markham F. G. Hodgson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.43	.14	.09		.22		.02		.21		.08	.08	1
2	.06	.19	.18	.07		.03		.25	.01	.04	.01	.07	2
3	.25		.02	.14			.14	.03	.12			.16	3
4	.11						.25	.08				.49	4
5		.19			.02			.04			.02	.25	5
6	.14	.02	.02	.14				.05				.20	6
7	.03	.26	.15			.07	.66	.20				.12	7
8		.19	.02	.09			.14	.02			.03		8
9	.03			.02		.03				.02	.17	.50	9
10	.29		.02					.14			.03		10
11	.02				.10						.58	.09	11
12			.03	.22	.40			.14		.01	.97		12
13	.03	.45			.95		.04	.06					13
14		.03					.03	.06	.07			.31	14
15	.21				.08		.04	.06		.02	.17	.09	15
16		.22					.69	.61					16
17		.14			.02		.11						17
18		.05	.19								.05	.29	18
19		.03	.03				.07						19
20	.30	.02						.02					20
21	.06				.07		.12		.01			.09	21
22	.24		.24	.02			.32					.10	22
23		.09	.06				.10		.09	.17		.30	23
24			.09				.13		.53			.10	24
25			.02			.20	.11			.03		.28	25
26		.13	.02			.06	.16					.26	26
27							.04			.40		.07	27
28		.17				.22	.02	.02	.11	.13		.22	28
29						.02				.01	.10		29
30	.09	✗				.21		.12			.02	.02	30
31	.02	✗		✗		✗		.07	✗	.15	✗	.12	31
Total	2.31	2.32	1.18	.70	1.86	.84	3.19	1.97	1.15	.98	2.23	4.21	YEAR'S TOTAL 22.94
Rain Days.	16	16	15	7	8	8	19	17	8	10	12	22	158

W. 8,000. X. 15.

[illegible] [illegible] 1200

FORM A. BRITISH RAINFALL.
28 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Aldwinkle St Peters Rectory
in the County of Northamptonshire
by C. A. Markham F. G. Hodgson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09		.09			.07	.20				.36		1
2	.43		.17		.40		.04			.35	.03	—	2
3		.30	.12			.03	.01		.40	.20	.05		3
4	.46	.13			.10	.15					.26		4
5	.02			.01	.02	.10				.11	.17		5
6		.09	.25	.08			.26			.08	.25		6
7	.10		.42		.10	.01	.55			.04	.11	.07	7
8			.05			.11					.02	.20	8
9		.11	.06		.39					.06			9
10		.16	.14	.02	.07	.05	.03		.02				10
11	.03		.15	.11	.50	.10							11
12	.04	.01	.04			.15	.02			.08			12
13		.21	.18		.11	.10		.10					13
14		.58	.07	.15	.04								14
15		.32	.34		.03		.13	.03					15
16		.04	.26	.17	.03		.15	.01		.05			16
17	.02	.03	.04	.15			.03	.47	.11	.23			17
18		.12	.22	.03				.39	.09		1.03		18
19	.13	.02	.05	.08					.02		.40		19
20	.10	.11	.29	.10				.11			.04	.52	20
21	.02			.05								.56	21
22					.17	.02						.53	22
23	.05	.52		.02		.40		.04		.04		.23	23
24		.40				.16		.02		.02		.24	24
25		.24			.03			.27			.13		25
26		.05	.06			.05		.11		.03			26
27	.02	.24	.02				.05	.18		.18			27
28		.38	1.35			.11		.01	.05	.02		.18	28
29		.09	1.04			.12		1.47		.27		.02	29
30		X				.05		.13		.17			30
31		X		X		X		.02	X	.03	X		31
Total	1.51	4.15	5.41	.97	1.99	1.78	1.47	3.36	69	1.96	2.85	2.55	YEAR'S TOTAL 28.69
Rain Days.	13	21	22	12	13	17	11	15	6	17	12	9	168

W. 8,000, VIII. 16

1156

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Aldwinkle, St. Peters Rectory
in the County of Northamptonshire
by C. A. Markham, F. G. Hodgson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·16				·96	·17				1
2				·08		·18		·08			·08		2
3		·02						·40		·22	·09		3
4			·05					·15		·50			4
5	·11	·16	·02	·10							·12		5
6						·03			·45				6
7	·40		·02						·02	·48	·10		7
8	·50		·11	·20			·31	·40		·27	·10		8
9	·10		·20	·08	·01			·51		·03			9
10	·34		·18	·18				·15	·01	·04			10
11	·02			·21				·15		·25			11
12	·11				·05			·13		·40			12
13	·05		·03	·03			·02		·06			·06	13
14	·02			·09				·21					14
15	·01						·08	·56				·26	15
16	·27			·13		·01		·57		·19			16
17			·03	·18	·55	·75	·14		·18	·04			17
18	·02	·10		·06	·04	·05	·07	·08	·98				18
19	·01	·06	·08		·25				·02				19
20			·12		·50				·02		·15		20
21	·01	·05			·03								21
22		·26	·05		·07			·11	·05	·15			22
23								·33	·05	·03			23
24						·35		·02		·14	·05		24
25		·08							·02		·11		25
26		·12						·35	·15		·20	·02	26
27		·01						·56					27
28						·68		·10					28
29	·02		·05		·67	·20	·22	·03		·34		·23	29
30		X					·38	·15					30
31		X		X		X	·11	·17	X		X	·21	31
Total	2·02	·86	·94	1·50	2·17	2·25	1·33	6·17	2·18	3·08	1·00	·78	YEAR'S TOTAL 24·28
Rain Days.	16	9	12	12	9	8	8	22	13	14	9	5	137

W. 8,000, VIII. 16

6

W DL [illegible]

46

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Aldwinkle St. Peter Rectory
in the County of Northamptonshire
by C. A. Markham, F. G. Hodgson

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·02	·10							·13	·02	1
2	·02			·15				·07			·08	·10	2
3	·02	·04	·04		·41			·09	·12		·63	·05	3
4		·02	·08					·04	·45		·25		4
5		·03			·19			·05	·55				5
6		·12		·19		·02			·29	·10			6
7	·08	·03		·14		·03			·02	·03	·11		7
8	·08			·02					·04	·20			8
9		·20		·07		·08	·08		·30	·14		·14	9
10	·09			·08			·35					·06	10
11				·02	·35		·03		·15	·35		·05	11
12		·11	·02		·13		·11		·10			·02	12
13		·02			·14				·11	·02			13
14				·03			·35		·32	·20		·03	14
15	·31			·90			·07		·14			·18	15
16	·89			·41		·02			·40				16
17	·05			·12	·02		·63		·02			·12	17
18	·19			·09		·05	·15		·70			·31	18
19	·29					·01				·10		·15	19
20		·03	·03	·38	·14	·02			·20	·23			20
21				·12	·22				·20	·09			21
22							·14			·02		·40	22
23	·19					·02	·23		·04				23
24		·15					·03		·02		·14		24
25							·10	·26		·04	·03		25
26							·04		·03		·10	·15	26
27								·14	·05		·15	·02	27
28		·12										·10	28
29			·20						·95				29
30		×							·02		·21	·10	30
31		×	·21	×		×			×	·05	×		31
Total	2·21	·90	·60	2·82	1·60	·25	2·31	·65	5·22	1·57	1·83	2·00	YEAR'S TOTAL 21·98 6
Rain Days	11	12	7	15	8	8	13	6	23	13	10	17	143

W, 6,500. VII. 18. W W C

Eo. Ol

1087

23 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Aldwinkle, St. Peter Rectory
in the County of Northamptonshire
by F. G. Hodgson per Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35		·02		·12		·04			·03		·55	1
2	·15		·03		·02		·32			·02	·46	·22	2
3	·76		·10		·03		·19		·14		·19	·05	3
4	·05		·35			·06	·12	·12	·03		·02	·36	4
5		·25	·15						·62			·13	5
6			·02		·73		·04				·06	·02	6
7			·21						·01				7
8	·15		·05	·09							·02		8
9				·11									9
10			·36	·07							·08	·08	10
11	·09		·30	·05			·73				·02	·01	11
12			·28	·05		·11	·03			·06	·03		12
13	·14			·12					·05	·03			13
14	·28			·08					·03				14
15	·17		·04	·17						·09	·12	·36	15
16	·07	·83						·07			·18		16
17		·60			·17						·20	·02	17
18	·53		·07					·12				·11	18
19		·21	·74				·36	·16	·08		·06	·05	19
20		·03	·16				·29	·31			·06	·02	20
21	·34	·35	·06				·35				·02	·22	21
22		·30					·02		·32			·45	22
23							·05	·07	·02	·37		·02	23
24				·22			·02			·10		·01	24
25				·17				·15				·05	25
26			·13	·08		·01		·02	·12			·40	26
27	·85	·14		·67				·13		·01	·04	·02	27
28				·04				·62		·08	·03	·24	28
29				·05		·02	·02	·12		·31	·23	·28	29
30			·02	·27		·22		·01		·12	·12	·21	30
31			·02				·05			·06		·02	31
TOTAL	3·93	2·71	3·11	2·24	1·07	·42	2·63	1·90	1·42	1·28	1·94	3·90	YEAR'S TOTAL 26·55
Days with ·01 in. or more	13	8	19	15	5	5	15	12	10	12	18	24	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

From C. 1033.

5 MAR 1921

COPY by B.R.O.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Thrapston - Aldwincle St Peter's Rectory
in the County of Northampton
by F G Hodgson, per Maj: C.A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·14	·20								1
2	·	·	·	·26	·								2
3	·	·02	·	·14	·								3
4	·	·	·10	·12	·								4
5	·	·	·05	·	·19								5
6	·	·	·20	·	·05								6
7	·	·	·10	·08	·								7
8	·21	·03	·	·49	·05								8
9	·38	·	·	·69	·								9
10	·12	·	·04	·21	·								10
11	·24	·03	·04	·22	·16								11
12	·05	·	·01	·14	·06								12
13	·	·04	·04	·24	·								13
14	·	·02	·47	·19	·								14
15	·	·03	·49	·07	·								15
16	·	·	·	·04	·03								16
17	·	·	·	·07	·18								17
18	·16	·	·	·03	·04								18
19	·06	·10	·	·11	·								19
20	·04	·42	·	·18	·								20
21	·	·	·	·	·04								21
22	·	·	·	·18	·								22
23	·	·	·	·	·								23
24	·	·	·14	·	·								24
25	·	·11	·06	·04	·								25
26	·11	·	·10	·03	·								26
27	·09	·02	·	·10	·								27
28	·34	·	·14	·	·16								28
29	·07	·	·11	·	·09								29
30	·03	×	·02	·08	·								30
31	·10	×	·04	×	·	×			×		×		31
TOTAL	2·00	·82	2·15	3·83	1·25								YEAR'S TOTAL
Days with ·01 in. or more	14	10	17	23	12								
Days with ·04 in. or more	13	4	15	21	11								

(44,283). 10/19. (52,638). Wt. 10,000—359. 10,000. (2). 7/20. Gp. 132. A.&E.W.

REG

BATCHSLIP

STD JOB:
MET-ARCH
BATCH :
METZ010E
ENTRY 164 VERIFY X

FORM A2. BRITISH RAINFALL.
26 MAR 1912

Kept at Althorp
in the County of Northa
by Mary Chowler

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE.— the result entered to the previous day. If an Observ ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.01							.02	.02	1
2			.06		.15		.07			.04	.04	.06	2
3				.01	.25					.05	.26	.02	3
4	.01								.04	22		.23	4
5										.06	.05		5
6	.29		.05								.20	.41	6
7											.02		7
8	.09		.14							.01	.01	.11	8
9	.05		.10									.09	9
10	.04	.08	.19					.04			.48	31	10
11	.12							.06			.23		11
12			.40						.08			.01	12
13			.12		.07	.01			.31			.50	13
14		.01	.05									.33	14
15		.06	.09							.05	.30	.02	15
16			.07							.01		.10	16
17						.05					.20	.26	17
18			.10		.02						.06	.14	18
19		.11				.17	.02		.15	.12	.28	.14	19
20		.12						.57	.04	.04		.56	20
21		.12						1.07		.14		.09	21
22			.04			.38		.39		.09	.02	.34	22
23		.06				.22			.34			.12	23
24	.01	.05				.28				.63		.11	24
25		.02	.14	.04	.90	.16		.06				.02	25
26		.17		.28	.62	.06		.04		.20	.06	.18	26
27		.20	.14	.09				.14	.12		.06	.07	27
28		.02		.12		.01		.29			.06	.05	28
29						.17	.08		.17				29
30										.30			30
31					.03					.07		01	31
Total	62	1.02	1.69	.56	2.04	1.51	.17	2.66	1.25	2.03	2.35 2.35	4.30	TOTAL for year 20 20 20.20
No. of Rain Days.	8	12	14	6	7	10	3	9	8	15	17	26	135

W. 8,000, X. '11.

ALTHORP HOUSE 1115
PARK GARDENS
1911-1920

10

REG … 1

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Althorp
in the County of Northa…
by Mary Chooler

… in.
… Ground ….ft. …in.
… Sea Level ….ft.
… Name …
Distance … Direction …

IMPORTANT NOTE.— … the result entered to the previous day. If an Observ… …ersal rule, he is earnestly requested to add the reading … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.01							.02	.02	1
2			.06		.15		.07			.04	.04	.06	2
3				.01	.25					.05	.26	.02	3
4	.01								.04	.22		.23	4
5										.06	.05		5
6	.29		.05								.20	.41	6
7											.02		7
8	.09		.14							.01	.01	.11	8
9	.05		.10									.09	9
10	.04	.08	.19					.04			.48	31	10
11	.12							.06			.23		11
12			.40						.08			.01	12
13			.12		.07	.01			.31			.50	13
14		.01	.05									.33	14
15		.06	.09							.05	.30	.02	15
16			.07							.01		.10	16
17						.05					.20	.26	17
18			.10		.02						.06	.14	18
19		.11				.17	.02		.15	.12	.28	.14	19
20		.12						.57	.04	.04		.56	20
21		.12						1.07		.14		.09	21
22			.04			.38		.39		.09	.02	.34	22
23		.06				.22			.34			.12	23
24	.01	.05				.28				.63		.11	24
25		.02	.14	.04	.90	.16		.06				.02	25
26		.17		.28	.62	.06		.04		.20	.06	.18	26
27		.20	.14	.09				.14	.12		.06	.07	27
28		.02		.12		.01		.29			.06	.05	28
29						.17	.08		.17				29
30										.30			30
31					.03					.07		01	31
Total	62	1.02	1.69	.56	2.04	1.51	·17	2.66	1.25	2.03	2.35 2.35	4.30	TOTAL for year 20 20 20·20
No. of Rain Days.	8	12	14	6	7	10	3	9	8	15	17	26	135

W. 8,000, X. '11.

from Northants Nat H's Soc   cor.d fr auth 25·III·12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Althorp
in the County of Northampton
by Mary Choaler   C. A. Markham

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.01							.02	.02	1
2			.06		.15		.07			.04	.04	.06	2
3				.01	.25					.05	.26	.02	3
4	.01								.04	.22		.23	4
5										.06	.05		5
6	.29		.05								.20	.41	6
7											.02	—	7
8	.09		.14							.01	.01	.11	8
9	.05		.10									.09	9
10	.04	.08	.19				—	.04			.48	31	10
11	.12							.06			.23		11
12			.40						.08			.01	12
13			.12		.07	.01			.31			.50	13
14		.01	.05									.33	14
15		.06	.09							.05	.30	.02	15
16			.07							.01		.10	16
17						.05				—	.20	.26	17
18			.10		.02						.06	.14	18
19		.11				.17	.02		.15	.12	.28	.14	19
20		.12						.57	.04	.04		.56	20
21		.12						1.07		.14		.09	21
22			.04			.38		.39		.09	.02	.34	22
23		.06		—		.22			.34			.12	23
24	.01	.05				.28				.63		.11	24
25		.02	.14	.04	.90	.16		.06				.02	25
26		.17		.28	.62	.06		.04		.20	.06	.18	26
27		.20	.14	.09				.14	.12	—	.06	.07	27
28		.02		.12		.01		.29			.06	.05	28
29						.17	.08		.17				29
30										.30			30
31					.03					.07		01	31
Total	62	1.02	1.69	.56	2.04	1.51	.17	2.66	1.25	2.03	2.35	4.30	TOTAL for year 20 20 20.20
No. of Rain Days.	8	12	14	6	7	10	3	9	8	15	2.35 17	26	13 5

W. 8,000, X. '11.

P. made

and pr. with 22.III.13

Ex. W. 22

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
25 MAR 1913

Kept at Althorp House
in the County of Northants 4
by C. A. Markham, C. F. Crump.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.12			.05	.05		.02	.12		.08	1
2		.03	.10	.03		.14	.45					.02	2
3	.04		.10		.12	.03	.08	.38					3
4			.53		.15	.40		.03			.22		4
5	.03	.09	.20			.11		.14	.05		.10		5
6	.39		.01			.08	.04	.76	.02			.08	6
7		.05			.07	.40		.11				.02	7
8	.34	.23	.23			.18	.19	.12	.08			.01	8
9			.12	.11		.08	.01	.08				.15	9
10	.04	.03				.04		.55			.15	.01	10
11	.03	.08				.03		.08			.17	.34	11
12	.08	.37	.13		.05	.02	.11				.15		12
13		.06				.02		.05			.05	.04	13
14	.03		.14		.11	.08		.28		.01			14
15	.04	.03	.08		.23	.22						.18	15
16	.70		.03		.05	.11		.05		.06			16
17	.93		.12			.10		.18				.37	17
18	.16	.02	.08					.03		.01	.02		18
19	.03		.19				.10	.39		.05		.02	19
20					.40		.50	.33		.11			20
21	.02		.07		.10			.77		.13	.03		21
22	.50	.10	.39		.18		.54	.60		.05			22
23	.05	.32				.01	.22	.35				.35	23
24	.09	.01				.28	.08	.12			.13	.10	24
25		.03				.22		.62			.22	.33	25
26						.04	.10	1.03		.57	.24	.20	26
27										.35		.22	27
28		.03				.07	.02	.50	.05	.23	.21	.48	28
29		.05				.55	.10		.73	.21	.12	.01	29
30			.02		.47	.05			.15	.24			30
31	.03		.01		.55		.47	.15		.02		.04	31
Total	3.53	1.53	2.67	.14	2.48	3.31	3.06	7.70	1.10	2.16	1.81	3.05	YEAR'S TOTAL 32.54 32.54
Rain Days.	18	16	19	2	12	24	16	24	7	14	13	20	185

W. 7,500, XI. 12

26

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Althorp Gardens Ex RM
in the County of Northampton 4
by C. F. Crump. per C.A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·05	·08	·09					·63		·17	·01	1
2		·17					·04		·13	·25	·02		2
3	·02		·11		·72				·02			·15	3
4	·47				·23	·02	·07				·05	·37	4
5					·26	·01	·04			·36	·02	·01	5
6		·04	·04		·15	·17	·34			·56		·09	6
7		·11			·03	·09	·20			·16	·08	·02	7
8					·02	·04				·47	·08		8
9		·28	·06	·02	·15		·02	·02	·10	·08	·07	·03	9
10			·01		·07			·08			·47		10
11	·97			·54							·45		11
12										·25	·60		12
13	·05							·09			·22		13
14	·07		·26				·19			·12	·02		14
15	·17	·07	·21	·52			·23		·25				15
16	·04		·88	·12							—		16
17	·10	·03	·05	·20		·17			·08		·04		17
18	·02		·15	·07			·12						18
19	·17		·05				·05		·05			·02	19
20	·16		·11							·37			20
21	·02		·17		·11		·04				·30		21
22	·45		·24					·05	·15				22
23						·07		·03	·10			·03	23
24	·03												24
25													25
26		·10	·16							·31	·01	·23	26
27		·01	·02					·05		·12	·01		27
28	·56		·25							·08		·05	28
29	·03		·14		·01			·16		·27			29
30	·25										·18		30
31				1·13	·44			·13		·07			31
Total	3·61	·86	2·99	2·69	2·19	·57	1·34	·61	1·51	3·47	2·79	1·01	YEAR'S TOTAL 23·64
Rain Days.	18	9	18	8!	11	7	11	8	9	14	17	11	141

W. 7,500, XI. 12

Copy for Northamptonshire Nat. Hist. Soc.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
9 - MAR 1915

Kept at Althorp Park

in the County of Northamptonshire 4

by C. A. Markham C. F. Kump

Lat. .... Long. ....
Nearest Railway Station ....
Time of Observation ....
Diameter of Rain Gauge 5 ~~8~~ in.
Height of top of Gauge above Ground ~~1~~ ft. 3 in.
" " " Sea Level ~~400~~ 409 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01	.06			.20	.25			.07	.05	1
2			.05					.20		.01	.26	.28	2
3					.18		.28	02			.01		3
4	.19			.13				.43			.31	.28	4
5	.02		.03	.12	.04	.16	.31	.04			.04		5
6		.03		.12	.03			.02			.12	.06	6
7		.12	.45	.02	05	.03	.05	.01					7
8	.07	.03	.18	.11	.22	1.03	.43	.18				.08	8
9	.35		.24	.07	.01	1.15		.01	.02				9
10	.10	.11	.02	.15	.11				.22				10
11		.14	.25	.11	20	.33			.02		.43	.36	11
12		.02	.10				.16		.36		.05	.34	12
13	.01	.19	.19						.03	.14	.10	.26	13
14		.02	.10				.18			.43	.09	.24	14
15		.02	.22				.07	.03	.02		.04	.10	15
16			.05				.05		.03		.01		16
17		.30	.05						.15			.28	17
18		.01	.01			.23	.27					.42	18
19		.03	.14						.02		.08	.03	19
20		.21	.18				.01	.07				.18	20
21		.17	.10			.11		.04		.12		.16	21
22			.06		.30	.04	.07	.10		.14			22
23		.06	07		.06			.02		.07		.05	23
24			.02		.02	.02	22			.24	.08		24
25							.07	.16		.43	.02	.25	25
26			.04				.02	.17		.06	.15	.35	26
27										.04	.03		27
28		.09								.03	.17	1.15	28
29	.10		.08							.22	.11	.35	29
30			.03							.04	25		30
31	.02				.02		.12					.04	31
Total	86	1.55	2.67	.89	1.24	3.10	2.51	1.75	.87	1.97	2.42	5.31	TOTAL for year 25.14
No. of Rain Days.	8	16	24	9	12	9	16	16	9	13	20	21	173

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

1200

FORM A.
BRITISH RAINFALL

14 1916

REGISTER OF RAINFALL IN 1915

Kept at Althorp Park
in the County of Northampton 4
by C. F. Crump

Lat. 1 W Long. 52½ N
Time of Observation 9 a m
Nearest Railway Station Althorp Park L N W Rly
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·23	·10	·05	–	·15	–	–	·05	·20	·08	·02	·13	1
2	·06	·10	·34	·20	–	·05	–	·45	·02	·16	–	–	2
3	·48	–	·03	·09	–	–	·09	·23	·06	–	–	·15	3
4	·07	–	–	–	–	–	·05	·03	–	–	–	·50	4
5	·04	·28	–	–	–	–	–	·07	–	–	–	·28	5
6	·20	·04	·01	·17	–	–	·93	·03	–	–	·01	·10	6
7	·03	·27	·01	–	·01	·15	·07	·06	–	–	–	·12	7
8	–	·13	–	·01	–	–	–	·04	–	–	·03	–	8
9	–	·02	·03	·02	–	–	–	·02	–	–	·20	·53	9
10	·30	–	·02	–	–	–	–	·06	–	–	·03	–	10
11	·01	–	–	·03	·07	–	·10	·02	–	–	·72	·08	11
12	·03	–	–	·22	·40	–	·03	·36	–	–	1·00	–	12
13	–	·44	–	–	·90	–	–	·02	–	–	–	–	13
14	–	–	–	–	–	–	–	·04	·05	–	–	·35	14
15	·28	–	–	–	·04	–	·05	·10	–	–	·22	·16	15
16	·02	·31	–	–	·05	–	·80	·16	–	–	–	–	16
17	–	·29	·02	–	·10	–	·25	–	–	–	–	·02	17
18	–	·08	·23	–	–	–	–	–	–	–	·02	–	18
19	–	·04	·01	–	·02	–	·05	–	–	–	–	–	19
20	·34	–	–	–	–	–	–	–	–	–	–	·25	20
21	·11	·04	–	–	–	–	·12	–	–	–	–	·08	21
22	·22	–	27	–	–	–	·30	–	·01	–	–	·10	22
23	·01	·04	·08	–	–	·01	·17	–	·05	·35	–	·30	23
24	–	–	·11	·02	–	·06	·05	–	1·32	·06	–	·17	24
25	–	–	·02	–	–	–	·10	–	·01	·05	–	·29	25
26	–	·09	–	–	–	–	·06	–	–	–	–	·40	26
27	–	·04	–	–	–	–	·05	–	–	·33	–	·03	27
28	–	·14	·02	–	–	·02	·08	–	·10	·14	–	–	28
29	–		–	–	–	–	–	·17	–	–	·16	·10	29
30	·08	✕	–	–	–	·23	–	·02	–	·15	·03	·09	30
31	·08	✕	–	✕	–	✕	·01	·05	✕	·36	✕	·10	31
Total	2·59 ✓	2·45 ✓	1·25 ✓	·76 ✓	1·74 ✓	·52 ✓	3·36 ✓	1·98 ✓	1·82 ✓	1·68 ✓	2·44 ✓	4·33 ✓	YEAR'S TOTAL 24·92 ✓
Rain Days.	18	17	15	8	9	6	19	19	9	9	11	22	162

W. 8,000. X. 15.

36

cnd for auth ~~W.~~ C 3 E

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at Althorp

in the County of Northampton

by C F Crump

Lat. 52¼ N Long. 1 W

Time of Observation 9 a.m.

Nearest Railway Station Althorp Park

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 414 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·40	·03	—	·02					—	·46	—	1
2	·44	·13	·11	—	·26					·55	·02	—	2
3	—	·01	—	—	—					·20	·05	—	3
4	·41	·16	—	—	·17					·01	·10	—	4
5	·05	—	—	—	·05					·14	·15	—	5
6	·02	—	·12	·10	·01					·05	·37	—	6
7	·05	—	·37	—	·02					·02	·21	·10	7
8	—	·16	·02	—	·04					—	·04	·15	8
9	—	·14	·03	·09	·28					—	—	·03	9
10	—	—	·12	·18	·02					—	—	·02	10
11	·05	—	·08	—	·10					—	—	·10	11
12	·06	·05	·06	·09	·38					—	—	—	12
13	·04	·24	·06	—	·01					·05	—	—	13
14	—	·42	—	·06	·03					—	—	—	14
15	—	·23	·57	·24	·07					—	—	—	15
16	·12	·05	·39	—	—					—	—	—	16
17	·01	·05	—	·15	—					·26	—	—	17
18	·11	·17	·02	·09	—					—	·93	—	18
19	·05	·05	·24	·14	—					—	·76	·05	19
20	·01	—	·32	—	—					—	·09	·40	20
21	—	—	·33	—	—					—	—	·70	21
22	·03	·05	·05	—	·18					·05	·02	·05	22
23	—	·45	—	—	—					—	·05	·73	23
24	—	·37	·09	—	—					·05	—	·16	24
25	·01	·14	·11	—	·04					·07	·12	—	25
26	·03	·08	·04	—	—					·07	·13	—	26
27	—	·16	1·55	—	—					·10	—	—	27
28	—	·37	·38	—	—					—	·02	·24	28
29	—	·07	—	—	·13					·29	—	·04	29
30	·01	X	—	—	—					·24	—	—	30
31	—	X	—	X	—	X			X	·04	X	·05	31
Total	1·73	3·95 3.95	5·09	1·14	1·81					2·19	3·52	2·82	YEAR'S TOTAL incp
Rain Days.	18	22	22	9	17					16	16	14	

W. 8,000, VIII. 16

D J and for auth

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Althorp Park
in the County of Northamptonshire
by C. A. Markham, C. F. Crump
for Earl Spencer

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·12		·01		·19	·02				1
2						·11		·10	·20		·04	·03	2
3		·02		·24				·25			·05		3
4		·30	·20	·02				·10		·02	·09		4
5	·16		·03	·10				·29		·76			5
6	·01					·11			·07	·09	·12		6
7	·39							-	·01	·14	·03		7
8	·53			·07			·42			·17			8
9	·03		·15	·17	·10			·20		·34	·19	·23	9
10	·40		·27	·15	·25			·36			·12		10
11	·16	·01	·21	·52				·09			·06		11
12	·15			·03	·10			·10	·10	·19			12
13			·10	·05				·05		·24			13
14	·11			·12				·21	·06	·02			14
15	·03			·08			·05	·17				·02	15
16	·05	·20		·22			·05	·05		·03		·09	16
17		·02		·15	·48	·38	·25			·07		·05	17
18	·02	·03		·10	·15		·16		·18	·06			18
19	·01	·25	·13		·07	·03		·03	·92				19
20	·02	·20	·03		·63				·12				20
21			·06		·22	·05			·22		·14		21
22			·13							·02			22
23		·12			·06				·04	·14			23
24	·03	·02				·36		·20		·05			24
25			·07				·05	·04		·16	·16		25
26			·02							·02			26
27						·46		·26	·11		·12	·04	27
28			·10			·44		·64					28
29			·02			·11	·07	·10				·06	29
30		✕					·05	·05		·30		·20	30
31	·01	✕	·14	✕		✕		·18	✕		✕	·06	31
Total	2.11	1.17	1.66	2.14	2.06	2.06	1.10	3.66 3.76	2.05	2.82	1.12	·78	YEAR'S TOTAL 22.93 22.83
Rain Days.	16	10	15	15	9	10	8	21	12	18	11	9	154

W. 8,000, VIII. 16

6 22

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Althorp Park
in the County of Northamptonshire
by C. A. Markham, H. Dunkley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·06	·02	·13					·02	·01	·22	·06	1
2		·07		·10				·09	·05		·11	·13	2
3		·04	·04		·44			·35	·09		·30	·03	3
4		·04	·03						·50		·43		4
5	·02	·07		·03	·32			·10	·24	·03			5
6		·15	·02	·14								·04	6
7		·06		·16		·04			·02	·13	·10		7
8	·04								·05	·03		·15	8
9		·11		·05		·05			·35	·24		·05	9
10	·07			·03		·02	·30		·02	·14		·04	10
11					·12		·08		·06	·27	·02	·08	11
12		·08	·07	·02	·06		·20		·03				12
13		·03			·03				·10			·05	13
14	·27			·03		·08	1·35		·27	·14		·06	14
15	1·15			·50		·02	·10		·16			·19	15
16	·18			·52		·06		·02	·18				16
17	·20			·04	·05		·60			·02		·11	17
18	·41					·12	·07		·30			·43	18
19	·03	·07	·03	·03		·02	·05			·09		·27	19
20		·08		·27		·04	·07		·07	·21		·12	20
21	·06			·75					·20	·07		·03	21
22	·14				·70		·02		·06	·08		·42	22
23	·06				·65		·04		·08				23
24		·16				·02	·01		·04		·10	·02	24
25							·15	·16		·03	·09		25
26		·02					·24	·09	·01		·08	·17	26
27		·03	·01				·08	·23	·02		·10	·06	27
28			·19			·02		·02			·16	·10	28
29		·10							1·13		·02		29
30			·20					·02	·14		·04	·27	30
31			·11					·04		·02			31
Total	2·66	1·17	·72	2·80	2·37	·49	3·36	1·12	4·19	1·51	1·77	2·88	YEAR'S TOTAL 25·04
Rain Days.	13	16	10	15	8	11	15	10	25	15	13	22	173

W, 6,500, VII. 18. W W C

+ RR cordy c. 1062

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

10 JAN 20

Kept at Althorp Park

in the County of Northampton

by Chas F Crump

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Althorp Park L&N.W.

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft 3 in.

" " " " Sea Level 414 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	–	–	–	·02	–	·14	–	·26	·13	·31	·52	1
2	·14	·09	·01	–	·03	–	·05	–	–	–	·15	·05	2
3	·44	–	·03	–	·02	–	·20	–	·16	·17	–	·15	3
4	·35	–	·45	–	–	·04	·02	·14	·04	–	–	·15	4
5	·04	·32	·24	–	–	–	·07	–	·52	–	–	·15	5
6	·02	–	·05	–	1·08	–	–	–	·02	–	·01	·03	6
7	·05	–	·24	–	·04	–	–	–	–	–	–	–	7
8	·12	–	·07	–	–	–	–	–	–	–	·02	–	8
9	–	–	·02	·10	–	–	–	–	–	–	–	–	9
10	–	–	·40	·11	–	–	–	–	–	–	·02	·06	10
11	–	–	·40	·06	·19	–	–	–	–	–	–	–	11
12	·09	–	–	·03	–	·13	·48	–	·02	·07	–	–	12
13	·10	–	–	·10	–	·03	–	–	·05	–	–	·03	13
14	·40	–	–	·16	–	–	·03	–	·03	–	·15	–	14
15	·35	·05	·11	·16	–	–	–	–	–	·06	·24	·60	15
16	·08	·70	–	·13	–	–	–	·17	–	–	·18	–	16
17	·02	·18	–	·09	–	–	–	–	–	–	·02	·02	17
18	–	·15	·21	–	–	–	–	·17	–	–	·01	·16	18
19	·05	·32	1·00	–	–	·10	·40	·15	·11	–	·10	·05	19
20	·45	·10	·25	–	–	·12	·25	·27	–	–	–	·05	20
21	·16	·42	·11	–	–	–	·50	–	–	–	·02	·07	21
22	–	·45	–	–	–	–	·02	–	·30	–	·05	·50	22
23	–	–	–	–	–	·09	–	–	·03	·58	–	·05	23
24	–	–	–	–	·02	–	–	·02	–	·43	–	·02	24
25	·06	–	–	·07	·02	·02	–	·26	–	–	–	·03	25
26	·15	–	·20	·05	–	–	–	–	·10	–	–	·35	26
27	·45	–	·05	·09	–	–	–	·32	–	–	–	·05	27
28	·09	·01	–	·60	–	–	–	·60	–	–	·06	·28	28
29	–	–	–	·02	–	–	–	·07	–	·25	·19	·42	29
30	–	×	·15	·03 ·21	–	·26	–	–	–	·15	·03	·22	30
31	·04	×	–	×	–	×	·03	–	×	·03	×	·04	31
Total	3·99	2·71	3·99	2·01	1·42	·79	2·19	2·17	1·64	1·87	1·56	4·05	Year's Total 28·39
Days with ·01 in. or more	22	11	18	1~~6~~7	8	8	12	10	12	9	16	24	166

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

cnd by Markham
Hamilton
RL
1010

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Althorp Park
in the County of Northampton
by Charles F Crump

Lat. 52¼ Long. 1 W
Time of Observation 9 a.m.
Nearest Railway Station Althorp Park L.N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 414 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·15	·24	—	·30	—	·05	·17	·03	·15	1
2	—	—	—	·08	—	—	—	·24	·10	·14	—	·08	2
3	·05	—	—	·38	·03	·05	·50	·03	·06	·07	—	·02	3
4	—	·05	·07	·07	—	—	—	·50	·02	·25	—	·06	4
5	—	—	·12	·02	·17	—	·54	·02	·10	—	—	—	5
6	—	—	·11	—	·05	—	·44	·11	—	—	—	·01	6
7	—	·03	·03	·08	·03	—	·05	—	—	—	—	—	7
8	·52	·05	—	·49	·01	—	·13	—	—	—	—	—	8
9	·37	—	—	1·35	—	—	·02	—	—	—	—	—	9
10	·34	·04	—	·27	—	·04	·09	—	—	—	·02	—	10
11	·15	—	·07	·44	·3~~2~~3	·08	·05	—	—	—	—	·05	11
12	—	·02	·06	·13	—	·4~~3~~2	·03	—	—	—	—	·20	12
13	—	—	·11	·10	—	—	—	—	—	—	·03	—	13
14	·03	—	·98	·19	—	·27	·03	—	·02	·03	·20	—	14
15	—	·07	—	·11	—	—	—	—	·20	·02	·10	—	15
16	—	—	—	·18	·22	1·01	—	—	·18	·12	—	—	16
17	—	—	—	·13	·15	—	—	·13	·13	·05	—	—	17
18	·18	—	—	·01	—	—	·10	·04	·30	—	—	—	18
19	·05	·25	—	·33	—	—	—	·14	·23	—	—	·10	19
20	·08	·12	—	·21	—	·48	—	—	—	—	—	·10	20
21	—	—	—	·01	—	—	—	—	—	—	—	·05	21
22	—	—	—	·12	—	—	—	—	·05	—	—	·36	22
23	—	·02	—	—	—	—	·31	—	·10	—	—	·06	23
24	—	·01	·14	—	—	—	—	—	—	—	·05	·05	24
25	·24	·06	·02	·08	·23	·02	·44	—	—	—	—	·03	25
26	—	—	·07	·02	·01	—	·10	—	—	—	—	·21	26
27	·14	·02	—	·17	—	·54	·05	—	—	—	1·25	—	27
28	·54	—	·06	·02	·28	—	·02	—	—	—	·07	—	28
29	·14	—	·18	—	·52	·10	·04	—	—	—	·07	·52	29
30	·02	×	·01	·02	·02	·10	·01	—	·17	—	·12	·27	30
31	·08	×	—	×	—	×	—	—	×	·31	×	·07	31
TOTAL	2·93	·74	2·03	5·16	2·29	3·11	3·25	1·21	1·71	1·16	1·94	2·39	YEAR'S TOTAL ~~28·02~~ 27·92
Days with ·01 in. or more	15	12	14	26	14	11	19	8	14	9	10	18	170
Days with ·04 in. or more	13	7	11	20	9	10	14	6	12	7	7	15	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGIS

NORTHANTS.
ASHBY ST LEDGERS

1917. 1918. 1920

Kept at Ashby Saint ... 1.10 ...
... a.m.
in the County of Northam... Kilsby
by Major P. E. T. ... ain Gauge five in.
... bove Ground — ft. ten in.
..., Sea Level 500 ft.

IMPORTANT NOTE.- ... nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.13				1.14	.25		.04	.07	1
2	.03					.12		.11		.02	.04		2
3				.20				.16		.23	.07		3
4								.07		.46			4
5	.16	.30		.09					.03	.08	.11		5
6			.26			.22				.10	.04		6
7	.32					.23				.16		.05	7
8	.46			.17			.34		.01	.31	.18	.17	8
9	.05		.11	.10	.15		.02	.35			.14		9
10			.20	.10	.17			.04					10
11	.31		.15	.25				.30	.07	.22	.05		11
12				.08	.10			.02		.33	.02		12
13								.12	.08				13
14								.07					14
15	.12			.09			.03	.03		.03		.09	15
16		.20		.19			.03			.07		.10	16
17	.05			.12	.45	.06	.21	.02	.08	.15			17
18		.06		.10	.08		.16	.09	.88	.03			18
19		.20	.12		.35				.04				19
20	.03	.18	.03		.59	.07	.04		.06		.13		20
21		.01	.15		.19	.21					.02		21
22			.03					.08	.02	.15			22
23		.13			.07			.15	.02	.06			23
24		.03				.42		.05		.15	.06		24
25													25
26			.03					.26	.09		.13		26
27						.37	.02	.67				.02	27
28						.39		.11				.05	28
29			.09		.02	.05	.02	.08		.38		.20	29
30		X					.46	.24				.01	30
31	.04	X		X		X	.06		X		X	.04	31
Total	1.57	1.11	1.17	1.62	2.17	2.14	1.39	4.16	1.63	2.93	1.03	.80	YEAR'S TOTAL 21.72
Rain Days.	10	8	10	12	10	10	11	21	12	17	13	10	144

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ashby Saint Ledgers
in the County of Northamptonshire
by Major P. E. T. Hibbert

Lat. 52° 18 Long. 1° 10
Time of Observation 9 a.m.
Nearest Railway Station Kilsby
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground — ft. ten in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·13				1·14	·25		·04	·07	1
2	·03					·12		·11		·02	·04		2
3				·20				·16		·23	·07		3
4								·07		·46			4
5	·16	·30		·09					·03	·08	·11		5
6			·26			·22				·10	·04		6
7	·32					·23				·16		·05	7
8	·46			·17			·34		·01	·31	·18	·17	8
9	·05		·11	·10	·15		·02	·35			·14		9
10			·20	·10	·17			·04					10
11	·31		·15	·25				·30	·07	·22	·05		11
12				·08	·10			·02		·33	·02		12
13								·12	·08				13
14								·07					14
15	·12			·09			·03	·03		·03		·09	15
16		·20		·19			·03			·07		·10	16
17	·05			·12	·45	·06	·21	·02	·08	·15			17
18		·06		·10	·08		·16	·09	·88	·03			18
19		·20	·12		·35				·04				19
20	·03	·18	·03		·59	·07	·04		·06		·13		20
21		·01	·15		·19	·21					·02		21
22			·03					·08	·02	·15			22
23		·13			·07			·15	·02	·06			23
24		·03				·42		·05		·15	·06		24
25													25
26			·03					·26	·09		·13		26
27						·37	·02	·67				·02	27
28						·39		·11				·05	28
29			·09		·02	·05	·02	·08		·38		·20	29
30		×					·46	·24				·01	30
31	·04	×		×		×	·06		×		×	·04	31
Total	1.57	1.11	1.17	1.62	2.17	2.14	1.39	4.16	1.63	2.93	1.03	·80	YEAR'S TOTAL 21.72
Rain Days.	10	8	10	12	10	10	11	21	12	17	13	10	144

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Ashby Saint Ledgers
in the County of Northamptonshire
by Major P. E. T. Hibbert

Lat. 52 18 Long. 1 10
Time of Observation 9 a.m
Nearest Railway Station Kilsby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 10 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·07		·02							·23		1
2		·09		·09				·33	·03	·02	·06	·13	2
3		·03			·19			·02	·27		·34		3
4		·03	·02					·02	·42		·56	·05	4
5		·03		·04	·18			·07	·08	·03			5
6		·13	·02	·15								·03	6
7	·08	·10				·06			·06	·07	·09		7
8				·07	·02				·12	·04		·11	8
9		·18		·07		·16	·24		·21	·25		·07	9
10	·08			·01			·28		·06	·15		·03	10
11				·01	·05		·06		·09	·20		·07	11
12		·11	·06		·15		·19		·03				12
13	·01				·08	·05			·11	·04		·06	13
14	·26			·01		·03	·32		·41	·09		·07	14
15	·88			·47			·13		·09			·17	15
16	·06			·34					·06				16
17	·16			·02		·03	·31					·09	17
18	·33					·17	·08		·50			·33	18
19		·05	·03	·03			·05			·09		·42	19
20	·03	·12		·69		·06	·04		·08	·06		·03	20
21	·05			·37		·02	·02		·38				21
22	·15				·45		·04		·03	·02		·43	22
23	·04				·49		·10		·05			·03	23
24		·15					·10		·05		·19		24
25						·07	·02	·20		·06			25
26		·02					·25	·05	·02		·06	·17	26
27		·03					·24	·32	·02		·10	·09	27
28		·09	·16			·02		·10			·28	·09	28
29								·05	1·08		·03	·02	29
30		X	·28						·07		·06	·26	30
31		X	·30	X		X		·03	X		X		31
Total	2·13	1·23	·87	2·39	1·61	·67	2·47	1·19	4·32	1·12	2·00	2·75	YEAR'S TOTAL 22·75
Rain Days.	12.	15.	7.	15.	8.	10.	17.	10.	·24	13.	11.	21.	163.

W. 8,000, IX. 17.

W.D. reported 28.2.21

W 602

8 JAN 1921

Form A. 1

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Gardens Ashby St Ledgers

in the County of Northampton

by Alfred Williams, Gardener.

Lat. ...... Long. ......

Time of Observation 9 a.m.

Nearest Railway Station Kilsby

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground X ft. 10 in.

" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·05	—	—	—	·03	·09	—	·03	·43	·02	·13	1
2	—	—	—	·13	·30	—	·38	—	·14	·50	—	·06	2
3	—	—	·02	·06	—	—	·08	·15	·06	·11	—	·02	3
4	·03	·03	—	·34	—	·02	·54	—	·02	·27	—	·04	4
5	—	—	·02	·21	—	—	·02	·34	·18	·05	—	—	5
6	—	—	·09	·13	·23	—	·32	·07	—	—	—	·01	6
7	—	—	·23	—	·10	—	·41	—	—	—	—	—	7
8	—	—	·03	·20	·02	—	·04	—	—	—	—	—	8
9	·34	·09	—	·50	·03	—	·13	—	—	—	—	—	9
10	·49	—	—	1·00	—	—	·04	·15	—	—	·05	—	10
11	·28	·11	·06	·16	—	·03	·09	—	—	—	—	—	11
12	·19	·02	·04	·26	·25	·12	·03	·05	—	—	—	—	12
13	·03	—	·04	·15	—	·57	·01	—	·03	—	·05	—	13
14	—	·01	·14	·07	—	—	—	·02	·21	·03	·17	—	14
15	·03	—	·33	·06	—	·20	·02	—	·09	·03	·11	—	15
16	—	·12	·41	·05	—	·40	·01	—	·30	·15	—	—	16
17	·01	·02	—	·04	·08	1·26	·01	—	·33	·05	—	·06	17
18	·01	—	—	·32	·12	—	—	—	·59	—	—	—	18
19	·18	—	—	·05	·06	—	·04	·25	—	—	—	·02	19
20	·03	·08	—	·40	—	·16	—	·11	·02	—	—	·02	20
21	·07	·12	—	·33	—	27	—	—	·07	—	—	·03	21
22	—	—	—	·03	—	—	·05	·10	·08	—	—	·04	22
23	·01	·01	—	·10	—	—	·01	·04	—	—	—	·30	23
24	—	—	—	—	—	—	·53	·09	—	—	—	·08	24
25	—	·01	·13	—	—	—	—	·02	—	—	—	·02	25
26	—	·05	·02	·09	·56	—	·55	—	—	—	—	·20	26
27	·25	·01	·17	—	·02	—	·04	—	—	—	·61	·17	27
28	·10	·02	·02	·12	—	57	·02	—	—	—	·04	·18	28
29	·71	—	·25	—	·06	—	·06	—	—	—	·05	·53	29
30	·03	X	·02	—	·61	—	·10	—	·25	—	·15	·15	30
31	·02	X	—	X	·08	X	·05	—	X	·36	X	·08	31
TOTAL	·05 ~~2·84~~ 2.86	~~·75~~ ·70	2·02	4·80 ~~4·X0~~	·03 ~~2·52~~ 2.55	·09 ~~3·63~~ 3.69	~~3·17~~ 3.58	1·39	2·40	1·98	1·25	2·14	YEAR'S TOTAL 29·36 29·39 ~~29·29~~
Days with ·01 in. or more	19	~~15~~ 14	17	23	~~14~~ 15	11	26	12	15	10	9	19	190
	10	76	11	22	11	98	17X	10	11	8	8	13	136

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

B.R.
FORM C 1.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

PLEASE fill in name of place and month.

RAINFALL at..................in the County of..................

In the Month of..................192......

Date.	Inches.	REMARKS ON THE DAYS.
1	–	
2	·13	Reading on the
3	·06	1st of January 1921
4	·34	
5	·21	was ·08
6	·13	[illegible] marked E.
7	–	December 31st 1920
8	·20	
9	·50	
10	1·00	
11	·16	
12	·26	
13	·15	
14	·07	
15	·06	
16	·05	
17	·04	Copy
18	·32	
19	·05	
20	·40	
21	·33	
22	·03	
23	·10	
24	–	
25	–	
26	·09	
27	–	
28	·12	adds to
29	–	4·80
30	–	
31		
TOTAL	4·[illegible]	Days with ·01 in. or more......... Days with ·04 in. or more.........

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered *to the day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this form.

1st of following month.

PRINTED PAPER.

ADDITIONAL REMARKS.

The Gardens
Ashby St. Ledgers
Rugby

As stated other side of card, 4-80. is correct.

All readings are mark'd for the previous day.

Yours faithfully
A. Williams

SIGNED..

No writing on this side of the line.

KILSBY
4 MR
21

POSTAGE & REVENUE
1 ONE PENNY 1

THE SUPERINTENDENT,
British Rainfall Organization,
62, Camden Square,
LONDON, N.W. 1.

NORTHANTS

ASTROP - GREY COURT

1911—1918

RE 911

FORM A2.
BRITISH RAINFALL.

GREY C
Station & Telegrams:
KINGS SUTTON.

Kept at

in the County of N

by Edward B

eretti & Zambra

op 5 in.

above Ground 1 ft. – in.

„ Sea Level 338 ft.

9 am

ion { Name Kings Sutton
Distance 1 Direction West

IMPORTANT NOTE.—Rain should be measured daily at and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	–	·03	·08		–	–		–	–	·01	·2	1
2	·02	–	–	·17	·13	–	·05		–	·01	·12	·3	2
3	·	–	–	·01	·20	·20		·06	–	·07	·07	10	3
4	·04	·01	·06	·04	–	–			·02	·29	·18	22	4
5	–	–	·01	–	–	–		·31	–	·03		..	5
6	·41	–	·04	–	–	–			–	–	·2	61	6
7	·01	–	–	–	–	–			–	·03	·20	31	7
8	·13	–	·12	–	–	–			–	–	·9	16	8
9	·09	–	·06	·01	–	–			–	–		·5	9
10	·02	·14	·27		–	–			–	–	49	30	10
11	·24	–	·04			–			–	–	26	·2	11
12	–	–	·43		–	–			·10	–	..	41	12
13	–	–	·05		·13	–		·02	·42	·07	·2	36	13
14	–	–	·02		·03	–			–	–	·16	(3) ·6	14
15	–	·05	·14		–	–			–	·02	30	41	15
16	–	–	·01		–	·07			–	–	·2	41	16
17	–	·30	·04		–	·12			–	–	..	13	17
18	–	–	–	·01	–	·01			–	–	18	·4	18
19	–	–	–		–	·25			·15	·13	..	..	19
20	·02	·05	·02	·02	–	–		·85	·22	·14	..	63	20
21	·01	·11	·08		–	–		·10	·27	·34	..	·2	21
22	–	·02	–		–	·12		·02	–	·16	..	..	22
23	–	·10	·36		–	·11	·19		·21		..	..	23
24	·01	·08	·01		–	·34			–	·50	..	..	24
25		·10	–	·02	·49	·05		·02	–	·02	·6	47	25
26		·03	–	·16	·01	·01		·01	–	·26	·7	28	26
27		·29	·13	·06	–	–		·12	·29	–	·8	·9	27
28		·23	–	·16	·03	–		·19	–	–	..	24	28
29		–	1.92 –	·02	–	·21	·15	–	·16	·22	..	..	29
30		–	·04	·04	·05	·06		·09	1.84 ·01	2·29 15		..	30
31		–	·02		·02			–		1		..	31
Total	1.01	1,51	1.98	·83	1.09	1.55	·39	1·79	1.85	2·45	2·33	3 5.87	TOTAL for year 22.65
No. of Rain Days	12	13	21	13	9	12	3	11	10	17	17	23	161

9,000, IX. '10.

REGISTER 911

FORM A2.
BRITISH RAINFALL.

Kept at GREY COURT, ASTROP, Station & Telegrams: KINGS SUTTON. BANBURY.

in the County of Northants

by Edward Browne.

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 338 ft.

Time of Observation 9 am

Nearest Railway Station
Name Kings Sutton
Distance 1 Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	–	·03	·08		–	–		–	–	·01	·2	1
2	·02	–	–	·17	·13	–	·05		–	.01	·12	·3	2
3	•	–	–	·01	·20	·20		·06	–	·07	·07	10	3
4	·04	·01	·06	·04	–	–			·02	·29	·18	22	4
5	–	–	·01	–	–	–		·31	–	·03		..	5
6	·41	–	·04	–	–	–			–	–	·2	61	6
7	·01	–	–	–	–	–			–	·03	·20	31	7
8	·13	–	·12	–	–	–			–	–	·9	16	8
9	·09	–	·06	.01	–	–			–	–		·5	9
10	·02	·14	·27		–	–			–	–	49	30	10
11	·24	–	·04			–			–	–	26	·2	11
12	–	–	·43		–	–			·10	–	..	41	12
13	–	–	·05		·13	–		·02	·42	·07	·2	36	13
14	–	–	·02		·03	–			–	–	·16	(3) ·6	14
15	–	.05	·14		–	–			–	·02	30	41	15
16	–	–	·01		–	·07			–	–	·2	41	16
17	–	·30	·04		–	·12			–	–	..	13	17
18	–	–	–	·01	–	·01			–	–	18	·4	18
19	–	–	–		–	·25			.15	·13	..	..	19
20	.02	·05	.02	·02	–	–		·85	·22	·14	..	63	20
21	·01	.11	·08		–	–		·10	·27	·34	..	·2	21
22	–	·02	–		–	.12		·02	–	·16	..	..	22
23	–	·10	·36		–	·11	·19		·21		..	..	23
24	.01	·08	·01		–	·34			–	.50	..	..	24
25		·10	–	·02	·49	·05		·02	–	·02	·6	47	25
26		·03	–	·16	·01	·01		·01	–	·26	·7	28	26
27		·29	·13	·06	–	–		·12	·29	–	·8	·9	27
28		·23	–	·16	·03	–		·19	–	–	..	24	28
29		–	1.92	·02	–	·21	·15	–	·16	·22	..	..	29
30		–	·04	·04	·05	·06		·09	1.84 ·01	2.29 15		..	30
31		–	·02		·02			–		1		..	31
Total	1.01	1,51	1.98	·83	1.09	1.55	·39	1.79	1.85	2.45	2.33	3 5.87	TOTAL for year 22.65
No. of Rain Days	12	13	21	13	9	12	3	11	10	17	17	23	161

9,000, IX. '10.

8h

Ex. H&b

186

FORM A2.
BRITISH RAINFALL

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Astrop King's Sutton

in the County of Northamptonshire 2

by E. Browne

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 338 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.03	.08							.01	.02	1
2	.02			.17	.13		.05			.01	.12	.03	2
3				.01	.20	.20		.06		.07	.07	.10	3
4	.04	.01	.06	.04					.02	.29	.18	.22	4
5			.01					.31		.03			5
6	.41		.04								.02	.61	6
7	.01									.03	.20	.31	7
8	.13		.12								.09	.16	8
9	.09		.06	.01								.05	9
10	.02	.14	.27								.49	.30	10
11	.24	—	.04								.26	.02	11
12			.43						.10			.41	12
13			.05		.13			.02	.42	.07	.02	.36	13
14			.02		.03						.16	.06	14
15		.05	.14							.02	.30	.41	15
16			.01			.07					.02	.41	16
17			.04			.12						.13	17
18		.30		.01		.01					.18	.04	18
19						.25			.15	.13			19
20	.02	.05	.02	.02				.85	.22	.14		.63	20
21	.01	.11	.08					.10	.27	.34		.02	21
22		.02				.12		.02		.16			22
23		.10	.36			.11	.19		.21				23
24	.01	.08	.01			.34				.50			24
25		.10		.02	.49	.05		.02		.02	.06	.47	25
26		.03		.16	.01	.01		.01		.26	.07	.28	26
27		.29	.13	.06				.12	.29		.08	.09	27
28		.23		.16	.03			.19				.24	28
29				.02		.21	.15		.16	.22			29
30			.04	.07	.05	.06		.09	.01	.15			30
31			.02		.02					.01			31
Total	1.01	1.51	1.98	.83	1.09	1.55	.39	1.79	1.85	2.45	2.33	5.37	TOTAL for year 22.15
No. of Rain Days	12	13	21	13	9	12	3	11	10	17	17	23	161

9,000, IX. '10.

82 186

FORM A2. BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at *Astrop, Kings Sutton*
in the County of *Northamptonshire* 2
by *E. Browne*

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02			.03	.01		.05	.23		.08	1
2			.01	.02		.10	.54						2
3	.08				.05	.05	.03	.36	.02		.02		3
4	.19		.59		.22	.43					.23	.11	4
5	.13		.07		.22	.09		.32	.02		.01	.01	5
6	.27	.20	.08		.01		.03	.56				.11	6
7		.09	.07		.05	.77	.01	.15				.08	7
8	.21	.27		.02		.02	.02	.03	.07			.04	8
9		.04				.40	.01	.01				.20	9
10			.11	.04		.20		.12			.09	.01	10
11	.02	.13	.01			.06		.03			.04	.26	11
12	.10	.29	.14		.01		.11				.13	.01	12
13		.05					.09	.04			.03		13
14	.04		.19		.10	.01		.09					14
15	.09	.07	.15		.34	.31		.02				.14	15
16	.31				.12	.03		.06		.04	.01		16
17	.25		.12			.09		.33				.22	17
18	.81		.25					.01		.04		.01	18
19	.25	.07	.14				.14	.81			.01		19
20			.24		.01	.05	.15	.21		.19			20
21	.02	.08	.13		.34		.01	.44		.27			21
22	.36	.04	.02		.40		.71	.16		.08		.02	22
23	.28	.29	.29		.01	.04	.29	.31		.01	.06	.30	23
24	.03		.05			.01		.08				.14	24
25		.02				.23		.19			.25	.39	25
26							.25	.89		.37	.19	.12	26
27						.12	.09			.51		.23	27
28		.05				.04	.13	.51	.08	.24	.28	.69	28
29		.04				.33	.31		.75	.23		.01	29
30					.21	.06	.01	.02	.11	.21			30
31			.01		.11		.40	.16		.01		.02	31
Total	3.44	1.73	2.69	.08	2.20	3.47	3.34	5.91	1.10	2.43	1.35	3.20	TOTAL for year 3094
No. of Rain Days.	17	15	20	3	15	22	20	25	7	13	13	22	192

W. 8,000, X. '11.

81 ✓

187

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Greycourt, Astrop

in the County of Northamptonshire

by E. Browne

2

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·18	·13	·10					1·40		·16	·02	1
2		·10	·10	·02			·02		·20	·69	·04		2
3		·08	·05		·50					·01		·03	3
4	·11		·02		·16		·05			·10	·04	·32	4
5	·51					·07	·06			·35	·04	·03	5
6		·14			·16	·24	·25			·16		·13	6
7		·32			·27	·05	·06			·48	·08	·01	7
8		·02			·10	·11				·25	·06		8
9	·01	·32		·01	·01	·12	·02	·04	·18		·08	·02	9
10	·69			·09	·09		·10	·02			·42		10
11				·37	·13			·13		·35	·59		11
12					·06			·02	·02	·01	·59		12
13				·03					·05		·19		13
14			·08	·01							·03		14
15	·13	·04	·32	·34			·12			·08	·01		15
16	·03		·42	·17			·01						16
17	·05		·17	·10		·03	·12		·04			·01	17
18	·04		·15	·16	·02						·01		18
19	·22		·14	·01		·02	·12		·09			·02	19
20	·08		·12	·04		·02			·02	·33	·07		20
21	·01		·16	·05	·18					·03	·34		21
22	·32		·28				·03		·24				22
23						·08			·06		·01	·05	23
24				·10				·02					24
25		·02		·13						·01			25
26		·05	·07	·30				·12		·34		·16	26
27			·01	·12	·06					·05			27
28	·17	·02	·20	·25						·22		·02	28
29	·01		·32	·88	·13			·10		·18		·14	29
30	·20			·02						·30	·11		30
31			·05		·20			·03				·02	31
Total	2·62 ✓	1·29 ✓	2·79 ✓	3·30 ✓	2·07 ✓	·74 ✓	·96 ✓	·48 ✓	2·30 ✓	3·94 ✓	2·87 ✓	·98 ✓	YEAR'S TOTAL 24·34
Rain Days.	16	11	18	21	14	9	12	8	10	18	18	14	169

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at GREY COURT, ASTROP, BANBURY.
Station & Telegrams: KINGS SUTTON.
in the County of
by Edward Browne.

Lat. 52°3 N Long. 1° 205 W
Time of Observation 8 am to 8.30
Nearest Railway Station Kings Sutton G.W.R.
Diameter of Rain Gauge 5 in. Negretti Zambra
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the
efers not to conform to this almost universal rule, he is earnestly
a.m. on 1st January of the following year in the space provided
Full instructions for the measurement of rain,
h Rainfall
plication to

Jan. 1, following.

FORM B.
BRITISH RAINFALL

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1913

At Astrop, Parish Kings Sutton
In the County of Northants
Rain Gauge: Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. in.
Above Sea Level 338 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	2.62	.69	10	16
FEB.	1.29	.32	7+9	11
MAR.	2.79	.42	16	18
APR.	3.30	.88	29	21
MAY	2.07	.50	3	14
JUNE	0.74	.24	6	9
JULY	0.96	.25	6	12
AUG.	0.48	.13	11	8
SEPT.	2.30	1.40	1	10
OCT.	3.94	.69	2	18
NOV.	2.87	59	11+12	18
DEC.	0.98	32	4	14
Total	24.34	AA		169.

Signed Ed. Browne

W. 16,000. XI.13.

[*Please fill in the other side also.*

FORM E.
BRITISH RAINFALL.

To be filled up if the Observer desires to do so and returned to
DR. H. R. MILL, *Director*, BRITISH RAINFALL ORGANIZATION, 62 CAMDEN SQUARE, LONDON, N.W.

BRIEF REMARKS on the weather of the year or on any meteorological occurrences

at Astrop Parish of Kings Sutton *in the County of* Northants *for the year* 1913.

To The Director, British Rainfall Organization

Dear Sir Referring to the correspondence that has taken place between us as to an apparent discrepancy between my records & those of the surrounding stations which you make quite evident to me by the tables you have been kind eno to extract & send me, I am quite unable to account for the very remarkable discrepancy which appears to be comparatively ~~regular~~ persistent. The trees, nearest and to the South Western [illegible] the

---

												Nov.	Dec.	Date.
1												.16	.02	1
2												.04	–	2
3												–	.03	3
4												.04	.32	4
5												.04	.03	5
6												–	.13	6
7												.08	.01	7
8												.06	–	8
9												.08	.02	9
10												.42		10
11												.59		11
12												.59		12
13												.19		13
14												.03		14
15												.01		15
16												–		16
17												–	.01	17
18												.01	–	18
19												–	.02	19
20												.07		20
21												.34 2.75		21
22											–			22
23											–	.01	.05	23
24	–	–	–	.10							–	–	–	24
25	–	.02	–	.13							.01	–	–	25
26	–	.05	.07	.30	–	–	–	.12			.34	–	.16	26
27	–	–	.01	.12	.06	–					3.19 .05	–		27
28	.17	.02	.20	.25	–	–					.22	–	.02	28
29	.01		.32	.88	.13	–		.10			.18	–	.14	29
30	.20		~~.03~~	3.28 .02	1.87 .8	–					.30	.11	–	30
31			.05		.20			.03					.02	31
Total	2.62	1.29	2.79	3.30	2.07	0.74	.96	.48	2.30	3.94	2.86 7	.98		YEAR'S TOTAL
Rain Days.	16	11	18	21	14	9	12	8	10	18	18	14		

W. 7,500, XI. ·12

If Gauge ... *during year*

Date.	Distance.	Direction
No	change	

How was height above sea level ascertained?

By Ordnance Survey map.

State pattern and maker of Gauge, if known.

Negretti & Zambra.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Trees. Hollies S.W. Spruce & Scots firs N.E.	abt 40 ft	30 or 40 ft.	S.W. N.E. & N.

In order that the position may be accurately entered on a map please mention

Latitude 52° 3 N.

Longitude 1. 205. W.

as nearly as I can make it by Stanfords map

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	Kings Sutton	1 m	W.
Church	"	1/2	W.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the **Observer's name and address below.**

Some 10 or 15 years ago a record was kept by a Mr Good National Sch master, I cannot discover what has become of his records taken for years 500 yards away from this place.

REMARKS on the weather of the year or on any meteorological occurrences should be made on the special slip FORM E.

FORM E.
BRITISH RAINFALL.

To be filled up if the Observer desires to do so and returned to
DR. H. R. MILL, *Director*, BRITISH RAINFALL ORGANIZATION, 62 CAMDEN SQUARE, LONDON, N.W.

BRIEF REMARKS on the weather of the year or on any meteorological occurrences
at Astrop Parish of Kings Sutton *in the County of* Northants *for the year* 1913.

To The Director, British Rainfall Organization

Dear Sir Referring to the correspondence that has taken place between us as to an apparent discrepancy between my records & those of the surrounding stations which you make quite evident to me by the tables you have been kind eno to extract & send me, I am quite unable to account for the very remarkable discrepancy which appears to be comparatively ~~regular~~ persistent. The trees nearest and to the South Westward of my gauge are hollies, and to the north Easterly North are spruce & cotifirs which are both of them very efficient screen from wind & rain and these trees *must* therefore be the cause. I will look about and see whether I can fix upon another spot more exposed but I should have in that case to leave the notation of the records to my rather illiterate gardener but whom I have found during my absence to be quite reliable - hitherto I have for at least 10 months of the year taken the records personally at from 8.30 to 9 am

2 Jan 1914

GREY COURT,
ASTROP,
Station & Telegrams: KINGS SUTTON.
BANBURY.

(*Signed*) Edward Browne.

Please write on one side of the paper, as if the remarks are selected for publication in BRITISH RAINFALL this form will be sent to the Printer. If there is to describe any very remarkable phenomenon, such as a cloudburst, serious flood or disastrous drought, please continue on an additional sheet.

W.—5,000.—XI.-13.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Lat. 52°.3 N Long. 1°.205 W
Time of Observation 8 am to 8.30
Nearest Railway Station Kings Sutton G.W.R. -
Diameter of Rain Gauge 5 in. Negretti Zambra
Height of top of Gauge above Ground 1 ft. – in.
" " " Sea Level 338 ft.

Kept at GREY COURT, ASTROP, BANBURY. Station & Telegrams: KINGS SUTTON.
in the County of
by Edward Browne.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m.: and the result entered to the previous day. Observer efers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided

Jan. 1, following.

Date.	Nov.	Dec.
1	.16	.02
2	.04	–
3	–	.03
4	.04	.32
5	.04	.03
6	–	.13
7	.08	.01
8	.06	–
9	.08	.02
10	.42	
11	.59	
12	.59	
13	.19	
14	.03	
15	.01	
16	–	
17	–	.01
18	.01	–
19	–	.02
20	.07	
21	.34	
22	275	
23	.01	.05
24	–	–
25	–	–
26	–	.16
27	–	–
28	–	.02
29	–	.14
30	.11	–

FORM A.
BRITISH RAINFALL.

05W
to 8.30
Sutton G.W.R.
5 in. Negretti Zambra
ound 1 ft. – in.
Level 338 ft.

result entered to the
al rule, he is earnestly
n the space provided
t of rain,
Rainfall
lication to

Jan. 1, following.

Organization are given in "Rules for
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.04	.18	.13	.10	–	–	–	–	1.40	–	.16	.02	1
2	–	.10	.10	.02	–	–	.02	–	.20	.69	.04	–	2
3	–	.08	.05	–	.50	–		–	–	.01	–	.03	3
4	.11	–	.02	–	.16	–	.05	–	–	.10	.04	.32	4
5	.51	–	–	–	–	.07	.06	–	–	.35	.04	.03	5
6	–	.14	–	–	.16	.24	.25	–	–	.16	–	.13	6
7	–	.32	–	–	.27	.05	.06	–	–	.48	.08	.01	7
8	–	.02	–	–	.10	.11	—	–	–	.25	.06	–	8
9	.01	.32	–	.01	.01	.12	.02	.04	.18	–	.08	.02	9
10	.69	–	–	.09	.09	–	.10	.02	–	–	.42		10
11	–	—	–	.37	Same .13	–		13	–	.35	.59		11
12	–	–	–	–	.06	–		.02	.02	.01	.59		12
13	–	–	–	.03	–	–		–	.05	–	.19		13
14	–	–	.08	.01	–	–		–	–	–	.03		14
15	.13	.04	.32	.34	–	–	12	–	–	.08	.01		15
16	.03	–	.42	.17	–	–	.01	–	–	–	–		16
17	.05	–	.17	.10	–	.03	.12	–	.04	–	–	.01	17
18	.04	–	15	.16	.02	–	–	–	–	–	.01	–	18
19	.22	–	14	.01	–	.02	.12	–	.09	–	–	.02	19
20	.08	–	12	.04	–	.02	–	–	.02	.33	.07		20
21	.01	–	16	1.45 .05	.18	–	–	–	–	.03	.34		21
22	.32	–	28	. –	–	–	.03	–	.24	–	2.75		22
23	–	–	–	. –	–	.08	–	–	.06	–	.01	.05	23
24	–	–	–	.10	–	–	–	.02		–	–	–	24
25	–	.02	–	.13	–	–	–	–		.01	–	–	25
26	–	.05	.07	.30	–	–	–	.12		.34	–	.16	26
27	–	–	.01	.12	.06	–				3.19 .05	–		27
28	.17	.02	.20	.25	–	–				.22	–	.02	28
29	.01		.32	.88	.13	–		.10		.18	–	.14	29
30	.20		.~~04~~	3.28 .02	1.87 .2	–				.30	.11	–	30
31			.05		.20			.03				.02	31
Total	2.62	1.29	2.79	3.30	2.07	0.74	.96	.48	2.30	3.94	2.86 7	.98	YEAR'S TOTAL
Rain Days.	16	11	18	21	14	9	12	8	10	18	18	14	

W. 7,500, XI. ·12

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1914

At Greycourt Astrop
In the County of Northants

Rain Gauge
Diameter of Funnel 5 in.
Height of Top: *Above Ground* 1 ft. in.
Height of Top: *Above Sea Level* 338 ft.

Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Greatest Fall in 24 hours. Date.	Number of Days with ·01 or more recorded.
JAN.	.63	.19	4	10
FEB.	2.01	.37	9	13
MAR.	3.11	.22	4	26
APR.	.91	.24	3	11
MAY	1.20	.90	9	11
JUNE	3.07	28	10	9
JULY	2.52	49	1	20
AUG.	1.63	36	4	14
SEPT.	1.31	36	12	8
OCT.	2.30	72	14	12
NOV.	2.96	47	2	17
DEC.	5.41	1.39	28	24
Total	27.06			175

Signed Edward Browne.

Please fill in the other side also.

W. 17,000. X.14.

R OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

URY.

Lat. 52°3 N Long. 1° 205 W.
Time of Observation between 8.30 + 9 am
Nearest Railway Station Kings Sutton G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 338 ft.

should be measured daily at 9 a.m. and the result entered to the
refers not to conform to this almost universal rule, he is earnestly
a.m. on 1st January of the following year in the space provided
ph. Full instructions for the measurement of rain,
gauges, and particulars as to the British Rainfall
for Rainfall Observers," sent post-free on application to
are, London, N.W.

Jan. 1, following.

					May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
					–		.49	.33	–	–	.07	.05	1
					–		.02	.24	–	–	.47	.28	2
					.24		.38	–	–	–	.07	.03	3
					–		.02	.36	–	–	.31	.29	4
					.03	.12	.10	.11	–	–	.10	–	5
					.08	.05	–	.01	–	–	.25	.14	6
					.23	.02	.07	.01	–	–	–	.07	7
					.09	.70	.01	.16	–	–	–	.05	8
					–	.90	–	.05	.04	–	–	–	9
					.10	–	–	.01	.31	–	–	–	10
					.08	.70	–		–	–	.33	.27	11
					–	.53	.35		.36	–	.01	.32	12
					–		–		.12	.03	.09	.29	13
					–		.19		–	.72	.10	.10	14
					–		.01	03	.11	–	.10	.06	15
16	–	–	.11	–	–		.03		.11		–	–	16
17	–	.26	.06	–	–		–		.24		–	.17	17
18	–	–	.01	–	–		.41				–	.38	18
19	–	–	.22	–	–		.02				.07	.01	19
20	–	.23	.24	–	–	.01	.11		.02		–	.28	20
21	–	–	.05	–	–	.~~04~~	.07	.02	–	.15	–	2.81 12	21
22	–	.26	.03	.01	.20	.04	.05	.08	–	.24	–	–	22
23	–	.03	.09	–	–		.03			.11	–	.06	23
24	–	–	2.76 .01		–		–			.19	–		24
25	.06	–	.06		–		.02	.13		.34	.08	.13	3.12 25
26	–	–	.07		–		2.38 .03	.09		.09	.14	.33	26
27	.05	–	–		–		–	–		–	–	.15	27
28	–	.07	.03		.11		–	–		.02	.17	1.39	Snow 28
29	.02		.07		.02		–	–		.35	2.36 .31	–	29
30	–		.11		–		–	–		.05	.29	.36	30
31	.01		–		.02		.11	–		.01		.06	31
Total	.63	2.01	3.11	.91	1.20	3.07	2.52	1.63	1.31	2.30	2.96	5.41	YEAR'S TOTAL
Rain Days.	10	13	26	11	11	9	20	14	8	12	17	24	
Sch	.63	2.135	2.95	.79	1.015	2.36				2.18	Sch 2.63	5.875	

W.7,000, XI. 13

If Gauge has been moved during year stat

Date.	Distance.	Direction.
No change.		

How was height above sea level ascertained?

By Ordnance Survey map

State pattern and maker of Gauge, if known.

Negretti + Zambra.

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Trees	abt	abt	
Hollies S.W.	40ft	30 or 40	S W.
Chestnuts "		feet	
Spruce + Scots			N E by N.
Firs + Chestnut N.E.			

In order that the position may be accurately entered on a map please mention

Latitude 52° 3" **N.**

Longitude 1.°205 W.

Nearest Railway Station and Parish Church.

	Name.	Distance.	Direction.
Station	King's Sutton	1	W.
Church	"	1/2m	W.

If you know of any record of rainfall not quoted in *British Rainfall*, please give the Observer's name and address below.

Some 10 or 15 years ago died a National Sch master of this village who for many years kept a careful record at his school about 400 yards distant from this house. I cannot discover what became of his records or his gauge, His name was Good.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

GREY COURT,
ASTROP,
BANBURY.
Station & Telegrams: KINGS SUTTON.

Kept at Station & Telegrams: KINGS SUTTON.
in the County of Northants
by Edward Browne.

Lat. 52°3 N Long. 1° 205 W.
Time of Observation between 8.30 + 9 am
Nearest Railway Station Kings Sutton G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.03	.07	–		.49	.33	–	–	.07	.05	1
2	–	–	.01		–		.02	.24	–	–	.47	.28	2
3	–	–	–	.01	.24		.38	. –	–	–	.07	.03	3
4	.19	–	.01	.22	—		.02	.36	–	–	.31	.29	4
5	.03	–	.02	.13	.03	.12	.10	.11	–	–	.10	–	5
6	–	.04	–	.06	.08	.05	–	.01	–	–	.25	.14	6
7	–	.09	.36	.03	.23	.02	.07	.01	–	–	–	.07	7
8	.05	.08	.17	.05	.09	.70	.01	.16	–	–	–	.05	8
9	.15	–	.37	.11	–	.90	–	.05	.04	–	–	–	9
10	.02	.28	–	.11	.10	–	–	.01	.31	–	–	–	10
11	–	.19	.32	.11	.08	.70	–		–	–	.33	.27	11
12	–	.02	.08	–	–	.53	.35		.36	–	.01	.32	12
13	–	.28	.24	–	–		–		.12	.03	.09	.29	13
14	–	–	.22	–	–		.19		–	.72	.10	.10	14
15	.05	.18	.12	–	–		.01	03	.11	–	.10	.08	15
16	–	–	.11	–	–		.03		.11		–	–	16
17	–	.26	.06	–	–		–		.24		–	.17	17
18	–	–	.01	–	–		.41				–	.38	18
19	–	–	.22	–	–		.02				.07	.01	19
20	–	.23	.24	–	–	.01	.11		.02		–	.28	20
21	–	–	.05	–	–	.04	.07	.02	–	.15	–	2.81 .12	21
22	–	.26	.03	.01	.20	.04	.05	.08	–	.24	–	–	22
23	–	.03	.09	–	–		.03			.11	–	.10	23
24	–	–	[illegible] .01		–		–			.19	–		24
25	.06	–	.06		–		.02	.13		.34	.08	.13	3.12 25
26	–	–	.07		–		2.38 .03	.09		.09	.14	.33	26
27	.05	–	–		–		–	–		–	–	.15	27
28	–	.07	.03		.11		–	–		.02	.17	1.39	Snow 28
29	.02		.07		.02		–	–		.35	2.36 .31	–	29
30	–		.11		–		–	–		.05	.29	.36	30
31	.01		–		.02		.11	–		.01		.06	31
Total	.63	2.01	3.11	.91	1.20	3.07	2.52	1.63	1.31	2.30	2.96	5.41	YEAR'S TOTAL
Rain Days.	10	13	26	11	11	9	20	14	8	12	17	24	
Sch	.63	2.135	2.95	.79	1.015	2.36				2.18	Sch. 2.63	5.875	

W.7,000, XI. 13

81/ 161

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Grey Court, Astrop, Kings Sutton
in the County of Northamptonshire 2
by E. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·07			·49	·33			·07	·05	1
2			·01				·02	·24			·47	·28	2
3				·01	·24		·38				·07	·03	3
4	·19		·01	·22			·02	·36			·31	·29	4
5	·03		·02	·13	·03	·12	·10	·11			·10		5
6		·04		·06	·08	·05		·01			·25	·14	6
7		·09	·36	·03	·23	·02	·07	·01				·07	7
8	·05	·08	·17	·05	·09	·70	·01	·16				·05	8
9	·15		·37	·11		·90		·05	·04				9
10	·02	·28		·11	·10			·01	·31				10
11		·19	·32	·11	·08	·70					·33	·27	11
12		·02	·08			·53	·35		·36		·01	·32	12
13		·28	·24						·12	·03	·09	·29	13
14			·22				·19			·72	·10	·10	14
15	·05	·18	·12				·01	·03	·11		·10	·08	15
16			·11				·03		·11				16
17		·26	·06						·24			·17	17
18			·01				·41					·38	18
19			·22				·02				·07	·01	19
20		·23	·24			·01	·11		·02			·28	20
21			·05					·02		·15		·12	21
22		·26	·03	·01	·20	·04	·07	·08		·24			22
23		·03	·09				·05			·11		·06	23
24			·01				·03			·19			24
25	·06		·06				·02	·13		·34	·08	·13	25
26			·07				·03	·09		·09	·14	·33	26
27	·05											·15	27
28		·07	·03		·11					·02	·17	1·39	28
29	·02		·07		·02					·35	·31		29
30			·11							·05	·29	·36	30
31	·01				·02		·11			·01		·06	31
Total	·63	2·01	3·11	·91	1·20	3·07	2·52	1·63	1·31	2·30	2·96	5·41	YEAR'S TOTAL 27·06
Rain Days.	10	13	26	11	11	9	20	14	8	12	17	24	175

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at GREY COURT, ASTROP, BANBURY.
in the County of Nothants
by Edward Browne

Lat. 52°3 N. Long. 1.205 W
Time of Observation between 8.15 + 8.30 am
Nearest Railway Station Kings Sutton G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.26	.17	.14	-	.07	-	.01	.01	.16	.07	.01	.21	1
2	.11	.19	.31	.08	-	.06	-	.46	-	.23	-	.06	2
3	.47	-	.04	.09	-	-	.06	.47	-	.03	-	.16	3
4	.10	-	-	-	-	-	.46	.01	-	-	-	.61	4
5	.02	.40	.01	-	-	-	-	.04	-	-	.02	.25	5
6	.21	.03	-	.17	-	-	.82	.02	-	-	-	.09	6
7	.03	.36	-	-	.05	.13	.27	.04	-	-	-	.13	7
8	.02	.16	-	.02	-	-	.04	.81	-	-	-	-	8
9	.04	-	-	.13	-	-	-	.02	-	-	.16	.35	9
10	.23	.06	-	-	-	-	-	.005	-	-		.01	10
11	.06	-	-	.02	.04	-	-	-	-	-	.82		11
12	.05	-	-	.25	.27	-	-	.32	-	.01	.72	.06	Snow. 12
13	.01	.32	-	-	.97	-	-		-	-	-		13
14	.01	.09	-	-	-	-	.01	.25	.07	.04	-	.38	14
15	.18	-	-	.05	.06	-	-	.03		.02	.10	.21	15
16	1.80 .02	.55	-	-	.16	-	.57	-		-	-	.06	16
17	-	.31		-	.37	-	.06	-		-	-	.01	17
18	-	.12	.10 s	-	-	-	-	-		-	-	-	18
19	-	.01			.04	-	.08	-		-	-	-	19
20	.47	-		-	-	-	-	-		-	-	.15	20
21	.10	-		-	.16	-	.07	-		.07	-	.08	21
22	.24	-	.26	.04	-		.53	-	.02		-	.17	22
23	-	.34 s	.02	-	-	.05	2.08 .34	-	.08	.24	-	2.92 .32	23
24	-	-	.30	.05	-	.02	1.29	-	1.59	.25	-	.18	
25	-	-	.02	-	-	.55	.16	-	-	.03	.01	.27	25
26	-	.09		-	-	-	.07	-	-	-	-	.27	26
27	-	-		-	-	.07	.07	-	-	.36	-	.06	27
28	-	.07		-	-	.02	-	.03	.41	.10	-	-	28
29	-	-		-	-	-	.04	1.71 .12	-	-	.16	.07	29
30	.06	X		-	-	.01	.16	-	-	.14	2.00 .06	.09	30
31	.02	X		X	-	X	-	.02	X	1.59 .62	X	.15	31
Total	2.71	2.97	1.20	.90	2.19	.91	5.11	1.85	2.33	2.21	2.06	4.44	YEAR'S TOTAL
Rain Days.	21	16	9	10	10	8	19	15	6	14	9	25	

Sch. 2.375 3.105 1.16 .80 2.165 .815

8,000. X. 14.

82

1176
175

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Grey Court, Astrop, Banbury
in the County of Northamptonshire
by E. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·17	·14		·07		·01	·01	·16	·07	·01	·21	1
2	·11	·19	·31	·08		·06		·46		·23		·06	2
3	·47		·04	·09			·06	·47		·03		·16	3
4	·10						·46	·01				·61	4
5	·02	·40	·01					·04			·02	·25	5
6	·21	·03		·17			·82	·02				·09	6
7	·03	·36			·05	·13	·27	·04				·13	7
8	·02	·16		·02			·04	·01					8
9	·04			·13				·02			·16	·35	9
10	·23	·06										·01	10
11	·06			·02	·04						·82		11
12	·05			·25	·27			·32		·01	·72	·06	12
13	·01	·32			·97								13
14	·01	·09					·01	·25	·07	·04		·38	14
15	·18			·05	·06			·03		·02	·10	·21	15
16	·02	·55			·16		·57					·06	16
17		·31			·37		·06					·01	17
18		·12	·10										18
19		·01			·04		·08						19
20	·47											·15	20
21	·10				·16		·07			·07		·08	21
22	·24		·26	·04			·53		·02			·17	22
23		·04	·02			·05	·34		·08	·24		·36	23
24			·30	·05		·02	1·29		1·59	·25		·18	24
25			·02			·55	·16			·03	·01	·27	25
26		·09					·07					·27	26
27						·07	·07			·36		·06	27
28		·07				·02		·03	·41	·10			28
29							·04	·12			·16	·07	29
30	·06	×				·01	·16			·14	·06	·09	30
31	·02	×		×		×		·02	×	·62	×	·15	31
Total	2·71	2·97	1·20	·90	2·19	·91	5·11	1·85	2·33	2·21	2·06	4·44	YEAR'S TOTAL 28·88
Rain Days.	21	16	9	10	10	8	19	15	6	14	9	25	162

8,000. X. 14.

If Gauge h[illegible] been moved during year state—

R OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Station & Tel[illegible] SUTTON. BANBURY.

in the County of Northants

by Edward Browne.

Lat. 52°3 N Long. 1°.205

Time of Observation between 8.15 & 8.30 am

Nearest Railway Station Kings Sutton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 338 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13	—	—	—	.07	—	.46	—	—	.06	.50	—	1
2	.26	—	.04	—	.22	.04	—	—	—	.45	.03	—	2
3	—	.77	—	—	—	—	.02	—	.04	.28	.08	—	3
4	.31	.03	—	—	.08	.24	—	—	.03	.03	.17	—	4
5	.06	—	—	—	.15	.07	.18	—	—	.06	.44	—	5
6	—	.18	—	.10	.05	.20	.41	—	—	.04	.42	—	6
7	.03	—	.42 snow	—	.01	—	.27	—	—	.17	.29	.09	7
8	.01	—	—	—	.21	.22	—	—	—	—	—	.13	8
9	—	—	—	—	.19	.07	—	—	—	—	—	.09	9
10	—	.16	.10 snow	.13	—	.12	.02	—	—	*—	—	.09	10
11	.05	.11	—	.13	.08	.58	—	—	—	.19	—	.09	11
12	.03	.04	.04	.11	.36	.04	.17	.06	.01	—	—		12
13	.01	.28	.24	.06	—	—	.30	.10	.01	.10	—		13
14	—	.15 snow	—	.03	.04	—	—	—	—	.01	—	.01	14
15	—	.09	.45	—	.02	—	.24	.29	—	.02	—	—	15
16	—	.04	.58	.18	.22	—	2.07 .05	.20	—	.03	—	—	16
17	.11	.11	—	.21	—	—	—	.19	.30	.03	—	—	17
18	—	.12	.02	.13	—	—	—	.19	.06	.33	.77	.10	snow 18
19	.11		.14	.23	—	—	—	.02	.15	.02	.40	—	19
20	.14		.35	—	—	—	—	—	—	—	3.10 .04	38	20
21	.04		.66	—	—	—	.09	—	—	—	—		21
22	.00	.02	—	—	.20	—	—	—	—	.06	—	1.35	22
23	.01		—	—	—	—	—	.07	—	1.86 —	.07	.26	23
24	—	gauge inaccessible	—	.03	.04	.99	—	.02	—	.15	—	[illegible]	
25	—	1.13	snow .16	—	.01	—	—	.39	—	.08	.13	—	25
26	—		.09	—	—	.23	—	.02	.01	.06	—	—	26
27	.05			—	—	—	—	.07	.10	.40	—	—	27
28	—		.92 snow	—	—	.05	—	—	—	.07	.02	.13	28
29	—	3.23 .09		—	—	.24	—	1.26	—	.28	—	2.85 .04	29
30	—	X		—	—	3.09 .04	—	.04	—	.22	—	.05	30
31	.01	X		X	.01	X	—	2.92 .02	X	11	X	.11	31
Total	1.36	3.32	4.21	1.34	1.96	3.13	2.21	2.94	.71	3.25	3.36	3.05	YEAR'S TOTAL 3084
Rain Days.	16	20	14	.11	17	14	11	15	9	24	13	14	178

W. 8,000. X. 15.

8L

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Grey Court, Astrop, Banbury
in the County of Northamptonshire
by E. Browne

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13				·07		·46			·06	·50		1
2	·26		·04		·22	·04				·45	·03		2
3		·77					·02		·04	·28	·08		3
4	·31	·03			·08	·24			·03	·03	·17		4
5	·06				·15	·07	·18			·06	·44		5
6		·18		·10	·05	·20	·41			·04	·42		6
7	·03	—	·42		·01		·27			·17	·29	·09	7
8	·01			—	·21	·22						·13	8
9					·19	·07						·09	9
10		·16	·10	·13		·12	·02						10
11	·05	·11		·13	·08	·58				·19		·09	11
12	·03	·04	·04	·11	·36	·04	·17	·06	·01	—			12
13	·01	·28	·24	·06			·30	·10	·01	·10			13
14		·15		·03	·04	—				·01		·01	14
15		·09	·45		·02	—	·24	·29		·02			15
16		·04	·58	·18	·22		·05	·20		·03		—	16
17	·11	·11		·21				·19	·30	·03			17
18		·12	·02	·13				·19	·06	·33	·77	·10	18
19	·11		·14	·23				·02	·15	·02	·40		19
20	·14		·35								·04	·38	20
21	·04		·66				·09						21
22		·02			·20					·06		1·35	22
23	·01							·07			·07	·26	23
24				·03	·04	·99		·02		·15		·22	24
25		1·13	·16		·01			·39		·08	·13		25
26			·09			·23		·02	·01	·06			26
27	·05							·07	·10	·40			27
28			·92			·05				·07	·02	·13	28
29		·09				·24		1·26		·28		·04	29
30		X				·04		·04		·22		·05	30
31	·01	X		X	·01	X		·02	X	·11	X	·11	31
Total	1·36	3·32	4·21	1·34	1·96	3·13	2·21	2·94	·71	3·25	3·36	3·05	YEAR'S TOTAL 30·84
Rain Days.	16	20	14	11	17	14	11	15	9	24	13	~~14~~ 15	179

W. 8,000. X. 15.

8L ✓

1113
~~161~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Astrop

in the County of Northamptonshire

by E. Browne

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04		·01		·94	·35		·30	·04	1
2						·12		·18		·02	·02		2
3				·05				·24		·19			3
4								·12		·50			4
5	·23		·08	·12					·09	·08	·05		5
6			·19			·08			·02	·02	·04		6
7	·27						·14			·39			7
8	·45			·12			·71	·15		·31	·11	·19	8
9	·03		·03	·19	·18		·12	·13			·11	·09	9
10	·20		·27	·18	·17			·10					10
11	·13		·29	·41	·03			·40	·31	·21	·03		11
12	·09			·01	·09	·03		·03		·17	·01		12
13			·15	·02		·01		·13	·08				13
14				·13				·27				·03	14
15	·07							·56		·03			15
16		·30		·11	·10		·29			·18		·24	16
17	·07	·17		·11	·81		·23	·02	·19	·08			17
18	·01	·03		·06	·06	·23	·21		·70	·04			18
19	·02	·18	·13						·09				19
20		·17	·06		·47	·11	·34		·05		·04		20
21		·01	·16		·18	·12					·03		21
22			·07				·07	·01		·12			22
23		·12			·09			·49		·02		·02	23
24		·05				·10		·17		·16	·06		24
25		·08	·06						·03		·06		25
26					·20			·28	·12		·07		26
27							·01	·66				·02	27
28			·15		·35	·47		·14				·03	28
29			·01			·30	·10	·31		·55		·29	29
30		×					·29	·21		·02			30
31	·02	×	·10	×		×	·05	·02	×		×	·07	31
													YEAR'S TOTAL
Total	1·59	1·11	1·75	1·55	2·73	1·58	2·56	5·56	2·03	3·09	·93	1·02	25·50
Rain Days.	14	9	14	13	12	11	12	22	11	18	13	10	159

W. 8,000, VIII. 16

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30. 1. 19

Kept at Grey Court, Astrop, Banbury
in the County of Northamptonshire
by E. Browne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·13							·37	·01	1
2		·14		·07				·19		·01	·32	·07	2
3		·06	·03		·18			·26	·25		·60	·02	3
4		·02	·01						·28		·05	·04	4
5		·13		·14	·18			·12	·07	·12			5
6		·11							·09			·01	6
7		·07		·04	·50	·03			·25	·09		·02	7
8	·11	·07							·07			·18	8
9		·17		·07		·18	·22		·41	·29		·10	9
10	·05			·08		·02	·41		·09	·16		·05	10
11	·01			·03	·06		·03		·07	·19		·02	11
12		·03			·10		·17					·03	12
13		·01	·05	·01	·16				·11	·09		·10	13
14	·27			·02		·08	·51		·47	·09		·09	14
15				·68		·02	·13		·06	·10		·11	15
16				·78					·24	·02			16
17				·05	·25	·15	·41	·01	·05				17
18	1·59					·22	·19		·20			·10	18
19	·04	·04	·04	·04		·01	·04		·03	·07		·05	19
20	·01	·14		·54		·04	·01		·12	·11		·02	20
21	·07			·50		·02	·03		·45	·05		·05	21
22	·18				·40	·01	·08		·05	·02			22
23	·04				·70		·12		·07		·23		23
24		·16			·70	·01	·05		·05				24
25						·02	·01	·24					25
26							·32	·03		·05	·05	·10	26
27		·07	·26				·06	·21	·16		·04	·45	27
28		·07						·05			·07	·03	28
29			·23						1·34			·01	29
30		X						·01	·07		·08		30
31		X	·06	X		X			X	·02	X	·14	31
Total	2·37	1·30	·68	3·18	3·23	·81	2·79	1·12	5·05	1·48	1·81	1·80	YEAR'S TOTAL 25·62
Rain Days.	13	16	7	15	10	13	17	9	24	16	9	23	172

W. 8,000, IX. 17.

BERRYWOOD
MENTAL HOSPITAL
NORTHAMPTONSHIRE
1911-1915, 1917, 1919-1920

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

1

Kept at Berr

in the County of

by W R Budgen

in.
e Ground ft. in.
Sea Level ft.

Name

Distance Direction

IMPORTANT the result entered to the previous day. If versal rule, he is earnestly requested to add t ear in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.05							.03	.02	1
2	.01		.02	.08	.17		.05			.04	.05	.02	2
3					.18			.03	.02	.02	.04	.05	3
4	.04	.01		.05					.06	.25	.34	.28	4
5	.01		.10	.02				.11		.01	.03		5
6	.28										.02	.34	6
7											.12	.08	7
8	.12		.12							.01	.02	.09	8
9	.06			.02							.02	.05	9
10	.02	.10	.24	.01							.01	.38	10
11	.11							.02			.46	.01	11
12			.36						.03		.23	.01	12
13			.04		.09	.01			.29		.01	.48	13
14			.03		.02					.04		.37	14
15	—	.07	.08							.01	.10	.03	15
16		—	.02			.03				.01	.30	.07	16
17			.08			.05				.01	.02	.24	17
18		.16		.02	.03						.04	.08	18
19						.09	.03		.09	.06	.30	.10	19
20	.01	.06						.64	.13	.03		.63	20
21		.07	.01	.01				.37		.14		.06	21
22			.10			.13		.06		.10	.01	.33	22
23		.14	.32			.18			.25			.13	23
24		.07		.05		.33				.47		.12	24
25		.05	.02	.21	.81	.08						.03	25
26		.03		.11	1.01	.06	.07			.19		.15	26
27		.16	.15	.12			.12	.10	.09		.03	.07	27
28		.18		.08		.01		.14			.05	.04	28
29						.13	.07		.15	.21	.01		29
30				.03		.08				.08		.02	30
31			.01		.04					.09		.01	31
Total	.66	1.10	1.70	.86	2.35	1.18	.34	1.47	1.11	1.77	2.24	4.29	TOTAL for year 19.07
No. of Rain Days.	9	12	16	14	8	12	5	8	9	18	22	29	162

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 191

2PM

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

Kept at Berrywood

in the County of Northampton 4

by W R Budgen C A Markham

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	,, ,, ,, Sea Level	ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.05							.03	.02	1
2	.01		.02	.08	.17		.05			.04	.05	.02	2
3					.18			.03	.02	.02	.04	.05	3
4	.04	.01		.05					.06	.25	.34	.28	4
5	.01		.10	.02				.11		.01	.03		5
6	.28										.02	.34	6
7											.12	.08	7
8	.12		.12							.01	.02	09	8
9	.06			.02							.02	05	9
10	02	.10	.24	.01							.01	.38	10
11	.11							.02			.46	01	11
12			.36						.03		.23	.01	12
13			.04		.09	.01			.29		.01	.48	13
14			.03		.02					.04		.37	14
15		.07	.08							.01	.10	.03	15
16			.02			.03				.01	.30	.07	16
17			.08			.05				.01	.02	.24	17
18		.16		.02	.03						.04	.08	18
19						.09	.03		.09	.06	.30	.10	19
20	.01	.06						.64	.13	.03		.63	20
21		.07	.01	.01				.37		.14		.06	21
22			.10			.13		.06		.10	.01	.33	22
23		.14	.32			.18			.25			.13	23
24		.07		.05		.33				.47		.12	24
25		.05	.02	.21	.81	.08						.03	25
26		.03		.11	1.01	.06	.07			.19		.15	26
27		.16	.15	.12			.12	.10	.09		.03	.07	27
28		.18		.08		.01		.14			.05	.04	28
29						.13	.07		.15	.21	.01		29
30				.03		.08				.08		.02	30
31			.01		.04					.09		.01	31
Total	66	1.10	1.70	.86	2.35	1.18	.34	1.47	1.11	1.77	2.24	4.29	TOTAL for year 19.07
No. of Rain Days.	9	12	16	14	8	12	5	8	9	18	22	29	162

W. 8,000, X. '11.

Northampton Nat His Soc

REGISTER OF from M RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

25 MAR 1913

Kept at Berrywood

in the County of Northampton 4

by C. A. Markham W R Budgen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.03	.02	.01		.07	.03		.03	.20			1
2		.05	.11	.03		.10	.41					.01	2
3	.03		.06		.13	.04	.03	.41	.01		.02	.04	3
4	.09		.53	.01	.18	.45		.03			.23		4
5	.17	.04	.21		.01	.15		.29	.05		.10	.06	5
6	.22	.11				.03		.46	.03		.01	.06	6
7		.12			.07	.73	.01	.25				.04	7
8	.36	.21	.26	.03		.26	.16	.06	.06			.02	8
9		.05	.10	.05		.17	.02	.02				.19	9
10		.02	.01	.01				.08			.17	.02	10
11	.02	.08	.02			.05		.16			.15	.26	11
12	.06	.32	.11		.04	.01	.31				.13		12
13		.10				.02		.02		.02	.06	.01	13
14	.03		.12		.10	.04		.06		.02		.02	14
15	.04	.03	.06		.17	.19		.01			.01	.14	15
16	.47		.05		.03	.06		.05		.05	.02		16
17	.65		.11			.10		.17			.04	.20	17
18	.16	.01	.10							.04	.04	.02	18
19	.19	.07	.01				.06	.48		.01	.02		19
20	.06		.18		.09		.30	.27		.19			20
21	.01	.02	.10		.34			.67		.18	.03		21
22	.43	.10	.01		.17		.49	.44		.08	.10	.02	22
23	.07	.38	.30			.01	.22	.34				.31	23
24	.11	.01				.10	.16	.20				.10	24
25	.01					.11	.09	.04			.19	.33	25
26		.03	.03			.02		1.00		.47	.24	.26	26
27						.03				.34		.24	27
28		.04	.01			.01	.08	.46	.06	.15	.24	.57	28
29		.03	.02			.06	.24		.82	.35		.01	29
30	.03				.36	.04	.03	.01	.13	.25			30
31	01		.03		.19		.42	.20				.01	31
Total	3·22	1·85	2·56	14	1·88	2·85	3.06	6·18	1·19	2·35	1·80	2·94	YEAR'S TOTAL 30·02
Rain Days.	21	21	24	6	13	24	17	25	8	14	18	23	214
Monthly	3·22	1·85	2·56	·14	1·88	2·85	3·06	5·87	Not taken	2·34	1·80	2·93	

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Berrywood
in the County of Northamptonshire 4
by W. P. Budgen
per. C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07	·11	·05					·82		·12		1
2	·03	·14		·03			·05		·15	·39	·03		2
3	·03		·10		·70				·05	·14		·07	3
4	·41						·04			·37	·02	·33	4
5							·04		·05	·50		·03	5
6		·01	·03		·22	·21	·24			·26	·08	·07	6
7		·12			·09	·07	·22			·47		·03	7
8			·05		·15	·04				·05	·05		8
9		·25	·02	·02	·01	·11	·02	·04	·09		·10		9
10	·07		·02	·07	·03		·04	·05			·54		10
11	·89			·46	·15					·30	·33		11
12					·08						·50		12
13	·05		·01	·02				·01	·03		·23		13
14	·07		·18	·01			·05	·09		·10	·02		14
15	·12	·04	·16	·45			·18		·03				15
16	·03		·60	·16					·03				16
17	·17		·04	·12		·25	·05				·03	·07	17
18			·26	·10			·09		·01		·01		18
19	·27		·06	·02	·03		·07		·11			·04	19
20	·12		·20	·01						·71	·04		20
21	·02		·16	·03	·15		·05				·25		21
22	·44		·33					·04	·24				22
23			·01			·09	·02	·05	·05		·03		23
24	·03			·06				·04			·01		24
25		·04		·10		·01	·01			·03			25
26		·09	·15	·21				·07		·33	·03	·22	26
27		·02	·03	·05						·05			27
28	·45		·17	·15						·10		·03	28
29	·02		·13	·45				·07		·29		·04	29
30	·20									·08	·23		30
31			·01		·15			·19					31
													YEAR'S TOTAL
Total	3·42	·78	2·83	2·57	1·76	·78	1·17	·65	1·66	4·17	2·65	·93	23·37
Rain Days.	18	9	22	20	11	7	11	10	12	16	19	10	165

W. 7,500, XI. 12

from Northampton Nat Hist Soc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 MAR 1915

Kept at Northampton Berrywood E4 RL

in the County of Northamptonshire 4

by C. A. Markham W R Budgen

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " Sea Level 399 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01		.05	.02		.22	.25			.09	.06	1
2	.03		.02	.01	.17			.18		.02	.32	.24	2
3							.26	.04			.03		3
4	.17			.12				.37			.32	.21	4
5	.02		.02	.12	.02	.17	.37	.10			.07		5
6		.04		.14	.02			.03			.08	.06	6
7		.14	.40		.04		.08	.[illegible]3				.02	7
8	.08	.03	.15	.12	.10	1.04	.19	.15				.04	8
9	.38		.27	.06		1.13		.06	.02				9
10	.09	.14	.06	.06	.10				.05				10
11		.13	.30	.04	.17	.54			.14		.49	.42	11
12		.03	.09				.10				.05	.28	12
13		.19	.18						.32	.15	.08	.31	13
14			.10				.20		.04	.48	.09	.26	14
15	.07	.04	.18				.08	.01		.01	.03	.08	15
16	.02		.05				.05		.04				16
17		.36	.04						.07			.21	17
18	.02	.02					.29		.12			.39	18
19		.02	.16				.04		.01		.09		19
20		.28	.18				.05	.02	.02			.21	20
21		.15	.10			.35				.10		.18	21
22			.04		.19		.08	.08		.15			22
23		.05	.06		.07			.01		.08		.08	23
24				.01	.07		.18			.22	.08		24
25	.04						.02	.14		.43	.01	.24	25
26			.03				.02	.10		.05	.17	.34	26
27	.05		.01							.02	.04	.12	27
28		.07			.02					.04	.15	.97	28
29	.02		.07		.02					.23	.11		29
30			.03							.04	.25	.31	30
31					.02		.09					.09	31
Total	.99	1.70	2.54	.73	1.03	3.23	2.32	1.57	.83	2.02	2.55	5.12	TOTAL for Year 24.63
No. of Rain Days.	12	16	22	10	14	5	17	15	10	14	19	22	176

1,000, I. '12,

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

for Northampton Nat His Soc

Ex R1

1192

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Northampton Berry Wood

in the County of Northamptonshire 4

by Major C A Markham   W R Badger

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.28	.06											1
2	.02	.14											2
3	.36												3
4	.15												4
5	.02	.28											5
6	.20	.02											6
7	.03	.27											7
8	.02	.16											8
9	.03	.01											9
10	.27												10
11	.01												11
12	.02												12
13		.40											13
14		.02											14
15	.20												15
16	.01	.30											16
17		.22											17
18		.07											18
19													19
20	.30												20
21	.11	.02											21
22	.13												22
23	01	.03											23
24													24
25													25
26		.08											26
27		.03											27
28		.12											28
29													29
30	.06	X											30
31	.09	X		X		X			X		X		31
Total	2.32	2.23											YEAR'S TOTAL
Rain Days.	20	17											

W. 8,000. X. 15.

from A

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1917

At Berry Wood

In the County of Northamptonshire

Rain Gauge
Diameter of Funnel .... in.
Height of Top — *Above Ground* ...... ft. ...... in.
Height of Top — *Above Sea Level* ...... ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	1·11	·40	7	7
FEB.	·69	·30	4	6
MAR.	1·56	·33	10	9
APR.	1·25	·20	1	14
MAY	1·41	1·02	20	6
JUNE	1·11	·42	27	8
JULY	1·28	·40	8	10
AUG.	4·06	·57	1	19
SEPT.	·56	·19	18	5
OCT.	3·12	·48	4	14
NOV.				
DEC.				
Total				

~~Signed~~ C. A. Markham

[*Please fill in the other side also.*

W. 16,000. viii.16. W. R. Budgen

Exe B2

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Berry Wood
in the County of Northamptonshire
by C. A. Markham, W. R. Budgen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·20				·57	·11				1
2				·10		·08		·08		·10			2
3				·06						·24			3
4	·01	·30		·10				·33		·48			4
5			·30							·09			5
6				·06		·02				·16			6
7	·40									·02			7
8	·38			·04			·40	·30		·25			8
9				·06	·01		·03	·42		·40			9
10			·33		·09			·08					10
11			·19	·03	·04			·06	·09	·20			11
12								·41		·25			12
13			·21	·10			·02						13
14				·17			·02	·13					14
15	·25							·30					15
16		·16		·06									16
17	·04		·20	·03	·20	·04	·17						17
18	·02	·01		·15	·05	·01		·03	·19	·17			18
19	·01	·05	·20						·08				19
20		·06	·04		1·02				·09				20
21				·09									21
22								·02		·06			22
23		·11						·07		·40			23
24								·18					24
25			·05			·10	·08						25
26								·32					26
27						·42	·02	·36					27
28						·37		·15					28
29			·04			·07	·14			·30			29
30		X					·12	·24					30
31		X		X		X	·28	·01	X		X		31
Total	1·11	·69	1·56	1·25	1·41	1·11	1·28	4·06	·56	3·12			YEAR'S TOTAL
Rain Days.	7	6	9	14	6	8	10	19	5	14			

W. 8,000, VIII. 16

Ex Lms. 1057

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

23 MAR.

Jan–June War Hospital Duston

Kept at Northampton Hospital

July–Dec Mental Hos. Berrywood

in the County of Northants

by W. R. Budgen
per Major O. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.02	.05	-	.05	-	.29	.	-	.20	-	.58	1
2	.06	.	-	-	-	.	.03	-	.06	.15	-	.06	2
3	1.08	-	-	-	.64	-	.15	-	.10	-	.10	.13	3
4	.10	-	.50	.	-	.04	.02	.16	.26	.	.32	-	4
5	.05	.30	.06	.	-	.	.08	.	.05	.	.05	.10	5
6	.03	.	-	-	1.00	:	.	.	1.02	.	.02	.16	6
7	-	.	.20	-	.02	.	-	.	-	.	-	.04	7
8	.	.	.31	.	.	-	.	.	.	.	.	.	8
9	.	.	-	.23	.	-	.	.	.	.	.	.	9
10	.	.	.12	.05	-	-	-	.	.	.01	.	-	10
11	-	.	.50	-	.	.	.43	.	.	-	-	.05	11
12	-	.	.28	.08	.	-	.02	.	.	.09	.	-	12
13	.27	.	-	.20	.	.11	.	.	.	.	.	-	13
14	.28	.	-	.17	.	.	.05	.	.08	.	-	-	14
15	.25	.03	.10	.16	.	.	.	-	.	.	.04	.70	15
16	-	.74	-	.03	.	.	-	.	.	.	.06	.	16
17	.	.15	-	.	.	-	.	-	.	.	.40	.03	17
18	.	-	.31	.	.	-	.	.21	.	-	.10	.11	18
19	.12	.58	.77	.	-	.11	.35	.23	.07	.	.04	-	19
20	.40	.08	.22	-	.	.10	.35	.30	-	-	.07	-	20
21	.10	.40	.06	.	.	.	.55	-	.	-	.10	.17	21
22	-	.55	-	.	.	-	.04	-	.13	.	.	.42	22
23	-	.	-	-	.	.06	.	.02	.10	.58	.	.04	23
24	.	-	-	.05	.	.	.	.	.	.40	.	-	24
25	.15	.	.	.07	.04	.02	.	-	.	.	.	-	25
26	.	-	.12	-	-	.	.	.16	-	.	.	.35	26
27	.	.	.	.74	-	.	-	.19	-	-	.	-	27
28	.30	-	.05	-	.	-	.	.62	.	.02	.	.31	28
29	-		-	.05	-	.	-	.09	.	.22	.	.15	29
30	-		-	.20	.	.28	-	-	-	-	.30	.29	30
31	.		-		.		.	-		.06		-	31
Total	3.44	2.85	3.65	2.03	1.15	.72	2.36	1.98	1.87	1.73	1.60	3.69	Year's Total ~~26.99~~ 27.07
Days with ·01 in. or more	14	9	15	12	5	7	12	9	9	9	12	17	130

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

from C's

1004

COPY by B.R.O.

5 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Mental Hospital, Berrywood

in the County of Northampton

by W R Bridgew per Maj: C A Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·18	·21	.	·29	.	·01	·10	·04	·14	1
2	.	.	.	·12	.	.	·01	·07	·10	·08	.	·07	2
3	.	·10	.	·22	·05	·02	1·10	·04	·06	·07	.	.	3
4	.	.	·06	.	.	.	·06	·27	·02	·28	.	.	4
5	.	.	·08	·09	·15	.	·46	·04	·09	.	.	·02	5
6	.	.	·16	.	·07	.	·41	.	.	.	.	·01	6
7	.	.	.	·08	·03	.	·03	.	.	.	.	.	7
8	.	·06	.	·44	.	.	·12	.	.	.	·01	.	8
9	·48	.	.	1·21	.	.	·07	·10	.	.	.	.	9
10	·36	.	·03	·38	.	·08	·07	.	.	.	.	.	10
11	·27	.	·06	·47	·31	·07	·04	.	.	.	.	·06	11
12	·20	·06	·06	·11	.	·41	·02	.	.	.	·02	·14	12
13	·02	·04	·09	·08	.	.	.	.	·01	.	·01	.	13
14	.	.	·43	·20	.	·32	·09	.	·22	·04	·23	·03	14
15	.	·05	·48	·12	.	.	.	.	·45	·02	.	.	15
16	.	.	.	·05	·11	.	.	.	·12	·12	·06	.	16
17	·02	.	.	·03	·13	·86	.	.	·25	·03	.	·06	17
18	·18	.	.	·01	·02	.	·13	·12	·29	.	.	·01	18
19	·03	.	.	·20	.	·06	.	·11	.	.	·02	·01	19
20	.	·38	.	·25	.	·37	.	.	.	.	.	·03	20
21	·08	.	.	·02	.	.	.	·12	·04	.	.	·03	21
22	.	.	.	·15	.	.	.	.	·11	.	.	·05	22
23	.	·09	.	.	.	.	·24	.	.	.	.	·33	23
24	.	.	·13	.	.	.	.	.	.	.	·06	·08	24
25	.	.	·04	·08	·07	.	·35	.	.	.	.	·01	25
26	·22	.	·16	·02	.	.	·02	.	.	.	.	·03	26
27	·21	.	.	·15	.	·50	·10	.	.	.	·99	·20	27
28	·45	.	·07	.	·18	.	·03	.	.	.	·07	·01	28
29	.	.	·17	.	·15	·04	·06	.	.	.	·05	·46	29
30	·09		.	·02	·03	·08	·05	.	·19	.	·12	·16	30
31	.		.		·03		.	.		·29		·06	31
TOTAL	2·61	·78	2·02	4·68	1·54	2·81	3·75	·87	1·96	1·03	1·68	2·00	YEAR'S TOTAL 25.73
Days with ·01 in. or more	13	7	14	24	14	11	21	8	14	9	12	22	169
Days with ·04 in. or more	10	7	13	19	10	10	16	8	11	7	8	12	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTHANTS.
BRADDEN RECTORY
1911 + 1912 only

FORM A.
BRITISH RAINFALL.
2-JAN 1912

R[illegible] 1911

Kept at Bradd[illegible]
in the County of [illegible]
by Rev C. [illegible]

Long.
Station Wappenham 1¾ miles
[…]tion 9 am
[…]n Gauge 5 in.
Gauge above Ground 4 ft. 6 in.
" Sea Level 400 ft.

NOTE.—Rain should be m[…]s day. Full instructions for the measurement of rain and particulars as to the […]ainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·07	—	—	—	—	—	—	·04	·03	1
2	·02	—	—	·14	·12	—	·02	—	—	·06	·08	·05	2
3	·01	·01	—	—	·13	—	—	·10	·01	·07	·02	·06	3
4	·03	·01	·07	·02 S	·01	—	—	—	·04	·37	·16	·27	4
5	·01	·01	·01	·03 S	—	—	—	·14	—	·03	·02	—	5
6	·28	—	·02	·01 S	—	—	—	—	—	—	·03	·63	6
7	·01	—	—	·02 S	—	—	—	—	—	—	·27	·12	7
8	·10	—	·11	—	—	—	—	—	—	·03	·03	·11	8
9	·07	—	·01	·01	—	—	—	—	—	—	·05	·08	9
10	·02	·10	·22	·01	—	—	—	—	—	—	—	·38	10
11	·12	—	—	—	—	—	—	·32	—	—	·53	·02	11
12	—	—	·36	—	—	—	—	—	·10	—	·28	—	12
13	—	—	·08 S	—	·14	—	—	—	·36	·06	·01	·56	13
14	—	—	·02 S	—	·02	—	—	—	—	·03	—	·39	14
15	·02	·11	·06	—	—	—	—	—	—	·02	·12	·03	15
16	—	—	—	—	—	·03	—	—	—	·01	·33	·09	16
17	·01	—	·05	—	—	·06	—	—	—	·01 fog	·05	·29	17
18	—	·16	—	·02	·06	·04	—	—	—	·01 fog	·03	·11	18
19	—	·02	—	—	—	·09	·08	·02	·10	·12	·14	·13	19
20	·02	·06	·02	—	—	·01	—	1·30	·12	·08	—	·64	20
21	—	·05	·02	—	—	—	—	·29	·16	·17	—	·06	21
22	·01	—	·03	·01	—	·10	—	·02	—	·17	·02	·43	22
23	—	·02	·19	—	—	·12	·04	—	·16	·01	—	·16	23
24	·02	·07	—	—	—	·36	—	·01	—	·47	—	·13	24
25	—	·04	·04	·05	·64	·07	—	—	·01	·01	—	·03	25
26	—	·05	—	·20	·13	·07	·02	·01	—	·22	·05 S	·11	26
27	—	·14	·13	·03	—	—	·06	·12	·17	·01	·03 "	·11	27
28	—	·18	—	·11 ~~·02~~	—	·02	—	·16	·01	—	·07	·01	28
29	—		·01	·02	—	·21	·02	·01	·37	·29	—	—	29
30	—		·02	·03	—	·06	—	—	·04	·09	·01.	·02	30
31	—		·01		·04		—	—		·02		—	31
Total	·75	1·03	1·48	·78	1·29	1·24	·24	2·50	1·65	2·36	2·37	5·05	TOTAL for year 20·74
No. of Rain Days	15	15	20	16	9	13	6	12	13	23	22	27	192

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

691

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1911

2 - JAN 1912

Kept at Bradden Rectory

in the County of Northampton 3

by Rev C. Blathwayt

Lat. Long.

Nearest Railway Station Wappenham 1¾ mile

Time of Observation 9 am

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " Sea Level 400 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·07	—	—	—	—	—	—	·04	·03	1
2	·02	—	—	·14	·12	—	·02	—	—	·06	·08	·05	2
3	·01	·01	—	—	·13	—	—	·10	·01	·07	·02	·06	3
4	·03	·01	·07	·02 S	·01	—	—	—	·04	·37	·16	·27	4
5	·01	·01	·01	·03 S	—	—	—	·14	—	·03	·02	—	5
6	·28	—	·02	·01 S	—	—	—	—	—	—	·03	·63	6
7	·01	—	—	·02 S	—	—	—	—	—	—	·27	·12	7
8	·10	—	·11	—	—	—	—	—	—	·03	·03	·11	8
9	·07	—	·01	·01	—	—	—	—	—	—	·05	·08	9
10	·02	·10	·22	·01	—	—	—	—	—	—	—	·38	10
11	·12	—	—	—	—	—	—	·32	—	—	·53	·02	11
12	—	—	·36	—	—	—	—	—	·10	—	·28	—	12
13	—	—	·08 S	—	·14	—	—	—	·36	·06	·01	·56	13
14	—	—	·02 S	—	·02	—	—	—	—	·03	—	·39	14
15	·02	·11	·06	—	—	—	—	—	—	·02	·12	·03	15
16	—	—	—	—	—	·03	—	—	—	·01	·33	·09	16
17	·01	—	·05	—	—	·06	—	—	—	·01 fog	·05	·29	17
18	—	·16	—	·02	·06	·04	—	—	—	fog ·01	·03	·11	18
19	—	·02	—	—	—	·09	·08	·02	·10	·12	·14	·13	19
20	·02	·06	·02	—	—	·01	—	1·30	·12	·08	—	·64	20
21	—	·05	·02	—	—	—	—	·29	·16	·17	—	·06	21
22	·01	—	·03	·01	—	·10	—	·02	—	·17	·02	·43	22
23	—	·02	·19	—	—	·12	·04	—	·16	·01	—	·16	23
24	·02	·07	—	—	—	·36	—	·01	—	·47	—	·13	24
25	—	·04	·04	·05	·64	·07	—	—	·01	·01	—	·03	25
26	—	·05	—	·20	·13	·07	·02	·01	—	·22	·05 S	·11	26
27	—	·14	·13	·03	—	—	·06	·12	·17	·01	·03 "	·11	27
28	—	·18	—	·16 ~~·02~~	—	·02	—	·16	·01	—	·07	·01	28
29	—		·01	·02	—	·21	·02	·01	·37	·29	—	—	29
30	—		·02	·03	—	·06	—	—	·04	·09	·01	·02	30
31	—		·01		·04		—	—		·02		—	31
Total	·75	1·03	1·48	·78	1·29	1·24	·24	2·50	1·65	2·36	2·37	5·05	TOTAL for year 20·74
No. of Rain Days	15	15	20	16	9	13	6	12	13	23	22	27	192

1,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

191

FORM A.
BRITISH RAINFALL.

25 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Towcester, Bradden Rectory

in the County of Northants 3

by C. A. Markham, Rev. C. Blathwayt

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03			·06							1
2		·01	·11	·04		·21							2
3	·04		·02		·14	·05							3
4	·14		·57		·23	·56							4
5	·13	·07	·12		·02	·17							5
6	·28	·15			·03	·31	·47						6
7		·11	·01		·05	·93	·10						7
8	·33	·29	·36			·01	·03						8
9		·06	·08			·29							9
10	·02	·02	·01			·07							10
11	·02	·06	·01			·07							11
12	·08	·28	·14		·02	·01	·09						12
13		·06	·01			·03	·01						13
14	·05		·13		·09	·04							14
15	·06	·06	·03		·21	·20							15
16	·41		·11		·05	·04							16
17	1·07		·14			·11							17
18	·06		·13										18
19	·24	·06	·01				·06						19
20	·08		·22		·05	·06	·20						20
21	·01	·02	·19		·21		·01						21
22	·55	·10	·03		·35		·90						22
23	·11	·55	·36		·01	·03							23
24	·11	·01	·01			·06							24
25							·41						25
26		·02	·02				·02						26
27			·01			·21	·10						27
28		·04					·25						28
29		·06	·01			·02							29
30					·38								30
31			·02		·60								31
Total	3·79	2·03	2·89	·04	2·44	3·54	2·65						YEAR'S TOTAL
Rain Days.	19	19	27	1	15	25	13						

W. 7,500, XI. ·12

BLISWORTH
NORTHAMPTONSHIRE
1911–1920

1

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at B … urdon
5 in.
in the County of N … round 1 ft. 6 in.
ea Level 299.57 ft.
by T. W. M … m
ame Blisworth
Distance ¾ M Direction S.E.

IMPORTANT … he result entered to the previous day. If a … rsal rule, he is earnestly requested to add th … ar in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	.07	—	—	—	—	—	—	.02	.02	1
2	.02	—	—	.12	.15	—	.01	.02	—	.02	.06	.04	2
3	.01	—	—	—	.21	—	—	.07	.01	.03	.02	.05	3
4	.02	.01	.06	.02	—	—	—	.01	.07	.38	.25	.28	4
5	—	—	.01	.01	—	—	—	.13	—	.02	.05	—	5
6	.29	—	.01	—	—	—	—	—	—	—	.03	.43	6
7	.01	—	—	—	—	—	—	—	—	—	.20	.11	7
8	.10	—	.13	—	—	—	—	—	—	.01	.03	.10	8
9	.08	—	—	.02	—	—	—	—	—	—	.01	.04	9
10	.02	.11	.22	—	—	—	—	—	—	—	—	.30	10
11	.09	—	.01	—	—	—	—	.03	—	—	.46	.01	11
12	.02	—	.41	—	—	—	—	—	.02	—	.28	—	12
13	—	—	.02	—	.10	—	—	—	.35	.03	.01	.48	13
14	.01	—	.03	—	.03	—	—	—	—	—	—	.31	14
15	—	.10	.05	—	—	—	—	—	—	.01	.11	.03	15
16	—	—	.01	—	—	.01	—	—	—	—	.31	.06	16
17	—	—	.08	—	—	.07	—	—	—	—	.03	.26	17
18	—	.22	.01	.01	—	.01	—	—	—	.01	.03	.08	18
19	.01	.02	—	—	—	.09	.12	—	.08	.06	.22	.09	19
20	.01	.08	—	—	—	.01	—	.36	.11	.03	—	.67	20
21	—	.08	.01	—	—	—	—	.12	—	.11	.01	.05	21
22	.01	—	.03	.01	—	.04	—	.02	—	.14	.01	.37	22
23	—	.02	.27	—	—	.23	—	—	.17	.01	—	.11	23
24	.02	.07	.01	—	—	.38	—	.01	—	.33	—	.11	24
25	—	.04	.02	.06	1.15	.06	—	—	—	—	—	.03	25
26	—	.03	—	.26	.73	.03	.02	—	—	.16	.06	.17	26
27	—	.19	.13	.11	—	—	.19	.05	.12	—	.04	.08	27
28	—	.18	.01	.12	—	—	—	.15	—	—	.05	.02	28
29	—		—	.07	—	.15	.05	.01	.15	.24	.01	—	29
30	—		.01	.11	—	.03	—	—	.01	.09	—	.01	30
31	—		.01		.05		—	—		.02		.01	31
Total	0.72	1.15	1.57	0.99	2.42	1.11	0.39	0.98	1.09	1.70	2.30	4.32	TOTAL for year
No. of Rain Days.	15	13	23	13	7	12	5	12	10	18	23	28	18.74

179

W. 8,000, X. '11.

T. W. Millward

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Blisworth.

in the County of NORTHAMPTONSHIRE 4

by T. W. MILLNER.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 299.57 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Blisworth
Distance ¾ m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.02	.07	—	—	—	—	—	—	.02	.02	1
2	.02	—	—	.12	.15	—	.01	.02	—	.02	.06	.04	2
3	.01	—	—	—	.21	—	—	.07	.01	.03	.02	.05	3
4	.02	.01	.06	.02	—	—	—	.01	.07	.38	.25	.28	4
5	—	—	.01	.01	—	—	—	.13	—	.02	.05	—	5
6	.29	—	.01	—	—	—	—	—	—	—	.03	.43	6
7	.01	—	—	—	—	—	—	—	—	—	.20	.11	7
8	.10	—	.13	—	—	—	—	—	—	.01	.03	.10	8
9	.08	—	—	.02	—	—	—	—	—	—	.01	.04	9
10	.02	.11	.22	—	—	—	—	—	—	—	—	.30	10
11	.09	—	.01	—	—	—	—	.03	—	—	.46	.01	11
12	.02	—	.41	—	—	—	—	—	.02	—	.28	—	12
13	—	—	.02	—	.10	—	—	—	.35	.03	.01	.48	13
14	.01	—	.03	—	.03	—	—	—	—	—	—	.31	14
15	—	.10	.05	—	—	—	—	—	—	.01	.11	.03	15
16	—	—	.01	—	—	.01	—	—	—	—	.31	.06	16
17	—	—	.08	—	—	.07	—	—	—	—	.03	.26	17
18	—	.22	.01	.01	—	.01	—	—	—	.01	.03	.08	18
19	.01	.02	—	—	—	.09	.12	—	.08	.06	.22	.09	19
20	.01	.08	—	—	—	.01	—	.36	.11	.03	—	.67	20
21	—	.08	.01	—	—	—	—	.12	—	.11	.01	.05	21
22	.01	—	.03	.01	—	.04	—	.02	—	.14	.01	.37	22
23	—	.02	.27	—	—	.23	—	—	.17	.01	—	.11	23
24	.02	.07	.01	—	—	.38	—	.01	—	.33	—	.11	24
25	—	.04	.02	.06	1.15	.06	—	—	—	—	—	.03	25
26	—	.03	—	.26	.73	.03	.02	—	—	.16	.06	.14	26
27	—	.19	.13	.11	—	—	.19	.05	.12	—	.04	.08	27
28	—	.18	.01	.12	—	—	—	.15	—	—	.05	.02	28
29	—		—	.07	—	.15	.05	.01	.15	.24	.01	—	29
30	—		.01	11	—	.03	—	—	.01	.09	—	.01	30
31	—		.01		.05		—	—		.02		.01	31
Total	0.72	1.15	1.57	0.99	2.42	1.11	0.39	0.98	1.09	1.70	2.30	4.32	TOTAL for year 18.74
No. of Rain Days.	15	13	23	13	7	12	5	12	10	18	23	28	174

W. 8,000, X. '11.

T. W. Millner

179

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

JAN 1913

Kept at Blisworth

in the County of Northamptonshire 4

by T. W. Millner.

Lat 52°.11.23 N Long. 0°.56.45 W

Time of Observation 9 A.M.

Nearest Railway Station Blisworth

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 299.57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.02	—	—	.03	.03	—	.06	.18	.01	.08	1
2	—	.01	.09	.01	—	.07	.44	—	—	—	—	.01	2
3	.04	—	—	—	.21	.03	.05	.44	.01	—	.01	.03	3
4	.11	—	.57	—	.13	.60	—	.03	—	—	.17	—	4
5	.13	.08	.13	—	.01	.28	—	.30	.06	—	.05	.02	5
6	.29	.15	—	—	.01	.04	.01	.50	.01	—	.01	.04	6
7	—	.06	.02	—	.03	.99	.01	.29	—	—	—	.05	7
8	.29	.22	.31	—	—	.04	.02	.03	.03	.01	—	.02	8
9	.01	.10	.09	.06	—	.22	.01	.04	—	.01	—	.17	9
10	—	.02	.01	—	—	—	—	.09	—	—	.19	.01	10
11	.01	.05	.01	—	—	.05	—	.17	—	—	.12	.27	11
12	.06	.29	.12	—	.02	.02	.39	—	—	—	.12	.01	12
13	—	.06	.01	—	—	.02	—	—	—	.01	.05	—	13
14	.03	—	.10	—	—	.05	—	.21	—	—	—	—	14
15	.03	.04	.04	—	.07	.16	—	.03	—	—	—	.17	15
16	.47	.01	.03		.19	.12	—	.06	—	.05	.02	—	16
17	.98	—	.22	—	.07	.08	—	.21	—	—	.02	.20	17
18	.16	—	.09	—	—	—	—	.01	—	.02	.03	.02	18
19	.21	.07	.01	—	—	—	.05	.17	—	—	.02	.01	19
20	.05	—	.18	—	.08	—	.25	.33	—	.26	—	—	20
21	.01	.01	.20	—	.38	—	—	.95	—	.21	.02	—	21
22	.48	.09	.01	—	.19	—	.48	.32	—	.04	—	.02	22
23	.06	.58	.30	—	—	.02	.33	.58	—	.01	.10	.29	23
24	.13	.01	.01	—	—	.06	.07	.32	—	—	.01	.09	24
25	—	—	—	—	—	.11	—	.54	—	.01	.22	.30	25
26	—	.03	—	—	—	.05	.10	1.03	—	.49	.30	.28	26
27	—	.01	—	—	—	.04	—	—	—	.40	—	.29	27
28	—	.04	—	—	—	—	.09	.40	.07	.17	.24	.75	28
29	—	.02	.04	—	—	.08	.28	.01	.71	.40	.01	.02	29
30	.01		—	—	.41	.03	.04	.01	.17	.21	—	—	30
31	.01		—		.13		.34	.13		—		.02	31
Total	3.57	1.95	2.61	0.07	1.93	3.19	2.93	7.20	1.12	2.48	1.72	3.17	YEAR'S TOTAL 31.94
Rain Days.	21	21	23	2	14	23	18	26	8	16	20	24	216

W. 7,500, XI. ·12

T. W. Millner Jany 3rd 1913.

√

REGISTER OF RAINFALL IN 1913

7- JAN 1914
BRITISH RAINFALL FORM

Kept at Blisworth
in the County of Northamptonshire
by T. W. Millnet

4

Lat 52°.11.23N Long. 0°.56.45W
Nearest Railway Station Blisworth
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 299.57 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.09	.08	.08	—	—	—	—	1.44	—	.07	—	1
2	.01	.15	.01	.03	—	—	.04	—	.14	1.59	.02	.01	2
3	.02	.01	.11	—	.78	—	—	—	.02	.09	—	.02	3
4	.36	—	.02	—	.01	—	.05	—	—	.48	.05	.24	4
5	—	—	—	—	—	.01	.03	—	—	.40	.02	.14	5
6	—	—	.03	—	.19	.10	.11	—	—	.11	—	.08	6
7	—	.17	—	—	.13	.05	.25	—	—	.50	.05	.02	7
8	—	.01	.02	—	.18	.09	—	—	—	.04	.04	—	8
9	—	.21	.02	.01	.02	.10	.01	—	.08	—	.10	.02	9
10	.07	—	—	.05	.09	—	—	.02	—	—	.62	—	10
11	.94	—	—	.38	.03	—	—	.04	—	.22	.28	—	11
12	.01	—	—	—	.07	—	—	—	.02	.01	.53	—	12
13	.04	—	—	.03	—	—	—	.03	.01	—	.21	—	13
14	.11	—	.19	.02	—	—	—	.06	—	.08	.05	—	14
15	.09	.01	.25	.30	—	—	.22	—	.02	—	.04	—	15
16	.05	—	.53	.15	—	—	—	—	.05	—	—	—	16
17	.15	.01	.06	.11	—	—	.04	—	—	—	.02	.02	17
18	.02	—	.12	.10	—	—	.07	—	—	—	—	.01	18
19	.31	—	.08	—	.04	.16	.11	—	.09	—	—	.03	19
20	.13	—	.09	.03	.01	—	—	—	—	.46	.01	—	20
21	.02	—	.27	.03	.12	—	.07	—	—	—	.26	—	21
22	.41	—	.30	—	.01	—	—	.03	.17	—	—	—	22
23	.01	—	.02	—	—	.07	.02	.02	.05	—	—	.08	23
24	.02	—	—	.07	—	—	—	.02	—	—	—	—	24
25	—	.01	—	.19	—	—	—	—	—	.02	.01	.02	25
26	—	.04	.14	.19	—	—	—	.06	—	.27	.01	.14	26
27	—	—	.02	.04	.13	—	—	—	—	.01	.01	—	27
28	.43	—	.12	.14	—	—	—	—	—	.07	—	.02	28
29	.02		.12	.52	.01	—	—	.05	—	.11	—	.04	29
30	.23		.01	.01	—	—	—	—	—	.09	.15	—	30
31	—		.01		.18		—	.17		—		—	31
Total	3.48	0.71	2.62	2.48	1.85	0.48	1.02	0.50	2.09	4.55	2.55	0.92	TOTAL for year 23.25
No. of Rain Days.	22	10	23	20	16.	7	12	10	11	17	20	15	183

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

T. W. Millnet

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
5 - JAN 1915

Kept at Blisworth
in the County of Northamptonshire 4
by T. W. Millner.

Lat. 52° 11. 23 N. Long. 0. 56. 45. W
Time of Observation 9. a.m.
Nearest Railway Station Blisworth
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1. ft. 6. in.
" " " " Sea Level 299. 57. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	.03	-	-	.09	.28	-	-	.10	.03	1
2	.01	-	-	-	-	-	-	.13	-	-	.29	.30	2
3	-	-	-	-	.16	-	.29	-	-	-	.06	-	3
4	.17.	-	.01	.18	.01	-	-	.42	-	-	.30	.20	4
5	-	-	.07	14	.10	.15	.26	.06	-	-	.13	-	5
6	-	.03	-	.01	.03	.01	-	.01	-	-	.04	.08	6
7	-	.13	.41	.02	.05	-	-	.02	-	-	-	.02	7
8	.09	.03	.13	.07	.07	.91	.38	.12	.01	-	-	.04	8
9	.24	-	.27	.09	.01	.86	-	.04	.05	-	-	-	9
10	.06	.11	.04	.06	.09	-	-	-	.16	-	-	-	10
11	-	.13	.32	.05	.07	.36	-	-	.01	-	.34	.39	11
12	-	.02	.06	-	-	-	.05	-	.37	-	.02	.22	12
13	.01	.17	.20	-	-	-	-	-	.06	.05	.10	.36	13
14	-	.06	.15	-	-	-	.17	-	-	.50	.05	.28	14
15	.02	.01	.18	-	-	-	.37	-	.08	-	.08	.08	15
16	-	-	.07	-	-	-	-	-	.06	-	.02	.01	16
17	-	.34	.04	-	-	-	-	-	.16	-	-	.14	17
18	-	.01	.01	-	-	-	.27	-	-	-	-	.38	18
19	-	.02	.09	-	-	-	-	-	02	-	.05	.02	19
20	-	.24	.20	-	-	-	.03	-	-	-	-	.16	20
21	-	.12	.07	-	-	.24	-	-	-	.08	.02	.14	21
22	-	.01	.01	01	.15	.06	.08	.03	-	.20	-	-	22
23	-	.03	.05	-	.09	-	-	-	-	.08	-	.06	23
24	-	-	.01	-	.02	-	.09	-	-	.18	.06	-	24
25	06	-	-	-	.	-	-	.12	-	.34	-	.19	25
26	-	-	.06	-	.	-	-	.06	-	.04	.15	.39	26
27	.03	-	-	-	.	-	-	-	-	.01	.03	.09	27
28	-	07	.02	-	.	-	-	-	-	.05	.12	.97	28
29	.02	.	.09	-	-	-	-	-	-	.25	.11	.01	29
30	-	.	04	-	.	-	-	-	-	.03	.18	.28	30
31	.02	.	-	-	.04	-	.08	-	-	-	-	.09	31
Total	0·73	1·53.	2·54	0·66	0·89	2·59	2·16	1·29	0·98	1·81	2·25	4·93	YEAR'S TOTAL 22·36
Rain Days.	11.	17.	24.	10.	13.	7.	12.	11.	10.	12.	20	25	172

T. W. Millner

W.7,000, XI. 13

Eastern

1186

BRITISH RAINFALL FORM A.
JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Blisworth.

in the County of NORTHAMPTONSHIRE.

by J. W. Millner 4

Lat 52° 11. 23 N Long. 0° 56. 45 W.
Time of Observation 9 AM.
Nearest Railway Station Blisworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 299. 54 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.33	.08	.03	—	.10	—	—	—	.16	.08	.03	.14	1
2	.03	.17	.27	.19	—	.01	—	.65	.01	.11	—	.06	2
3	.43	.01	.02	.07	—	—	.09	.24	.04	—	—	.20	3
4	.08	—	—	.01	—	—	.14	.01	—	—	—	.59	4
5	.03	.26	—	—	—	—	—	.03	—	—	.01	.28	5
6	.22	.03	.03	.19	—	—	.90	.06	—	.01	—	.06	6
7	.05	.33	.02	.01	.17	.02	.07	.04	—	—	—	.14	7
8	.05	.15	.01	.03	—	—	.01	.03	—	—	—	—	8
9	.01	.01	—	.02	—	—	—	—	—	—	.18	.48	9
10	.29	—	.01	—	—	—	—	—	—	.01	.02	.01	10
11	.01	—	.02	.04	.11	—	.02	—	—	—	.73	—	11
12	.03	—	—	.19	.40	—	—	.12	—	.01	.89	.08	12
13	.01	.52	—	—	.95	—	—	—	—	—	—	.01	13
14	—	.02	—	—	—	—	—	.16	.05	—	—	.39	14
15	.18	—	—	.01	.03	—	.02	.14	—	—	.30	.11	15
16	.03	.30	—	—	.04	—	.67	.04	—	—	—	.07	16
17	—	.22	—	—	.11	—	.10	—	—	—	—	.01	17
18	—	.03	.10	—	—	—	.01	—	—	—	.02	—	18
19	—	.02	.07	—	.04	—	.10	—	—	—	—	—	19
20	.29	—	—	—	.01	—	—	—	—	—	—	.20	20
21	.04	—	—	—	.05	—	.08	—	—	—	—	.06	21
22	.12	.01	.32	.02	—	—	.42	—	.01	—	—	.14	22
23	.01	.03	.02	—	—	.05	.06	—	.04	.25	—	.34	23
24	—	—	.07	.01	—	.07	.50	—	1.06	.18	—	.14	24
25	—	—	—	—	—	.02	.18	—	—	.01	—	.26	25
26	—	.08	—	—	—	—	.10	—	.01	—	—	.30	26
27	—	.13	.01	—	—	—	.04	—	—	.33	—	.05	27
28	—	.18	.01	—	—	—	.07	.03	.25	.05	—	—	28
29	—		—	—	.01	—	.05	.08	—	—	.16	.08	29
30	.08		—	—	—	.03	—	—	—	.05	.02	.08	30
31	.09		—		—		—	.05		.41		.08	31
Total	2.41	2.58	1.01	0.79	2.02	0.20	3.63	1.68	1.63	1.50	2.36	4.36	YEAR'S TOTAL 24.17
Rain Days.	21	19	15	12	12	6	20	14	9	12	10	26	176

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

J. W. Millner

Price 2d.

Exe DL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

JAN 1917

Kept at BLISWORTH
in the County of NORTHAMPTONSHIRE
by T. W. MILLNER.

Lat. 52°11 23 N Long. 0°56 45 W
Time of Observation 9 AM.
Nearest Railway Station BLISWORTH
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 299.57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	—	.05	—	.05	.01	.34	—	—	.03	.36	.01	1
2	.33	.01	.06	—	.25	.03	.04	—	—	.44	.03	—	2
3	—	.59	—	—	.01	—	—	—	.08	.18	.07	—	3
4	.26	.05	—	.01	.11	.25	.04	—	—	.02	.12	—	4
5	.06	—	—	—	.04	.32	.03	—	—	.08	.26	—	5
6	.01	.18	.10	.18	.02	.09	.43	—	—	.04	.39	—	6
7	.04	—	.18	—	.02	.08	.26	—	—	.01	.14	.07	7
8	—	—	.02	—	.09	.06	—	—	—	—	.02	.14	8
9	—	—	.01	—	.27	.02	—	—	—	—	—	.03	9
10	—	.11	.06	.08	—	.09	—	—	—	—	.01	.02	10
11	.03	.13	.08	.14	.04	.09	—	—	—	—	—	.09	11
12	.03	.03	.05	—	.26	.08	.08	.01	.01	.09	—	.02	12
13	.02	.29	.06	.04	.02	.02	.05	.06	—	.02	—	—	13
14	—	.48	—	.10	—	—	—	.06	—	—	—	—	14
15	—	.11	.50	.03	.02	—	.06	.08	—	.02	—	—	15
16	—	.01	.39	.24	.08	—	.19	.04	—	.03	—	—	16
17	.09	.03	.01	.08	—	—	.05	.20	.15	.23	—	—	17
18	.01	.09	.03	.05	—	—	—	.09	.08	.01	.84	.14	18
19	.12	.03	.24	.09	—	—	—	.03	.26	—	.83	.03	19
20	.05	—	.37	.09	—	—	—	—	—	—	.13	.32	20
21	.02	—	.54	.05	—	—	.17	—	—	.05	.02	.67	21
22	—	.04	.01	.01	.14	—	—	—	—	.03	—	.57	22
23	.02	.23	—	—	—	—	—	.08	—	.02	.04	.16	23
24	—	.22	.02	.02	—	.27	—	.06	—	.04	.01	.26	24
25	—	.10	.06	—	.04	.01	—	.20	—	.09	.10	.05	25
26	—	.06	.05	—	—	.03	—	.31	—	.04	.07	—	26
27	.06	.13	.69	—	—	.03	.30	.02	.02	.28	—	—	27
28	.01	.35	.25	—	—	.12	—	—	—	.08	—	.21	28
29	—	.11	—	—	.01	.22	—	1.37	—	.28	—	.03	29
30	—	X	—	—	—	—	—	.05	—	.21	—	—	30
31	—	X	—	X	—	X	—	.02	X	.08	X	.03	31
Total	1.22	3.38	3.83	1.21	1.47	1 82	2.04	2.68	0.60	2.30	3.44	2.85	YEAR'S TOTAL 26.84
Rain Days.	17.	22	23.	15	17.	18	13	16	6	24	17	18	206

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

T. W. Millner

Price 2d.

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Blisworth
in the County of Northamptonshire
by T. W. Millner

Lat. 52°11.23 N Long. 0°56.45 W.
Time of Observation 9 A.M.
Nearest Railway Station Blisworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 299.57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	—	—	.11	—	.01	—	1.12	.27	—	.05	.03	1
2	.02	—	—	.03	—	.10	—	.05	—	.04	.05	—	2
3	.02	—	—	.17	—	—	—	.27	—	.13	.06	—	3
4	.01	.22	.26	.02	—	—	—	.05	—	.55	—	.04	4
5	.19	—	.06	.11	—	—	—	—	.07	.06	.04	—	5
6	.02	—	—	.01	—	.13	—	—	—	.06	.04	—	6
7	.35	—	—	—	—	—	.02	—	.01	.30	—	—	7
8	.27	—	—	.12	—	—	.44	.42	—	.31	.12	.17	8
9	.02	—	.15	.06	.09	—	.02	.30	.01	.01	.08	.01	9
10	.23	—	.29	.19	.18	—	—	.08	—	—	.04	—	10
11	.08	.05	.28	.27	.02	—	—	.23	.12	.20	.01	—	11
12	.09	—	.01	.04	.15	.13	—	.07	—	.18	—	—	12
13	.02	—	.04	.06	—	—	—	.26	.04	.02	—	—	13
14	.11	—	—	.14	—	—	—	.89	—	—	—	—	14
15	.04	—	—	.03	—	—	—	.55	—	.04	—	.02	15
16	.04	.13	—	.14	—	—	.10	—	—	.17	—	.09	16
17	.02	.07	—	.09	.49	—	.28	.03	.25	.04	—	.01	17
18	.02	.03	—	.09	.09	.32	.15	.07	.76	.04	—	—	18
19	.02	.19	.09	.01	.16	—	—	—	.05	.01	—	—	19
20	.02	.22	.02	—	.90	—	—	—	.07	—	.10	—	20
21	.01	.02	.03	.02	.03	.03	—	—	—	.01	.01	—	21
22	—	—	.04	—	.01	—	—	.02	.01	.21	—	—	22
23	—	.11	.02	—	.05	—	—	.44	.02	.05	—	—	23
24	.01	.05	—	—	—	.11	—	.09	—	.16	.03	.03	24
25	—	.02	.05	—	—	—	.59	—	.03	—	.06	—	25
26	—	—	.02	—	—	—	—	.32	.10	—	.15	—	26
27	—	—	—	—	—	.52	.02	.61	.02	—	.01	.02	27
28	—	—	.20	—	—	.38	—	.09	—	.01	—	.02	28
29	—		.02	—	.04	.19	.14	.02	—	.40	—	.26	29
30	.01	╳	—	—	—	—	.43	.27	—	.01	—	.01	30
31	—	╳	.13	╳	—	╳	.12	.02	╳	—	╳	.09	31
Total	1.64	1.11	1.71	1.41	2.21	1.92	2.31	6.27	1.83	3.01	0.85	0.80	YEAR'S TOTAL 25.37
Rain Days.	23	11	17	19	12	10	11	23	15	23	15	13	192

W. 500, VIII. 16.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex 21 L

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
10 1 19

Kept at Blisworth
in the County of NORTHAMPTONSHIRE
by T.W.MILLNER

Lat. 52° 11.23 N Long. 0.56.45 W
Time of Observation 9 AM
Nearest Railway Station BLISWORTH
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 299.57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·06	—	·03	—	—	—	—	—	·01	19	·03	1
2	—	·09	—	·17	—	—	—	·03	—	—	·09	·12	2
3	—	·01	·03	—	·31	—	—	·12	·24	—	·39	·02	3
4	—	·01	·04	—	—	—	·03	·01	·30	—	·54	·03	4
5	—	·09	—	—	·21	—	—	·08	·05	·04	—	·02	5
6	·02	·16	—	·13	—	·01	—	—	·01	—	—	·02	6
7	·01	·08	—	·13	·02	·01	—	—	·02	·17	·09	—	7
8	—	—	—	·01	—	—	—	—	·01	·04	·01	·17	8
9	·01	·02	—	·05	—	·04	·24	—	·12	·20	—	·06	9
10	·04	—	—	·01	—	—	·23	—	·42	·21	—	·05	10
11	—	—	—	·01	·11	—	·16	—	·03	·21	·01	·07	11
12	·02	·04	·03	—	·14	—	·24	—	·06	—	—	·01	12
13	—	·02	—	·01	·11	·02	·05	—	·08	·02	—	·06	13
14	·23	·01	—	·02	—	—	·29	—	·29	·19	—	·07	14
15	·75	—	—	·55	—	—	·09	—	·08	—	—	·13	15
16	·18	—	—	·53	—	·02	—	—	·26	—	—	—	16
17	·16	—	—	·02	·25	·10	·69	·02	·01	·01	—	·11	17
18	·49	—	—	—	—	·10	·30	—	·15	·01	—	·41	18
19	·05	·02	·02	—	—	·02	·03	—	—	·06	—	·28	19
20	·01	·10	—	·60	—	·08	—	—	·13	·16	·01	·04	20
21	·05	—	—	·28	—	·04	—	—	·24	·02	—	·01	21
22	·12	—	—	—	·41	—	·01	—	·03	·01	—	·31	22
23	·08	·01	—	·01	·51	—	·18	—	·02	—	·02	·02	23
24	·01	·12	—	—	·01	—	·05	—	·01	—	·16	—	24
25	—	—	—	—	·02	·02	·04	·21	—	·02	·01	—	25
26	—	—	—	—	—	—	·21	·03	·01	·02	·05	·13	26
27	—	—	—	—	—	—	·11	·19	·16	·01	·07	·07	27
28	—	·06	·15	·04	—	·02	—	·01	—	—	·28	·08	28
29	—	—	—	—	—	—	—	—	1·15	—	·02	·04	29
30	—	☒	·15	—	—	—	—	—	·13	—	·05	·37	30
31	—	☒	·03	☒	—	☒	—	·03	☒	·02	☒	—	31
Total	2·23	·90	·45	2·60	2·10	·48	2·95	·73	4·01	1·43	1·99	2·73	YEAR'S TOTAL 22·60
Rain Days.	16	16	7	17	11	12	17	10	25	19	16	26	192

T. W. Millner

W. 6,500, VII. 18. w w c

1051

6 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Blisworth.
in the County of Northamptonshire.
by T. W. Millner.

Lat. 52° 11 25 N. Long. 0° 56 45 W.
Time of Observation 9. A.M.
Nearest Railway Station Blisworth.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 299·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·07	·02	·01	·03	·38	·20	—	—	·07	—	·66	1
2	·15	—	·02	—	·01	—	·08	—	·07	·13	·24	·15	2
3	·71	·02	·08	—	·02	—	·10	—	·32	—	·11	·13	3
4	·04	·26	·39	—	—	·05	·08	·08	·07	—	·01	·16	4
5	·03	—	·15	—	—	—	·07	—	·48	·01	—	·22	5
6	·01	—	·03	—	·87	—	—	—	—	—	—	·06	6
7	·05	—	·31	—	·02	—	—	—	—	—	—	—	7
8	·12	—	·06	·12	—	—	—	—	—	—	·02	—	8
9	·01	—	·02	·05	·02	—	—	—	—	—	·18	—	9
10	—	—	·34	·03	—	—	—	—	—	·01	·03	·04	10
11	·05	—	·34	·04	—	—	·44	—	—	—	·03	·01	11
12	·01	—	·34	·07	—	·07	·04	—	—	·07	—	·02	12
13	·08	—	—	·23	—	·03	·04	—	·05	·09	—	·02	13
14	·39	—	—	·17	—	—	·05	—	·02	—	—	—	14
15	·14	·03	·10	·14	—	—	—	—	—	·05	·07	·58	15
16	·12	·78	—	·06	—	—	—	—	—	—	·20	—	16
17	·01	·32	·01	·01	—	—	—	—	—	—	·16	·01	17
18	—	·02	·23	—	·03	—	—	·25	—	—	·03	·15	18
19	·03	·23	·93	—	—	·10	·42	·33	·05	—	·04	·02	19
20	·37	·07	·10	—	—	·14	·24	·32	—	—	·09	·02	20
21	·10	·38	·04	—	—	—	·40	·01	—	—	·02	·14	21
22	—	·30	—	—	—	—	·05	—	·14	·49	·01	·32	22
23	—	—	—	—	—	·05	—	·02	·11	·31	·01	·05	23
24	—	—	—	·10	—	—	·28	—	—	—	·01	·05	24
25	·09	—	—	·01	·06	—	—	·16	—	—	—	—	25
26	·10	—	·13	·05	—	—	—	·04	·07	—	—	·27	26
27	·47	·02	·02	·56	—	—	—	·16	—	—	—	·15	27
28	·05	—	—	·01	—	—	—	·74	—	·01	·12	·25	28
29	·05		—	·02	—	·01	·01	·12	—	·22	·08	·15	29
30	—		·05	·20	—	·22	—	·02	—	·07	·10	·26	30
31	·01		—		—		·06	—		·02		·02	31
TOTAL	3·53	2·50	3·71	1·88	1·06	1·05	2·56	2·25	1·38	1·55	1·56	3·86	YEAR'S TOTAL 26·89
Days with ·01 in. or more	25.	12.	21	18.	8.	9.	16	12	10.	13	20.	25.	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

T. W. Millner

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

7 JAN 1921

Kept at Blisworth

in the County of Northampton

by T. W. Millner

Lat. 52° 11. 23 N Long. 0° 56. 45 W

Time of Observation 9 AM

Nearest Railway Station Blisworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 299·57 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	—	·20	·20	—	·33	—	—	·10	·02	·13	1
2	—	—	—	·07	—	—	·16	·12	·07	·08	—	·06	2
3	·06	·05	—	·15	—	·01	·42	·01	·06	·06	—	·01	3
4	·01	—	·08	·06	—	—	·05	·22	·02	·25	—	—	4
5	—	—	·05	·02	·15	—	·40	·04	·08	·01	—	·02	5
6	—	—	·15	—	·09	—	·32	—	—	—	—	·03	6
7	—	—	·02	·08	·01	—	·07	—	—	—	—	—	7
8	·12	·03	—	·46	·02	—	·08	—	—	—	—	—	8
9	·35	—	—	1·24	—	—	—	·08	—	—	—	—	9
10	·14	·02	·02	·40	—	·03	·07	—	—	—	—	—	10
11	·37	—	·05	·36	·27	·07	·03	—	—	—	—	·03	11
12	·03	·01	·03	·09	—	·59	—	—	—	—	·01	·11	12
13	·01	·02	·10	·11	—	—	—	—	·06	—	—	·01	13
14	·02	—	·53	·27	—	·20	·06	—	·15	·09	·22	·02	14
15	·01	·03	·24	·20	—	·11	—	—	·21	·05	·14	·01	15
16	—	·02	·01	·03	·05	·84	—	—	·21	·11	·04	—	16
17	—	—	—	·02	·12	·01	—	—	·16	·02	—	·05	17
18	·15	—	—	·03	·03	—	·12	·11	·22	—	—	·02	18
19	·03	·07	—	·19	—	·07	—	·03	·01	—	·02	·02	19
20	·06	·28	—	·19	—	·22	—	—	—	—	—	·02	20
21	·01	—	—	·02	—	·01	—	·08	·05	—	—	·06	21
22	—	·01	—	·15	—	—	—	·02	·20	—	—	·09	22
23	—	·01	—	·01	—	—	·25	·02	—	—	·01	·37	23
24	—	—	·15	—	—	—	—	·01	—	—	·04	·07	24
25	—	·11	·08	·04	·03	—	·66	—	—	—	·01	—	25
26	·18	·01	·15	·02	·02	·52	·05	—	—	—	—	·04	26
27	·25	—	—	·16	—	—	·02	—	—	·02	·88	·19	27
28	·41	—	·09	—	·16	—	·02	—	—	—	·08	·02	28
29	·13	—	·14	—	·10	—	·06	—	—	—	·06	·44	29
30	·03		—	·06	·01	·07	·05	—	·17	—	·10	·16	30
31	·08		—		·03		·02	—		·26		·06	31
													YEAR'S TOTAL
TOTAL	2·45	·68	1·89	4·63	1·29	2·75	3·24	·74	1·67	1·05	1·63	2·04	24·06
Days with ·01 in. or more	20	14	16	26	15	13	20	11	14	11	13	24	197
Days with ·04 in. or more	12	4	12	19	8	9	16	6	12	8	8	13	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

T. W. Millner

BLISSWORTH
CRIEFF HOUSE
NORTHAMPTONSHIRE
1911 — 1920

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

R

Kept at Blisworth ... usquare can.

a.

d 5 ft. 0 in.

in the County of North ... vel 330 ft.

by Alfred Wes ... Blisworth

e 1 mile Direction N.E.

IMPORTANT NO ... result entered to the previous day. If an ... rule, he is earnestly requested to add the re ... the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	·10	—	—	—	—	—	—	·02	·02	1
2	—	—	—	·10	·14	—	—	·01	—	·02	·08	·05	2
3	—	—	—	—	·21	—	—	·04	—	·05	·03	·03	3
4	·02	—	·06	·02 s.	—	—	—	—	·05	·30	·26	·31	4
5	·01	—	—	·01 s.	—	—	—	·12	—	·02	·07	·01	5
6	·29	—	·01	—	—	—	—	—	—	·01	·03	·42	6
7	·01	—	—	—	—	—	—	—	—	—	·20	·10	7
8	·11	—	·13	—	—	—	—	—	—	·01	·02	·09	8
9	·08	—	—	·01	—	—	—	—	—	—	·01	·05	9
10	·01	·10	·20	—	—	—	—	—	—	—	·01	·36	10
11	·14	—	—	—	—	—	—	·06	—	—	·47	—	11
12	·01 s.	—	·41	—	—	—	—	—	—	—	·38	—	12
13	—	—	·03 s.	—	·22	—	—	—	·31	·04	—	·50	13
14	—	—	·02 s.	—	·01	—	—	—	—	·01	—	·31	14
15	—	·10	·05	—	—	—	—	—	—	·01	·12	·02	15
16	—	—	·01	—	—	·01	—	—	—	·01	·30	·09	16
17	—	—	·07	—	—	·04	—	—	—	—	·05	·29	17
18	—	·25	—	—	—	—	—	—	—	·01	·05	·11	18
19	—	—	—	—	—	·10	·06	·01	·08	·07	·26	·08	19
20	·01	·04	—	—	—	—	—	·33	·13	·06	—	·70	20
21	—	·13	·01	—	—	—	—	·04	—	·11	—	·05	21
22	·01	—	·02	·01	—	·07	—	·06	—	·15	·01	·39	22
23	·01	—	·28	—	—	·17	·02	—	·17	—		·14	23
24	—	·07	—	—	—	·41	—	—	—	·38		·10	24
25	—	·04	·02 s.	·05	1·13	·05	—	—	—	—		·02	25
26	—	·03	—	·24	·79	·03	—	—	—	·18	·05 s.	·16	26
27	—	·16	·16	·08	—	—	·11	·07	·13	·01	·04 s.	·09	27
28	—	·19	—	·11	—	—	—	·16	—	—	·05	—	28
29	—	—	·01	·09	—	·16	·03	—	·20	·26	·01	—	29
30	—	—	·01	·08	—	·02	—	—	·01	·13	·01	·01	30
31	—	—	·01	—	·04	—	—	—	—	·01	—	—	31
Total	·71	1·11	1·52	·90	2·54	1·06	·22	·90	1·08	1·85	2·53	4·50	TOTAL for year 18·92
No. of Rain Days	12	10	19	12	7	10	4	10	8	21	23	26	162

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
9 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Blisworth (Cliff House)

in the County of Northampton 4

by Alfred Westley

RAIN GAUGE
Pattern ordinary plain square can
Diameter of top 5 in.
Height of top above Ground 5 ft. 0 in.
„ „ „ Sea Level 330 ft.

Time of Observation 9 am

Nearest Railway Station
Name Blisworth
Distance 1 mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·10	–	–	–	–	–	–	·02	·02	1
2	–	–	–	·10	·14	–	–	·01	–	·02	·08	·35	2
3	–	–	–	–	·21	–	–	·04	–	·05	·03	·03	3
4	·02	–	·06	·02 s.	–	–	–	–	·05	·30	·26	·31	4
5	·01	–	–	·01 s.	–	–	–	·12	–	·02	·07	·01	5
6	·29	–	·01	–	–	–	–	–	–	·01	·03	·42	6
7	·01	–	–	–	–	–	–	–	–	–	·20	·10	7
8	·11	–	·13	–	–	–	–	–	–	·01	·02	·09	8
9	·08	–	–	·01	–	–	–	–	–	–	·01	·05	9
10	·01	·10	·20	–	–	–	–	–	–	–	·01	·36	10
11	·14	–	–	–	–	–	–	·06	–	–	·47	–	11
12	·01 s.	–	·41	–	–	–	–	–	–	–	·38	–	12
13	–	–	·03 s.	–	·22	–	–	–	·31	·04	–	·50	13
14	–	–	·02 s.	–	·01	–	–	–	–	·01	–	·31	14
15	–	·10	·05	–	–	–	–	–	–	·01	·12	·02	15
16	–	–	·01	–	–	·01	–	–	–	·01	·30	·09	16
17	–	–	·07	–	–	·04	–	–	–	–	·05	·29	17
18	–	·25	–	–	–	–	–	–	–	·01	·05	·11	18
19	–	–	–	–	–	·10	·06	·01	·08	·07	·26	·08	19
20	·01	·04	–	–	–	–	–	·33	·13	·06	–	·70	20
21	–	·13	·01	–	–	–	–	·04	–	·11	–	·05	21
22	·01	–	·02	·01	–	·07	–	·06	–	·15	·01	·39	22
23	·01	–	·28	–	–	·17	·02	–	·17	–		·14	23
24	–	·07	–	–	–	·41	–	–	–	·38		·10	24
25	–	·04	·02 s.	·05	1·13	·05	–	–	–	–		·02	25
26	–	·03	–	·24	·79	·03	–	–	–	·18	·05 s.	·16	26
27	–	·16	·16	·08	–	–	·11	·07	·13	·01	·04 s.	·09	27
28	–	·19	–	·11	–	–	–	·16	–	–	·05	–	28
29	–	–	·01	·09	–	·16	·03	–	·20	·26	·01	–	29
30	–	–	·01	·08	–	·02	–	–	·01	·13	·01	·01	30
31	–	–	·01	–	·04	–	–	–	–	·01	–	–	31
Total	·71	1·11	1·52	·90	2·54	1·06	·22	·90	1·08	1·85	2·53	4·50	TOTAL for year 18·92
No. of Rain Days	12	10	19	12	7	10	4	10	8	21	23	26	162

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
7- JAN 191

Kept at Blisworth (Crieff House)

in the County of Northampton 4

by Alfred Westley

RAIN GAUGE
Pattern Square can
Diameter of top 5 in.
Height of top above Ground 5 ft. 0 in.
" " " Sea Level 330 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Blisworth
Distance 1 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·03	–	–	·02	·07	–	·05	·16	–	·07 S.	1
2	–	–	·11	·01	–	·07	·50	–	–	–	–	·01	2
3	·03	–	–	–	·26	·02	·06	·49	·01	–	–	·04	3
4	·09	–	·04	–	·13	·50	–	·01	–	–	·17	·01	4
5	·28	·05 S.	·11	–	–	·25	–	·17	·03	–	·04	–	5
6	·13	·13	–	–	–	·32	·01	·60	–	–	·01	·09	6
7	–	·04	–	–	·03	·84	–	·23	–	–	–	·07	7
8	·30	·21	·32	–	–	·01	·01	·01	·01	·01 (dew)	–	·01	8
9	·01	·10	·11	·06	–	·25	–	·03	–	–	–	·19	9
10	–	·01	·01	–	–	–	–	·10	–	–	·22	·01	10
11	·01	·04	–	–	–	·05	–	·05	–	–	·12	·31	11
12	·06	·32	·12	–	·01	·02	·32	–	–	–	·12	–	12
13	–	·05	·01	–	–	·01	–	–		–	·04	–	13
14	·02	–	·09	–	·06	·04	–	·12	–	–	–	–	14
15	·03	·04	·05	–	·20	·16	–	·02	–	–	–	·16	15
16	·46	–	·04	–	·09	·05	–	·06	–	·05	·02	–	16
17	·44 S.	–	·28	–	–	·10	–	·26	–	–	·01	·22	17
18	·09	–	·08	–	–	–	–	–	–	·01	·03	·02	18
19	·20	·08	–	–	–	–	·07	·10	–	–	·01	–	19
20	·05	–	·14	–	·06	–	·25	·18	–	·22	–	–	20
21	·02	·01	·24	–	·39	–	–	·91	–	·21	·01	–	21
22	·55 S.R.	·09	–	–	·16	–	·37	·36	–	·08	–	·02	22
23	·06	·71	·32	–	·01	–	·32	·71	–	·01	·08	·27	23
24	·10	–	–	–	–	·04	·01	·17	–	–	–	·15	24
25	·01	–	–	–	–	·15	–	·60	–	–	·27	·42	25
26	–	–	–	–	–	·01	·10	·96	–	·52	·28	·14	26
27	–	–	–	–	–	·05	–	–	–	·52	–	·23	27
28	–	·03	–	–	–	–	·08	·40	·07	·18	·22	·81	28
29	–	·02	·05	–	–	·08	·29	–	·75	·43	–	–	29
30	·01 S.	–	–	–	·44	·02	–	–	·18	·20	–	–	30
31	–	–	·02	–	·05	–	·38	·16	–	–	–	·01	31
Total	2·95	1·93	2·77	·07	1·89	3·06	2·84	6·70	1·10	2·60	1·65	3·26	TOTAL for year 30·82
No. of Rain Days	21	16	19	2	13	22	15	23	7	13	16	21	188

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

6 - JAN 1914

Kept at Blisworth (Crieff House)
in the County of Northampton
by Alfed Westley

4

Lat. 52° 11 N Long. 0° 56 W
Time of Observation 9 a.m.
Nearest Railway Station Blisworth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·10	·07	·10	–	–	–	–	1·17	–	·08	–	1
2	·01	·15	–	·01	–	–	·05	–	·40	1·60	·03	–	2
3	·02	–	·15	–	·66	–	–	–	–	·28	–	·03	3
4	·42	–	–	–	·02	–	·06	–	–	·55	·07	·47	4
5	–	–	–	–	–	–	·03	–	·01	·37	·01	·06	5
6	–	–	·04	–	·19	·16	·05	–	–	·35	–	·08	6
7	–	·22	–	–	·07	·12	·29	–	–	·25	·07	·02	7
8	–	–	·02	–	·13	–	–	–	–	·03	–	–	8
9	–	·19	·01	·01	·01	·15	–	–	·09	–	·13	·02	9
10	·08	–	–	·05	·10	–	·02	·02	–	–	·58	–	10
11	·92 S.	–	–	·43 S.R.	·09	–	–	–	–	·22	·37	–	11
12	–	–	–	–	·05	–	–	–	·01	·01	·50	–	12
13	·06 S.	–	–	·01	–	–	–	·02	–	–	·26	–	13
14	·10	–	·21	–	–	–	–	·06	–	·08	–	–	14
15	·07	·01	·31	·33	–	–	·29	–	·02	–	·02	–	15
16	·06	–	·62 S.R.	·20	–	–	–	–	·04	·01	–	–	16
17	·16	–	·01	·07	–	–	·03	–	–	–	·02	·02	17
18	–	–	·13	·09	–	–	–	–	–	–	–	·01	18
19	·31	–	·09	–	·01	–	·14	–	·09	–	–	·03	19
20	·14	–	·12	·02	–	–	–	–	–	·58	·04	–	20
21	·02	–	·27	·02	·10	–	·07	–	–	·01	·23	–	21
22	·40 S.R.	–	·34	·01	–	–	–	·02	·16	–	–	–	22
23	–	–	·01	–	–	·06	–	·02	·04	–	·01	·03	23
24	·01	–	–	·07	–	–	–	–	–	–	–	–	24
25	–	·01	–	·21	–	–	–	–	–	·01	–	·02	25
26	–	·04	·14	·24	–	–	–	·04	–	·27	·01	·18	26
27	–	–	·01	·05	·13	–	–	–	–	–	–	–	27
28	·43	–	·14	·21	–	–	–	–	–	·08	–	·03 S.	28
29	·02	–	·14	·48	·01	–	–	·04	–	·14	–	·01 S.	29
30	·24	–	–	–	–	–	–	–	–	·13	·14	–	30
31	–	–	–	–	·10	–	–	·18	–	–	–	–	31
Total	3·51	·72	2·83	2·61	1·67	·49	1·03	·40	2·03	4·97	2·57	1·01	YEAR'S TOTAL 23·84
Rain Days.	19	7	19	19	14	4	10	8	10	18	17	14	159

W. 7,500, XI. ·12

ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

-JAN 1915

Kept at Blisworth (Crieff House)
in the County of Northampton 4
by Alfred Westley

Lat. 52°11'N. Long. 0°56'W.
Nearest Railway Station Blisworth
Time of Observation 9 am.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. 0 in.
" " " Sea Level 330 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·06	—	—	·07	·34	—	—	·10	·01	1
2	—	—	—	—	—	—	—	·16	—	·02	·36	·38	2
3	—	—	—	—	·46	—	·31	—	—	—	·04	—	3
4	·17	—	—	·40	·05	—	—	·48	—	—	·34	·19	4
5	—	—	—	·24	·05	·02	·30	·08	—	—	·18	—	5
6	—	·04	—	—	·07	·01	—	·01	—	—	·09	·08	6
7	—	·18	·41	·02	·05	·02	·04	·02	—	—	·01	·01	7
8	·10	·03	·14	·06	·06	·61	·04	·13	·01	—	—	·01	8
9	·23	·01	·29	·25	·05	1·15	—	·02	·05	—	—	—	9
10	·09	·15	·04	·06	·05	—	—	—	·16	·01	—	·01	10
11	—	·15	·34	·06	·06	·31	—	—	·01	—	·33	·42	11
12	—	·02	·09	—	—	·01	·03	—	·42	—	·03	·32	12
13	—	·20	·19	—	—	—	—	—	—	·04	·06	·29	13
14	—	·07	·20	—	—	—	·11	—	—	·64	·06	·25	14
15	·01	—	·23	—	—	—	·40	—	·08	·01	·10	·09	15
16	·01	—	·06	—	—	—	·01	—	·05	—	·02	—	16
17	·01	·37	·03	—	—	—	·01	—	·19	—	—	·14	17
18	—	—	—	—	—	—	·28	—	—	—	—	·48	18
19	—	·02	·09 S.R.	—	—	—	·02	—	·01	—	·05	·02	19
20	—	·29	·34 S.R.	—	—	·01	·01	—	—	—	·02	·17	20
21	—	·13	·08	—	—	·09	—	—	—	·06	—	·17	21
22	—	—	—	—	·12	·05	·05	·04	—	·17	—	·02	22
23	—	·02	·04	—	·04	—	·01	·01	—	·07	—	·04	23
24	—	—	·01	—	—	·01	·01	—	—	·18	·07	—	24
25	·06	—	·01	—	—	—	—	·10	—	·35	·01	·22	25
26	—	—	·06	—	—	—	—	·08	—	·03	·16	·36	26
27	·02	—	—	—	—	—	—	—	—	·01	·02	·10	27
28	—	·07	—	—	—	—	—	—	—	·05	·17	1·20 S.R.	28
29	·01	—	·08	—	·04	—	—	—	—	·28	·14	—	29
30	—	—	·02	—	—	·02	—	—	—	·05	·20	·27	30
31	—	—	—	—	·07	—	·12	—	—	·01	—	·08	31
Total	·71	1·75	2·75	1·15	1·17	2·31	1·82	1·47	·98	1·98	2·56	5·33	TOTAL for year 23·98
No. of Rain Days	10	15	20	8	13	12	17	12	9	16	22	25	179

1,000, XI, '07.
EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London
Price 2d.

1185

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bliswoith (Crieff House)
in the County of Northampton
by Alfred Westley

4

Lat. 52°11'N. Long. 0°56'W.
Time of Observation 9 am.
Nearest Railway Station Bliswoith
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·07	·02	—	·09	·01	—	·01	·19	·07	·02	·12	1
2	·04	·26	·27	·17	—	—	—	·61	·01	·09	—	·07	2
3	·46 SHR.	—	·02	·07	—	—	·06	·27	·03	—	—	·25	3
4	·07	—	—	—	—	—	·20	—	—	—	—	·59	4
5	·03	·26	—	—	—	—	—	·04	—	—	·01	·29	5
6	·20	·02	·01	·21	—	—	·87	·02	—	·01	—	·04	6
7	·06	·39	·03 S.	—	·19	·02	·14	·04	—	—	—	·15	7
8	·05	·17	·01 S.	·04	—	—	·01	·02	—	—	—	—	8
9	—	·01	—	·01	—	—	—	·01	—	—	·18	·46	9
10	·28	·02	·01	—	—	—	—	—	—	—	·01	—	10
11	·01		·01	·02	·09	—	—	—	—	—	·80	—	11
12	·03		—	·26	·44	—	—	·11	—	—	·86	·09 S.	12
13	—	·49 SHR.	—	—	1·09	—	—	—	—	—	—	—	13
14	—	·01	—	—	—	—	—	·03	·05	—	—	·46	14
15	·19	—	—	—	·03	—	—	·40	—	—	·30 Snow	·14	15
16	·02	·74	—	—	·03		·79	·04	—	—	—	·07	16
17	—	·28	—	—	·12	—	·10	—	—	—	—	·03	17
18	—	·03	·20 s.	—	—	—	—	—	—	—	·01	—	18
19	—	·06	·01 s.	—	·02	—	·09	—	—	—	—	—	19
20	·32	—	—	—	—	—	—	—	—	—	—	·20	20
21	·04	—	—	—	·03	—	·10	—	—	—	—	·06	21
22	·16	·01	·31	·01	—	—	·52	—	·01	—	—	·18	22
23	·01	·03	·01	—	—	·07	·15	—	·04	·32	—	·34	23
24	—	—	·13	—	—	·06	·33	—	1·04	·13	—	·17	24
25	—	—	·01	—	—	·01	·14	—	—	·01	—	·25	25
26	—	·08	—	—	—	—	·09	—	·01	—	—	·30	26
27	—	·14	—	—	—	—	·05	—	—	·28	—	·04	27
28	—	·22	—	—		—	—	·07	·29	·15	—	·01	28
29	—	—	—	—	—	—	·03	·05	—	—	·16	·08	29
30	·07	X	—	—	—	·11	—	—	—	·12	·01	·09	30
31	·10	X	—	X	—	X	—	·04	X	·40	X	·11	31
Total	2·49	2·89	1·05	·79	2·13	·28	3·67	1·76	1·67	1·58	2·36	4·59	YEAR'S TOTAL 25·26
Rain Days.	19	19	14	8	10	6	16	15	9	10	10	25	161

W. 8,000. X. 14.

87 mo

1162

FORM A.
BRITISH RAINFALL.

4 JAN

REGISTER OF RAINFALL IN 1916

Kept at Blisworth (Crieff House)

in the County of Northampton

by Alfred Westley

Lat. 52°11'N. Long. 0°56'W.

Time of Observation 9 a.m.

Nearest Railway Station Blisworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	·01	·03	—	—	·01	·43	—	—	·03	·39	—	1
2	·32	·01	·05	—	·31	·13	—	—	—	·44	·02	—	2
3	—	·65	—	—	—	—	—	—	·13	·10	·08	—	3
4	·32	·07	—	—	·11	·29	·02	—	—	·08	·18	—	4
5	·07	—	—	—	·05	·38	·04	—	—	·08	·25	—	5
6	—	·18	·14 s.	·25	·02	·03	·43	—	—	·05	·47	—	6
7	·02	—	·27 s.	—	·01	·02	·54	—	—	—	·17	·05	7
8	—	—	·11 s.	—	·13	·08	—	—	—	—	—	·14	8
9	—	—	·01	—	·30	·01	—	—	—	·01	—	·02	9
10	—	·14	·12 s.	·07	—	·07	—	—	—	—	·01	·01	10
11	·03	·11	·15 s.	·16	·04	·08	—	—	—	—	—	·11 s.	11
12	·02	·03	·01	—	·30	·07	·10	—	·02	·10	—	·01	12
13	·01	·30	·07	·03	·01	·03	·09	·06	—	—	—	·01	13
14	—	·53 s.	—	·11	—	—	—	·20	—	·01	—	—	14
15	—	·15	·45	—	·03	—	·05	·09	—	—	—	·01	15
16	—	—	·43	·28	·05	—	·18	·04	—	—	—	—	16
17	·08	·04	·01	·10	—	—	·07	·17	·19	·22	—	—	17
18	—	·09	·04	·07	—	—	—	·37	·10	—	1·00 S+R.	·15 s.	18
19	·13	·05	·24	·10	—	—	—	·02	·23	—	1·05 S+R.	—	19
20	·08	—	·47	·07	—	—	—	—	·01	—	·01	·30	20
21	·03	—	·62	·10	—	—	·20	—	—	—	·01	·75 S+R.	21
22	—	·03 s.	·02	—	·11	·01	—	—	—	·05	—	·57 S+R.	22
23	·01	·55 s.	—	—	—	—	—	·07	—	·01	·03	·25 S+R.	23
24	—	·16 s.	·01	—	—	·21	—	·04	—	·04	—	·30 s.	24
25	—	·27 s.	·07	—	·03	—	—	·21	—	·09	·13	—	25
26	—	·20 s.	·04 s.	—	—	·04	—	·14	—	·04	·06	—	26
27	·07	·02 s.	1·56 s.	—	—	·06	·06	·04	·02	·28	—	—	27
28	·01	·36 s.	·86 s.	—	—	·04	—	—	—	·03	—	·20	28
29	—	·13	—	—	—	·20	—	1·39	—	·29	—	·02	29
30	—	✕	—	—	—	—	—	·05	—	·22	—	·01	30
31	·01	✕	—	✕	—	✕	·01	·01	✕	·02	✕	·01	31
Total	1·33	4·08	5·78	1·34	1·50	1·76	2·22	2·60	·70	2·19	3·86	2·92	YEAR'S TOTAL 30·28
Rain Days.	16	22	23	11	14	18	13	15	7	20	15	18	192

✓ Entd 1121

FORM A.
BRITISH RAINFALL.

3. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Blisworth (Criff House)
in the County of Northampton
by Alfred Westley

Lat. 52° 11′ N. Long. 0° 56′ W.
Time of Observation 9 a.m.
Nearest Railway Station Blisworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·04 S.	—	·01	—	1·15	·43	—	·06	·03 S.	1
2	·01	·02 S.	—	·02 S.	—	·05	—	·05	—	·01	·05	—	2
3	—	—	—	·17 S.	—	—	—	·32	—	·20	·06	—	3
4	—	·25 S.	·33 S.	—	—	—	—	·04	—	·47	—	·04	4
5	·19	—	·04 S.	·09 S.	—	—	—	—	·05	·05	·06	—	5
6	·01	—	·01 S.	—	—	·15	—	—	·01	·18	·04	—	6
7	·34 S&R	—	—	—	—	—	·04	—	—	·15	—	—	7
8	·36 S&R	—	—	·17	—	—	·51	·38	—	·33	·14	·19	8
9	·01 S.	—	·14 S.	·09 S.	·08	—	—	·55	·02	—	·08	·02	9
10	·47 S.	—	·30	·18 S.	·26	—	—	·15	—	—	·03	·01	10
11	·02	·02 S.	·29	·30 S.	·02	—	—	·14	·12	·20	·01	—	11
12	·10 S&R	·01	·01	·07 S.	·14	·11	—	·13	—	·19	·01	—	12
13	·01	—	·03	·03	—	—	—	·26	·04	—	·01	—	13
14	·12 S.	—	—	·13	—	—	—	·84	—	—	—	—	14
15	·01 S.	—	—	·01	—	—	—	·40	—	·04	—	·06	15
16	·04 S.	·14	—	·20	—	—	·21	—	—	·22	—	·05 S.	16
17	—	·03	—	·07	·49	—	·28	·03	·25	·06	—	—	17
18	·01	·01	—	·10	·07	·50	·22	—	·62	·05	—	—	18
19	·03	·22	·11	—	·18	—	—	—	·21	—	—	—	19
20	·02	·17	·01	—	·76	—	—	—	·04	—	·12	—	20
21	—	·01	·04 S.	·01	·32	·03	—	—	—	·01	—	·01	21
22	—	—	·07 S.	—	·01	—	—	·02	·01	·19	—	—	22
23	—	·10	—	—	·05	—	—	·45	—	·05	—	—	23
24	·02 S.	·04	—	—	—	·10	—	·11	—	·19	·02	·02	24
25	—	·05	·03	—	—	—	·48	—	·01	—	·08 S.	—	25
26	—	—	·01 S.	—	—	—	—	·41	·10	—	·15	·01 S.	26
27	—	—	—	—	—	·44	·01	·67	—	—	—	·01	27
28	—	—	·16	—	—	·47	—	·12	—	—	—	·03	28
29	—	—	—	—	—	·41	·16	·01	—	·41	—	·33	29
30	·01 S	X	—	—	—	—	·54	·27	—	—	—	·01	30
31	—	X	·10 S.	X	—	X	·11	·03	X	—	X	·13 S.	31
Total	1·78 ✓	1·07 ✓	1·68 ✓	1·68 ✓	2·38 ✓	2·27 ✓	2·56 ✓	6·53 ✓	1·91 ✓	3·00 ✓	·92 ✓	·95 ✓	YEAR'S TOTAL 26·73 ✓
Rain Days.	18 ✓	13 ✓	16 ✓	16 ✓	11 ✓	10 ✓	10 ✓	22 ✓	13 ✓	18 ✓	15 ✓	15 ✓	177 ✓

W. 8,000, VIII. 16

2.33

Exd Ck

10

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4 1. 19

Kept at Blisworth (Crieff House)

in the County of Northampton

by Alfred Westley

Lat. 52°11'N. Long. 0°56'W.

Time of Observation 9 am.

Nearest Railway Station Blisworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·02	—	·05	—	—	—	—	—	—	·23	—	1
2	·01	·10	—	·15	—	—	—	·03	—	—	·17	·13	2
3	—	·01	·02	—	·30	—	—	·09	·24	—	·33	·01	3
4	—	·02	·04	—	—	—	·03	·01	·35	—	·59	·03	4
5	—	·08	—	—	·22	—	—	·12	·05	·08	—	·02	5
6	—	·21	·01	·15	—	·01	—	—	·02	—	—	·03	6
7	·01 S.	·08	—	·13	·01	—	—	—	·02	·20	·08	—	7
8	—	—	—	·01	—	—	—	—	·12	·07	·03	·16	8
9	—	—	—	·06	—	·05	·21	—	·48	·26	—	·08	9
10	·05	—	—	·03	—	—	·28	—	·05	·16	—	·05	10
11	—	—	—	·03	·13	—	·20	—	·11	·26	—	·07	11
12	·01	·03	·04	—	·06	—	·20	—	·06	—	—	·01	12
13	—	·01	—	·01	·16	—	·03	—	·09	·01	—	·08	13
14	·26	·01	—	·02	—	·03	·32	—	·37	·22	—	·08	14
15	·60 S.	—	—	·64	—	—	·12	—	·04	—	—	·11	15
16	·16 S.	—	—	·67	—	·02	—	—	·20	—	—	—	16
17	·11	—	—	·02	·42	·23	·68	·02	—	·01	—	·11	17
18	·57	—	—	—	—	·12	·11	—	·29	—	—	·43	18
19	·05	—	·01	·01	—	·02	·02	—	—	·06	—	·15	19
20	—	·13	—	·65 StR.	—	·06	—	—	·16	·17	·01	·17	20
21	·05	—	—	·39 StR.	—	·02	—	—	·28	·03	—	·01	21
22	·10	—	—	—	·34	—	·01	—	·06	·01	·01	·31	22
23	·07	—	—	—	·53	—	·09	—	·03	·01	·01	·02	23
24	—	·13	—	—	—	·01	·13	—	·05	—	·24	—	24
25	—	—	—	—	·05	·02	·04	·22	—	·01	—	—	25
26	—	—	—	—	—	—	·20	·02	—	·01	·05	·14	26
27	—	—	—	—	—	—	·06	·20	·14	—	·08	·06	27
28	—	·08 S.	·21	·03	—	·02	—	·02	—	—	·01	·08	28
29	·01	—	—	—	—	—	—	—	1·18	—	·29	·05	29
30	—	X	·14	—	—	—	—	—	·13	—	·08	·48	30
31	—	X	·03	X	—	X	—	·03	X	·02	X	—	31
Total	2·06 ✓	·91 ✓	·50 ✓	305 ✓	2·22 ✓	·61 ✓	2·73 ✓	·76	4·52 ✓	1·59 ✓	2·21 ✓	2·87 ✓	YEAR'S TOTAL 24·03
Rain Days.	14 ✓	13 ✓	8 ✓	17 ✓	10 ✓	12 ✓	17 ✓	10	23 ✓	17 ✓	15 ✓	25 ✓	181 ✓

W. 8,000. X. 15.

1650

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

3 JAN 20

Kept at Blisworth (Cliff House)
in the County of Northampton
by Alfred Westley

Lat. 52° 11' N. Long. 0° 56' W.
Time of Observation 9 a.m.
Nearest Railway Station Blisworth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·10 S.	·02	—	·02	·33	·22	—	—	·07	—	·67	1
2	·14	—	·01	—	·01	—	·14	—	·08	·16	·26	·12	2
3	·72 S.R.	·03	·10	—	·31	—	·04	—	·34	—	·14 R.S.	·14	3
4	·04	—	·35	—	—	·04	·09	·10	·08	—	·01	·10	4
5	·03	·41 S.	·22	—	—	—	·14	—	·49	—	—	·25	5
6	—	—	·04	—	·83	—	—	—	—	·01	·01	·11	6
7	·05	—	·35	—	·03	—	—	—	—	—	—	—	7
8	·12	—	·06	·13	—	—	—	—	—	—	·08	—	8
9	—	—	·02	·07	·01	—	—	—	—	—	·01	—	9
10	—	—	·34	·04	—	—	—	—	—	·01	·06 S.	·05	10
11	·04	—	·37	·05	—	—	·42	—	—	—	·01 S.	·01	11
12	—	—	·47	·04	—	·08	·04	—	·01	·08	·04 S.	·01	12
13	·08	—	·02	·18	—	—	·03	—	·08	·10	—	·04	13
14	·39	·02	—	·27	—	—	·07	—	·03	—	—	·01	14
15	·14	·05	·10	·19	—	—	—	—	—	·07	·11 S.	·58	15
16	·07	·84	—	·05	—	—	—	—	—	—	·21 S.	—	16
17	·01	·46 S.R.	—	—	—	—	—	—	—	—	·19	·03	17
18	—	·04	·18 S.R.	—	·03	—	—	·26	—	—	·04	·11	18
19	·03	·22	1·22 S.R.	—	—	·06	·63	·36	·07	—	·04	·02	19
20	·41	·07	·22	—	—	·19	·34	·32	—	—	·11	·04	20
21	·10	·42	·05 S.	—	—	—	·46	—	—	—	·03	·13 R.S.	21
22	—	·29	—	—	—	—	·06	—	·15	—	·01	·32	22
23	—	—	—	—	—	·07	—	·03	·08	·44	·01	·07	23
24	—	—	—	·13	—	—	—	—	—	·32	—	·07	24
25	·16	—	—	—	·07	—	·19	·19	—	—	—	—	25
26	·06	—	·12	·06	—	—	—	·04	·12	—	—	·26	26
27	·31 S.	·01	·02	·75 S.R.	—	—	—	·13	—	—	—	·08	27
28	·29 S.	—	—	·01	—	—	·01	·82	—	·01	·18 S.	·23	28
29	·05	—	—	·04	—	·01	—	·13	—	·23	·08 S.	·17	29
30	—	✕	·06 S.	·20	—	·23	—	·02	—	·08	·12	·27	30
31	—	✕	—	✕	—	✕	·05	—	✕	·03	✕	·01	31
Total	3·60	2·96	4·34	2·21	1·01	1·01	2·93	2·40	1·53	1·61	1·75	3·90	YEAR'S TOTAL 29·25
Rain Days.	21	13	21	15	8	8	16	11	11	13	21	26	184

W. 8,000, IX. 17.

998

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Blisworth (Crieff House)

in the County of Northampton

by Alfred Westley

Lat. 52° 11′ N. Long. 0° 56′ W.

Time of Observation 9 am

Nearest Railway Station Blisworth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·16	·21	~~·33~~ –	·33	—	·03	·15	·01	·12	1
2	—	—	—	·11	—	~~·13~~ –	·13	·22	·08	·09	—	·10	2
3	·08	·07	—	·14	—	·02 ~~·44~~	·44	·01	·08	·06	—	—	3
4	—	—	·10	·07	—	~~·01~~ –	·01	·27	—	·23	—	—	4
5	—	—	·05	·02	·17	~~·44~~ –	·44	·07	·09	—	—	—	5
6	—	—	·13	—	·14	~~·32~~ –	·32	—	—	—	·01	·07	6
7	·01	·01	·01	·08	·01	~~·10~~ –	·10	—	—	—	—	—	7
8	·17	·04	·01	·46	·03	~~·03~~ –	·03	—	—	·01	—	·01	8
9	·35	—	·01	1·05	—	~~·04~~ –	·04	·19	—	—	—	—	9
10	·24	·02	·03	·36	—	·03 ~~·09~~	·09	—	—	—	—	—	10
11	·24	—	·06	·39	·25	·10 ~~·02~~	·02				—	·08 S	11
12	·02	·03	·05	·11	—	·74	—	—	—	—	·01	·08 S.	12
13	—	·01	·09	·12	—	— –	—	—	·06	—	—	·01	13
14	·01	·01	·46	·24	—	·14 ~~·09~~	·09	—	·20	·13	·25	·05	14
15	—	·07	·61 S.	·27	—	— –	—		·30	·33	·13	—	15
16	—	—	—	·10	·07	1·39	—	—	·27	·15	·07	—	16
17	·01	—	·01	·04	·10	— –	—	—	·17	—	—	·05	17
18	·16	—	—	·03	·05	·01 ~~·23~~	·23	·14	·23	—	—	·05 S.	18
19	·04	·09	—	·28	—	·10	—	·01	·01	—	·01	·01	19
20	·08	·34 S.	—	·22	—	·26	—	—	—	—	·02	·05	20
21	—	—	—	·01	—	~~·01~~ –	·01	·07	·04	—	·01	·06	21
22	—	—	—	·17	—	— –	—	·03	·26	—	·01	·10	22
23	—	·01	—	—	—	— –	·27	·02	—	·01 dew	·01	·37	23
24	—	—	·17	—	—	—	—	·01	—	·01 „	·02	·08	24
25	—	·11	·06	·03	·05	—	·63	—	—	·01 „	·01	—	25
26	·17	—	·17	·03	·03	—	·12	—	—	·01 „	—	·04	26
27	·30	—	—	·20	—	·52	—	—	—	·02 „	·85	·20	27
28	·41	—	·13	—	·12	—	·05	—	—	·02 „	·04	·01	28
29	·13	—	·14	—	·09	—	·07	—	—	—	·07	·57	29
30	·03	☒	—	·07	—	·10	·06	—	·21	—	·10	·20	30
31	·07	☒	—	☒	·02	☒	·01	—	☒	·21	☒	·03	31
TOTAL	2·52	·81	2·29	4·76	1·34	3·41	3·49	1·04	2·03	1·44	1·63	2·28	YEAR'S TOTAL 27·04 –
Days with ·01 in. or more	18	12	18	25	14	11	21	11	14	15	17	22	198 –

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

X·04 13 [illegible] 13 20 10 8 16 6 12 8 7 14 136 –

81 Written Feb/March 11·3·14 28·4·14

198

FORM A. BRITISH RAINFALL.

27 JAN 1914

NORTHANTS.

BRIXWORTH HALL

1913–1918

REGIS … 3

Kept at Brixworth

in the County of Northam

by J. Sutherland

above Ground ft. in.

" Sea Level ft.

in.

IMPORTANT NOTE. … and the result entered to the previous day. If an Obse … universal rule, he is earnestly requested to add the reading … year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·14					·68		·14	·02	1
2	·02	·19	·10	·05	·03		·04		·13	·05	·02		2
3	·03		·13		·68		·02			·01		·17	3
4	·02						·04		·07	1·12	·06	·27	4
5							·20		·04	·73	·01	·06	5
6		·05	~~·15~~		·15	·02	·38			·25	·02	·03	6
7		·11	~~·04~~		·12	·11	·17			·47	·08	·02	7
8			·02		·16	·19				·07	·03	·04	8
9		·29			·03	·14		·03	·05		·19		9
10	·04		·05	·08	·02		·03	·02			·54		10
11	1·18		~~·08~~	·50	·01			·08		·18	·27		11
12			[illegible]		·15						·25		12
13			~~·15~~	·05					·06		·19		13
14	·12		·27	·08			·06			·06	·06		14
15	·03	·07	·19 ~~·03~~	·42			·12		·14				15
16	·04		·76 ~~·01~~	·15					·03		·01		16
17	·10	·04	·12 ~~·24~~	·14		·12	·02		·05			·03	17
18			·15	·07			·09		·05		·05	·01	18
19	·24		·05 ~~·04~~	·01			·07		·04			·03	19
20	·12		·10 ~~·23~~	·02						·52	·04		20
21	·03		·15 ~~·18~~	·03	·16		·03				·29		21
22	·49		·29	·01				·02	·24				22
23	·05		[illegible]			·12		·04	·03				23
24			—	·09				·16	·03				24
25			—	·09		·01	·03				·02		25
26		·04	·17	·20						·29	·04	·19	26
27		·01	·03	·06						·07			27
28	·53		·02 ~~·11~~	·23						·06			28
29	·03		·15	·52	·03			·23		·13		·04	29
30	·28		·02								·15	·05	30
31			·03		·26			·03					31
Total	3·38 ✓	·80	2·84 ✓	2·94 ✓	1·80 ✓	·71 ✓	1·30 ✓	·61 ✓	1·64 ✓	4·01 ✓	2·46 ✓	·96 ✓	YEAR'S TOTAL 23·45 ✓
Rain Days.	18	8	20	20	12	7	14	8	14	14	20	13	168

W. 7,500, XI. 12

82 11·3·14 28·4·14

198

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGIS

Kept at Brixworth Hall Ex Bd
in the County of Northamptonshire
by J. Sutherland

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03			·14					·68		·14	·02	1
2	·02	·19	·10	·05	·03		·04		·13	·05	·02		2
3	·03		·13		·68		·02			·01		·17	3
4	·02						·04		·07	1·12	·06	·27	4
5							·20		·04	·73	·01	·06	5
6		·05	~~·15~~		·15	·02	·38			·25	·02	·03	6
7		·11	~~·04~~		·12	·11	·17			·47	·08	·02	7
8			·02		·16	·19				·07	·03	·04	8
9		·29			·03	·14		·03	·05		·19		9
10	·04		·05	·08	·02		·03	·02			·54		10
11	1·18		~~·08~~	·50	·01			·08		·18	·27		11
12			[illegible]		·15						·25		12
13			~~·15~~	·05					·06		·19		13
14	·12		·27	·08			·06			·06	·06		14
15	·03	·07	·19 ~~·03~~	·42			·12		·14				15
16	·04		·76 ~~·01~~	·15					·03		·01		16
17	·10	·04	·12 ~~·24~~	·14		·12	·02		·05			·03	17
18			·15	·07			·09		·05		·05	·01	18
19	·24		·05 ~~·04~~	·01			·07		·04			·03	19
20	·12		·10 ~~·23~~	·02						·52	·04		20
21	·03		·15 ~~·18~~	·03	·16		·03				·29		21
22	·49		·29	·01				·02	·24				22
23	·05		~~·06~~			·12		·04	·03				23
24			—	·09				·16	·03				24
25			—	·09		·01	·03				·02		25
26		·04	·17	·20						·29	·04	·19	26
27		·01	·03	·06						·07			27
28	·53		·02 ~~·11~~	·23						·06			28
29	·03		·15	·52	·03			·23		·13		·04	29
30	·28		·02								·15	·05	30
31			·03		·26			·03					31
Total	3·38	·80	2·84	2·94	1·80	·71	1·30	·61	1·64	4·01	2·46	·96	YEAR'S TOTAL 23·45
Rain Days.	18	8	20	20	12	7	14	8	14	14	20	13	168

W. 7,500, XI. 12

82

Ex. W.G.

191

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Brixworth Hall

in the County of Northamptonshire 4

by J. Sutherland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02				·37	·30			·07	·04	1
2								·04		·03	·34	·24	2
3	·26						·18				·10		3
4	·05		·04	·23	·14			·55			·37	·20	4
5			·11	·12	·02	·13	·42	·06			·12		5
6		·05		·03	·03	·01		·03			·07		6
7		·15	·42		·05	·02	·06	·10	·03		·02	·03	7
8	·11	·01	·14	·03	·08	1·07		·02				·02	8
9	·30		·25	·07	·02	1·30			·04			·07	9
10	·15	·11	·03	·19	·08				·12			·04	10
11		·08	·28	·09	·13	·39			·02		·26	·41	11
12		·03	·12			·02	·02		·25		·02	·35	12
13		·15	·18						·03	·06	·19	·27	13
14	·03		·11				·20	·03		·65	·14	·26	14
15	·03	·03					·24				·02	·11	15
16	·03	·01							·12		·04		16
17		·24	·04				·11		·11		·08	·24	17
18			·05				·27					·43	18
19		·04	·06						·03			·03	19
20		·23	·19				·22		·04			·18	20
21		·18	·08			·12		·05				·25	21
22			·04		·30	·11	·06			·26		·03	22
23		·06	·09		·05		·06	·06		·14			23
24			·03		·01		·15			·27	·02	·06	24
25	·04						·05	·25		·30		·40	25
26			·07					·09		·08	·17	·19	26
27	·04									·02	·06	~~·81~~ 95	27
28		·11			·01					·08	·09	~~·14~~	28
29	·03		·10		·02					·25	·09	·08	29
30			·03		·01			·02		·06	·23	·21	30
31	·03				·04		·16			·03		·04	31
Total	1·10	1·48	2·48	·76	·99	3·17	2·57	1·60	·79	2·23	2·50	5·13	YEAR'S TOTAL 24·80
Rain Days.	12	15	22	7	15	9	15	13	10	13	20	26	177

W.7,000, XI. 13

88

1209
181

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Brixworth Hall

in the County of Northamptonshire 4

by J. Sutherland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·11	·12		·16				·04	·05	·03	·13	1
2	·03	·12	·35	·19				·40		·15		·12	2
3	·54		·07	·05		·05	·35	1·01			·01	·15	3
4	·08						·07					·53	4
5	·02	·31			·03			·05				·30	5
6	·18	·15		·10			·88	·03				·07	6
7	06	·05				·07	·11	·06				·11	7
8		·14	·04				·05				·11		8
9	·05	·03									·11		9
10	·36		·04					·09			·16		10
11					·05		·13	·01			·95	·15	11
12	·05			·21	·28		·02	·11		·05	·95	·06	12
13	·02	·53			·94								13
14		·02						·05	·08			·45	14
15	·25				·08		·06	·04			·27		15
16		·23					·96						16
17		·24			·10		·24	·03					17
18		·06	·13								·06	·12	18
19	·05	·05	·02		·03								19
20	·31						·08					·27	20
21	·12	·06	·25		·08		·12		·01			·07	21
22				·04			·25		·06			·11	22
23		·01				·06	05			·38		·33	23
24			·16			·01	·10		·80	·05		·15	24
25							·22			·04		·27	25
26		·14	·03				·06			·63		·27	26
27			·01				·04			·03		·02	27
28		·07	·03						·10	·05		·01	28
29					·01	·11	·19	·12			·20	·05	29
30	·17	X				·19		·03			·02	·15	30
31	·03	X		X		X		·01	X	·49	X	·07	31
Total	2·32	2·32	1·25	·59	1·76	·49	3·98	2·04	1·09	1·92	2·87	3·96	YEAR'S TOTAL 24·59
Rain Days.	16	17	12	5	10	6	19	14	6	10	11	23	149

W. 8,000. X. 14.

82 Ent Dd 112-179

FORM A.
BRITISH RAINFALL.
27 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Brixworth Hall
in the County of Northamptonshire
by J. Sutherland

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25		·09			·06	·04	–			·48		1
2	·38	·02	·04		·18		·21		·02	·56	·06		2
3		·40	·01				·03		·08	·20	·05		3
4	·43	·10				·30				·05	·20		4
5	·05				·22	·06	·15			·08	·13		5
6		·14	·08	·03	·09	·01	·03			·07	·45		6
7	·07		·25		·11		·45			·03	·15		7
8	·03		·03		·04		·24			·02	·07	·10	8
9			·03		·27	·15				·06		·17	9
10	·02	·17	·10	·07	·06	·05	·01			·03	·02		10
11	·03	·13		·15	·15	·12	·05		·05			·05	11
12	·11	·05	·21		·09	·07				·03			12
13		·21	·02		·10		·03						13
14		·49	·06	·10	·03		·11	·15		·03			14
15		·32	·33					·10					15
16	·02	·01	·48	·24			·16	·04					16
17	·17	·01	·03	·07			·05	·44	·21	·27			17
18		·24	·05	·08				·34	·13		1·02		18
19	·07	·04	·25	·07				·02	·33		·59	·11	19
20	·04		·16					·03			·20	·35	20
21	·02		·46	·04								1·00	21
22		·06	·05		·18	·02				·04			22
23		·46						·04				·49	23
24	·05	·26	·04	·02		·47		·05		·06	·05	·24	24
25		·15			·07			·28		·11	·10		25
26	·04	·12	·04					·10		·03	·07		26
27		·11	1·00				·11	·08	·12	·30			27
28		·36	+·70	·09		·04			·02	·10		·15	28
29		·15				·14		1·43		·21		·04	29
30	·02	X			·09	·19		·05		·30			30
31		X		X		X		·04	X	·05	X	·04	31
Total	1·80	4·00	4·51	·96	1·68	1·68	1·67	3·19	·96	2·63	3·64	2·74	YEAR'S TOTAL 29·46
Rain Days.	17	22	23	11	14	13	14	15	8	21	15	11	184

W. 8,000. X. 15.

81

Ext'd

144
~~160~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Brixworth Hall
in the County of Northamptonshire
by J. Sutherland

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·15				1.09	·19			·04	1
2	·03	·04		·02		·20		·08			·08	·01	2
3				·12				·47		·67	·12	·02	3
4		·20	·15					·06		·05		·03	4
5	·14		·05	·06					·03		·12		5
6									·04	·05			6
7	·57					·04				·50	·03		7
8	·46			·12			·38	·56		·47		·16	8
9	·03		·16	·10	·02		·03	·51			·35		9
10	·50		·26	·26	·17			·10			·03		10
11	·08	·03		·23				·07	·05	·37			11
12					·22			·03		·47			12
13			·30					·33	·10				13
14	·12							·25			·03		14
15				·10				·19		·04			15
16	·05	·20								·15		·10	16
17	·04	·07		·17	·55	1.15		·03	·19			·12	17
18		·04		·07	·26		·42	·02	1.07	·08			18
19	·02	·08	·15		·08		·10		·04				19
20		·24	·05		·57		·19		·02		·17		20
21			·04	·05	·02	·02				·03			21
22			·04							·20			22
23		·10			·11			·25		·03			23
24		·05				·36		·04					24
25										·22	·14		25
26			·03					·31	·17		·18		26
27						·66		·70				·03	27
28			·09					·12				·06	28
29						·69	·14			·34		·29	29
30		X					·22	·08				·02	30
31		X	·15	X		X	·18	·17	X		X	·12	31
Total	2.04	1.05	1.47	1.45	2.00	3.12	1.66	5.46	1.90	3.67	1.25	1.00	YEAR'S TOTAL 26.07
Rain Days.	11	10	12	12	9	7	8	21	10	15	10	12	137

W. 8,000, VIII. 16

2.18

133
~~165~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Brixworth Hall

in the County of Northamptonshire

by J Sutherland

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·20									1
2		·20											2
3		·02	·05		·45								3
4		·02	·08										4
5		·08			·15								5
6		·13	·05	·10									6
7	·04	·10		·19									7
8		·10											8
9		·09		·07									9
10	·10												10
11													11
12		·12			·18								12
13			·06	·03	·24								13
14				·04									14
15	·33			·60									15
16	·85			·54									16
17	·10			·05									17
18	·35												18
19		·03	·04	·21									19
20	·03	·16		·40									20
21	·08			·49									21
22	·16				·24								22
23	·08				·64								23
24													24
25		·15											25
26													26
27													27
28		·08	·16										28
29													29
30	·01	X	·29										30
31	·01	X	·14	X		X			X		X		31
Total	2·14	1·35	·87	2·92	1·90	·49	2·40	1·16	2·67	~~1·40~~ 1·60	1·70	2·25	YEAR'S TOTAL 21·45
Rain Days.	12	14	8	12	6								

W. 8 000, IX. 17.

markham al.

Co

RE 1911.

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

NORTHANTS.

BRACKLEY – BRACKLEY HOUSE

1911 – 1920

Kept at Brackley ... ordinary Copper ... of top 5 in.

... top above Ground .... ft. .... in.

in the County of North... „ Sea Level .... ft.

by John Allen ... 9 a.m.

...ation { Name Brackley. L.N.W.R.y.
Distance ½ Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·15							·03	·03	1
2	·03			·20	·20		·08	·03			·15	·11	2
3		·01	·02		·22			·12		·08	·09	·08	3
4	05	·01	·09	·05				·02	02	·42	·17	·30	4
5	07			·03				·21		·02			5
6	·43		·03							·01	·03	·73	6
7	·02										·24	·14	7
8	·21		·15							·02	·03	·18	8
9	·12		·05	·02							07	·11	9
10	·08	·15	·30									·37	10
11	·29				·11			·58			·65	·03	11
12		·01	·47		·01				·24		·35	·01	12
13			·08		·25				·38	·03	·03	·51	13
14			·07		·05							·41	14
15		·08	·17							·04	·22	·04	15
16						06					·34	·13	16
17			·06			·11				·01	·12	·38	17
18		·28		·02		·02				·03	·02	·15	18
19		·02				·20			·21	·12	·21	·10	19
20	·02	·10	·06	·02		·01		·28	·26	·23		·70	20
21		·13	·08	·03				·04		·23		·08	21
22		·01				·06		·02		·16		·50	22
23	·01	·13	·36			·06	·25		·21			·20	23
24		·12		·06		·41		·05		·54		·14	24
25		·13	·02	·06	·81	·08				·01		·10	25
26		·08		·23	·01	·04		·03		·30	·09	·16	26
27		·35	·15	·08			·01	·12	·23	·01	·05	·14	27
28		·28		·18	·07			·20			·10		28
29				·05		·28	·19		·18	·24	·01		29
30			·04	·16	·05	·07		·12		·18		·03	30
31					·02					·03			31
Total	1·22	1·89	2·22	1·34	1·80	1·40	0·53	1·82	1·73	2·71	3·00	5·86	TOTAL for year 25·52
No. of Rain Days.	11	16	18	15	11	12	4	13	8	20	20	27	175

markham a.

RE 1911.

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

Kept at Brackley House. Brackley

in the County of Northampton 3

by John Allen

RAIN GAUGE
Pattern ordinary Copper
Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Brackley. L.N.W.R.
Distance ½ Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·15							·03	·03	1
2	·03			·20	·20		·08	·03		·	·15	·11	2
3		·01	·02		·22			·12		·08	·09	·08	3
4	05	·01	·09	·05				·02	02	·42	·17	·30	4
5	07			·03				·21		·02			5
6	·43		·03							·01	·03	·73	6
7	·02										·24	·14	7
8	·21		·15							·02	·03	·18	8
9	·12		·05	·02							07	·11	9
10	·08	·15	·30									·37	10
11	·29				·11			·58			·65	·03	11
12		·01	·47		·01				·24		·35	·01	12
13			·08		·25				·38	·03	·03	·51	13
14			·07		·05							·41	14
15		·08	·17							·04	·22	·04	15
16						06					·34	·13	16
17			·06			·11				·01	·12	·38	17
18		·28		·02		·02				·03	·02	·15	18
19		·02				·20			·21	·12	·21	·10	19
20	·02	·10	·06	·02		·01		·28	·26	·23		·70	20
21		·13	·08	·03				·04		·23		·08	21
22		·01				·06		·02		·16		·50	22
23	·01	·13	·36			·06	·25		·21			·20	23
24		·12		·06		·41		·05		·54		·14	24
25		·13	·02	·06	·81	·08				·01		·10	25
26		·08		·23	·01	·04		·03		·30	·09	·16	26
27		·35	·15	·08			·01	·12	·23	·01	·05	·14	27
28		·28		·18	·07			·20			·10		28
29				·05		·28	·19		·18	·24	·01		29
30			·04	·16	·05	·07		·12		·18		·03	30
31					·02					·03			31
Total	1·22	1·89	2·22	1·34	1·80	1·40	0·53	1·82	1·73	2·71	3·00	5·86	TOTAL for year 25·52
No. of Rain Days.	11	16	18	15	11	12	4	13	8	20	20	27	175

W. 8,000, X. '11.

Ex DS

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
13 JAN 1913

Kept at Brackley House, Brackley
in the County of Northampton 3
by John Allen

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Brackley. L.N.W. Rly
Diameter of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. ~~3~~ 5 in.
" " " " Sea Level about 427 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·03	·01	·06		·	·03	·06		·03	·25		·13	1
2		·02	·09	·02	·09	·13	·65					·01	2
3	09		·03		·23	·20	·03	·41	·05		·03	·14	3
4	·24		·71			·40		·08			·26		4
5	·22	·07	·10			·20		·34	·03		·03	·02	5
6	·29	·18			·02		·02	·58				·08	6
7		·13			·08	·91		·24				·17	7
8	·31	·29	·34					·02	·07			·08	8
9	·08	·07	·17	·15	·02	·46		·03				·25	9
10		·03	·03			·06		·14			·12	·02	10
11	·02	·10	·02			·06		·01			·09	·27	11
12	·09	·36	·15		·03		·07				·11		12
13		·06					·01				·05		13
14	·06		·15		·14			·11					14
15	·07	·08	·11		·27	·26		·03				·14	15
16	·50		·16		·07	·11		·08		·06			16
17	·68		·16			·12		·40			·01	·21	17
18	·12		·19							·05		·02	18
19	·21	·11	·06				·08	·36			·02		19
20	·06	·01	·24		·02	·03	·19	·40		·21			20
21	·03	·04	·26		·43	·11		·45		·27			21
22	·63	·12			·34		·91	·33		·08		·08	22
23	·15	·42	·40				·31	·28		·02	·11	·34	23
24	·09							·09				·16	24
25						·25		·27	·01		·23	·35	25
26	·01	·02	·02				·20	·60		·46	·23	·23	26
27			·03			·06	·01			·70		·30	27
28		·66				·03	·04	·57	·09	·32	·37	·82	28
29		·08	·05			·10	·33		74	·37			29
30					·27	·05	·06	·10	14	·25			30
31			·02	—	·62	—	·45	·17	—	·01		·03	31
Total	3·98	2·26	3·65	0·17	2·63	3·57	3·22	6·09	1·16	3·05	1·66	3·85	YEAR'S TOTAL 35·29
Rain Days.	21	20	23	2	14	19	16	24	8	13	13	21	194

W. 7,500, XI. 12

8L

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

188

Kept at Brackley House E 4 R
in the County of Northamptonshire 3
by J. Allen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·07	·22	·15	·11	·02				1·65		·19	·02	1
2	·03	·15			·04		·02		·26	·40	·04		2
3	·14		·12		·69					·03		·08	3
4	·63		·05		·02		·06			·02	·05	·18	4
5		·02				·14	·06			·67	·05	·03	5
6		·07	·07		·24	·23	·17			·29	·03	·11	6
7		·41			·18	·10	·08			·48	·13	·02	7
8		·02			·14	·04				·28	·03		8
9		·22	·03	·03	·05	·15	·03	·06	·21		·13	·03	9
10	·05			·12	·02		·08	·05			·40		10
11	·73			·41	·24			·50		·45	·54		11
12		·01			·08		·01		·04	·02	·65		12
13	·14	·01		·04				·02	·04		·27		13
14	·15		·16	·03				·02	·01	·11	·05		14
15	·24	·04	·32	·45			·10		·02		·02		15
16	·05		·69	·24					·03	·01			16
17	·08	·03	·02	·07		·15	·12					·02	17
18	·04		·20	·15	·04		·09				·02		18
19	·37		·14		·04	·03	·09		·14			·07	19
20	·17		·20	·08					·01	·44	·09		20
21	·04		·31	·10	·15		·01			·03	·30		21
22	·52		·29		·01			·08	·28				22
23	·01					·09		·04	·02		·02	·06	23
24	·06			·15									24
25				·17						·02		·02	25
26		·05	·10	·29				·08		·37		·14	26
27		·02	·02	·13						·03			27
28	·31		·27	·22						·31		·07	28
29	·02		·23	·70				·09		·33		·08	29
30	·25				·03					·18	·19		30
31			·07		·21			·06					31
Total	4·10	1·27	3·44	3·49	2·20	·93	·92	1·00	2·71	4·47	3·20	·93	YEAR'S TOTAL 28·66
Rain Days.	21	13	19	18	17	8	13	10	12	19	19	14	183

W. 7,500, XI. ·12

DL 50 M9 182

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Brackley

in the County of Northamptonshire 3

by J. Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·07			·14	·38			·08	·01	1
2			·01				·15	·16			·28	·42	2
3				·04	·26		·35				·02	·01	3
4	·23			·26	·03			·37			·30	·27	4
5	·03		·08	·13	·02	·11	·23	·02			·10		5
6		·09		·04	·09	·04		·01			·03	·13	6
7		·22	·37		·29	·06	·08	·06				·07	7
8	·08	·06	·28	·15	·09	1·00	·01	·13	·01			·04	8
9	·18	·01	·31	·19		1·31		·08	·09				9
10	·04	·37	·04	·10	·11				·29				10
11		·18	·42	·07	·08	·60			·01		·22	·44	11
12		·04	·12				·10		·41		·03	·30	12
13		·30	·26						·11	·06	·04	·36	13
14	·01	·07	·26				·15			·82	·15	·15	14
15	·04	·05	·12					·01	·08		·11	·05	15
16			·13				·02		·17				16
17		·34	·11						·23		·02	·18	17
18			·02				·23					·42	18
19			·09				·03		·01		·08	·02	19
20		·28	·29				·02					·34	20
21		·27	·09							·18		·12	21
22			·01	·05	·25	·02	·11	·09		·26		·02	22
23		·03	·13		·08		·10			·15		·06	23
24		·01					·04			·21	·09		24
25	·10		·10				·01	·19		·41	·04	·15	25
26			·05				·06	·10		·08	·12	·33	26
27	·08										·01	·17	27
28		·10	·06		·04					·04	·13	1·12	28
29	·03		·11							·35	·33		29
30			·07							·07	·35	·31	30
31	·02				·04		·13					·03	31
Total	·84	2·42	3·55	1·10	1·38	3·14	1·96	1·60	1·41	2·63	2·53	5·52	YEAR'S TOTAL 28·08
Rain Days.	11	16	25	10	12	7	18	12	10	11	20	25	177

W.7,000, XI. 13

82

1179 ~~76~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Brachley

in the County of Northamptonshire 3

by J. Allen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·43	·19	·12		·08			·11	·13		·03	·19	1
2	·14	·22	·35	·11		·05		·35	·03	·22	·01	·07	2
3	·37		·04	·07			·04	·67	·02			·17	3
4	·12						·52	·02				·64	4
5	·02	·44						·06			·02	·29	5
6	·21	·03	·02	·21			·77	·02				·03	6
7	·02	·47	·02	·01			·19	·04				·15	7
8	·03	·21		·02			·05	·02					8
9	·02			·17							·18	·45	9
10	·28	·02	·02								·06	·02	10
11	·02		·03	·03	·06		·03				·91	·02	11
12	·07	·02		·35	·37			·16		·02	·75	·05	12
13		·41			·95			·07					13
14	·03	·06					·01	·16	·06	·03	·01	·40	14
15	·17				·04			·27			·11	·24	15
16	·03	·65			·08		·81	·02				·08	16
17		·37			·31		·06					·02	17
18		·09	·09							·02			18
19		·01	·02		·02		·12						19
20	·49			·02	·04							·18	20
21	·10						·11			·03		·09	21
22	·22	·05	·36				·57					·18	22
23		·10	·03	·03			·32		·09	·35		·39	23
24			·22	·03		·02	·93		1·23	·22		·13	24
25			·02	·01		·13	·10		·02	·04		·26	25
26		·12					·10		·04			·29	26
27		·02				·01	·06			·43		·07	27
28		·11				·02		·13	·42	·05			28
29							·02	·11			·15	·06	29
30	·05	╳					·41		·08	·17	·09	·11	30
31	·02	╳		╳		╳		·03	╳	·57	╳	·14	31
Total	2·84	3·59	1·34	1·06	1·95	·23	5·22	2·24	2·12	2·15	2·32	4·72	YEAR'S TOTAL 29·78
Rain Days.	20	19	13	12	9	5	19	16	10	12	11	26	172

W. 8,000. X. 14.

8L

177

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
23. APR. 1917

Kept at Brackley House

in the County of Northamptonshire

by J. Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·01				·46			·07	·61		1
2	·26	·02	·04		·22				·02	·45	·04		2
3		·58							·38	·33	·10		3
4	·27	·05			·08	·24			·03	·03	·21		4
5	·06			·01	·11	·09	·12			·06	·40		5
6		·20	·11	·12	·03	·12	1·17			·11	·42		6
7	·02		·26		·03	·07	·13			·18	·32	·09	7
8			·03		·25	·14						·22	8
9			·02		·18	·05	·02					·16	9
10		·20	·08	·11	·02	·09	·08		·02	·38			10
11	·09	·08	·06	·15	·08	·78			·02		·01	·04	11
12	·02	·09	·10	·04	·35	·03	·20		·02	·13	·02		12
13		·32	·18	·05		·02	·37	·08					13
14	·02	·41		·04	·03			·02		·03		·01	14
15		·11	·41		·02		·20	·27		·05		·01	15
16	·03	·05	·39	·23	·17		·07	·16					16
17	·11	·13		·22			·01	·18	·30	·38			17
18	·01	·08	·03	·10				·12	·05	·03	·86	·11	18
19	·12	·02	·22	·17				·02	·20		·49	·03	19
20	·16		·37								·02	·41	20
21	·06		·63	·03	·02		·41				·02	·69	21
22	·02	·03	·01		·18					·05		·58	22
23		·23				·02	·01	·10		·02	·07	·17	23
24		·24	·15	·02	·08	·92		·03		·19	·02	·24	24
25		·27	·08					·43		·03	·12		25
26		·12				·09		·02		·10		·02	26
27	·06	·15	1·02				·12	·06	·02	·16			27
28		·31	·83	·20		·18			·08	·07	·01	·15	28
29		·09				·28		1·36		·26		·05	29
30	·01					·02		·02		·32		·04	30
31	·01							·03		·11		·17	31
Total	1·51	3·78	5·03	1·49	1·85	3·14	3·37	2·90	1·14	3·54	3·74	3·19	YEAR'S TOTAL 34·68
Rain Days.	18	22	21	14	16	16	14	15	11	23	17	18	205

W. 8,000. X. 15.

8L

1116
~~163~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Brackley
in the County of Northamptonshire
by T. Allen

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·13				·91	·45		·31	05	1
2						·09		·08		·03	·03		2
3				·10				·26		·32	·06		3
4		·19	·20					·12		·43		·03	4
5	·27		·04	·12					·12	·08	·07		5
6			·13			·11			·01	·04	·03		6
7	·29						·13			·38		·02	7
8	·46			·13			·84	·13		·32	·13	·27	8
9	·02		·11	·12	·16			·12		·01	·10	·02	9
10	·21		·35	·30	·20			·12			·03		10
11	·21	·02	·24	·24	·01			·17	·13	·24	·02		11
12	·11		·01	·02	·01	·13		·04		·18	·02		12
13		·01	·16	·04		·03		·27	·09				13
14	·04			·09				·66		·12	·02	·02	14
15	·01							·02		·04		·01	15
16	·03	·18		·12	·13		·23			·27		·19	16
17	·01	·03		·15	·79	·02	·35	·07	·19	·09			17
18	·02	·03		·07	·04	·02	·17		·77	·04			18
19	·03	·20	·11						·05				19
20	·03	·16	·05	·04	·86		·20		·01		·05		20
21	·03		·19		·11	·11					·02		21
22			·07			·05	·12	·04		·14			22
23		·17			·09			·32		·03		·01	23
24		·06				·19		·15		·18	·05	·03	24
25			·08			·03			·03		·10		25
26								·38	·11		·11		26
27					·04	·02	·03	·64					27
28			·13		·01	·57		·13				·04	28
29						·31	·14	·19		·66		·30	29
30	·01	X	·03				·49	·21		·02			30
31		X	·10	X	·02	X	·09	·06	X		X	·12	31
													YEAR'S TOTAL
Total	1·78	1·05	2·00	1·67	2·47	1·68	2·79	5·09	1·96	3·62	1·15	1·11	26·37
Rain Days.	16	10	16	14	13	13	11	22	11	20	16	13	175

W. 8,000, VIII. 16

1·97

8.1.18

C.C.RY & L.N.W.RY
TELEPHONE No 2 P.O.BRACKLEY.

BRACKLEY HOUSE,
BRACKLEY,
NORTHAMPTONSHIRE.

Jan.7.18

Dear Sir.

I return the monthly return, with respect to the yearly return enclosed I wish to point out that nothing was added for the large fall of snow in January last year, I was away on service and did not think of it until I had sent in the return, perhaps if you wish to amend the total you can get it from some local return of the depth of snow.

Yours faithfully.

E. Allen Major.

Dr. H. R. Mill.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8·1·19

Kept at Brackley House Brackley
in the County of Northampton
by Major J. Allen

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Brackley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. ...... in.
" " " " Sea Level 425 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·00	·04						·02	·22	·04	1
2		·15	·00	·11				·15			·10	·09	2
3		·04	·04		·16			·25	·26		·34	·03	3
4		·02	·03				·06	·03	·14		·71	·05	4
5	~~·05~~	·14			·16	·02		·07	·09	·10	·04	·02	5
6	·05	·12	·01	·17					·04			·05	6
7	·02	·09		·05	·04				·04	·09	·16		7
8	·02	·07							·07	·08		·17	8
9		·15		·12		·10	·20		·49	·24		·06	9
10	·06			·09			·33		·13	·20		·09	10
11				·02	·09		·10		·02	·19	·02	·05	11
12	·02	·05	·04		·17		·13		·02			·02	12
13		·02		·02	·06	·03	·15		·18	·05		·14	13
14	·27			·02		·07	·35		·38	·19		·08	14
15	·62			·93			·15				·02	·14	15
16	·20			·57					·28	·02		·04	16
17	·12			·05	·02	·10	·70	·02	·04	·03		·11	17
18	·57					·24	·13		·12			·43	18
19	·06	·04	·02	·03			·06		·02	·09		·21	19
20	·01	·14		·57		·06			·13	·18	·02	·02	20
21	·06			·45		·03	·02		·53	·08		·03	21
22	·17	·02			·18		·10		·04		·02	·27	22
23	·03				·57	·02	·06		·10		·02	·02	23
24		·15					·07		·07		·21		24
25						·02	·03	·30		·03	·04		25
26							·30	·03			·07	·21	26
27		·06	·01				·04	·23	·14		·12	·09	27
28		·05	·30					·03			·17	·05	28
29	·01								1·79		·02	·04	29
30		X	·23						·05		·07	·28	30
31	·01	X	·05	X		X		·02	X	·03	X		31
Total	2·30	1·33	0·73	3·24	1·45	0·69	2·98	1·13	4·67	1·62	2·37	2·83	YEAR'S TOTAL 25·34
Rain Days.	17	17	9	15	9	10	18	10	24	16	18	27	190

8L

1045
~~152~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Brackley House

in the County of Northamptonshire

by J. Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·06	·06		·03	·54	·43			·10		·86	1
2	·15		·02		·08		·08		·17	·13	·25	·09	2
3	·79		·12		·03	·02	·03	·11	·35		·14	·19	3
4	·08	·03	·33			·05	·02		·26		·02	·17	4
5	·03	·29	·25	·01			·03		·36	·02		·18	5
6	·02		·05		·39							·19	6
7	·05		·20		·03						·03		7
8	·10		·06	·16									8
9	·02		·03	·17									9
10	·02		·33	·04			·42			·02	·05	·13	10
11	·02		·27	·07	·05								11
12			·19	·07		·15			·02	·18	·07	·01	12
13	·07			·37			·09			·15		·11	13
14	·31	·02		·19					·05	·04		·02	14
15	·23	·03	·05	·21						·02	·08	·69	15
16	·07	·76									·19	·02	16
17		·48									·12	·03	17
18			·27				·02	·23			·03	·11	18
19	·14	·27	1·25			·14	·73	·36	·04		·05	·01	19
20	·47	·05	·11			·12	·12	·25	·11	·01	·16	·02	20
21	·03	·49	·04			·04	·37		·02		·04	·11	21
22		·17					·02		·13			·41	22
23						·08	·01	·02		·42	·03	·03	23
24				·07				·03		·61		·02	24
25	·11	·01		·10	·11	·02		·19				·01	25
26	·13	·03	·13	·07				·02			·01	·32	26
27	·29		·06	·72				·52	·13			·07	27
28	·02		·07	·04				·58		·02	·15	·26	28
29	·04			·04		·03		·13		·18		·30	29
30		✕	·20	·27		·25		·07		·09	·23	·38	30
31	·02	✕	·02	✕		✕	·01		✕	·03	✕	·01	31
Total	3·54	2·69	4·11	2·60	·72	1·44	2·38	2·51	1·64	2·02	1·64	4·75	YEAR'S TOTAL 30·04
Rain Days.	24	13	22	16	7	11	14	12	11	15	17	27	189

W. 6,500, VII. 18. W W C

177

993

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brackley House

in the County of Northamptonshire

by J. Allen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·37	·26		·03			·45		·30	1
2			·02	·03			·22	·22	·02	·27		·12	2
3	·04	·05		·08	·04		·47		·09	·15			3
4			·07	·18			·12	·31	·15	·23	·02	·01	4
5			·07	·06	·22		·41	·06	·03	·09		·05	5
6		·01	·18		·15		·23		·12			·08	6
7			·03	·10	·04		·16				·01		7
8	·16	·05		·54			·23			·02			8
9	·22			1·46				·06					9
10	·11	·06	·03	·26		·09	·21				·02	·03	10
11	·33	·02	·07	·27	·34	·08	·05					·04	11
12	·03	·04	·01	·15	·03	1·00	·02	·02			·02		12
13		·03	·13	·05					·02		·02	·05	13
14	·03	·01	·54	·31		·17	·11		·31	·13	·29		14
15		·06	·21	·37		·05	·02		·02	·10	·09		15
16		·01		·05	·07	·27			·23	·07	·03		16
17	·02			·43	·12				·20	·04		·03	17
18	·14			·13	·10			·22	·25		·01	·04	18
19	·08	·04		·27		·12	·02				·02		19
20	·05	·39		·28		·31						·06	20
21				·03			·01		·04		·03	·06	21
22		·02		·17				·18				·16	22
23							·38	·03			·02	·37	23
24			·26							·01	·03	·04	24
25	·02	·07	·06				·46						25
26	·24		·14	·05	·42	·01	·05			·01	·02	·09	26
27	·50	·06	·02	·23		·30				·02	·46	·18	27
28	·57		·01		·30		·08			·01	·06	·01	28
29	·19		·17		·25	·05	·06				·12	·41	29
30	·02		·43	·05		·14	·07		·21		·16	·14	30
31	·06		·03							·41		·11	31
TOTAL	2·81	·92	2·48	5·92	2·34	2·59	3·41	1·10	1·69	2·01	1·43	2·38	YEAR'S TOTAL 29·08
Days with ·01 in. or more	18	15	19	24	13	12	21	8	13	15	18	21	197
·04	13	9	12	22	12	11	16	6	9	10	6	17	143

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

and for auth 17·III·13

REGISTE

FORM A.
BRITISH RAINFALL.
24 JAN 1913

—

NORTHANTS.
CARLTON PARK GDNS.
1912 - 1920

Kept at East Carlton P ... n

in the County of Northampt ... ldon + Corby

by Richard. W. Shat

... 5 in.
... Ground 1 ft. 1 in.
... Sea Level ... ft.

IMPORTANT NOTE.—R ... he result entered to the previous day. If an Observer ... rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·08		·02	·05				1
2						·47	·43		·02			·03	2
3						·20	·10	·76	·03		·03	·09	3
4						·47		·10					4
5						·10	·10	·20	·02		·32		5
6						·04	·25	·34	·02		·05	·06	6
7						·31	·03						7
8						·03			·08			·02	8
9						·25		·62				·10	9
10						·04		·17			·09		10
11						·08					·03	·35	11
12					·10	·05					·07		12
13						·01		·32			·06	·02	13
14					·08	·09							14
15					·29	·10				·07		·19	15
16						·02				·05			16
17						·15		·02				·33	17
18					·08			·10		·01	·02	·03	18
19							·14	·30	·03				19
20							1·08	·64		·34			20
21					·46		·02	·65		·15			21
22					·70		1·40	·34				·02	22
23								·45			·10		23
24						·14	·40	·10					24
25						·40					·22	·32	25
26						·04	·30	1·85		·68		·35	26
27						·12		·06	·02	·45		·23	27
28								·52		·33		·47	28
29						·25	·53		·75	·43	·25		29
30					·15	·14			·22	·29			30
31					·74		·43	·11		·02		·02	31
Total					~~2·64~~ mis	3·66 3·61	5·54	7·09	1·24	2·82	1·23	2·63	~~YEAR'S~~ TOTAL ~~23·25~~
Rain Days.					~~8~~	23	13	20	10	11	11	16	~~112~~

W. 7,500, XI. ·12

and for auth 17·III·13

REGISTE

FORM A.
BRITISH RAINFALL.
24 JAN 1913

Kept at East Carlton Park

in the County of Northamptonshire

by Richard. W. Thatcher

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Weldon & Corby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1						·08		·02	·05				1
2						·47	·43		·02			·03	2
3						·20	·10	·76	·03		·03	·09	3
4						·47		·10					4
5						·10	·10	·20	·02		·32		5
6						·04	·25	·34	·02		·05	·06	6
7						·31	·03						7
8						·03			·08			·02	8
9						·25		·62				·10	9
10						·04		·17			·09		10
11						·08					·03	·35	11
12					·10	·65					·07		12
13						·01		·32			·05	·02	13
14					·08	·09							14
15					·29	·10				·07		·19	15
16						·02				·05			16
17						·15		·02				·33	17
18					·08			·10		·01	·02	·03	18
19							·14	·30	·03				19
20							1·08	·64		·34			20
21					·46		·02	·65		·15			21
22					·70		1·70	·34				·02	22
23								·45			·10		23
24						·14	·40	·10					24
25						·40					·22	·32	25
26						·04	·30	1·85		·68		·35	26
27						·12		·06	·02	·45		·23	27
28								·52		·33		·47	28
29						·25	·53		·75	·43	·25		29
30					·15	·14			·22	·29			30
31					·74		·43	·11		·02		·02	31
Total					~~2·64~~ inif	3·06 3·61	5·54	7·09	1·24	2·82	1·23	2·63	~~YEAR'S~~ TOTAL ~~26·25~~
Rain Days.					~~8~~	23	13	20	10	11	11	16	~~112~~

W. 7,500, XI. ·12

✓ cnd for auth 10.III.14 W DL

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 10 JAN 1914

Kept at Carlton Park Gardens

in the County of Northamptonshire

by R. W. Thatcher

Lat. ...... Long. ......
Time of Observation 9 AM.
Nearest Railway Station Weldon & Corby.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12	·03					·41		·09		1
2	·03	·01					·10		·44				2
3	·02		·15		·55				·24	·04		·06	3
4	·50				·15		·06		·06	·24	·06	·12	4
5	·02					·04	·05			·84	·08		5
6		·01	·03		·04	·05	·53		·11	·13			6
7		·13			·04	·03	·01			·68		·03	7
8					·15	·09				·06	·06		8
9		·25	·03			·20					·10		9
10	·04			·10	·05		·44	·02		·08	·50		10
11				·44				·18			·34		11
12					·15						·55		12
13			·03	·03				·02	·04		·19		13
14		·03	·30	·03			·49			·08	·04		14
15	·81		·48	·47 ~~·03~~									15
16	·03	·04	·79	·12			·02		·02				16
17	·08			·09		·64	·01					·02	17
18			·24	·23			·08		·02	·01			18
19	·18		·03	·01			·03		·04		·02	·02	19
20	·33		·12	·03	·09					·38	·03		20
21		·06	·10							·01	·29		21
22	·42								·20				22
23			·10			·10		·12	·02				23
24	·08			·10		·08							24
25		·02		·10		·05							25
26		·06	·25	·15						·34	·02	·20	26
27		·04	·03	·10	·13					·03			27
28	·39			·12						·04		·04	28
29	·01		·14	·52	·02					·04			29
30	·24			·03				·35		·04	·11		30
31					·22			·14					31
Total	3·21	0·68	2·94	2·40	1·65	1·34	1·82	0·83	1·66	3·16	2·51	0·49	YEAR'S TOTAL 23·02 23·02
Rain Days.	15	10	16	18	11	9	1·82 11	·83 6	11	16	15	4	~~146~~ 145

W.7,000, XI. 13

Corby Weldon gauge 5.iii.15 WLMCC

FORM A.
BRITISH RAINFALL.

11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Carlton Park Gardens

in the County of Northants 5

by R. W. Shatcher

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Weldon & Corby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06			·34	·29			·06	·06	1
2	·09							·14		·06	·35	·19	2
3					·21			·12			·06		3
4	·20			·20							·48	·20	4
5			·10	·07	·28	·11	·17	·44					5
6	·05	·05			·04			·02			·03	·04	6
7		·07	·35									·02	7
8	·04	·06	·15		·10	·92		·12				·01	8
9	·38	·01	·21	·18		·92				·03			9
10	·20			·10	·06			·02					10
11		·18	·30		·20	·06	·05				·35	·40	11
12		·04	·10						·31		·03	·40	12
13	·02	·13	·21						·06	·25	·12	·23	13
14	·01	·06	·12							·59	·07	·24	14
15	·02		·13					·06	·08		·03	·14	15
16			·07				·17						16
17							·07					·24	17
18	·02		·06				·19					·42	18
19		·03	·09								·07	·02	19
20		·15	·16			·14						·05	20
21		·23						·14		·08		·37	21
22					·38		·05			·25			22
23		·08			·10					·03			23
24	·02		·01		·02		·10			·25	·11	·04	24
25	·03							·19		·43		·22	25
26			·02					·06		·04	·18	·27	26
27	·02				·06						·01	·27	27
28		·05								·21	·06	·98	28
29	·02		·04							·35	·06		29
30		×				(·11)				·05	·18	·25	30
31		×		×	·06	×	·18		×		×	·03	31
Total	1·12	1·14	2·15	0·61	1·51	2·26 ✓	1·32	1·60	0·45	2·62	2·25	5·09	YEAR'S TOTAL 22·12 ✓
Rain Days.	14	13	16	5	11	6	9	11	3	13	17	23	140 ✓

W. 8,000. X. 14.

cwo 26. VI. 16

1240

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
25 APR 1916

Kept at Carlton Park Gdns

in the County of Northamptonshire

by R. W. Thatcher

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Weldon + Corby M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21				·20				·12				1
2				·20		·10		·60			·04		2
3	·32		·04	·07			·13		·25			·26	3
4							·36			·11		·58	4
5	·02	·39			·32		·05	·01			·03	·33	5
6	·08	·05		·20			·82	·02		·03			6
7	·06	·37	·04				·15	·25				·26	7
8		·21						·01					8
9										·03	·24	·47	9
10	·32										·04		10
11		·01		·04	·16		·05	·05			·55		11
12	·03		·02	·16	·32			·20			1·26		12
13		·65			·97				·05				13
14		·03					·24	·05				·49	14
15	·32				·05			·02			·12	·15	15
16		·32					1·05	·10		·04			16
17		·25					·25						17
18		·09	·30								·06		18
19		·01					·09						19
20	·42		·02					·02				·31	20
21		·08			·15		·13					·07	21
22	·10		·15	·03								·12	22
23	·01	·04				·05	·15		02	·06		·33	23
24	·02		·09			·35	·10		·61			·06	24
25							·07			·10		·22	25
26		·25					·06					·32	26
27							·15		·05	·57		·04	27
28		·10	·05			·72	·14	·10	·11	·15			28
29						·09	·16	·09			·21	·20	29
30	·09	X				·35					·02		30
31	·02	X		X		X	·01	·07	X	·30	X	·16	31
Total	2·02	2·85	0·71	0·70	2·17	1·66	4·16	1·59	1·21	1·39	2·57	4·37	YEAR'S TOTAL 25·40
Rain Days.	14	15	8	6	7	6	19	14	7	9	10	17	~~132~~

W. 8,000. X. 15.

Corby own stats ~~W~~ 7.W.

1217

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917
MB

Kept at Carlton Park Gardens
in the County of Northamptonshire
by R. W. Thatcher

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Weldon & Corby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·19				·17				·41		1
2	·42	·02	·11		·30	·09	·02		·02	·46	·08		2
3		·45					·10		·25	·27	·05		3
4	·37	·11			·16	·29	·10		·05	·15	·16		4
5	·02					·04	·04		·22		·24		5
6		·13	·16		·04		·54			·04	·36		6
7	·21		·26		·10		·47			·17	·39	·12	7
8			·04								·05	·15	8
9			·07		·24	·12				·07		·12	9
10				·10		·26							10
11	·02	·29	·16	·09	·07	·13					·98		11
12	·04		·11		·49		·02	·03		·04	·34		12
13		·19	·04	·07				(·05)					13
14		·38		·09		·04	·04	·20					14
15		·26	·43				·09	·12					15
16		·64	·26	·19	·04		·15						16
17	·04	·03					·06	·57	·16	·27			17
18	·02	·16		·14				·17					18
19	·08		·31					·02					19
20	·06		·09	·04				·10			·15	·53	20
21			·34										21
22					·07					·04		·25	22
23	·07					·11	·02	·04			·07		23
24						·36		·05				1·03	24
25			·13		·04			·25					25
26								·48		·05			26
27	·06	·97						·18	·15	·25			27
28		·27	·52			·27				·04			28
29		·08						1·36		·35		·17	29
30		X				·07		·05				·02	30
31		X		X		X		·04	X		X		31
Total	1·41	3·38	3·22	0·72	1·55	1·78	1·82	3·71	0·85	2·20	3·26	2·39	YEAR'S TOTAL 26·29
Rain Days.	12	14	16	7	10	11	13	16	6	13	12	8	~~26·29~~ 138

W. 8,000, VIII. 16

W 86 [illegible]

1173

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
8 JAN 1918

Kept at Carlton Pk Gdns
in the County of Northants
by R. W. Thatcher

Lat. ……… Long. ………
Time of Observation 9 a.m
Nearest Railway Station Weldon & Corby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·02	·26		·04		1
2	·03			·24		·17		·84		·08	·04		2
3				·07				·27		·	·02		3
4		·25						·54		·84			4
5	·18	·22?	·15	·10				·27	·12				5
6		·23?						·10				·04	6
7	·53	·21?				·30				·48	·03		7
8	·45	·15?		·15			·31	1·03		·38	·08		8
9		·9						·09			·10		9
10		·08	·44	·27	·10			·10		·24			10
11	·42		·07	·16				·20					11
12	·14				·17					·48			12
13	·03							·29	·15				13
14				·07				·02					14
15	·41							·12					15
16		·25		·18				·09		·10			16
17				·18	·64				·03				17
18	·03				·50		·55	·12	·95				18
19		·13	·12		·09				·05				19
20		·14	·04		1·12						·22		20
21					·09	·03							21
22			·05							·12			22
23		·07			·09			·26	·07				23
24						·61				·23			24
25			·14								·07		25
26								·49	·12		·26		26
27						·45		·62				·23	27
28			·13			·74		·06				·08	28
29					·03	·15				·48			29
30		×					·09	·26					30
31		×		×		×	·15	·12	×		×	·05	31
Total	2·22	~~1·71~~ 1·82	1·14	1·47	~~2·74~~ 2·83	2·45	1·10	5·89	1·75	~~3·13~~ 3·43	0·86	0·40	YEAR'S TOTAL ~~24·78~~ 25·38
Rain Days.	9	11	8	9	9	7	4	20	8	10	9	4	~~109~~

W. 8,000, IX. 17.

~~W.~~ E.F.E and pr auth

65

FORM A. BRITISH RAINFALL

7. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Carlton Park Gdns

in the County of Northants

by R. W. Thatcher

Lat. ________ Long. ________

Time of Observation 9 AM

Nearest Railway Station Weldon & Corby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·16					·02	·10		·04	1
2		·27						·47			·34	·12	2
3			·24		·43			·27	·15		·54		3
4		·05	·05					·03	·71	·03	·67	·04	4
5		·12			·22			·12	·30				5
6				·15								·03	6
7		·11		·20			·10			·25			7
8	·05		·07						·10	·05	·06	·17	8
9		·18		·05		·25	·17		·42	·26		·05	9
10							·37		·10	·18			10
11	·12			·11	·23		·25		·08	·24		·07	11
12		·15		·06	·25		·05		·23			·12	12
13					·15				·12			·04	13
14	·35			·03		·09	·57		·42	·10		·04	14
15	·75			·62		·05	·05		·42			·19	15
16				·39					·35			·04	16
17							65					·17	17
18	·27					·10	·05					·29	18
19				·19			[illegible]		·62	·13		·14	19
20	·10			·49		·04				·12			20
21				·34			·02		·10	·16			21
22	·19						·05		·30			·44	22
23	·09				·06		·19		·10			·14	23
24		·27			·44		·23		·05	·04	·24		24
25							·07	·52	·07				25
26			·10				·05				·07		26
27							·13	·23	·15		·10	·02	27
28			·15								·32	·12	28
29									·94				29
30		X	·30						·10		·05	·10	30
31		X	·26	X		X			X	·06	X		31
Total	1·92 ✓	1·15 ✓	1·20 ✓	2·79 ✓	1·78 ✓	0·53 ✓	3·00 ✓	1·64	~~5·87~~ 5·85 ✓	~~1·74~~ 1·72	2·39 ✓	2·37	YEAR'S TOTAL 26·39 ~~26·41~~
Rain Days.	8 ✓	7 ✓	7 ✓	12 ✓	7 ✓	5 ✓	16 ✓	6 ✓	22 ✓	13 ✓	9 ✓	20	132 ✓

W. 6,500, VII. 18. w w c

RR 1106

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at East Carlton Gardens

in the County of Northants

by R. W. Thatcher

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Weldon & Corby

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft 1 in.

" " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43		·04							·10		·48	1
2	·10								·19	·15		·08	2
3	1·17		·08				·20		·26		·07		3
4	·12	·44	·47			·14					·14	·31	4
5			·08						·60			·08	5
6	·03				·63						·05	·10	6
7	·03		·22										7
8	·17			·11									8
9													9
10			·26	·06								·11	10
11	·10		·35				·65			·02			11
12			·27	·07						·09			12
13				·18									13
14	·32			·14					·26				14
15	·38	·05	·10	·26							·48	·53	15
16	·12	1·00											16
17		·45									·18		17
18									·01				18
19	·07	·35	·95				·59	·19	·14		(·09)	·04	19
20	(·53)	·03	·25			·29	·45	·15					20
21	·36	·45	·19				·31	·29			·03	·21	21
22		·18							·30			·40	22
23							·11	·10		·48			23
24				·27						·19			24
25				·37	·22			·31				·10	25
26									·09			·36	26
27				·52		·07				·02			27
28	·70						·02	·93			·40	·28	28
29										·23		·25	29
30			·15	·27		·23				·08		·27	30
31										·08			31
TOTAL	4·63	2·95 ✓	3·41 ✓	2·25 ✓	0·85 ✓	0·73 ✓	2·33 ✓	1·97 ✓	1·85 ✓	1·44 ✓	1·43	3·63 ✓	YEAR'S TOTAL 27·47
Days with ·01 in. or more	15	8 ✓	12 ✓	10 ✓	2 ✓	4 ✓	7 ✓	6 ✓	8 ✓	10 ✓	8	15 ✓	~~105~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W 1049

JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Carlton Park Gardens
in the County of Northamptonshire
by R. W. Thatcher

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Weldon & Corby
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14	·38		·28			·14	·02		1
2				·08			·02	·02	·08	·06		·25	2
3				·59			·29		·08	·08		·07	3
4			·05	·11			·03	·36				·11	4
5			·08				·87	·12					5
6					·04		·18						6
7			·14	·14			·07						7
8	·20	·08		·56			·10						8
9	·48			1·00									9
10	·20			·24			·03						10
11	·12		·05	·24	·20			·08					11
12	·03	·05		·20									12
13		·09		·13					·18		·07		13
14		·02								·05	·17		14
15			·94						·16	·18	·12		15
16			·05							·16			16
17					·20				·30	·03		·36	17
18	·20						·09	·20	·30				18
19	·06	·20		·25				·03				·05	19
20	·06	·31		·34		·54	·12						20
21								·06	·07				21
22									·25				22
23							·18						23
24			·15									·36	24
25		·07		·08	·07	·02	·48					·03	25
26	·25		·12				·06						26
27	·11					·54	·10				·70	·30	27
28	·47				·12						·08	·10	28
29											·07	·45	29
30	·12	X							·10		·07	·20	30
31		X		X		X			X	·38	X		31
Total	2·30	0·82	1·58	4·10	1·01	1·10	2·90	0·84	1·52	~~1·21~~ 1·11	1·30	2·28	Year's Total 20·89 ~~20·97~~
Days with ·01 in. or more	12	7	8	14	6	3	15	7	9	8	8	11	108
Days with ·04 in. or more	11	6	8	14	6	2	12	5	9	7	7	10	97

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTHAMPTON
GENERAL HOSPITAL
NORTHAMPTONSHIRE
1911 - 1920

1108

10

FORM No. 1107
BRITISH RAINFALL
26 MAR 1912

Kept at General
in the County of Nor
by O Soden

n.
hd ft. in.
Level ft.
e
nce Direction

IMPORTANT NO result entered to the previous day. If an rule, he is earnestly requested to add the n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.06			.01				.02	.02	1
2				.10	.13		.03	.01		.02	.03	.03	2
3	.01		.08		.18			.05	.02	.02	02	.24	3
4	.03			.04					.06	.43	.32	.27	4
5	.01		.02	.01						.03	02	—	5
6	.26							.12			.02	38	6
7	.01		.10								19	06	7
8	.15										.02	11	8
9	.05		.20	.01							.01	05	9
10	.01	.08									.02	32	10
11	.08		.41					.06			.42	01	11
12	.02		.04								.23	—	12
13			.02		.07				.33		01	.41	13
14			.07		.01							.31	14
15		.06	.04							.02	.08	.02	15
16						.01					.30	.05	16
17		.19	.02			.01					.02	.23	17
18		.02				.07					.03	.08	18
19		.06				.18	.06		.06	.05	.25	.10	19
20		.06						.40	.08	.02		.64	20
21			.01					.10		.15		.08	21
22	.01	.05	.16			.08		.01		.07		.33	22
23		.06	.25			.43			.18			.11	23
24		.06				.05				.34		.10	24
25		.04	.02	.03	1.25	.03							25
26		.14		23	.84	.01			.10	.16	.08	.16	26
27		.18	.18	.11			.08	.06			.03	.06	27
28		.02		.10				.21			.05	.04	28
29		X		.02		.14	.20		.13	.20		(	29
30		X		.01		.05				.08		.01	30
31		X		X	.08	X			X	.10	X		31
Total	.64	1.02	1.62	.72	2.56	1.06	38	1.02	.96	1.69	2.17	4.22	TOTAL for year 18.06
No. of Rain Days.	11	13	15	11	7	11	5	9	8	14	21	26	151

FORM 1107
BRITISH RAINFALL.
26 MAR 1912

REGISTER OF RAINFALL IN 1911

E4 R14

Kept at General Hospital Northampton

in the County of Northamptonshire 4

by A Soden C. A Markham

RAIN GAUGE: Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.06			.01				.02	.02	1
2				.10	.13		.03	.01		.02	.03	.03	2
3	.01		.08		.18			.05	.02	.02	.02	.24	3
4	.03			.04					.06	.43	.32	.27	4
5	.01		.02	.01						.03	.02	—	5
6	.26							.12			.02	38	6
7	.01		10								.19	06	7
8	.15										.02	11	8
9	.05		.20	.01							.01	05	9
10	.01	.08									.02	32	10
11	.08		.41					.06			.42	01	11
12	.02		.04								.23	—	12
13			.02		.07				.33		01	.41	13
14			.07		.01							.31	14
15		.06	.04							.02	.08	.02	15
16						.01					.30	.05	16
17		.19	.02			.01					.02	.23	17
18		.02				.07					.03	.08	18
19		.06				.18	.06		.06	.05	.25	.10	19
20		.06						.40	.08	.02		.64	20
21			.01					.10		.15		.08	21
22	.01	.05	.16			.08		.01		.07		.33	22
23		.06	.25			.43			.18			.11	23
24		.06				.05				.34		.10	24
25		.04	.02	.03	1.25	.03							25
26		.14		.23	.84	.01			.10	.16	.08	.16	26
27		.18	.18	.11			.08	.06			.03	.06	27
28		.02		.10				.21			.05	.04	28
29		X		.02		.14	.20		.13	.20			29
30		X		.01		.05				.08		.01	30
31		X		X	.08	X			X	.10	X		31
Total	.64	1.02	1.62	.72	2.56	1.06	38	1.02	.96	1.69	2.17	4.22	TOTAL for year 18.06
No. of Rain Days.	11	13	15	11	7	11	5	9	8	14	21	26	151

W. 8,000, X. '11.

S. made

Ex. B.L.

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL. FORM 167

25 MAR 1913

Kept at Northampton, General Hospital
in the County of Northants 4
by C. A. Markham, O. Soden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01			.05	.07		.03	.18		.08	1
2		.01	.07			.14	.41					.01	2
3	.04		.06		.19	.04	.03	.40				.04	3
4	.13		.54		.16	.34		.03			.34		4
5	.23	.07	.21			.25		.35	.05		.06	.01	5
6	.20	.13	.02					.29	.03			.05	6
7		.05			.05	.59		.15				.04	7
8	.30	.23	.25	.03		.18		.07	.09			.02	8
9		.08	.12	.04		.29		.05				.13	9
10		.01						.17			.17		10
11	.02	.10				.05		.25			.08	.23	11
12	.05	.37	.08		.03	.07	.31				.09		12
13		.05				.03		.03			.05		13
14	.02		.10		.07	.05		.06		.10		.01	14
15	.09	.03	.06		.20	.20		.01				.15	15
16	.43		.03		.07	.07		.05		.04			16
17	1.10		.25			.11		.18				.18	17
18	.28		.07							.02	.04	.01	18
19	.21	.06	.01				.09	.07			.03		19
20	.08		.15		.01		.28	.23		.17	.01		20
21		.01	.11		.48			.74		.21			21
22	.51	.08			.05		.48	.45		.03	.02	.01	22
23	.06	.40	.18				.34	.48				.40	23
24	.14	.01				.06	.08	.30	.03		.09		24
25						.11		.59				.38	25
26		.02				.03	.10	1.19		.50	.24	.18	26
27						.06			.06	.33	.36	.25	27
28		.03					.27	.39		.14		.74	28
29		.02				.05	.24		.65	.41	.22	.01	29
30	.01	×			.26	.03	.03		.14	.23	.09		30
31		×	.08	×	.27	×	.35	.23	×		×	.01	31
Total	3.90	1.76	2.40	.07	1.84	2.80	3.08	6.76	1.08	2.36	1.89	2.94	YEAR'S TOTAL 30.88
Rain Days.	18	19	19	2	12	21	14	24	8	12	15	21	185

W. 7,500, XI. '12

from Nat His Soc

S made 1

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM 1107

13 MAR 1914

Kept at Northampton General Hospital

in the County of Northamptonshire 4

by A Soden C A Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

XV's for Sept entd for MARAIN

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.07	.11	.06					65		.10		1
2		.14		.01			.05		25	.44	.07	.03	2
3	.03		.16		.67				06			.06	3
4	.35				.02		.01			.40	.04	.31	4
5							.04		03	.49	.01	.01	5
6			.03		.18	.19	.21			.26		.06	6
7		.13			.05	.03	.27			.37	.07	.02	7
8		.01	.03		.14	.10				.01	.01		8
9		.22	.02		.02	.11		.03	05		.08	03 .[illegible]	9
10	.02		.01	.05	.07			.03			.61		10
11	1.12			.47	.02					.19	.30		11
12					.08						.22		12
13	.04			.02					04		.18		13
14	.10	.01	.14					.08		.09	.02		14
15	.09	.01	.19	.34			.27		04				15
16	.03		.62	.13									16
17	.14	.02	.05	.10		.05	.05		05		.01	.02	17
18			.13	.11			.10				.01	.01	18
19	.27		.07		.02	.01	.05		15				19
20	.21		.20							.56	.03		20
21	.04		.24	.02	.11		.04			.01	.19		21
22	.39		.25					.02	25				22
23						.06		.03	06		.01		23
24		.01		.05				.04					24
25		.05		.15		.03				.01			25
26			.16	.13				.04		.29	.03	.20	26
27			.03	.06								.03	27
28	.43		.11	.13						.09			28
29	.01	X	.13	.46				.04		.12		.02	29
30	.23	X								.09	.20	.02	30
31	.01	X	.01	X	.10	X		.21	X		X		31
Total	3.52	.67	2.69	2.29	1.48	.58	1.09	.52	1.63	3.42	2.19	.82	YEAR'S TOTAL 20.90
Rain Days.	18	10	20	16	12	8	10	9	11	15	18	13	169

W.7,000, XI. 13

From Northants. Nat. His. Soc.

REGISTER OF RAINFALL IN 1914.

FORM A. 110
BRITISH RAINFALL.
25 MAR 1915

Kept at General Hospital, Northampton

in the County of Northants. 4.

by O. Soden, C. A. Markham.

Lat. Long.
Nearest Railway Station –
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·04	–	–	·39	·25	–	–	·08	·09	1
2	–	–	·05	–	–	–	–	·11	–	–	·39	·27	2
3	–	–	–	–	·15	–	·21	·07	–	–	·08	·01	3
4	–	–	–	·12	–	·12	–	·41	–	–	·31	·25	4
5	·02	–	·03	·10	·05	–	·38	·07	–	–	·07	–	5
6	–	·03	–	·08	·02	–	–	·06	–	–	·03	·06	6
7	–	·09	·37	·01	·04	·01	·06	·09	–	–	–	·03	7
8	·09	·06	·14	·07	·11	·96	·14	·10	·02	–	–	·07	8
9	·34	–	·22	·08	–	·89	–	·04	·05	–	–	·10	9
10	·06	·09	·02	·07	·09	–	–	–	·14	–	–	·34	10
11	–	–	·27	·04	·13	·47	–	–	·31	–	·47	·21	11
12	–	·02	·08	–	–	·01	·05	–	·04	–	·04	·72	12
13	·01	·15	·16	–	–	–	–	–	–	·11	·09	·26	13
14	–	–	·13	–	–	–	·19	–	–	49	·07	·24	14
15	·03	·06	·18	–	–	–	·22	–	·05	–	·03	·06	15
16	–	–	·03	–	–	–	·04	–	25	–	·01	–	16
17	·01	·29	·03	–	–	–	·05	–	–	–	–	·19	17
18	–	·02	–	–	–	–	·26	–	–	–	–	·37	18
19	–	·03	·06	–	–	–	·01	–	·02	–	·05	–	19
20	–	·24	·26	–	–	–	–	–	–	–	–	·29	20
21	–	·11	·07	–	–	·08	–	–	–	·09	–	·17	21
22	–	–	·04	–	·16	·03	–	·04	–	·11	–	–	22
23	–	·03	·06	–	·08	–	·07	–	–	·08	·07	·04	23
24	–	–	–	–	·02	–	·10	–	–	·28	·01	–	24
25	·04	–	–	–	–	–	–	·13	–	·38	–	·25	25
26	–	–	–	–	–	–	·02	·06	–	·03	·13	·31	26
27	·02	–	–	–	–	–	–	–	–	–	·03	·10	27
28	–	·05	–	–	–	–	–	–	–	·02	·14	1·01	28
29	·01	×	·08	–	·02	–	–	–	–	·28	·10	–	29
30	–	×	·04	–	–	–	–	–	–	·02	·23	·30	30
31	·02	×	–	×	·01	×	·08	–	×	–	×	·08	31
Total	·65	1·27	2·32	·61	·88	2·57	2·27	1·43	·88	1·89	2·43	5·82	TOTAL for year 23·02
No. of Rain Days	11	14	20	9	12	8	16	12	8	11	20	25	166

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Northampton Nat His Soc

Er Rl

1194

1107

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Northampton General Hospital

in the County of Northamptonshire 4

by Major C. A. Markham O. Soden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.29	.07	.06		.14				.03	.07		.11	1
2	.04	.14	.26					.38	.18	.12		.07	2
3	.28		.02			.02	.10	.44	.07			.11	3
4	.03			.09			.11					.55	4
5	.02	.25			.01			.05			.05	.09	5
6	.18	.02	.02	.19			.79	.03				.06	6
7	.03	.29	.05				.05	.07				.10	7
8	.04	.17		.02				.03			.02		8
9		.02		.01							.16	.48	9
10	.24		.04								.07		10
11			.02	.04	.09						73	.13	11
12	.03			.21	.36		.02	.69			1.01		12
13		.37			.94								13
14		.02						.11	.05	.02		.35	14
15	.16	.03		01	.03		.08	.46			.20	.08	15
16	.03	.29			.02		.69	11				.05	16
17		.15			.10		.16						17
18		.04	.16								.02		18
19		.03			.91								19
20	.29											.26	20
21	.11	.02			.04		.14					.06	21
22	.12						.36					.15	22
23	01	.05	.12			.08	.13		.06	.21		.13	23
24			.13	.02		.11	.08		1.05	.10			24
25						.01	.29			.02		.15	25
26		.09					.10					.29	26
27		.05	.02				.04			.39		.07	27
28		12					.11	.08	.20				28
29		X	.01				.01	.09			.17	.10	29
30	.06	X						.02		.02	.01	.09	30
31	.07	X		X		X		06	X	.49	X	.14	31
Total	2.03	2.22	.91	.59	1.74	.22	3.26	2.62	1.64	1.44	2.44	3.62	YEAR'S TOTAL 22.73
Rain Days.	18	19	12	8	10	4	17	14	7	9	10	22	150

W. 8,000. X. 15.

Smart

For Nat His Soc

1169 1107

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
28 FEB 1917

Kept at Northampton General Hospital
in the County of Northamptonshire
by C. A. Markham O. Soden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14		.07		.22		.26				.34		1
2	.44	.03	.09				.09			.56	.05		2
3		.53								.18	.08		3
4	.29	.07			.11	.25	.04			.02	.18		4
5	.05				.04	.23	.09		.16	.12	.16		5
6		.16	.15	.15		.04	.38			.05	.43		6
7			.34		.05	.05	.43				.15	.08	7
8			.03		.03						.03	.14	8
9	.08		.02		.28	.04						.02	9
10		.15	.10	.11		.02	.01		.02			.02	10
11	.05	.12	.12	.16	.05	.14							11
12	.04	.05	.09	.01	.33	.07	.06			.05			12
13	.03		.05	.08	.01	.03	.11	.04					13
14		.57		.05				.06					14
15			.49		.04		.10	.15	.01				15
16		.25	.32	.18	.07		.33	.16					16
17	.08	.04		.24			.02	.14	.17	.25			17
18		.14	.04	.08				.12	.12		.99	.13	18
19	.11		.24	.09					.25		.65	.09	19
20	.05		.34	.02								.33	20
21	.03		.49				.09					.74	21
22		.10	.02		.15					.07	.08	.68	22
23	.04	.65				.03		07			.04	.16	23
24		.46	.10			.23		.08		.06		.26	24
25		.26	.08		.08			.21		.04	.13		25
26		.15	.07			.05		.12		.05			26
27	.05	.06	1.70			21	.04	.11	.01	.29			27
28		38	.80			.06			.04	.05		.17	28
29		.08			.09	.22		1.36		.28			29
30						.01		.04		.30			30
31										.02		.04	31
Total	1.48	4.25	5.75	1.17	1.55	1.68	2.05	2.66	.78	2.39	3.31	2.86	YEAR'S TOTA 29.93
Rain Days.	14	19	22	11	14	16	14	13	8	10	13	13	173

W. 8,000, VIII. 16

1128

FORM A.
BRITISH RAINFALL.

1107

REGISTER OF RAINFALL IN 1917

Kept at General Hospital, Northampton
in the County of Northamptonshire
by E. A. Markham, O. Soden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07				1·17	·21		·04		1
2						·09		·11		·02	·03	·04	2
3				·08				·12		·32	·13		3
4		·34	·19					·02		·51		·02	4
5	·13		·04	·09					·13	·05	·09		5
6						·03				·01	·04	·02	6
7	·34								·02	·33		·10	7
8	·53			·13			·51	·41		·27	·05		8
9	·03		·14	·11	·09		·02	·23		·02	·16	·01	9
10	·33		·24	·22	·10			·12		—	·04		10
11	·14		·25	·21	·02			·24	·13	·23			11
12	·10		·04		·09			·05		·19			12
13								·23	·05				13
14	·13			·12				·47					14
15	·01			·08				·03		·05		·13	15
16	·06	·19		·15						·16	—		16
17				·10	·49		·30	·05	·28	·04			17
18		·06		·06	·12		·11	·13	·70				18
19	·05	·19	·22		·11	·03			·02				19
20	·15	·15	·04		·63						·15		20
21	·03		·07	·02	·02	·05			·05				21
22			·09					·02		·19			22
23		·13	·05		·08			·56		·05			23
24		·04				·13		·11	·04	·17	·10		24
25			·05				·46			·03	·07		25
26			·01					·30	·13		·13		26
27						·43		·56					27
28			·12			·50		·16				·05	28
29		X				·17	·13	·07		·35		·25	29
30	·01	X					·53	·18					30
31		X	·14	X		X	·12		X		X	·15	31
Total	2·04	1·10	1·69	1·44	1·75	1·43	2·18	5·34	1·76	2·99	1·03	·77	YEAR'S TOTAL 23·52
Rain Days.	14	7	15	13	10	8	8	22	11	18	12	9	147

W. 8,000, VIII. 16

6/ Ese Nh 17

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

1107

Kept at General Hospital, Northampton
in the County of Northamptonshire
by C. A. Markham, O. Soden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.04	.01	.11							.03		1
2		.13		.19				.06			.16	.12	2
3		.02			.28			.10	.32		.31	.01	3
4			.07					.03	.09		.44	.03	4
5		.07			.29			.07		.04			5
6	.01	.15	.01	.17									6
7		.08		.13		.03			.09	.12	.11		7
8	.02									.04		.12	8
9		.04		.01		.04	.18		.45	.20		.05	9
10	.07			.04			.36		.02	.13		.04	10
11					.20		.07		.03			.08	11
12		.05	.03		.11		.05		.04	.02			12
13		.03		.01	.16	.03			.12	.20		.04	13
14	.26			.04		.04	.43		.32			.05	14
15	1.27			.66			.12		.04			.13	15
16	.13			.60	.03		.64	.02	.22	.02			16
17	.15			.02		.03	.15		.02			.09	17
18	.36					.13	.04		.20	.04		.37	18
19	.16	.03	.01	.07						.19			19
20		.08		.70		.05	.01		.13	.02		.32	20
21	.06			.25			.01		.25				21
22	.11				.35		.10		.04				22
23	.06				.56		.02		.06		.02		23
24		.15				.03	.04		.04		.23		24
25					.12	.05	.13	.23	.01				25
26							.05	.10		.02	.08	.12	26
27		.02						.23	.07		.12	.05	27
28		.08	.15					.05			.19	.09	28
29		X							1.23				29
30		X	.19					.03	.09		.16	.16	30
31		X	.05	X		X		.02	X	.03	X		31
Total	2.71	.97	.52	3.00	2.10	.43	2.40	.94	3.88	1.07	1.85	1.87	YEAR'S TOTAL 21.74
Rain Days.	13	14	8	14	9	9	16	11	22	13	11	17	157

W, 6,500, VII. 18. w w c

Er Lms. 1056

1107

23 MAR 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Northampton General Hospital

in the County of Northants

by O. Soden per Maj. C. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	-	·05	·02	·06	.	·28	.	-	·05	-	·68	1
2	·14	·09	·01	.	-	.	·18	.	·11	-	·32	·04	2
3	·81	.	·12	-	·03	·05	·13	·12	·21	·10	·14	·15	3
4	·03	.	·33	-	.	-	·03	-	·10	.	.	·08	4
5	.	·04	·26	·01	-	.	·09	-	·49	-	·02	·15	5
6	-	·30	·02	.	·94	.	-	.	-	-	·01	·02	6
7	·03	-	·23	.	·01	.	-	-	.	.	·04	-	7
8	·12	.	·05	·17	.	.	.	-	.	.	·02	.	8
9	.	-	·01	·16	.	.	.	.	.	.	·04	-	9
10	.	.	·41	·03	-	.	.	.	-	·02	·01	·06	10
11	·04	.	·42	·05	.	.	·53	.	.	.	·08	.	11
12	.	.	·12	·08	-	·07	.	.	.	·04	-	-	12
13	·08	.	.	·22	.	-	.	-	·05	·03	-	·01	13
14	·34	.	-	·14	.	.	·04	.	.	.	·13	.	14
15	·10	·12	·10	·14	-	.	.	-	.	·03	·18	·56	15
16	·12	·70	-	.	.	.	.	·12	-	.	-		16
17	·02	·38	.	.	.	.	.	·21	.	.	.	·02	17
18	.	·03	·18	-	.	.	.	·28	-	.	-	·10	18
19	·08	·21	·87	.	.	·12	·23	·13	·12	.	·10	·02	19
20	·38	·03	·26	.	.	·13	·42	·30	-	.	·05	-	20
21	·11	·38	·06	.	.	-	·56	-	-	.	·03	·13	21
22	.	·61	·01	-	-	-	·04	.	·19	.	.	·44	22
23	.	.	.	.	-	·04	·23	·03	·07	·46	.	·02	23
24	.	.	-	·10	.	-	.	.	-	·32	.	·06	24
25	·11	.	.	·05	·03	-	·03	·18	-	.	.	-	25
26	·10	.	·12	·12	.	-	.	.	·08	.	.	·30	26
27	·71	·02	·05	·65	.	-	.	·26	-	.	.	·08	27
28	·04	·01	.	·01	-	-	·02	·53	-	·01	·20	·23	28
29	.		-	·08	.	·02	-	·11	-	·27	·05	·14	29
30	.		·15	·21	-	·24	.	-	-	·07	·11	·26	30
31	·02		-		.		·06	-		·02		-	31
Total	3·69	2·92	3·77	2·24	1·07	·67	2·87	2·27	1·42	1·42	1·53	3·55	YEAR'S TOTAL 27·42
Days with ·01 in. or more	~~20~~	~~12~~	~~21~~	~~17~~	~~5~~	~~7~~	~~15~~	~~11~~	~~9~~	~~12~~	~~17~~	~~21~~	[illegible]

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

from C

1003.

110

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

COPY BY P.R.O.

5 MAR 1921

Kept at General Hospital

in the County of Northampton

by O. Soden per Maj: C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·19	·20	·	·22	·	·08	·13	·04	·14	1
2	·	·	·	·13	·	·	·08	07	·05	·04	·	·05	2
3	·	·05	·	·15	·02	·02	·24	·	·	·06	·	·	3
4	·	·	·08	·16	·	·	·04	·17	·	·31	·	·01	4
5	·	·	·04	·	·14		·45	·08	·07	·	·	·	5
6	·	·	·13	·	·09	·	·46	·	·	·	·	·	6
7	·05	·	·03	·07	·01	·	·08	·	·	·	·	·	7
8	·46	·04	·	·47	·	·	·08	·	·	·01	·	·	8
9	·37		·	1·09	·	·	·01	·14	·	·	·	·	9
10	·28	·03	·02	51	·	·03	·06	·	·	·	·	·	10
11	·11	·	·05	·67	·22	·04	·04	·	·	·	·	·11	11
12	·02	·02	·06	·14	·	·34	·	·	·	·	·	·29	12
13	·04	·02	·07	·12	·	·	·	·	·01	·	·	·03	13
14	·02	·	·93	·26	·	·21	·08	·	·22	·02	·24	·	14
15	·	·05	·48	·15	·	·01	·	·	·30	·05	·07	01·	15
16	·	·	·	·05	·03	·27	·	·	·23	·11	·09	·	16
17	·	·	·	·02	·10	·	·	·	·21	·03	·	·	17
18	·14	·	·	·02	·07	·	·05	·12	·20	·	·	·06	18
19	·03	·	·	·16	·	·06		·13	·02	·	·01	·	19
20	·07	·31	·	·27	·	·30	·01	·	·	·	·	·03	20
21	·	·	·	·01	·	·	·	·12	·04	·	·	·02	21
22	·	·	·	·19	·	·	·	·	·14	·	·	·04	22
23	·	·01	·	·	·	·	·37	·	·	·	·	·32	23
24	·	·	·15	·03	·	·	·	·	·	·	·03	·07	24
25	·	·10	·03	·06	·	·	·46	·	·	·	·	·	25
26	·18	·	·13	·02	·	·	·03	·	·	·	·	·03	26
27	·20	·01	·	·18	·	·58	·	·	·	·	·76	·20	27
28	·45	·	·	·	·15	·	·	·	·	·	·06		28
29	·11	·	·12	·	·24	·01	·07	·	·	·	·04	·50	29
30	·02	✕	·	·	·01	·12	·	·	·19	·	·09	·17	30
31	·06	✕	·	✕	·02	✕	·05	·02	✕	·32	✕	·04	31
TOTAL	2·61	·64	2·32	5·12	1·30	1·99	2·88	0·85	1·76	1·08	1·43	2·12	YEAR'S TOTAL 24·10
Days with ·01 in. or more	17	10	14	24	13	12	19	8	13	10	10	18	168
Days with ·04 in. or more	13	5	11	19	8	8	16	7	11	7	8	12	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LITTLE HOUGHTON
HOUSE
NORTHAMPTONSHIRE
1911–1920

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

RE

Kept at Little Ho ... turn ... ft. ... in.

in the County of No ... el ... ft.

by Christophe

... Direction

IMPORTANT NOT ... sult entered to the previous day. If an Ob ... rule, he is earnestly requested to add the reac ... the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02			.10				.01			.01	.02	1
2				.07	.12		.02	.01		.02	.03	.03	2
3					.17		.04	.10	.02	.05	.02	.03	3
4	.03	.02	.07	.02					.06	.30	.28	.38	4
5								.16		.02	.02		5
6	.27										.02	.38	6
7	.01									.02	.21	.12	7
8	.14		.13								.03	.12	8
9	.09										.02	.05	9
10	.02	.09	.19								.03	.28	10
11	.10										.42		11
12	.02		.40								.35		12
13			.03		.08				.34			.44	13
14			.04		.01							.31	14
15		.06	.15							.04	.12	.02	15
16			.07								.38	.08	16
17			.08			.05					.06	.21	17
18		.21									.04	.08	18
19		.02				.22	.17		.09	.03	.32	.06	19
20	.01	.05	.01					.31	.13	.11		.63	20
21		.07	.02					.09		.10		.13	21
22	.02		.17			.04		.01		.14	.01	.39	22
23		.02	.29			.26			.20			.14	23
24		.05				.46				.35		.09	24
25		.05		.03	1.04	.13						.02	25
26		.02		.26	1.23	.02				.19	.10	.16	26
27		.17	.18	.13				.06	.12	.01		.05	27
28		.14		.13				.19			.08	.05	28
29				.11		.15	.17		.15	.21			29
30				.03		.04			.04	.09			30
31					.20					.11		.01	31
Total	.73	.97	1.83	.88	2.85	1.37	.40	.94	1.15	1.79	2.55	4.28	TOTAL for year ✓
No. of Rain Days.	11	13	14	9	7	9	4	9	9	16	20	26	19.74

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Little Houghton House
in the County of Northampton 4
by Christopher Smyth

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " Sea Level .... ft.
Time of Observation
Nearest Railway Station
Name
Distance .... Direction

per last year's return

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02			.10				.01			.01	.02	1
2				.07	.12		.02	.01		.02	.03	.03	2
3					.17		.04	.10	.02	.05	.02	.03	3
4	.03	.02	.07	.02					.06	.30	.28	.38	4
5								.16		.02	.02		5
6	.27										.02	.38	6
7	.01									.02	.21	.12	7
8	.14		.13								.03	.12	8
9	.09										.02	.05	9
10	.02	.09	.19								.03	.28	10
11	.10										.42		11
12	.02		.40								.35		12
13			.03		.08				.34			.44	13
14			.04		.01							.31	14
15		.06	.15							.04	.12	.02	15
16			.07								.38	.08	16
17			.08			.05					.06	.21	17
18		.21									.04	.08	18
19		.02				.22	.17		.09	.03	.32	.06	19
20	.01	.05	.01					.31	.13	.11		.63	20
21		.07	.02					.09		.10		.13	21
22	.02		.17			.04		.01		.14	.01	.39	22
23		.02	.29			.26			.20			.14	23
24		.05				.46				.35		.09	24
25		.05		.03	1.04	.13						.02	25
26		.02		.26	1.23	.02				.19	.10	.16	26
27		.17	.18	.13				.06	.12	.01		.05	27
28		.14		.13				.19			.08	.05	28
29				.11		.15	.17		.15	.21			29
30				.03		.04			.04	.09			30
31					.20					.11		.01	31
Total	.73	.97	1.83	.88	2.85	1.37	.40	.94	1.15	1.79	2.55	4.28	TOTAL for year
No. of Rain Days.	11	13	14	9	7	9	4	9	9	16	20	26	19.74

W. 8,000, X. '11.

147

FORM A2.
BRITISH RAINFALL.
4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Little Houghton

in the County of Northampton 4

by Christopher Smyth

see last year's return

RAIN GAUGE { ~~Pattern~~
~~Diameter of top .... in.~~
~~Height of top above Ground .... ft. .... in.~~
~~" " Sea Level .... ft.~~

~~Time of Observation~~

~~Nearest Railway Station { Name~~
~~Distance .... Direction~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.01		.04	.08			.21		Snow & rain .10	1
2		snow .02	.11			.19	.45		.04				2
3	.04		.03		.20	.03	.05	.48			.01	.03	3
4	.12		.61		.14	.41		.04			.29		4
5	.19	snow .10	.18			.25		.25	.07		.16		5
6	.31	.12	.02				.06	.30				.09	6
7		.01			.04	.56		.12				.04	7
8	.34	.26	.26	.02		.15	.01	.03	.12			.02	8
9		.08	.07	.05		.73	.03	.04				.12	9
10		.01	.01	.01				.21			.15		10
11	.05	.10				.06		.19			.03	.27	11
12	.06	.38	.09		.03	.09	.34				.09		12
13		.02						.02			.06		13
14	.02		.09		.08	.08		.03					14
15	.02	.03	.10		.30	.05						.15	15
16	.51		.03		.08	.13		.08		.05	.01		16
snow 17	.55		.16					.22			.02	.18	17
snow & rain 18	.21		.08					.03		.02	.01	.01	18
19	.22	.12					.06	.30			.01		19
20	.03		.19		.07		.20	.32		.23			20
21		.01	.16		.45			.79		.20	.03		21
snow & rain 22	.56	.06			.06		.45	.43		.05		.02	22
23	.08	.62	.30				.65	.61			.09	.28	23
snow & rain 24	.11					.04	.01	.25				.09	24
25						.24		.63			.20	.34	25
26		.02					.15	1.14		.51	.34	.20	26
27						.09	.37			.41		.23	27
28		.02				.02	.23	.39	.04	.19	.24	.76	28
29		.01	.01			.05	.21		.85	.34	.05		29
30	.02				.26	.02	.02		.25	.21			30
31			.01		.18		.39	.21					31
Total	3.44	1.99	2.53	.09	1.89	3.23	3.76	7.11	1.37	2.42	1.79	2.93	TOTAL for year 32.55
No. of Rain Days.	18	18	20	4	12	19	18	24	6	11	17	17	184

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 - JAN 1914

Kept at Little Houghton House

in the County of Northampton 4

by Christopher Smyth

Lat. Long.

Time of Observation

Nearest Railway Station Billing L-NWR

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.09	.11	.09					1.44		.05	.01	1
2		.15					.13		.19	1.09	.03		2
3	.03		.17		.74				.04	.01		.06	3
4	.38		.01		.01	.02	.02			.40	.03	.34	4
5						.02	.04		.06	.72	.02	.02	5
6			.04		.16	.18	.18			.22		.06	6
7		.14			.10	.05	.28			.40	.06	.02	7
8			.02		.18	.07				.08			8
9		.22			.01	.10		.01			.07	.03	9
10	.02		.03	.08	.11			.03	.12		.60		10
11	1.23			.47	.04		.02	.24		.23	.41		11
12					.14				.01		.16		12
13	.02			.02				.01	.04		.23		13
14	.11	.02	.19	.02				.07		.10	.02		14
15	.11		.28	.29			.16		.11				15
16	.06		.63	.15					.02				16
17	.19		.05	.13		.04	.04				.01	.03	17
18	.01		.10	.11			.09					.01	18
19	.21		.11				.09		.08			.03	19
20	.19		.14	.02		.06				.41	.03		20
21	.03		.23		.10		.05				.19		21
22	.45		.24					.04	.18				22
23	.01		.01			.03	.01	.03	.03			.04	23
24	.02			.08				.02					24
25		.02		.17		.05				.02	.01		25
26			.19	.15		.01		.04		.31	.03	.19	26
27	.36	.04	.02	.03	.06								27
28	.01		.24	.15				.06		.14		.04	28
29			.16	.48	.03			.06		.10		.04	29
30	.21							.01		.24	.27	.02	30
31			.01		.11			+ .23					31
Total	3.67	.68	2.98	2.44	1.79	.63	1.11	.79	2.32	4.47	2.22	.94	YEAR'S TOTAL 24.04
Rain Days.	20	7	21	16	13	11	12	12	12	15	17	15	171

W. 7,500, XI. 12

+ 31st = .23

Ex LYCE

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Little Houghton House
in the County of Northampton 4
by Christopher Smyth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.02			.04	.29			.09	.04	1
2	.01		.02					.17			.42	.33	2
3					.18		.32				.02	.01	3
4	.26			.19				.90			.37	.18	4
5	.03			.11	.10	.10	.37	.23			.05		5
6		.03		.03	.02	.02		.01			.01	.05	6
7		.13	.40	.01	.02		.09	.02				.02	7
8	.09	.03	.16	.09	.08	.92	.20	.14	.01			.03	8
9	.30		.26	.11		.70		.02	.06			.01	9
10	.10	.10	.01	.05	.11				.16				10
11		.09	.30	.02	.10	.38			.01		.46	.41	11
12		.02	.10				.04		.34		.05	.27	12
13	.01	.16	.20						.04	.11	.09	.31	13
14		.05	.28				.16			.63	.08	.26	14
15	.01		.19				.34	.01	.06		.04	.11	15
16	.01		.04				.03		.02				16
17	.01	.35	.02						.31			.17	17
18	.01	.01	.01				.24					.41	18
19		.03	.21				.01		.02		.10	.02	19
20		.24	.21				.03					.16	20
21		.12	.10			.04				.09	.02	.20	21
22			.04		.32	.05	.12	.04		.16			22
23		.02	.06		.09					.10		.01	23
24							.13			.24	.08		24
25	.04						.01	.14		.33		.20	25
26			.06				.02	.05		.04	.18	.35	26
27	.04										.02	.15	27
28		.04								.02	.19	1.40	28
29	.01		.11		.01					.32	.12	.27	29
30		X	.02		.04	.04				.03	.20		30
31		X		X	.02	X	.06		X		X	.09	31
Total	.93	1.42	2.80	.63	1.09	2.25	2.21	2.02	1.03	2.07	2.59	5.46	YEAR'S TOTAL 24.50
Rain Days.	14	15	21	9	12	8	17	12	10	11	19	25	173

W. 8,000. X. 14.

[illegible]

1189

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Little Houghton

in the County of Northampton 4

by Christopher Smyth

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Billing L&NWR

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	.06	.11		.10				.03	.08	.03	.12	1
2	.02	.23	.39	.16		.01		.14	.02	.15		.06	2
3	.35		.02	.10			.12	.54	.14			.14	3
4	.03						.26					.55	4
5	.03	.29			.16			.04			.01	.25	5
6	.21	.03	.01	.22			.78	.01				.05	6
7	.03	.39	.05			.10	.14	.05				.12	7
8	.02	.15		.01	.02			.03					8
9	.28			.01						.02	.19	.45	9
10		.02	.02								.08		10
11			.01	.03	.10		.06				.74	.07	11
12	.03			.29	.47		.01	.22			.85	.05	12
13	.01	.47			1.09								13
14		.02						.22	.05			.34	14
15	.18				.02		.08	.38			.24	.14	15
16	.06	.32			.01		.72	.08				.10	16
17		.26			.12		.19						17
18		.05	.24								.03		18
19		.02					.10						19
20	.33											.29	20
21	.14				.28		.13					.07	21
22	.14	.01	.30	.04			.40					.14	22
23	.03	.05	.04			.08	.20		.10	.20		.30	23
24			.08	.01		.12	.23		1.04	.12		.12	24
25			.02			.02	.27					.26	25
26		.11					.11		.01			.28	26
27		.06				.06	.04			.40		.03	27
28		.10				.03	.11	.06	.26	.05			28
29					.02			.11			.15	.12	29
30	.09	×				.30		.01		.02	.01	.10	30
31	.06	×		×		×		.07	×	.45	×	.08	31
Total	2.45	2.64	1.29	.87	2.39	.72	3.95	1.96	1.65	1.49	2.33	4.23	YEAR'S TOTAL 25.97
Rain Days.	19	18	12	9	11	8	18	14	8.	9	10	24	160

W. 8,000. X. 15.

Exd HD

1166

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Little Houghton

in the County of Northampton

by Christopher Smyth

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Billing L & NW.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14		.06		.02	.01	.35				.41		1
2	.40	.04	.06	—	.21	.01	.08		.03	.47	.04		2
3		.57							.38	.20	.08		3
4	.40	.12			.10	.23	.07				.16		4
5	.04	.01			.03	.16	.05			.11	.26		5
6		.16		.20	.06	.02	.37	—		.04	.48		6
7	.10		.12		.05	.04	.55	—		.01	.25	.10	7
8			.30		.02	.02						.17	8
9			.02		.27	.05						.02	9
10		.12	.11	.10		.03	.01		.02			.01	10
11	.04	.15	.10	.17	.04	.15						.11	11
12	.03	.03	.19		.47	.07	.13	.01		.05			12
13	.02	.30	.09	.08	.03	.04	.03	.04					13
14		.51		.04				.02					14
15		.22	.53		.03		.14	.05		.03			15
16		.02	.35	.18	.07		.25	.03					16
17	.07	.02		.18				.20	.18	.25			17
18	.01	.15	.02	.09				.09	.11		.99	.06	18
19	.16	.03	.27	.20					.13		.74	.03	19
20	.06		.41	.03							.09	.43	20
21	.03		.46	.04								.67	21
22		.05	.01		.13	.02				.05	.03	.65	22
23	.03	.30				.06		.06			.03	.14	23
24		.26	.10			.35		.08		.04		.30	24
25		.18	.06		.06			.25		.10	.14		25
26	.01	.06	.09			.06		.14		.06	.09		26
27	.05	.10	.78			.03		.02	.09	.28			27
28		.33	.59			.29			.02	.02		.16	28
29		.08			.10	.19		1.34		.33		.01	29
30		×				.01		.04		.24			30
31		×		×		×		.01	×	.01	×	.02	31
Total	1.59	3.81	4.72	1.31	1.69	1.84	2.03	2.38	.96	2.29	3.79	2.88	YEAR'S TOTAL 29.29
Rain Days.	16	23	21	11	16	20	11	15	8	17	14	15	187

W. 8,000, VIII. 16

✓ Escol 4W 1125

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
5. JAN 1918

Kept at Little Houghton
in the County of Northampton
by C. Smyth

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.09		.01		1.14	.23		.03	.01	1
2						.11		.09		.04	.05		2
3		.01		.05				.39		.21	.18		3
4		.20	.13					.05		.62			4
5	.15		.02	.11					.12	.04	.08		5
6						.06			.01	.06	.04	.04	6
7	.37		.01				.02			.31		.01	7
8	.28			.15			.56	.92		.29	.14	.02	8
9	.03		.13	.11	.10			.49		.01	.11	.02	9
10	.28		.23	.25	.05			.24			.02		10
11	.10	.04	.32	.20				.21	.14	.25			11
12	.10				.04			.16		.19	.01		12
13	.02		.03	.06			.02	.25	.05				13
14	.14			.06				1.09				.01	14
15	.01			.02				.05				.01	15
16	.06	.16		.16	.02		.04			.24		.08	16
17	.01	.02		.14	.53		.30	.02	.29	.06			17
18	.02	.01		.07	.20	.10	.16	.29	.78				18
19	.03	.20	.22		.19				.04				19
20	.02	.18	.03		.61				.14		.12		20
21	.02		.08	.02	.01	.02				.01		.02	21
22	.01		.06		.01			.14		.19			22
23		.11			.08			.24	.04	.03		.02	23
24	.01	.04				.11		.09		.20	.08		24
25		.01	.02				1.06			.02	.07		25
26			.01					.42	.11		.16	.02	26
27						.42		.54				.01	27
28			.18			.51		.10				.03	28
29					.59	.21	.27	.07		.38		.24	29
30	.01	X					.44	.19				.01	30
31		X	.12	X		X	.12	.09	X		X	.13	31
Total	1.67 ✓	.98 ✓	1.59 ✓	1.49 ✓	2.43 ✓	1.55 ✓	2.99 ✓	7.27 ✓	1.95 ✓	3.15 ✓	1.09 ✓	.68 ✓	YEAR'S TOTAL 26.84 ✓
Rain Days.	19 ✓	11 ✓	15 ✓	14 ✓	12 ✓	9 ✓	10 ✓	23 ✓	11 ✓	18 ✓	13 ✓	16 ✓	171 ✓

W. 8,000, IX. 17.

2.45

Esc Eff

14

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2.1.19

Kept at Little Houghton House
in the County of Northampton
by Christopher Smyth

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Billing L&NW.
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02		.04							.22	.03	1
2	.01	.11		.23				.10			.10	.12	2
3		.03	.03		.34			.11	.30		.45	.01	3
4		.01	.04					.04	.29		.49	.03	4
5		.06	.01		.34			.11	.07	.08		.01	5
6		.16	.01	.18		.02			.01				6
7	.02	.12		.14		.02			.02	.11	.12		7
8				.05					.10	.06			8
9		.02		.03		.02	.21		.49	.20		.08	9
10	.06			.01		.03	.43		.01	.14		.06	10
11					.30		.11		.04	.24		.09	11
12	.01	.06	.04		.15		.15		.04				12
13		.01		.01	.14	.03	.04		.11	.02		.02	13
14	.26	.01		.05		.02	.33		.35	.22		.07	14
15	.70			.64			.11		.05			.12	15
16	.11			.57				.02	.31				16
17	.14			.02	.22		.66					.13	17
18	.40					.13	.33		.40			.40	18
19	.03	.02	.01	.11		.02	.02			.04		.22	19
20	.01	.07		.72		.05			.28	.16		.04	20
21	.07			.16		.01			.25	.03			21
22	.12			.01	.28		.01			.02		.35	22
23	.06				.46	.01	.11		.08			.01	23
24		.15					.02		.04	.01	.20		24
25					.02	.05	.14	.21		.01	.01		25
26							.10	.04		.01	.05	.13	26
27		.03	.01				.16	.23	.12		.09	.03	27
28		.05	.15	.03				.06			.21	.08	28
29									1.33				29
30		×	.26					.02	.09		.10	.14	30
31		×	.05	×		×		.03	×	.04	×		31
Total	2.00	.93	.61	3.00	2.25	.41	2.93	.97	4.78	1.39	2.04	2.17	YEAR'S TOTAL 23.48
Rain Days.	14	16	10	17	9	12	16	11	22	16	11	21	175

W, 6,500, VII. 18. w w c

1054

6 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Little Houghton House

in the County of Northampton

by Christopher Smyth

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Billing L&NWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.08	.01		.06		.16			.05		.61	1
2	.16		.01		.01		.17		.11	.08	.35	.16	2
3	.72		.11				.11		.25		.14	.12	3
4	.07		.34		.02		.66	.10	.11			.09	4
5	.04	.33	.23			.08	.15		.69			.16	5
6			.01		1.01						.01	.04	6
7	.03		.22										7
8	.19		.05	.23							.04		8
9			.01	.14							.04		9
10			.37	.02						.01	.05	.01	10
11	.04		.24	.05	.04		.57				.02	.07	11
12	.01		.41	.05		.06				.06	.08	.01	12
13	.08			.25					.07	.02		.01	13
14	.32			.12			.03		.04				14
15	.13	.05	.21	.15						.04	.07	.49	15
16	.05	.80						.09			.19		16
17	.01	.29		.01							.15	.02	17
18		.01	.16					.22			.03	.10	18
19	.04	.22	1.20			.18	.26	.35	.13		.03		19
20	.50	.03	.23			.12	.36	.29	.01		.07	.01	20
21	.15	.43	.05				.60				.02	.12	21
22		.47							.22			.41	22
23						.02		.02		.46	.01	.04	23
24				.13	.01		.25			.44		.03	24
25	.10			.06	.01			.14				.03	25
26	.13		.12	.03			.09	.01	.09		.01	.31	26
27	.52	.03	.08	.63				.39		.01		.07	27
28	.05	.02						.41			.16	.26	28
29	.06	✕		.04		.04	.03	.10		.27	.05	.15	29
30		✕	.16	.23		.32				.09	.10	.28	30
31	.03	✕		✕		✕	.06		✕	.03	✕	.02	31
TOTAL	3.74	2.76	4.22	2.14	1.16	.82	3.50	2.12	1.72	1.56	1.62	3.62	YEAR'S TOTAL 28.98
Days with ·01 in. or more	23	12	20	15	7	7	14	11	10	12	20	25	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1001

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Little Houghton House
in the County of Northampton
by Christopher Smyth

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.
See previous returns

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.17	.18		.20			.15	.02	.16	1
2			.01	.15			.11	.21	.07	.13		.06	2
3	.01	.04		.25			.13	.02	.06	.09			3
4			.07	.07			.13	.26	.02	.33			4
5		.01	.03		.15		.41	.02	.05			.02	5
6			.21		.07		.36					.02	6
7		.01	.02	.07	.03		.07						7
8	.42	.04		.42			.12						8
9	.37			.91				.10					9
10	.13	.03	.02	.41		.02	.07						10
11	.25		.06	.51	.22	.05	.02					.07	11
12	.02	.01	.06	.13		.37					.01	.13	12
13	.01	.03	.11	.09									13
14	.01	.01	.64	.22		.20	.10		.21	.08	.19		14
15		.05	.50	.19					.17	.30	.17	.02	15
16			.01	.04	.01	.52		.13	.52	.17			16
17				.04	.13				.14	.02		.05	17
18	.13			.08	.07		.07		.25			.01	18
19	.04	.08		.32		.18		.32	.02			.02	19
20	.07	.38		.26		.23						.02	20
21							.01	.10	.02				21
22				.22					.23		.01	.07	22
23		.01					.29					.35	23
24			.16							.01		.07	24
25	.01	.10	.03	.03			.51						25
26	.20		.16									.02	26
27	.23		.01	.16		.52	.01				.55	.20	27
28	.45		.11		.08		.02				.03		28
29	.11		.15		.28		.06				.05	.47	29
30	.02	╳	.01			.10	.07		.21		.14	.18	30
31	.05	╳	.01	╳	.04	╳	.02		╳	.30	╳	.05	31
TOTAL	2.53	.80	2.38	4.74	1.26	2.19	2.78	1.16	1.97	1.58	1.17	1.99	YEAR'S TOTAL 24.55
Days with ·01 in. or more	~~6~~ 18	13 ~~7~~	20 ~~9~~	21	11 ~~2~~	9 ~~1~~	20 ~~5~~	8 ~~2~~	13 ~~3~~	10 ~~2~~	9 ~~4~~	19 ~~7~~	171
Days with ·04 in. or more	12	6	11	21 20	9	8	15	6	10	8	5	12	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTHANTS.

MARSTON TRUSSELL RECTORY

1911- 1920

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

REG … 11

Kept at Marston Trus… …rsleyo

… 10 in.

…ove Ground 2 ft. 9 in.

in the County of Northa… , Sea Level 314 ft.

by The Rev. John Kn… …0 a.m

Name Lubenham

Distance ¾ mile Direction N

IMPORTANT NOTE.— … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02					·01			·01	·03	1
2	·02		·08	·02	·17			·03			·01	·08	2
3	·07				·18			·02	·16		·01	·01	3
4	·02	·01	·01							·07	·04	·34	4
5			·01					·13					5
6				·06								·39	6
7	·29									·01		·04	7
8	·01		·17									·13	8
9	·17											·10	9
10	·01	·06	·32					·12				·42	10
11	·01							·23			·08		11
12	·13		·46						·18		·02		12
13	·01		·04		·03				·15			·35	13
14		·09	·08		·04					·02		·55	14
15		·09				·06						·04	15
16	·01					·02					·07	·08	16
17			·02	·01		·10			·01		·01	·17	17
18		·26				·08				·01		·06	18
19		·10				·24			·04	·03	·02	·43	19
20						·03		·61	·09			·16	20
21		·23				·53		·73		·04	·01	·10	21
22		·05	·20	·01				·03	·13	·01		·29	22
23		·06	·19			·74		·01				·10	23
24		·06	·02 } melted snow	·12		·45		·01		·33		·04	24
25		·09	·02 }	·04	1·24	·08						·01	25
26	·01	·16		·34	·27	·02		07		·04	·19	·13	26
27		·26	·13	·14			·04	·43	·07		·11	·05	27
28				·24		·02	·02	·04		·02	·02		28
29				·02		·16		·01	·05		·02		29
30	·01		·03	·02		·03		·20					30
31				~~·02~~	·18					·06			31
Total	·77	1·52	1·80	1·02	2·11	2·56	·06	2·68	·88	·63	·62	4·10	TOTAL for year 18·75
No. of Rain Days.	13	13	16	11	7	14	2	16	9	11	14	24	150

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Marston Trussell Rectory

in the County of Northampton 5

by The Rev. John Knightlaws

RAIN GAUGE	Pattern	Crossleys
	Diameter of top	10 in.
	Height of top above Ground	2 ft. 9 in.
	„ „ „ Sea Level	314 ft.

Time of Observation 10. a.m

Nearest Railway Station: Name Lubenham; Distance ¾ mile; Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02					·01			·01	·03	1
2	·02		·08	·02	·17			·03			·01	·08	2
3	·07				·18			·02	·16		·01	·01	3
4	·02	·01	·01							·07	·04	·34	4
5			·01					·13					5
6				·06								·39	6
7	·29									·01		·04	7
8	·01		·17									·13	8
9	·17											·10	9
10	·01	·06	·32					·12				·42	10
11	·01							·23			·08		11
12	·13		·46						·18		·02		12
13	·01		·04		·03				·15			·35	13
14		·09	·08		·04					·02		·55	14
15		·09				·06						·04	15
16	·01					·02					·07	·08	16
17			·02	·01		·10			·01		·01	·17	17
18		·26				·08				·01		·06	18
19		·10				·24			·04	·03	·02	·43	19
20						·03		·61	·09			·16	20
21		·23				·53		·73		·04	·01	·10	21
22		·05	·20	·01				·03	·13	·01		·29	22
23		·06	·19			·74		·01				·10	23
24		·06	·02 } melted snow	·12		·45		·01		·33		·04	24
25		·09	·02 }	·04	1·24	·08						·01	25
26	·01	·16		·34	·27	·02		07		·04	·19	·13	26
27		·26	·13	·14			·04	·43	·07		·11	·05	27
28				·24		·02	·02	·04		·02	·02		28
29				·02		·16		·01	·05		·02		29
30	·01		·03	·02		·03		·20					30
31				~~·02~~	·18					·06			31
Total	·77	1·52	1·80	1·02	2·11	2·56	·06	2·68	·88	·63	·62	4·10	TOTAL for year 15·75
No. of Rain Days.	13	13	16	11	7	14	2	16	9	11	14	24	150

W. 8,000, X. '11.

Ccd by mm stats 17.III.13

FORM A2. BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Marston Trussell Rectory

in the County of Northampton 5

by The Rev. John Knight-Law B.A. Rector

RAIN GAUGE
Pattern Crossley
Diameter of top 10 in.
Height of top above Ground 2 ft. 9 in.
" " " Sea Level 314 ft.

Time of Observation 10 a.m

Nearest Railway Station
Name Lubenham
Distance 3/4 mile Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.01			.17	.10		.20	.04		.18	1
2	.01		.06	.05		.37	.46			.01			2
3	.05		~~.37~~		.09	.21	.10	.42	.02			.08	3
4	.07		.57		.12	.53		.18			.27		4
5	.10		.28			.13		.33	.05		.11	.08	5
6	.31				.01	.04	.04	.07					6
7		.15	.22		.02	.23		.02					7
8	.05	.31	.07	.02		.05	.04	.08	.17			.03	8
9	.	.01	.09	.10		.07	.02	.04				.13	9
10	.01		.01			.12		.20			.31		10
11	.07	.09				.06		.04			.14	.40	11
12	.05	.36	.11		.09	.02	.16			.02	.05	.01	12
13	.03	.02											13
14			.31			.10		.03					14
15	.05		.01		.30	.20						.20	15
16	.21 melted snow	.03	.22		.05	.06		.09					16
17			.09			.14		.20			.05	.36	17
18			.03				.20	.09		.13	.01	.05	18
19	.88 melted snow	.05			.01		1.13	.29	.01	.03			19
20	.34	.01	.35		.01			.51		.41	.02		20
21	.01	.02	.16		.48		.01	.58		.23	.02		21
22	.19	.04			.23		1.02	.42		.07		.05	22
23	.22	.32	.24		.01	.17	.49	.42	.01		.09	.30	23
24	.08					.19	.22	.10				.12	24
25	.01		01			.53		.39			.27	.44	25
26		.03				.02	.26	.92		.57	.20	.17	26
27						.11	.09		.01	.49		.20	27
28		.07				.11	.06	.57	.01	.24	.24	.41	28
29		.01				.11	.28	.01	.77	.23		.01	29
30				01	.20		.11			.27			30
31	(.06)		08		05		.31	12		.01		.05	31
Total	2.88	1.52	2.92	.18	1.67	3.74	5.10	6.12	1.25	2.75	1.78	3.27	TOTAL for year 33.10
No. of Rain Days.	~~19~~ (22)	15	19	4	14	23	19	24	9	14	13	19	195

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 JAN 1914

Kept at Marston Trussell Rectory
in the County of Northampton 5
by The Revd. John Knight Lacy

Lat. 52.26 N Long. 0.58 W
Time of Observation 10 a.m
Nearest Railway Station Lubenham L.N.W.R.
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 9 in.
" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.01	.13	.05					.69		.06	.01	1
2		.13		.20					.18	.01	.03		2
3	.02				.55					.76		.03	3
4	.51		.18		.12		.02			.29	.11	.20	4
5	.04					.01	.12		.04	1.06	.07		5
6		.10	.05		.20	.10	.98			.07	.13	.01	6
7		.05			.07	.03	.06			.61	.04	.01	7
8			.02		.17	.12				.09	.18		8
9		.27	.04			.22					.09	.02	9
10	.03			.08				.01	.03		.39		10
11	melted snow .89			melted snow .39						.05	.48		11
12					.16			.19			.51		12
13			.07	.03					.05	.02	.26		13
14	.08	.01	.40					.03			.04		14
15			.49	.46				.01	.20				15
16	.16	.13	melted snow .89	.16			.02		.02	.09			16
17	.11	.04	.12	.09			.09			.01	.05		17
18	.12		.29	.07			.08				.07	.01	18
19	.20		.06			.01			.05	.25			19
20	.24		.05	.01					.05		.08		20
21			.13	.10	.04		.05				.35		21
22	melted snow .54		.30					.08	.28				22
23			.03			.04	.02	.09					23
24	.05			.10				.03	.01				24
25		.08	.10								.02		25
26		.04	.07	.31				.07		.29		.20	26
27			.03		.20								27
28	.52		.28	.30	.02								28
29			.13	.59				.18		.20			29
30	.20		.01	.01						.26	.13	22	30
31					.17			.13					31
Total	3.74	.86	3.87	2.95	1.70	.53	1.44	.82	1.60	4.06	3.09	.71	YEAR'S TOTAL 25.37
Rain Days.	16	10	22	16	10	7	9	10	11	15	19	9	154

W.7,000, XI. 13

cntly mn stats 5-11-15 WFLMcC

REGISTER OF RAINFALL IN 19*14*.

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Marston Trussell Rectory
in the County of Northampton 5
by The Rev John Knight Law

Lat. 52.26 Long. 0.50
Time of Observation 10 a.m
Nearest Railway Station Lubenham NE 1 mile
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 9 in.
" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·07			1·13	·26		·01	·08	·03	1
2								·23			·22	·19	2
3					·18		·22	·06			·03	·01	3
4	·35	·02		·19	·01			·44			·38	·21	4
5	·04			·21	·29		·21	·05			·02	·01	5
6		·05			·04	·26					·10	·01	6
7		·09	·51		·12	·07	·03	·04				·03	7
8	·09	·03	·23		·19	·04	·05	11					8
9	·39		·27	·30		·91		·03	·05				9
10	·16	·13		·11	·04				·09		·01		10
11		·19	·32	·17	·14	·76			·03		·31	·40	11
12	·03	·01	·10						·30		·07	·31	12
13		·14	·19						01	·24	·22	·39	13
14	·01						·19			·56	·10	·32	14
15	·02		·36					·03	·09	·01	·01	·03	15
16			·01				·08		·07				16
17		·25	·09				·01		·15			·27	17
18	·01		·01				·21				·01	·55	18
19		·03	·02						·02		·04		19
20		·18	·20						·02			·01	20
21		·24	·05			·27		·13		·11		·28	21
22					·37			~~·22~~ (10)		·20			22
23			·07		·09	·01			·01	·24			23
24	·01	·14			·07		·07	·15		·15	·11		24
25	·04						·14			·38	·01	·17	25
26			·04							·06	·13	·35	26
27										·05	·02	·21	27
28		·05					·08				·01	1·09	28
29	·05		·13							·27	·11		29
30		☒				·06	·22			·03	24	·23	30
31		☒		☒	·04	☒	[illegible]	·03	☒	·02	☒	·02	31
Total	1.20	1·55	2·60	1·05	1·58	2·32	2·64	1·66	·84	2·33	2·18	5·12	YEAR'S TOTAL 25·07 ✓
Rain Days.	12	14	16	6	12	8	13	13	11	1~~3~~4	21	22	162

W. 8,000. X. 14.

1238

ex + 95

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
7 JAN 1916

Kept at Marston Trussell Rectory
in the County of Northampton 5
by The Rev J Knight Law. Rector

Lat. 52·26" N Long. ·5·8 W
Time of Observation 10 a.m
Nearest Railway Station Lubenham L N W R
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 9 in.
" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·14	·12		·29			·34	·01	·11		·14	1
2	·16	·20	·16	·38		·05		·07		·04	·01	·04	2
3	·26		·05	·02			·19	·37	·19			·12	3
4	·14						·08					·59	4
5	·03	·35	·02		·01		·34	·03			·05	·32	5
6	·19	·15		·19			·75	·10		·03		·12	6
7	·08	·19		·06			·18	·18				·13	7
8	·01	·10		·06				·01			·05		8
9										·01	·24	·07	9
10	·41		·02					·11			·06		10
11				·02			·10				·57		11
12	·03			·16	·12			·64			·97		12
13		·54					·02					·36	13
14		·01			·38		·06	·06	·09	·01		·38	14
15	·36				·75		·05	·06				·10	15
16		·45			·05		1·24			·01		·01	16
17		·13			·01		·33					·01	17
18		·22	·22		·05						·13		18
19							·10					·05	19
20	·40				·03							·26	20
21	·09	·14			·01		·14					·10	21
22	·18		·18	·08			·16			·24		·11	22
23	·01	·01	·03			·04	·12		·06			·38	23
24	·01			·04			·02		1·01	·07		·05	24
25		·18	·37			·09	·11			·05		·23	25
26							·01		·02			·31	26
27						·50	·11			·47		·02	27
28		·13	·01					·09	·10	·13			28
29					·04	·15	·09	·10			·17	·15	29
30	·09	X				·77		·04 ·05		13	·03	·06	30
31	·02	X		X		X			X		X	·08	31
Total	2·68.	2·94.	1·18	1·01	1·74	1·60	4·20	2·25	1·48	1·35	2·28	4·19	YEAR'S TOTAL 26·90
Rain Days.	18	15	10	9	11	6	20	15	7	12	10	25	158

W. 8,000. X. 15.

1215

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 191

Kept at Marston Trussell Rectory
in the County of Northampton
by The Revd. John Knight Law

Lat. 52.26 N Long. 0.58 W
Time of Observation 9-10 a.m
Nearest Railway Station Lubenham 1 mile
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 9 in.
" " " " Sea Level 314. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·10	melted snow ·15			·07	·15				·22		1
2	·34		m. snow ·09		·20	·02	·15		·04	·39	·14		2
3									·40	·20	·03		3
4	·30	·39			·13	·23	·35				·20		4
5	·04				·05	·13				·13	·12		5
6		·16	melted snow ·05	·20	·01		·35			·08	·36		6
7	·12		m. snow ·09				·19			·19	·23		7
8	·01		m. snow ·14		·15						·04		8
9			·03		·16	·09				·06		·15	9
10		·15	·08		·03		·10		·03			·03	10
11	·01	·16	·08	·22	·06	·20					·01		11
12		·01	·12	·07	·48	·06	·13			·03		·13	12
13	·04	·19	·08		·05	·03	·03	·13					13
14	·02	melted snow ·43	·01	·01			·10	·06	·01	·07			14
15		melted snow ·20	·50		·06			·12					15
16	·01	·07	·39	·18			·15						16
17	·03	·02		·12			·03	·57	·19	·24			17
18		·25	·02	·12				·18	·11				18
19	·14		·34	·01					·08		melted snow 1·06		19
20											melted snow ·47	m. snow ·55	20
21			·22	·05			·03					snow ·78	21
22		·06	·23	·11		·01				·04			22
23	·04	melted snow ·19	·02					·14		·06	·15	snow 32	23
24		melted snow ·30	·04			·49		·03		·08	·01	·16	24
25	·01	·07	·13		·10			·24		·03	·05		25
26		·08				·05		·26		·09			26
27	·02	·07	melted snow ·32				·08	·68	·07	·12	·01		27
28		·26	m. snow ·33							·01		20	28
29		·11				·26		1·53		·27			29
30		X				·09		·05	·05	·15			30
31		X		X	·04	X		·02	X	·05	X	02	31
Total	1.24	3.27	3.46	1.09	1.52	1·73	1.84	4·01	·98	2·29	3.10	2·34	YEAR'S TOTAL 26·87
Rain Days.	15	20	22	10	13	13	13	13	9	19	15	9	171

W. 8,000, VIII. 16

1171

FORM A. BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Marston Trussell Rectory

in the County of Northampton

by The Rev John Knight Law

Lat. 52·26 Long. 0·58

Time of Observation 9 a.m

Nearest Railway Station Lubenham

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 2 ft. 9 in.

" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·87	39			·01	1
2	·03			·02		·14		·12		·04	·01	·03	2
3				·17				·43		·29	·02		3
4		·18		·12				·05		·38	·13		4
5	·17							·01	·03	·05	·08		5
6	·01		·19			·09				·14	·05		6
7	·44					·06				·14	·01	·08	7
8	·53			·12			·28	·29		·34	·10		8
9	·06			·26			·02	·11	·01		·23		9
10	·24				·17			·02			·04		10
11	·07		·18	·14	·10	·03			·07	·19			11
12	·18	·03	·17	·08	·01			·25		·31			12
13	·08		·01	·01	·12		·01	·19				·01	13
14			·02	·02	·01		·25		·04		·01	·06	14
15				·02	·01								15
16				·35	·03		·01			·06		·10	16
17	·04	·17		·16	·40	1·16	·08		·02	·11			17
18	·02			·13	·09		·27	·10	·93	·01			18
19		·02	·13		·12				·07		·01	·07	19
20		·22	·06	·01	·64						·15		20
21		·04	·01	·01	·04	·08				·01	·01		21
22			·06			·02		·01	·07	·08			22
23		·10			·07			·13					23
24		·02				·40		·02					24
25		·01	·03				·03			·19	·24		25
26		·01	·01					·33			·01		26
27						·66	·02	·49	·17				27
28		·01	·07		·06	·60		·10			·01		28
29			·03			·08	·01	·14		57		·38	29
30		X					35	·10		·01			30
31		X		X		X	·02	·12	X		X	·10	31
Total	1·87	·81	·97	1·72	1·87	3.32	~~1·23~~ 1·35	3.88	1·80	2·86	1·11	·84	22·40 YEAR'S TOTAL ~~22·36~~
Rain Days.	12	·11	·13	15	14	11	12	~~19~~ 20	10	17	16	9	~~159~~ 160

W. 8,000, IX. 17.

1·80

~~W~~ Ely [illegible] (Marston)

63

REGISTER OF RAINFALL IN 1918

Kept at Marston Trussell Rectory
in the County of Northampton
by The Rev John Knight Law

Lat. 52·26 N Long. 0·58 W
Time of Observation 10 a.m
Nearest Railway Station Lubenham
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 9 in.
" " " " Sea Level 314 ft.

FORM A. BRITISH RAINFALL.
8.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10					·01	·14	·23	~~[illegible]~~	1
2		·20	·02	·05				·13		·67	·09	·11	2
3		·05	·01		·34			~~[illegible]~~			·36	·01	3
4		·03						·44	·65		·57	·04	4
5		·02			·24			·03	·27	·05		·01	5
6		·07		·14				·10	·02	·25			6
7		·12		·10		·04			·02		·09		7
8		·01	·07	·07		·01			·09	·08		~~·28~~ 23	8
9	·01	·20		·08		·09			·12	·17		·05	9
10	·04	·01		·10			·15		·26	·12	·01		10
11	·06			·01	·15		·39		·01	·24		·07	11
12		·13	·03		·10		·37		·08	·02		·03	12
13		·01			·02	·04	·06		·04			·04	13
14	·30						·02		·03	·06		·06	14
15	·50 melted snow			·50		·02	·22		·04				15
16	·09			·40		·01	·18		·03			·14	16
17	·11			·01		·02	·48		·03	·02		·11	17
18	·30					·09	·06	·02	·02			·27	18
19			·04	·22		·07	·01		·59	·11		·25	19
20		·06	·01	·51			·04		·01	·10		·03	20
21	·07	·03		·31			·02		·03	·05		·06	21
22	·16						·01		·15			·33	22
23	·06				·22		·24		·19				23
24		·18			·41		·14		·05	·03	·13		24
25		·01					·12		·02		·03		25
26						·02	·04	·04	·02	·02	·03	·06	26
27							·03	·38	·07		·09		27
28		Snow ·22	·20					·21	·03		·26	·26	28
29								·05	·22			·01	29
30		✕	·23					·12	·01		·18	·09	30
31		✕	·32	✕		✕		·02	✕	·01	✕		31
Total	1·70	1·35	·93	2·60	1·48	·41	2·58	1·54	3·11	2·14	2·07	2·26	YEAR'S TOTAL 22·17
Rain Days.	11.	16	9	14	7	10	18	11	28	17	12	21	176

W. 6,500, VII. 18. W W C

~~+~~ RR worthy C.

1104

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Marston Trussell Rectory
in the County of Northampton
by The Revd. John Knightley Law

Lat. 52·26 N. Long. 0·58 W
Time of Observation 10 a.m.
Nearest Railway Station Theddingham L.N.W.R.
Diameter of Funnel of Rain Gauge 10 in.
Height of top of Gauge above Ground 2 ft. 9 in.
" " " " Sea Level 314 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·13	·06		·18		·17			·21	·03	·48	1
2	·10		·02				·32		·27	·16	·32	·02	2
3	melted snow ·74		·05		·06		·49		·15		·17	·05	3
4			·35			·07		·18	·08		·01	·28	4
5		·15	·04		·01		·13		·39	·01		·13	5
6	·06		·16		·72						·06	·03	6
7	·14		·11						·01				7
8	·05		·03	·16							·02		8
9			·02	·08							·04		9
10			·36	·03							snow ·03		10
11	·05		·56				·39					·05	11
12			·12	·12	·01	·25	·01		·02	·10	snow ·31	·01	12
13	·16			·32					·12	·02			13
14	·30			·10					·18	·06	snow ·02		14
15	·59	·02	·19	·10								·66	15
16	·11	·69					·01	·06			snow ·21		16
17	·04	·43			·02	·01					snow ·22	·02	17
18			·15 Rain & snow					·26	·02	·02	snow ·05	·20	18
19	·12	·25	·97			·17	·94	·15				·02	19
20	·51		·18			·08	·37	·19	·13		·13	·05	20
21		·42	·10				·23				·03	·14	21
22		·30					·02	·11	·01	·01	·02	·68	22
23				·09		·06		·04	·28	·18		·05	23
24					·02		·27	·02		·54	·03		24
25	·13		·01	·22	·07			·28				·07	25
26	·01		·25	snow ·08		·06						·41	26
27	melted snow ·54		·01	snow ·42				·15					27
28								·75			·01	·24	28
29				·07				·10		·29	snow ·10	·09	29
30			·08	·32		·33			·02	·03	snow ·16	·32	30
31			·06				·04			·09		·01	31
TOTAL	~~4.02~~ 4.00	2.39	3.88	2.11	1.09	1.03	3.39	2.29	1.68	1.72	1.97	4.01	YEAR'S TOTAL ~~29.58~~ 29.56
Days with ·01 in. or more	17	8	~~21~~ 22	13	8	8	13	12	13	13	20	22	~~171~~ 169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1047

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Marston Trussell Rectory, Market Harborough

in the County of Northamptonshire

by [illegible] (Revd.)

Lat. 52° 26′ N Long. 0° 58′ W

Time of Observation 9 am.

Nearest Railway Station LUBENHAM. L.N.W.R.

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 2 ft. 9 in.

" " " " Sea Level 314 ft. (circa)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·02	·27		·06		·01	·06		·19	1
2				·19	·01		·28	·09	·13	·10	·01	·07	2
3	·01			·49	·02	·04	·13		·05	·09		·02	3
4		·03		·13			·40	·44	·02	·29		·11	4
5			·10		·27		·03	·04	·06				5
6			·14		·04		·61						6
7		·01	·05 snow	·16	·01		·25					·04	7
8	·41 snow hail & rain	·08		·60	·06		·06			·02	·02	·01	8
9	·40	·01		1·04			·19	·12					9
10	·37	·04	·07	·20			·06				·04		10
11	·12	·04	·04	·20	·24	·04	·06	·05				·01	11
12	·02	·05		·21		·34	·01	·02			·01	·11 snow	12
13	·05	[illegible]	·10	·10			·01		·09		·02		13
14	·01		·02 snow	·13		·20	·02		·11	·09	·14		14
15		·09	·91 snow	·06				·01	·35	·16	·06		15
16				·03	·04	·53			·22	·06			16
17	·02			·20	·13				·46	·06		·11	17
18	·20			·09	·04		·02	·18	·50	·01		·01	18
19	·04	·11		·24		·10		·11			·03	·02	19
20		·36		·37		·34						·01	20
21				·01			·10	·11	·06				21
22	·06		·01	·12			·02		·11				22
23				·01	·01		·26					·19	23
24			·17							·01		·04	24
25		·04	·01	·04	·06		·62				·03		25
26	·20	·03	·11	·02	·01		·03			·02	·01	·03	26
27	·11			·12	·01	·50	·02			·01	·59	·24	27
28	·53		·15		·16						·01	·14 thunder storm 5–6 p.m.	28
29	·06		·02		·46	·13	·04				·06	·42	29
30		╳		·03	·11				·23		·06	·19	30
31	·07	╳		╳	·05	╳	·10		╳	·21	╳	·03	31
Total	2·68	·89	1·91	4·81	2·00	2·22	3·38	1·17	2·40	1·19	1·09	1·99	YEAR'S TOTAL 25·73
Days with ·01 in. or more	17	12	15	25	19	9	23	10	14	14	14	20	192
Days with ·04 in. or more	13	8	10	19	13	9	~~14~~ 15	8	12	9	6	12	~~133~~ 134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

16 JUN 1913

Wrote for ... 1913
10 VI 13

NORTHANTS.
MIDDLETON CHENEY

1912 - 1914

REGIS

Kept at Middlet ... am

in the County of Nort ... in.

by C. G. H. Chamberl ... above Ground ... ft. ... in.

" Sea Level 416 ft.

IMPORTANT NOTE. ... and the result entered to the previous day. If an Obse ... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·01	·02	-	-	-	·03	-	·10	-	-	·04	1
2	-	-	-	-	-	·14	·60	-	-	-	-	·01	2
3	·03	-	·01	-	·05	·04	·07	·30	-	-	·02	·10	3
4	·08	-	·23	-	·18	·50	-	·10	-	-	·24	-	4
5	·18	-	·04	-	·30	·06	-	·40	-	-	·01	-	5
6	-	·13	-	-	·01	~~·04~~	·01	·50	-	-	-	·09	6
7	·15	·03	·01	·02	·03	·50	-	·15	-	-	-	·01	7
8	·17	·27	·17	·04	-	·08	·02	·02	·04	-	-	·01	8
9	·01	-	·07	-	-	·26	·01	·05	-	-	-	·15	9
10	·01	·02	·03	·02	·02	·14	-	-	-	-	·01	-	10
11	·06	·10	·01	-	·01	·06	-	-	-	-	·11	·16	11
12	·06	·27	·10	-	·02	-	·03	-	-	-	·12	-	12
13	-	·03	·01	-	-	-	·10	·05	-	-	·05	-	13
14	·02	-	·15	-	·10	-	-	·02	-	-	-	-	14
15	·05	·05	·06	-	·24	·05	-	·06	·01	-	-	·08	15
16	·42	-	·04	-	·09	·06	-	-	-	·03	-	-	16
17	·37	-	·03	-	-	·04	-	·17	-	-	·02	·16	17
18	·13	-	·16	-	-	-	-	-	-	·03	-	·01	18
19	·20	·03	·03	-	-	-	-	·88	-	-	-	-	19
20	·09	-	·24	-	-	-	·15	·80	-	·09	-	-	20
21	·01	·01	·09	-	·55	-	·01	·50	-	·28	-	-	21
22	·35	-	·01	-	·10	·01	1·10	·12	-	·06	-	·01	22
23	·07	-	·36	-	·01	-	·18	·25	-	·03	·02	·26	23
24	·06	-	-	-	·01	·04	·01	·07	·01	-	·03	-	24
25	-	-	-	-	-	-	-	·24	-	-	·15	·27	25
26	-	·01	·01	-	-	-	·23	·91	-	·40	·12	·08	26
27	-	-	-	-	-	·17	·07	-	-	·15	·01	·25	27
28	-	·09	-	-	-	·04	·06	·36	·08	·18	·22	·58	28
29	-	·01	·02	-	-	·24	·10	-	·53	·13	-	-	29
30	-		-	-	·02	·03	·06	·30	·07	·21	-	-	30
31	-		·02		·18		·39	-		·01		·02	31
Total	2·52	1·06	1·92	·08	1·92	2·50	3·23	6·25	·84	1·60	1·13	2·29	YEAR'S TOTAL 25·34
Rain Days.	20	14	24	3	17	19	19	21	7	12	14	18	188

Trad

W. 7,500, XI. ·12

Wrote for [illegible] 1913
10.VI.13

Cop

REGIS

FORM A.
BRITISH RAINFALL.

16 JUN 1913

Kept at Middleton Cheney
in the County of Northants
by C. G. H. Chamberlain (per R. Met. Soc.)

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	·01	·02	–	–	–	·03	–	·10	–	–	·04	1
2	–	–	–	–	–	·14	·60	–	–	–	–	·01	2
3	·03	–	·01	–	·05	·04	·07	·30	–	–	·02	·10	3
4	·08	–	·23	–	·18	·50	–	·10	–	–	·24	–	4
5	·18	–	·04	–	·30	·06	–	·40	–	–	·01	–	5
6	–	·13	–	–	·01	·04	·01	·50	–	–	–	·09	6
7	·15	·03	·01	·02	·03	·50	–	·15	–	–	–	·01	7
8	·17	·27	·17	·04	–	·08	·02	·02	·04	–	–	·01	8
9	·01	–	·07	–	–	·26	·01	·05	–	–	–	·15	9
10	·01	·02	·03	·02	·02	·14	–	–	–	–	·01	–	10
11	·06	·10	·01	–	·01	·06	–	–	–	–	·11	·16	11
12	·06	·27	·10	–	·02	–	·03	–	–	–	·12	–	12
13	–	·03	·01	–	–	–	·10	·05	–	–	·05	–	13
14	·02	–	·15	–	·10	–	–	·02	–	–	–	–	14
15	·05	·05	·06	–	·24	·05	–	·06	·01	–	–	·08	15
16	·42	–	·04	–	·09	·06	–	–	–	·03	–	–	16
17	·37	–	·03	–	–	·04	–	·17	–	–	·02	·16	17
18	·13	–	·16	–	–	–	–	–	–	·03	–	·01	18
19	·20	·03	·03	–	–	–	–	·88	–	–	–	–	19
20	·09	–	·24	–	–	–	·15	·80	–	·09	–	–	20
21	·01	·01	·09	–	·55	–	·01	·50	–	·28	–	–	21
22	·35	–	·01	–	·10	·01	1·10	·12	–	·06		·01	22
23	·07	–	·36	–	·01	–	·18	·25	–	·03	·02	·26	23
24	·06	–	–	–	·01	·04	·01	·07	·01	–	·03	–	24
25	–	–	–	–	–	–	–	·24	–	–	·15	·27	25
26	–	·01	·01	–	–	–	·23	·91	–	·40	·12	·08	26
27	–	–	–	–	–	·17	·07	–	–	·15	·01	·25	27
28	–	·09	–	–	–	·04	·06	·36	·08	·18	·22	·58	28
29	–	·01	·02	–	–	·24	·10	–	·53	·13	–	–	29
30	–		–	–	·02	·03	·06	·30	·07	·21	–	–	30
31	–		·02		·18		·39	–		·01		·02	31
Total	2·52	1·06	1·92	·08	1·92	2·50	3·23	6·25	·84	1·60	1·13	2·29	YEAR'S TOTAL 25·34
Rain Days.	20	14	24	3	17	19	19	21	7	12	14	18	188

Trad

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

8 JUN 1914

From MS. REGISTER OF RAINFALL IN 1913.

Kept at Middleton Cheney Grc Mg.

in the County of Northampton 2

by Royal Met. Soc.
C. G. H. Chamberlain

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·13	·04	·06	-	-	-			-	·01	·01	1
2	-	·05	-	·05	-	-	·03			·47	-	·05	2
3	·06	-	·03	-	·59	-	-			·01	-	·01	3
4	·15	-	-	-	-	-	·01			·12	·02	·19	4
5	-	-	-	-	-	·05	-			·35	·01	·01	5
6	-	-	·15	-	·17	·14	-			·30	-	·01	6
7	-	-	-	-	·10	·18	·06			·24	·01	·16	7
8	-	·05	-	-	·07	·05	-			·28	-	·01	8
9	-	·23	-	·01	-	·10	·02			-	·18	·01	9
10	·90	-	-	·07	·07	-	·02			·04	·40	-	10
11	-	-	-	·02	·03	-	·01			·27	·38	-	11
12	-	-	-	-	·05	-	-			·08	·50	·01	12
13	·01	·02	·03	·01	-	-	-			-	·20	-	13
14	·13	-	·05	·09	-	-	-			·07	·06	-	14
15	·13	·05	·25	·09	-	-	·08			-	-	-	15
16	·06	-	·25	·07	-	-	-			·05	·01	-	16
17	·08	-	·04	-	-	-	·05			-	-	·02	17
18	-	-	·03	-	·03	-	·08			-	·01	-	18
19	·08	-	·04	·09	·03	·01	-			-	-	·01	19
20	·12	-	·08	·02	-	·04	·03			·07	·03	-	20
21	·03	-	·08	·12	·10	-	·01			·01	·13	·02	21
22	·35	-	·11	-	-	-	-			-	·01	-	22
23	-	-	-	-	-	·02	-			·01	·02	·04	23
24	-	-	-	·07	-	-	-			-	·02	-	24
25	-	·02	-	·10	-	-	-			·01	·01	-	25
26	-	·06	·07	·01	-	-	-			·31	-	·12	26
27	-	·02	·05	·03	-	-	-			-	-	-	27
28	·26	-	·14	·11	-	-	-			·05	·01	-	28
29	·02		·18	·87	·05	-	-			·01	-	·10	29
30	·16		-	-	-	-	-		-	·08	·10	-	30
31	-		·03		·23		-			-		-	31
Total	2·54	·63	1·65	1·89	1·52	·59	·40			2·83	2·12	·78	YEAR'S TOTAL
Rain Days.	15	9	18	18	12	8	11			20	20	16	

W.7,000, XI. 13

✓ 3

ELM'C

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JUN 1915

Kept at Middleton Cheney

in the County of Northampton 2

by C H Chamberlain per Royal met. Soc.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 416 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-										1
2	·02	-	-										2
3	-	-	·01										3
4	-	-	·01										4
5	·45	-	-										5
6	-	-	·04										6
7	-	·10	-										7
8	-	-	·20										8
9	·05	·09	·28										9
10	·01	-	·26										10
11	-	·06	·02										11
12	·15	·06	·08										12
13	-	-	·09										13
14	-	-	-										14
15	-	-	·05										15
16	·05	·16	·28										16
17	-	-	·08										17
18	-	·20	·01										18
19	·01	-	-										19
20	-	-	·13										20
21	-	·01	-										21
22	-	·07	·01										22
23	-	·27	·26										23
24	·10	·02	·05										24
25	·01	-	·01										25
26	·06	·01	·02										26
27	-	·01	·06										27
28	·04	·09	-										28
29	-		-										29
30	-	✕	·04										30
31	-	✕	·04	✕		✕			✕		✕		31
Total	·95	1·15	2·03										YEAR'S TOTAL
Rain Days.	11	13	22										

W. 8,000. X. 14.

NASEBY RESERVOIR
NORTHAMPTONSHIRE
1918-1920

FORM A.
BRITISH RAINFALL.
1190
10 1·19

RE

Kept at NASEE ... W.

in the County of NO ... LFORD

... 5 in.

by TW MILL ... und 1 ft. 6 in.

... Level 518 83 ft.

IMPORTANT N ... result entered to the previous day. If an ... rule, he is earnestly requested to add the r ... the space provided for it at the end of ... of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·09	·02	·27	—	—	—	—	—	—	·13	—	1
2	—	·12	—	·07	—	—	—	·06	—	—	·08	·12	2
3	—	·03	·06	—	·45	—	—	·10	·26	—	·34	·01	3
4	—	·01	·04	—	—	—	—	·01	·44	·02	·49	·04	4
5	—	·08	·01	·03	·16	—	—	·13	·13	·05	—	·02	5
6	—	·11	·02	·16	—	—	—	—	—	—	—	·03	6
7	·08	·06	—	·18	—	·09	—	—	·12	·10	·10	·20	7
8	—	·04	·04	—	—	—	—	—	·05	·05	—	·07	8
9	·02	·26	—	·04	—	·25	·19	—	·22	·22	·01	·05	9
10	—	·01	—	·09	—	·07	·38	—	·04	·15	—	·05	10
11	·01		—	·02	·11	—	·22	—	·14	·21	—	·06	11
12	—	·13	·05	—	·05	—	·08	—	·10	·03	—	·02	12
13	·05	·03	—	·02	·20	·05	·01	—	·11	—	—	·05	13
14	·24	—	—	·03	—	·05	·35	—	·34	·11	—	·07	14
15	·86	—	—	·50	—	·01	·16	—	·04	—	—	·24	15
16	·09	—	—	·52	—	—	·01	·03	·10	—	—	·01	16
17	·15	—	—	·03	·03	·11	·45	—	—	·02	—	·09	17
18	·36	—	—	—	—	·10	·13	—	·81	—	—	·27	18
19	·02	·04	·04	·10	—	·04	·04	—	—	·10	—	·30	19
20	·01	·10	—	·60	—	·09	—	—	·07	·12	—	·04	20
21	·06	·01	—	·28	—	·02	·04	—	·34	·12	—	·04	21
22	·17	—	—	—	·35	—	·05	—	·05	·03	—	·27	22
23	·05	—	—	—	·59	—	·13	—	·04	·01	—	·02	23
24	—	·17	—	—	—	—	·15	—	·04	·02	·16	—	24
25	—	—	—	—	·04	·02	·12	·29	·02	·05	·01	—	25
26	—	—	—	—	—	—	·11	·10	·03	—	·09	·15	26
27	—	—	·05	—	—	—	·20	·19	·10	—	·11	·05	27
28	—	·18	·11	—	—	·01	·13	·03	—	—	·34	·12	28
29	—	×	—	—	—	—	—	—	1·07	—	·05	·04	29
30	—	×	·30	—	—	—	—	·04	·13	—	·14	·11	30
31		×	·27	×	—	×	—	—	×	·02	×	·01	31
Total	2·17	1·47	1·01	2·94	1·98	·91	2·95	0·98	4·79	1·43	2·05	2·55	YEAR'S TOTAL 25·23
Rain Days.	14	17	12	16	9	13	19	10	24	18	13	28	193

W. 6,500. VII 15.

T. W. Mil

1190

FORM A.
BRITISH RAINFALL.
10 1 19

REGISTER OF RAINFALL IN 1918

Kept at NASEBY RESERVOIR
in the County of NORTHAMPTONSHIRE
by T W MILLNER

Lat. 51°24.42 N Long. 1°.1.26 W.
Time of Observation 9 AM
Nearest Railway Station WELFORD
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 518 83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·09	·02	·27	—	—	—	—	—	—	·13	—	1
2	—	·12	—	·07	—	—	—	·06	—	—	·08	·12	2
3	—	·03	·06	—	·45	—	—	·10	·26	—	·34	·01	3
4	—	·01	·04	—	—	—	—	·01	·44	·02	·49	·04	4
5	—	·08	·01	·03	·16	—	—	·13	·13	·05	—	·02	5
6	—	·11	·02	·16	—	—	—	—	—	—	—	·03	6
7	·08	·06	—	·18	—	·09	—	—	·12	·10	·10	·20	7
8	—	·04	·04	—	—	—	—	—	·05	·05	—	·07	8
9	·02	·26	—	·04	—	·25	·19	—	·22	·22	·01	·05	9
10	—	·01	—	·09	—	·07	·38	—	·04	·15	—	·05	10
11	·01	—	—	·02	·11	—	·22	—	·14	·21	—	·06	11
12	—	·13	·05	—	·05	—	·08	—	·10	·03	—	·02	12
13	·05	·03	—	·02	·20	·05	·01	—	·11	—	—	·05	13
14	·24	—	—	·03	—	·05	·35	—	·34	·11	—	·07	14
15	·86	—	—	·50	—	·01	·16	—	·04	—	—	·24	15
16	·09	—	—	·52	—	—	·01	·03	·10	—	—	·01	16
17	·15	—	—	·03	·03	·11	·45	—	—	·02	—	·09	17
18	·36	—	—	—	—	·10	·13	—	·81	—	—	·27	18
19	·02	·04	·04	·10	—	·04	·04	—	—	·10	—	·30	19
20	·01	·10	—	·60	—	·09	—	—	·07	·12	—	·04	20
21	·06	·01	—	·28	—	·02	·04	—	·34	·12	—	·04	21
22	·17	—	—	—	·35	—	·05	—	·05	·03	—	·27	22
23	·05	—	—	—	·59	—	·13	—	·04	·01	—	·02	23
24	—	·17	—	—	—	—	·15	—	·04	·02	·16	—	24
25	—	—	—	—	·04	·02	·12	·29	·02	·05	·01	—	25
26	—	—	—	—	—	—	·11	·10	·03	—	·09	·15	26
27	—	—	·05	—	—	—	·20	·19	·10	—	·11	·05	27
28	—	·18	·11	—	—	·01	·13	·03	—	—	·34	·12	28
29	—	X	—	—	—	—	—	—	1·07	—	·05	·04	29
30	—	X	·30	—	—	—	—	·04	·13	—	·14	·11	30
31		X	·27	X	—	X	—	—	X	·02	X	·01	31
Total	2·17	1·47	1·01	2·94	1·98	·91	2·95	0·98	4·79	1·43	2·05	2·55	YEAR'S TOTAL 25·23
Rain Days.	14	17	12.	16.	9	13	19.	10	24	18.	13	28.	193

W. 6,500, VII 15.

T. W. Mil

Sept corrected C/obs.

1024

1090

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Naseby Reservoir.
in the County of Northamptonshire.
by T. W. Millner.

Lat. 51° 24. 42 N. Long. 1° 1. 26 W.
Time of Observation 9 A.M.
Nearest Railway Station Welford
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 518·83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	·07	·05	·01	·24	–	·35	–	–	·16	·04	·47	1
2	·12	–	·03	–	·02	–	·31	–	·33	·12	·37	·07	2
3	·90	–	·08	–	·05	–	·51	–	·17	–	·19	·10	3
4	·07	–	·44	–	–	·06	·01	·22	·06	–	·02	·31	4
5	·03	·15	·14	·01	–	–	·03	–	·44	–	–	·12	5
6	·02	–	·05	–	·83	–	–	–	–	·02	·04	·11	6
7	·07	–	·19	–	–	–	–	–	·02	–	–	–	7
8	·10	–	·08	·24	–	–	–	–	–	–	·02	–	8
9	·03	–	·02	·27	–	–	–	–	–	–	·03	–	9
10	–	–	·44	·05	–	–	–	–	–	·03	·04	·05	10
11	·10	–	·50	·04	–	–	·43	–	–	–	–	–	11
12	·03	–	·15	·07	–	·17	–	–	·02	·12	·15	–	12
13	·11	–	–	·17	–	·01	·01	–	·03	·05	–	·04	13
14	·38	–	·01	·18	–	–	·04	–	·15	·03	–	–	14
15	·29	·05	·09	·14	–	–	–	–	–	·07	·18	·12	15
16	·24	·69	–	·03	–	–	–	·25	–	–	·22	–	16
17	·02	·46	–	–	–	–	–	–	–	–	·21	·02	17
18	–	–	·13	–	–	–	·01	·13	–	–	·03	·20	18
19	·04	·24	·85	–	–	·14	·70	·22	·11	·02	·02	·03	19
20	·55	·10	·11	–	–	·05	·37	·28	·05	–	·17	·03	20
21	·10	·45	·18	–	–	–	·34	–	–	·02	·03	·22	21
22	–	·39	·02	–	–	–	·02	–	·46	–	–	·71	22
23	–	–	–	–	–	·14	–	·02	·02	·53	–	·07	23
24	–	–	–	·12	–	–	·28	–	–	·42	·02	·06	24
25	·17	–	–	·07	·08	·05	–	·32	–	–	·01	·07	25
26	·05	–	·17	·12	–	·01	·02	·18	·08	–	·02	·34	26
27	·49	·04	·03	·38	–	·04	–	·07	–	·03	·03	·08	27
28	·20	–	·01	·03	–	–	–	·73	–	–	·04	·19	28
29	·07	╳	–	·03	–	·07	–	·07	–	·28	·15	·18	29
30	·01	╳	·22	·23	–	·28	–	·02	–	·04	·08	·24	30
31	·05	╳	–	╳	–	╳	·06	–	╳	·08	╳	·05	31
TOTAL	4·56	2·64	3·99	2·19	1·22	1·02	3·49	2·51	1·94 ~~2·04~~	2·02	2·11	4·38	YEAR'S TOTAL 32·07
Days with ·01 in. or more	26	10	23	18.	5.	11	16	12	13	16.	23	24	197

T. W. Millner

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

989

1090

7 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Naseby Reservoir

in the County of Northampton

by J. W. Millner

Lat. 51° 24' 42" N Long. 1° 1' 26" W

Time of Observation 9 A.M.

Nearest Railway Station Welford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 518·83 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·20	·23	·01	·35	—	·05	·23	—	·13	1
2	—	—	·03	·04	—	—	·34	·09	·09	·01	—	·08	2
3	·02	·04	—	·31	—	·03	·38	·01	·09	·08	—	·01	3
4	—	—	·02	·13	—	—	·07	·39	·01	·24	—	·08	4
5	—	·01	·07	—	·27	—	·53	·25	·06	·01	—	·01	5
6	—	—	·13	·01	·07	—	·33	—	—	—	—	·01	6
7	—	·01	·05	·13	—	—	·05	—	—	—	—	—	7
8	·27	·09	—	·54	·04	—	·17	—	—	·02	—	—	8
9	·40	—	·03	1·11	—	—	·08	·06	—	—	—	—	9
10	·23	·04	·06	·09	—	·02	·03	—	—	—	·07	—	10
11	·22	—	·06	·35	·26	·04	—	·29	—	—	·01	·07	11
12	·04	—	·05	·15	—	·71	·01	—	—	—	·02	·07	12
13	·03	·05	·11	·11	—	—	·05	—	·06	—	—	—	13
14	·01	·01	·41	·12	—	·42	—	—	·16	·10	·17	—	14
15	—	·07	·05	·05	—	—	·03	—	·20	·03	·14	—	15
16	—	—	·53	·04	·08	·77	—	—	·11	·08	—	—	16
17	—	·01	·01	·22	·11	·02	—	—	·41	·05	—	·09	17
18	·18	—	—	·03	·04	—	·09	·20	·34	—	·01	·03	18
19	·07	·13	—	·27	—	·07	—	·14	·02	—	·01	·03	19
20	·08	·26	—	·35	—	·40	—	—	—	—	—	·02	20
21	—	—	—	—	—	—	·08	·09	·07	—	—	·01	21
22	·02	—	—	·13	—	—	—	·02	·18	—	—	·01	22
23	—	·01	—	—	—	—	·24	—	—	—	—	·25	23
24	—	—	·14	—	—	—	—	—	—	—	·02	·09	24
25	—	·04	·02	·05	·15	·01	·69	—	—	·01	·01	—	25
26	·26	—	·13	·03	·01	·01	·03	—	—	·01	—	·03	26
27	·08	·03	·01	·10	—	·49	—	—	—	·01	·77	·24	27
28	·52	·01	·04	·01	·15	—	·03	—	—	—	·07	·02	28
29	·06	—	·20	—	·49	·08	·04	—	·01	—	·07	·40	29
30	·01	×	·01	·07	·04	·09	·08	—	·15	·01	·06	·19	30
31	·09	×	·01	×	·03	×	·01	—	×	·24	×	·07	31
TOTAL	2·59	·81	2·19	4·64	1·97	3·17	3·71	1·54	2·01	1·13	1·43	1·94	YEAR'S TOTAL 27·13
Days with ·01 in. or more	18	15	23	25	14	15	22	10	16	15	13	22	208
Days with ·04 in. or more	13	8	14	21	12	9	16	8	13	7	7	12	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

J. W. Millner

KETTERING
SEWAGE WORKS
NORTHAMPTONSHIRE
1911 – 1920

FORM A2.
BRITISH RAINFALL.
21 MAR 1912

REG

r.

Kept at Kettering Sewag

in.

round -- ft. 11. in.

in the County of Northam

ea Level 200. ft.

.m.

by Thos. R. Smith., Sur
Urban District Co

ame Kettering
M. F.

istance 1.1. Direction N. of gauge.

IMPORTANT NOTE.- he result entered to the previous day. If an Obser sal rule, he is earnestly requested to add the readin r in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in " sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03		·01	·02				·07			·04	·02	1
2	·03				·16				·01	·01	·06	·05	2
3		·01			·18			·06		·04	·04	·02	3
4	·01	·01	·08	·03					·04	·24	·20	·29	4
5				·01				·09		·03	·05	·02	5
6	·24		·01								·05	·22	6
7				·02						·05	·16	·16	7
8	·11		·13								·04	·08	8
9	·06			·01							·08	·03	9
10	·02	·04	·20								·04	·29	10
11	·16							·34			·42	·01	11
12	·05		·42						·06		·15	·06	12
13			·03		·21				·30			·34	13
14		·04	·02		·12					·05		·36	14
15		·06	·15							·03	·10	·03	15
16						·01				·01	·35	·04	16
17			·01			·02					·02	·14	17
18		·18				·02				·01	·04	·05	18
19		·02			·01	·15			·11	·09	·40	·04	19
20		·06		·02		·03		·22	·21	·08		·42	20
21		·09	·05					1·46		·08		·13	21
22	·03		·10	·01		·16		·09		·13	·03	·41	22
23		·10	·14			·43			·38			·12	23
24		·09	·01		1·24	·33				·41		·08	24
25	·01	·04	·01	·05	·49	·04		·14		·02	·01		25
26		·01		·24		·01	·05			·24	·11	·19	26
27		·14	·14	·11			·09	·12	·04	·01		·05	27
28		·15		·13				·21			·05	·01	28
29				·01		·14	·03		·15	·24	·01		29
30			·01			·04				·09		·01	30
31					·14					·02			31
Total	·75	1·10	1·58	·69	2·85	1·38	·14	2·44	1·36	1·88	2·48	3·46	TOTAL for year 20·74
No. of Rain Days.	11	15	14	12	8	12	3	10	9	20	22	28	164

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911.

FORM A2. BRITISH RAINFALL.
21 MAR 1912

4

Kept at Kettering Sewage Disposal Works.

in the County of Northampton.

by Thos. R. Smith., Surveyor to the Urban District Council.

RAIN GAUGE
Pattern Glaisher.
Diameter of top 8 in.
Height of top above Ground -- ft. 11. in.
" " " Sea Level 200. ft.

Time of Observation 9.0.a.m.

Nearest Railway Station
Name Kettering M. F.
Distance 1.1. Direction N. of gauge.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·01	·02				·07			·04	·02	1
2	·03				·16				·01	·01	·06	·05	2
3		·01			·18			·06		·04	·04	·02	3
4	·01	·01	·08	·03					·07	·24	·20	·29	4
5				·01				·09		·03	·05	·02	5
6	·24		·01								·05	·22	6
7				·02						·05	·16	·16	7
8	·11		·13								·04	·08	8
9	·06			·01							·08	·03	9
10	·02	·07	·20								·07	·29	10
11	·16							·34			·42	·01	11
12	·05		·42						·06		·15	·06	12
13			·03		·21				·30			·37	13
14		·04	·02		·12					·05		·36	14
15		·06	·15							·03	·10	·03	15
16						·01				·07	·35	·07	16
17			·01			·02					·02	·17	17
18		·18				·02				·01	·04	·05	18
19		·02			·01	·15			·11	·09	·40	·04	19
20		·06		·02		·03		·22	·21	·08		·42	20
21		·09	·05					1·46		·08		·13	21
22	·03		·10	·01		·16		·09		·13	·03	·41	22
23		·10	·17			·43			·38			·12	23
24		·09	·01		1·24	·33				·41		·08	24
25	·07	·04	·01	·05	·49	·04		·14		·02	·01		25
26		·01		·24		·01	·05			·24	·11	·19	26
27		·17	·17	·11			·09	·12	·07	·01		·05	27
28		·15		·13				·21			·05	·01	28
29				·01		·14	·03		·15	·24	·01		29
30			·01			·04				·09		·01	30
31					·14					·02			31
Total	·75	1·10	1·58	·69	2·85	1·38	·17	2·74	1·36	1·88	2·48	3·46	TOTAL for year 20·74
No. of Rain Days.	11	15	17	12	8	12	3	10	9	20	22	28	167

W. 8,000, X. '11.

/

ex J.C.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL
29 APR 1913

Kept at Kettering Sewage Disposal Works.

in the County of Northampton. 4

by Thos R Smith., Surveyor to the Urban District Council.

Lat. 52°. 22'. 48"N Long. 0°. 43'. 16". W.
Time of Observation 9.0.a.m.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground -- ft. 11. in.
" " " " Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·01		·10	·08		·04			·09	1
2		·04	·06	·02	·01	·30	·64					·03	2
3	·08		·03		·03	·11	·32	·58	·04		·07	·08	3
4	·04		·46		·06	·34		·03			·28		4
5	·08	·10	·14			·21		·15			·09		5
6	·35	·11				·12	·14	·20				·10	6
7		·04	·02		·01	·60	·01	·11				·02	7
8	·30	·28	·18			·10	·13	·04	·08	·01		·07	8
9		·06	·06	·08		·48	·04					·12	9
10			·01			·13		·12			·29		10
11	·04	·09			·01	·05		·03			·02	·26	11
12	·09	·44	·06		·06	·05	·34			·07	·04		12
13	·01	·04				·06		·11			·05	·01	13
14	·08		·10		·10	·29		·02		·01			14
15		·01	·11		·14	·14		·01				·14	15
16	·51		·04		·09			·04		·06			16
17	·68		·25			·12		·14			·04	·29	17
18	·11	·01	·04					·02			·02	·08	18
19	·24	·06	·04				·04	·34		·02	·03		19
20	·04		·13		·12		·24	·56		·21			20
21			·14		·52			·42		·16	·04		21
22	·40	·04			·23		·40	·30		·05			22
23	·09	·28	·30			·01	·54	·35	·01		·04	·30	23
24	·12	·03				·10	·04	·14				·08	24
25						·14		·42		·01	·20	·31	25
26		·02	·02			·05	·35	1·40		·60	·25	·24	26
27						·08	·28	·04		·30		·22	27
28		·02					·34	·49	·05	·21	·18	·54	28
29						·15	·30		·55	·33			29
30	·03				·11	·03			·23	·22			30
31			·03		·36		·44	·14		·03			31
Total	3·32.	1·40	2·35.	·11	1·88.	3·85	5·12	6·62	1·00	2·23.	1·61	2·98	YEAR'S TOTAL 32·47
Rain Days.	18.	14.	21.	3.	14.	23.	18.	25.	7.	15.	15.	18.	194

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

17 JUL 1914

Kept at Kettering Sewage Disposal works.

in the County of Northampton. 4

by Thos R Smith. surveyor to the Urban District Council.

Lat. 52°.22'.48"N. Long. 0°.43'.16"S.

Time of Observation 9.0.a.m.

Nearest Railway Station Kettering.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground --- ft. 11 in.

" " " " Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.02	.15	.12					.84		.15		1
2	.01	.14			.05		.11		.13		.02		2
3	.01		.12		.59				.06			.09	3
4	.33				.03		.03			.83	.03	.14	4
5							.02		.02	.45	.03	.03	5
6		.03	.03		.13	.10	.25			.14		.02	6
7		.09			.03	.10	.03			.53	.08		7
8					.13	.09				.08	.04		8
9		.24	.05	.01	.01	.15		.01	.03		.06	.01	9
10	.01		.01	.06	.10		.46	.02			.62		10
11	.86			.40						.09	.30		11
12					.28						.29		12
13	.04	.02	.01	.02				.03	.04		.20		13
14	.10	.01	.21	.03			.22	.01		.04	.03		14
15	.11	.03	.15	.33			.08		.05				15
16	.04		.43	.14					.01	.01			16
17	.10	.03	.14	.19		.26					.04	.04	17
18			.14	.06		.01	.05					.01	18
19	.11		.09	.01			.06		.04			.04	19
20	.12		.15	.01		.11			.01	.40	.03		20
21	.02		.21	.02	.14		.06				.24		21
22	.39		.19					.05	.16				22
23						.06	.02	.04	.02		.01	.03	23
24	.03			.08		.02		.04					24
25		.02		.11		.04				.01			25
26		.03	.26	.10				.03		.25	.02	.14	26
27		.03	.02	.02									27
28	.38		.26	.14						.09		.05	28
29	.02		.14	.58	.12			.64		.04		.06	29
30	.15							.01		.20	.14	.02	30
31					.10			.26					31
Total	2.86	.42	3.09	2.43	1.41	.94	1.39	1.14	1.44	3.52	2.39	.44	YEAR'S TOTAL 22.40
Rain Days.	19	12	19	19	12	10.	12.	11.	12.	14	18	13	141.

W.7,000, XI. 13

6 X 918

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

28 APR 1915

Kept at Kettering Sewage Disposal Works.
in the County of Northampton. 4
by Thos R Smith, Surveyor to the Urban District Council.

Lat. 52°.22'.48"N. Long. 0°.43'.16"S.
Time of Observation 9.0.a.m.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground -- ft. 11 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	.04	-	-	.15	.22	-	-	.07	.04	1
2	.01	-	-	-	-	-	-	.20	-	.02	.17	.23	2
3	-	--	-	.03	.14	-	.36	.04	-	-	.06	-	3
4	.17	-	-	.18	-	-	-	.38	-	-	.42	.22	4
5	.03	-	.05	.15	.03	.07	.26	.15	-	-	-	-	5
6	-	.03	-	-	.05	-	-	.01	-	-	.04	.03	6
7	-	.06	.38	-	.03	.02	.04	.02	-	-	-	.02	7
8	.04	.04	.09	.03	.02	1.14	.01	.14	-	-	-	.09	8
9	.34	.01	.21	.06	-	1.42	-	.03	.02	-	-	-	9
10	.10	.06	.01	.06	.05	.03	-	-	.11	.01	-	-	10
11	-	.08	.28	.03	.19	.26	-	-	.02	-	.26	.34	11
12	-	-	.09	-	-	-	.02	-	.26	-	.03	.27	12
13	.01	.12	.14	-	-	-	-	-	.05	.35	.16	.21	13
14	.02	.05	.14	-	-	-	.16	-	-	.63	.11	.33	14
15	.06	-	.16	-	-	-	.07	.02	.06	-	.05	.10	15
16	.02	-	.06	-	-	-	.08	-	.05	-	.02	-	16
17	.02	.22	.01	-	-	-	-	-	.12	-	-	.17	17
18	-	-	.02	-	-	-	.24	-	-	-	-	.46	18
19	-	.02	.08	-	-	-	-	-	.02	-	.07	.02	19
20	-	.14	.20	-	-	-	-	-	.02	-	-	.07	20
21	-	.12	.08	-	-	.04	-	-	-	.05	-	.29	21
22	-	-	.01	-	.19	-	.06	.07	-	.09	-	.02	22
23	-	.02	.06	-	.11	-	-	-	-	.05	-	.03	23
24	-	-	-	-	-	-	.08	-	-	.12	.12	-	24
25	.02	.01	-	-	-	-	.03	.15	-	.43	-	.20	25
26	-	-	.02	-	-	-	-	.06	-	.06	.19	.31	26
27	.03	-	-	-	-	-	-	-	-	-	.04	.18	27
28	-	.07	-	-	.03	-	-	-	-	.11	.09	1.10	28
29	.03	-	.09	-	.04	-	-	-	-	.28	.08	-	29
30	-		.01	-	-	.04	-	-	-	.03	.23	.20	30
31	.01		-		.05		.12	-		-		.08	31
Total	.91	1.05	2.19	.58	.93	3.02	1.68	1.49	.73	2.23	2.21	5.01	YEAR'S TOTAL 22.03.
Rain Days.	15.	15.	21.	8.	12.	8.	14.	13.	10.	13.	18.	24.	171

W. 8,000. X. 14.

1215

FORM A. BRITISH RAINFALL.

8 JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kettering Sewage Disposal Works.

in the County of Northampton.

by Thos R. Smith, Surveyor to the Urban District Council.

Lat. 52°22'48"N. Long. 0°43'16"W.

Time of Observation 9 0. AM.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·13	·07	—	·18	—	—	—	·04	—	·09	·12	1
2	·04	·13	·16	·15	—	·03	—	·32	·04	·10	·01	·06	2
3	·29	—	·03	·11	—	—	·18	·27	·12	—	—	·17	3
4	·06	—	—	—	—	—	·08	·01	—	—	—	·50	4
5	·03	·30	—	—	·17	—	—	·03	—	—	·02	·26	5
6	·15	·01	·01	·13	—	—	·74	·04	—	·01	—	·09	6
7	·05	·27	·04	—	·12	·28	·03	·10	—	—	—	·09	7
8	03	·12	·03	·04	—	—	—	·02	—	—	·03	—	8
9	—	—	—	—	—	·18	—	—	—	·01	·18	·54	9
10	·36	—	·02	—	—	—	·01	·17	—	—	·03	—	10
11	·01	—	·01	·03	·08	—	·20	·01	—	—	·67	·12	11
12	·03	—	—	·20	·34	—	—	·09	—	—	·97	—	12
13	—	·33	—	—	·93	—	—	—	—	—	—	—	13
14	—	·04	—	—	—	—	—	—	·06	—	—	·32	14
15	·25	·01	—	—	·08	—	·04	·38	—	—	·15	·12	15
16	—	·18	—	—	·01	—	·87	·13	—	·01	—	·05	16
17	—	·16	—	—	·05	—	·22	—	—	—	—	·02	17
18	—	·09	·12	—	—	—		—	—	—	·04	—	18
19	—	·03	·02	—	—	—	·05	—	—	—	—	—	19
20	·28	—	—	—	—	—	—	—	—	—	—	·23	20
21	·09	·02	—	—	·09	—	·10	—	—	—	—	·06	21
22	·10	—	·24	·02	—	—	·41	—	·02	—	—	·13	22
23	·01	·05	·05	—	—	·14	·11	—	·07	·29	—	·31	23
24	·01	—	·02	·01		·03	·19	—	·67	·02	—	·14	24
25	—	—	—	—	—	·28	·19	—	—	·03	—	·28	25
26	—	·13	—	—	—	—	·11	—	—	—	—	·31	26
27	—	·02	·01	—	—	—	·05	—	—	·43	—	·04	27
28	—	·06	·03	—	—	·04	—	·05	·11	·12	—	—	28
29	—	—	—	—	—	·03	·02	·06	—	·01	·12	·18	29
30	·12	✕	—	—	—	·21	—	·02	—	—	—	·07	30
31	·01	✕	—	✕	—	✕	—	·06	✕	·35	✕	·06	31
Total	2·20	2·08	·86	·69	2·05	1·22	3·60	1·76	1·13	1·38	2·31	4·27	YEAR'S TOTAL 23·56
Rain Days.	19	18	15	8	10	9	18	16	8	11	11	24	167

W. 8,000. X. 15.

Exd CSE

1189

FORM A.
BRITISH RAINFALL.
2. MAY 1917

REGISTER OF RAINFALL IN 1916

Kept at Sewage Disposal Works

in the County of Northampton

by The Kettering Urban District Council

Lat. 52° 22′ 48″ Long. 0° 43′ 16″ W.

Time of Observation 9 AM.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	·	·18	·	·	·05	·19	·	·	·	·34	·	1
2	·54	·	·08	·	·25	·	·10	·	·01	·34	·03	·	2
3	·	·45	·	·	·01	·	·26	·	·30	·28	·06	·	3
4	·45	·12	·	·	·11	·19	·03	·	·	·01	·15	·	4
5	·05	·	·	·	·03	·15	·02	·	·	·14	·18	·	5
6	·	·12	·08	·06	·01	·02	·30	·	·	·09	·28	·	6
7	·09	·	·26	·	·06	·	·57	·	·	·03	·16	·06	7
8	·	·	·04	·	·	·	·	·	·	·	·06	·17	8
9	·	·	·03	·	·32	·05	·	·	·	·06	·	·03	9
10	·	·07	·10	·05	·	·07	·03	·	·02	·03	·	·03	10
11	·03	·18	·10	·12	·08	·11	·	·	·	·	·	·07	11
12	·04	·03	·18	·	·53	·10	·04	·03	·	·04	·	·	12
13	·01	·24	·15	·06	·02	·07	·06	·06	·	·	·	·	13
14	·	·45	·	·07	·01	·	·	·	·	·02	·	·	14
15	·	·27	·43	·	·04	·	·07	·05	·	·01	·	·	15
16	·	·12	·26	·19	·05	·	·10	·06	·	·	·	·	16
17	·04	·02	·	·10	·	·	·04	·95	·16	·23	·	·	17
18	·	·16	·03	·05	·	·	·	·58	·07	·	·94	·04	18
19	·10	·04	·27	·22	·	·	·	·	·11	·	·60	·05	19
20	·07	·	·12	·05	·	·	·	·02	·	·	·12	·31	20
21	·02	·	·30	·06	·	·	·	·	·	·	·	·77	21
22	·	·07	·04	·	·15	·02	·	·	·	·03	·	·55	22
23	·05	·36	·	·	·	·08	·	·04	·	·01	·04	·15	23
24	·	·31	·07	·02	·	·25	·	·03	·	·03	·	·23	24
25	·	·13	·11	·	·04	·	·	·25	·	·12	·10	·	25
26	·	·06	·03	·	·	·01	·	·14	·	·04	·02	·	26
27	·03	·10	1·37	·	·	·18	·22	·04	·07	·21	·	·	27
28	·	·31	1·45	·03	·	·01	·	·	·01	·01	·	·17	28
29	·	·10	·	·	·08	·16	·	1·73	·	·32	·	·02	29
30	·		·	·	·	·04	·	·07	·	·14	·	·	30
31	·02		·		·		·	·02		·04		·	31
Total	1·64	3·71	5·68	1·08	1·79	1·56	2·03	4·07	·75	2·23	3·08	2·65	YEAR'S TOTAL 30·27
Rain Days.	15	21	22	13	16	17	14	15	8	22	14	14	191

W. 8,000. X. 15.

Exc 88

1147

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Sewage Disposal Works
in the County of Northamptonshire
by C. A. Markham, T. R. Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10				1·20	·13		·02	·04	1
2	·02	·02				·06		·09		·01	·02		2
3				·05				·46		·16	·13		3
4		·18	·08					·07		·36		·01	4
5	·13		·05	·17					·15	·03	·12		5
6						·05			·02	·08	·03		6
7	·56									·30		·01	7
8	·40			·17			·31	1·03		·39	·12		8
9	·08		·09	·09	·06		·01	·31		·01	·12	·02	9
10	·35		·29	·23	·04			·21		·04	·01		10
11	·03	·02	·15	·18				·38	·04	·27			11
12	·09	·02			·12			·04		·51	·01	·02	12
13	·01		·05	·05			·01	·23	·06		·01		13
14	·08			·08				·15			·01		14
15	·01				·01		·03	·02		·02		·02	15
16	·05	·12		·20			·07			·10		·13	16
17		·04		·16	·46	·30	·19	·06	·12	·04			17
18	·01	·01		·07	·10	·04	·17	·01	·82	·02			18
19	·01	·14	·12		·29				·04				19
20	·02	·15	·05		1·00				·02		·14		20
21			·05	·03	·03					·01	·01		21
22			·06					·13	·04	·12			22
23		·07			·07			·22	·04	·02		·01	23
24		·02				·38		·03		·18	·07	·01	24
25			·06				·01		·01		·08		25
26			·01					·57	·16		·14	·01	26
27						·49		·65				·03	27
28			·05			·61		·09				·06	28
29					·08	·10	·18	·05		·32		·26	29
30	·02	×					·30	·17				·01	30
31		×	·15	×		×	·06	·09	×		×	·13	31
Total	1·87	·79	1·26	1·58	2·26	2·03	1·34	6·26	1·65	2·99	1·04	·77	YEAR'S TOTAL 23·84
Rain Days.	16	11	14	13	11	8	11	23	13	20	16	15	171

W. 8,000, VIII. 16

39

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

21.7.19

Kept at Kettering Sewage Disposal Works
in the County of Northampton
by Thos. K. Smith Surveyor to the Kettering Urban District Council

Lat. 52°22'48" Long. 0°43'16"
Time of Observation 9.0 AM
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·02	·19							·20	·02	1
2		·19		·21				·04			·10	·11	2
3		·05	·05		·44			·45	·15		·44	·02	3
4		·02	·05				·15	·04	·34	·01	·30	·03	4
5		·05		·02	·20			·05	·34	·04			5
6		·18		·18		·03			·12				6
7	·01	·06		·13		·02			·01	·09	·10		7
8			·04	·02					·04	·03		·11	8
9		·23		·08		·09	·25		·34	·15		·10	9
10	·04	·01		·11			·38		·05	·14		·04	10
11			·01	·01	·14		·06		·12	·25		·05	11
12	·01	·08	·02		·12		·11		·05			·02	12
13					·09	·04	·02		·12	·01		·04	13
14	·28			·06			·53		·28	·15		·04	14
15	·45			·44		·04	·11		·22			·19	15
16	·04			·44				·01	·28				16
17	·20			·04	·04		·56			·01			17
18	·29					·12	·09		·23			·32	18
19	·02	·01	·05	·13						·06		·13	19
20	·02	·04		·54		·04			·10	·21	·01		20
21	·04	·01		·24		·01			·24	·04			21
22	·14				·06				·03	·02		·33	22
23	·06				·32	·03	·13				·02	·01	23
24		·14					·08		·03	·03	·12		24
25					·04	·05	·04	·24		·02	·01	·02	25
26							·08		·04		·11	·14	26
27			·02			·01	·05	·11	·01		·12	·02	27
28		·09						·04			·23	·09	28
29			·11						1·12		·18	·02	29
30	·01	X	·26					·02	·06	·01		·08	30
31	·01	X	·04	X		X			X	·03	X		31
Total	1·95	1·22	·40	3·23	1·48	·51	2·64	1·33	4·38	1·36	1·94	1·96	YEAR'S TOTAL 22·43
Rain Days.	15.	15.	11.	16.	9.	11.	15.	9.	23.	18.	13.	22	144.

W. 8,000, VIII. 16

C X M L

1079

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kettering

Kept at Sewage Disposal Works

in the County of Northampton

by The Kettering Urban District Council

Thos E Smith Surveyor

Lat 52°22'48" Long 0°43'16" W.

13 FEB 20

Time of Observation 9 a.m.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 11 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·05	·03	·	·14	·	·04	·	·	·05	·03	·57	1
2	·14	·	·02	·	·01	·	·30	·	·13	·04	·43	·13	2
3	·94	·	·08	·	·03	·	·25	·	·22	·	·20	·07	3
4	·06	·	·35	·	·	·10	·02	·23	·05	·	·02	·27	4
5	·05	·20	·15	·	·	·	·03	·	·66	·	·	·12	5
6	·	·	·02	·	1·13	·	·	·	·	·	·02	·	6
7	·03	·	·25	·	·	·	·	·	·	·	·01	·	7
8	·13	·	·06	·14	·	·	·	·	·	·	·01	·	8
9	·	·	·03	·12	·	·	·	·	·	·	·01	·	9
10	·	·	·31	·03	·09	·	·	·	·	·02	·04	·09	10
11	·07	·	·35	·05	·	·	·64	·	·	·	·02	·	11
12	·01	·	·28	·07	·	·15	·03	·	·	·06	·02	·01	12
13	·15	·	·	·13	·	·	·01	·	·05	·04	·01	·01	13
14	·35	·	·	·16	·	·	·	·	·06	·02	·02	·	14
15	·26	·02	·16	·10	·	·	·	·	·	·05	·15	·45	15
16	·07	·49	·	·02	·	·	·	·09	·	·	·17	·	16
17	·04	·35	·	·	·	·	·	·	·	·	·18	·02	17
18	·	·	·11	·	·	·	·	·12	·	·	·02	·15	18
19	·03	·22	·83	·	·	·12	·38	·13	·09	·	·03	·05	19
20	·59	·03	·18	·	·	·14	·23	·30	·02	·	·09	·	20
21	·24	·43	·06	·	·	·	·30	·	·	·01	·02	·11	21
22	·	·31	·02	·	·	·	·05	·	·21	·	·	·41	22
23	·	·	·	·	·	·03	·03	·06	·01	·61	·	·04	23
24	·	·	·	·15	·03	·	·04	·01	·	·25	·	·03	24
25	·07	·	·	·07	·07	·01	·	·15	·	·	·	·05	25
26	·13	·08	·20	·05	·	·01	·	·03	·07	·	·	·34	26
27	·47	·02	·02	·56	·	·	·	·12	·	·02	·02	·06	27
28	·06	·	·	·04	·	·	·	·83	·	·	·06	·28	28
29	·05	·	·	·04	·	·01	·	·10	·	·23	·15	·23	29
30	·		·08	·22	·	·21	·	·	·	·09	·07	·33	30
31	·02		·03		·		·05	·		·02		·04	31
TOTAL	4·30	2·50	3·62	1·95	1·50	·48	2·40	2·17	1·57	1·51	1·80	3·86	YEAR'S TOTAL 27·96
Days with ·01 in. or more	23	11	22	16	7	9	15	12	11	14	24	23	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

102
1025
782503
JUL
PAID

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Disposl. Wks: Kettering
in the County of Northamptonshire
by per C. A. Markham, T. R. Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·09	·24		·21		·01	·17	·02	·17	1
2				·12			·01	·10	·07	·07		·04	2
3		·03		·65		·03	·55		·08	·08		·02	3
4			·07	·10			·04	·36	·01	·25		·02	4
5			·05		·20		·47	·12	·18				5
6			·10		·05		·44					·01	6
7			·08	·10			·07					·01	7
8	·18	·06		·48	·03		·07			·01			8
9	·41			·97			·02	·12					9
10	·17	·03	·03	·48		·01	·05				·02		10
11	·23	·01	·06	·11	·18	·14	·03	·05				·17	11
12	·04	·01	·04	·16		·26		·02			·03	·20	12
13	·02	·03	·07	·13		·02			·03		·02	·02	13
14	·02		·61	·18		·17	·08		·16	·42	·19		14
15	·01	·10	·33	·06			·01		·15	·04	·08		15
16			·01	·04	·02	·04			·19	·09			16
17				·06	·14				·22	·02		·07	17
18	·19			·04	·02		·01	·12	·19			·01	18
19	·08	·09		·22		·07		·19			·01	·02	19
20	·05	·37		·28		·37							20
21	·03						·02	·10	·03			·03	21
22	·01			·16			·01	·02	·22				22
23		·01					·23		·02			·37	23
24	·01		·15								·01	·05	24
25		·09	·01	·02			·57			·01			25
26	·13		·16	·02	·02		·01			·01	·01	·01	26
27	·08	·03	·01	·09		·61				·01	·52	·20	27
28	·40		·12		·11		·02				·04	·15	28
29	·07		·04		·35	·02	·05				·08	·54	29
30	·03	X		·09		·06	·04		·12		·10	·16	30
31	·10	X	·02	X	·03	X			X	·25	X	·08	31
													YEAR'S TOTAL
TOTAL	2·26	·86	1·96	4·65	1·39	1·80	3·01	1·20	1·68	1·43	1·13	2·35	23·72
Days with ·01 in. or more	20	12	18	23	12	12	22	10	15	13	13	21	191
Days with ·04 in. or more	13	5	13	21	7	8	13	8	10	8	6	12	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Examined E.W.H.

1027

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

11 AUG 1921

Kept at The Sewage Disposal Works
in the County of Northampton
by The Kettering Urban District Council (Mr. T. R. Smith, Surveyor)

Lat. 52°22'48" Long. 0°43'16"W
Time of Observation 9 AM
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 11 in.
" " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.	·09	·24	-	·21	-	·01	·17	·02	·17	1
2	.	-	-	·12	-	-	·01	·10	·07	·07	-	·04	2
3	-	·03	-	·65	-	·03	·55	.	·08	·08	-	·02	3
4	-	-	·07	·10	-	-	·04	·36	·01	·25	-	·02	4
5	.	.	·05	-	·20	-	·47	·12	·18	-	-	.	5
6	.	.	·10	.	·05	.	·44	-	-	-	-	·01	6
7	-	-	·08	·10	-	-	·07	-	-	-	-	·01	7
8	·18	·06	.	·48	·03	.	·07	-	.	·01	.	.	8
9	·41	.	.	·97	-	.	·02	·12	.	.	.	.	9
10	·17	·03	·03	·48	-	·01	·05	-	.	.	·02	.	10
11	·23	·01	·06	·11	·18	·14	·03	·05	.	.	.	·17	11
12	·04	·01	·04	·16	.	·26	.	·02	.	.	·03	·20	12
13	·02	·03	·07	·13	.	·02	.	.	·03	.	·02	·02	13
14	·02	.	·61	·18	.	·17	·08	.	·16	·42	·19	.	14
15	·01	·10	·33	·06	.	.	·01	.	·15	·04	·08	.	15
16	.	.	·01	·04	·02	·04	.	.	·19	·09	.	.	16
17	.	.	.	·06	·14	.	.	.	·22	·02	.	·07	17
18	·19	.	.	·04	·02	.	·01	·12	·19	.	.	·01	18
19	·08	·09	.	·22	.	·07	.	·19	.	.	·01	·02	19
20	·05	·37	.	·28	.	·37	.	-	.	.	.	.	20
21	·03	.	.	-	.	.	·02	·10	·03	.	.	·03	21
22	·01	.	.	·16	.	.	·01	·02	·22	.	.	-	22
23	-	·01	.	-	.	.	·23	.	·02	.	.	·37	23
24	·01	-	·15	-	.	.	.	.	.	.	·01	·05	24
25	-	·09	·01	·02	.	.	·57	.	.	·01	.	-	25
26	·13	.	·16	·02	·02	.	·01	.	.	·01	·01	·01	26
27	·08	·03	·01	·09	-	·61	.	.	.	·01	·52	·20	27
28	·40	.	·12	.	·11	.	·02	.	.	.	·04	·15	28
29	·07	.	·04	.	·35	·02	·05	.	.	.	·08	·54	29
30	·03		.	·09	-	·06	·04	.	·12	.	·10	·16	30
31	·10		·02		·03		-	.		·25		·08	31
TOTAL	2·26	·86	1·96	4·65	1·39	1·80	3·01	1·20	1·68	1·43	1·13	2·35	YEAR'S TOTAL 23·72
Days with ·01 in. or more	20	12	18	23	12	12	22	10	15	13	13	21	191
Days with ·04 in. or more	13	5	13	21	7	8	13	8	10	8	6	12	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KETTERING
WATER WORKS
(THORPE MALSOR)
NORTHANTS
1911-1920

RE 11.

her's

Kept at Kettering Wa 5 in.

e Ground ---- ft. 11 in.

in the County of Nor Sea Level 351.76 ft. 1126

.a.m.

by Thos R Smith Name Kettering.
M.F.

Urban Distri Distance 2.3. Direction E.S.E. of gauge.

FORM A2.
BRITISH RAINFALL.

21 MAR 1912

IMPORTANT NOT l the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the read year in the space provided for it at the end of this ement of rain, the selection and placin ritish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.01	.01			.05			.03	.05	1
2				.01	.15						.06	.05	2
3	.04				.14			.05		.02	.03	.01	3
4	.01	.02	.09	.02	.02				.04	.16	.19	.31	4
5	.15		.01	.01	.01			.10		.03	.01	.01	5
6	.25		.02	.01				.06			.03	.24	6
7	.04									.11	.18	.12	7
8	.02		.13								.04	.11	8
9	.04		.01								.05	.03	9
10	.02	.03	.32								.03	.31	10
11	.11		.01					.12			.44	.01	11
12	.02		.46						.01	.01	.14	.01	12
13		.01	.03		.03				.30	.01	.01	.38	13
14		.02	.02		.10					.05	.02	.43	14
15		.08	.12							.04	.04	.02	15
16			.01			.02				.01	.36	.09	16
17	.01		.01			.04				.02	.03	.19	17
18		.16				.14				.04	.13	.05	18
19	.01	.03	.01		.01	.13			.15	.06	.32	.05	19
20		.02						.33	.29	.03	.01	.56	20
21		.15	.10					.98		.10	.07	.14	21
22		.07	.02			.36		.25		.08	.02	.36	22
23	.02	.12	.25			.54			.31	.07		.14	23
24	.01	.08	.02		.01	.33			.01	.54		.04	24
25		.03		.03	1.09	.05				.01		.01	25
26			.01	.28	.66		.04			.26	.15	.18	26
27		.18	.13	.06			.11		.11	.02	.03	.03	27
28		.24	.01	.08				.26			.08	.01	28
29	.01			.14		.13	.02		.18	.25	.01	.01	29
30			.01	.04						.04	.01	.01	30
31					.16					.01		.01	31
Total	83	1.18	1.80	.69	2.42	1.80	.14	2.20	1.43	1.94	2.49	4.03	TOTAL for year ✓ 21.07
No. of Rain Days.	16	15	22	11	12	9	3	9	9	23	24	31	184

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
21 MAR 1912

REGISTER OF RAINFALL IN 1911.

Kept at Kettering Waterworks(Thorpe Malsor)

in the County of Northampton.

by Thos R Smith., Surveyor to the Urban District Council.

RAIN GAUGE Pattern Glaisher's
Diameter of top 5 in.
Height of top above Ground ---- ft. 11 in.
" " " Sea Level 351.76 ft. 1126

Time of Observation 9.0.a.m.

Nearest Railway Station Name Kettering. M.F.
Distance 2.3. Direction E.S.E. of gauge.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01			.01	.01			.05			.03	.05	1
2				.01	.15						.06	.05	2
3	.04				.14			.05		.02	.03	.01	3
4	.01	.02	.09	.02	.02				.04	.16	.19	.31	4
5	.15		.01	.01	.01			.10		.03	.01	.01	5
6	.25		.02	.01				.06			.03	.24	6
7	.04									.11	.18	.12	7
8	.02		.13								.04	.11	8
9	.04		.01								.05	.03	9
10	.02	.03	.32								.03	.31	10
11	.11		.01					.12			.44	.01	11
12	.02		.46						.01	.01	.14	.01	12
13		.01	.03		.03				.30	.01	.01	.38	13
14		.02	.02		.10					.05	.02	.43	14
15		.08	.12							.04	.04	.02	15
16			.01			.02				.01	.36	.09	16
17	.01		.01			.04				.02	.03	.19	17
18		.16				.14				.04	.13	.05	18
19	.01	.03	.01		.01	.13			.15	.06	.32	.05	19
20		.02						.33	.29	.03	.01	.56	20
21		.15	.10					.98		.10	.07	.14	21
22		.07	.02			.36		.25		.08	.02	.36	22
23	.02	.12	.25			.54			.31	.07		.14	23
24	.01	.08	.02		.01	.33			.01	.54		.04	24
25		.03		.03	1.09	.05				.01		.01	25
26			.01	.28	.66		.04			.26	.15	.18	26
27		.18	.13	.06			.11		.11	.02	.03	.03	27
28		.24	.01	.08				.26			.08	.01	28
29	.01			.14		.13	.02		.18	.25	.01	.01	29
30			.01	.04						.04	.01	.01	30
31					.16					.01		.01	31
Total	83	1.18	1.80	.69	2.42	1.80	.14	2.20	1.43	1.94	2.49	4.03	TOTAL for year 21.07
No. of Rain Days.	16	15	22	11	12	9	3	9	9	23	24	31	184

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
29 APR 1913
1126

REGISTER OF RAINFALL IN 19 12.

Kept at Kettering Waterworks (Thorpe Malsor)
in the County of Northampton. 4
by Thos R Smith., Surveyor to the Urban District Council.

Lat. 52° 24½' Long. 0° 44' W.
Time of Observation 9.0.a.m.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground -- ft. 11 in.
" " " " Sea Level 351·76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03			·11		·03	·08			·11	1
2		·02	·06	·02	·01	·33	·63		·02			·03	2
3	·05		·01		·04	·14	·04	·55	·05		·02	·04	3
4	·02		·50		·06	·33		·25			·30		4
5	·05	·08	·16			·09		·22			·04		5
6	·36	·13				·16	·11	·35				·05	6
7					·03	·38	·01	·01		·07		·03	7
8	·39	·33	·19			·14	·15	·11	·10			·02	8
9	·03	·04	·06	·08		·34	·03			·07	·07	·11	9
10						·02		·14		·07	·34	·01	10
11	·03	·09	·01			·05		·05			·04	·33	11
12	·04	·50	·08		·06	·01	·40				·06		12
13		·08						·04			·04	·02	13
14	·05		·11		·10	·26		·02		·07			14
15		·03	·13		·22	·21		·03				·15	15
16	·45		·09		·06			·04		·10			16
17	·34		·14			·14		·20			·05	·30	17
18	·53		·04					·09				·04	18
19	·24	·06	·05				·04	·25		·04	·04	·02	19
20	·04		·15		·08		·44	·41		·24	·01		20
21		·01	·18		·41			·85		·18	·04		21
22	·35	·08			·32		·43	·34		·01		·03	22
23	·15	·24	·28		·02		·89	·42			·08	·32	23
24	·09	·02				·13	·03	·14				·08	24
25		·01				·15		·59			·23	·32	25
26		·06	·01			·05	·41	1·30		·40	·25	·28	26
27						·10	·29	·02		·34		·22	27
28		·02					·04	·53	·05	·28	·23	·42	28
29		·07				·15	·22		·65	·40	·01	·07	29
30	·05				·12				·19	·28			30
31			·05		·51		·45	·13		·04		·03	31
Total	3·62	1·84	2·39	·10	2·04	3·29	5·00	4·20	1·13	2·65	1·82	3·03	YEAR'S TOTAL 34·11 ins
Rain Days.	18.	18.	20.	2.	14.	20.	14.	26.	4.	15.	14.	23.	194.

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
29 APR 1913
1126

Kept at Kettering Waterworks(Thorpe Malsor)
in the County of Northampton. 4
by Thos R Smith., Surveyor to the Urban District Council.

Lat. 52° 24½' Long. 0° 44' W.
Time of Observation 9.0.a.m.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground -- ft. 11 in.
" " " " Sea Level 351·76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	·03	.	.	·11	.	·03	·08	.	.	·11	1
2	.	·02	·06	·02	·01	·33	·63	.	·02	.	.	·03	2
3	·05	.	·01	.	·04	·14	·04	·55	·05	.	·02	·04	3
4	·02	.	·50	.	·06	·33	.	·25	.	.	·30	.	4
5	·05	·08	·16	.	.	·09	.	·22	.	.	·04	.	5
6	·36	·13	.	.	.	·16	·11	·35		.	.	·05	6
7	.	.	.	.	·03	·38	·01	·01	.	·07	.	·03	7
8	·39	·33	·19	.	.	·14	·15	·11	·10		.	·02	8
9	·03	·04	·06	·08	.	·34	·03	.	.	·07	·01	·11	9
10	.	.	.	.	.	·02	.	·14	.	·07	·34	·01	10
11	·03	·09	·01	.	.	·05	.	·05	.	.	·04	·33	11
12	·04	·50	·08	.	·06	·01	·40	.	.	.	·06	.	12
13	.	·08	.	.	.	.	.	·04	.	.	·04	·02	13
14	·05	.	·11	.	·10	·26	.	·02	.	·07	.	.	14
15	.	·03	·13	.	·22	·21	.	·03	.	.	.	·15	15
16	·45	.	·09	.	·06	.	.	·04		·10	.	.	16
17	·34	.	·14	.	.	·14	.	·20	.	.	·05	·30	17
18	·53	.	·04		.	.	.	·09	.	.	.	·04	18
19	·24	·06	·05	.	.	.	·04	·25	.	·04	·04	·02	19
20	·04	.	·15	.	·08	.	·44	·41	.	·24	·01	.	20
21	.	·01	·18	.	·41	.	.	·85	.	·18	·04	.	21
22	·35	··08	.	.	·32	.	·43	·34	.	·01	.	·03	22
23	·15	·24	·28	.	·02	.	·89	·42	.	.	·08	·32	23
24	·09	·02	.	.	.	·13	·03	·14	.	.	.	·08	24
25	.	·01	.	.	.	·15	.	·59	.	.	·23	·32	25
26	.	·06	·01	.	.	·05	·41	1·30	.	·40	·25	·28	26
27	.	.	.	.	.	·10	·29	·02	.	·34	.	·22	27
28	.	·02	.	.	.	.	·04	·53	·05	·28	·23	·42	28
29	.	·07	.	.	.	·15	·22	.	·65	·40	·01	·07	29
30	·05	.	.	.	·12	.	.	.	·19	·28		.	30
31	.	.	·05	.	·51	.	·45	·13	.	·04	.	·03	31
Total	3·62	1·84	2·39	·10	2·04	3·29	5·00	4·20	1·13	2·65	1·82	3·03	YEAR'S TOTAL 34·11 ins
Rain Days.	18.	18.	20.	2.	14.	20.	14.	26.	4.	15.	14.	23.	194.

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

Ex. Mg.

FORM A. BRITISH RAINFALL.

17 JUL 1914

1126

Kept at Kettering Waterworks(Thorpe Malsor).

in the County of Northampton. 4

by Thos R Smith. Surveyor to the Urban District Council.

Lat. 52° 24½'. Long. 0° 47'W.

Time of Observation 9.0.a.m.

Nearest Railway Station Kettering.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground --- ft. 11 in.

" " " " Sea Level 351·76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.13	.09					.64		.16	.04	1
2		.11	.01	.04	.03		.10		.20		.03		2
3	.01		.12		.60		.03		.04	.02			3
4	.38				.11		.01			.66	.04	.20	4
5							.08		.06	.80	.04	.04	5
6		.05	.06		.15	.09	.20			.18		.02	6
7		.09			.02	.09	.02			.55	.13	.03	7
8		.01			.09	.06				.05	.12		8
9		.24	.04	.01	.02	.15			.04		.14	.01	9
10	.03			.04	.09		.42				.62		10
11	.91			.45						.15	.24		11
12		.01			.30						.36		12
13	.03		.02	.03				.04	.04		.20		13
14	.08		.25	.03			.35	.01			.03		14
15	.10	.04	.23	.43			.04		.04				15
16	.03		.71	.11									16
17	.08	.03	.20	.19		.20			.01		.06	.02	17
18			.15	.04			.03		.04				18
19	.18		.10	.01		.01	.06		.04			.03	19
20	.14		.10	.01					.02	.42	.05		20
21	.03		.19	.02	.12		.04			.04	.23		21
22	.40		.22					.08	.20				22
23						.08		.04	.02				23
24	.04			.10		.01		.05		.01			24
25		.02		.11								.02	25
26		.04	.23	.16				.02		.24	.04	.14	26
27		.03	.02	.08	.02					.01			27
28	.52		.33	.15						.06		.08	28
29	.04		.14	.44	.01			.90		.09		.02	29
30	.20			.01				.02		.11	.10		30
31					.14			.15					31
Total	3.20	.42	3.28	2.64	1.40	.69	1.44	1.34	1.39	3.42	2.59	.68	YEAR'S TOTAL 23.09
Rain Days.	14	12	19	21	13	8	12	9	13	15	14	12	168

W.7,000, XI. 13

5X [illegible]

FORM A.
BRITISH RAINFALL.

28 APR 1915

1126

REGISTER OF RAINFALL IN 1914.

Kept at Kettering Waterworks (Thorpe Malsor)
in the County of Northampton. 4
by Thos R Smith, Surveyor to the Urban District Council.

Lat 52°. 24½' Long. 0°. 47' W.
Time of Observation 9.0.a.m.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground -- ft. 11 in.
" " " " Sea Level 351.76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	-	.01	-	-	.24	.30	-	-	.07	.05	1
2	-	.01	.03	-	-	-	-	.13	-	.02	.41	.34	2
3	-	-	.01	.01	.12	-	.23	.01	-	-	.04	-	3
4	.20	-	.01	.14	-	-	-	.21	-	-	.43	.17	4
5	.03	-	.05	.30	.04	.05	.30	.21	-	-	.02	-	5
6	-	.05	.01	.02	.05	.01	.02	.01	-	-	-	.03	6
7	-	.09	.40	-	.02	.02	.04	.01	-	-	-	.03	7
8	.05	.04	.08	.12	.06	.94	.08	.19	-	-	-	.05	8
9	.35	-	.24	.13	-	1.44	-	.01	.05	-	-	-	9
10	.11	.08	-	.17	.04	.02	-	-	.07	-	-	.02	10
11	-	.10	.34	.15	.14	.11	-	-	.03	-	.28	.39	11
12	-	-	.11	-	-	.03	.03	-	.25	-	.04	.29	12
13	.01	.17	.17	-	-	-	-	-	-	.31	.16	.24	13
14	-	.03	.15	-	-	-	.20	.01	.05	.63	.10	.31	14
15	.02	.01	.19	-	-	-	-	.02	.03	-	-	.12	15
16	.08	-	.05	-	-	-	.09	-	.02	-	.01	-	16
17	.02	.25	.03	-	-	-	.01	-	.19	-	.02	.21	17
18	.01	-	.02	-	-	-	.25	-	.01	-	-	.50	18
19	-	.03	.14	-	-	-	.01	-	-	-	.06	.02	19
20	-	.20	.19	-	-	-	.03	-	.03	.01	-	.03	20
21	-	.12	.05	-	-	.03	.02	.02	-	.11	-	.31	21
22	-	-	.01	-	.24	.02	.02	.06	-	.18	-	-	22
23	-	.04	.07	-	.08	.05	.03	.02	-	.03	-	.11	23
24	.01	.01	.03	-	.01	-	.14	-	-	.32	.14	-	24
25	.03	-	-	-	-	-	.01	.08	-	.43	-	.19	25
26	-	.01	.01	-	-	-	-	.13	-	.03	.15	.33	26
27	.04	-	-	-	-	-	-	-	-	-	.02	.17	27
28	-	.06	.01	-	.02	-	.01	-	-	.08	.04	.84	28
29	.02	-	.13	-	.03	-	-	-	-	.28	.06	-	29
30	-		.03	-	.01	-	-	-	-	.05	.28	.24	30
31	.02		-		.03		.12	-		.02		.07	31
Total	1.00	1.31	2.56	1.05	.89	2.72	1.88	1.42	.73	2.50	2.33	5.06	YEAR'S TOTAL 23.45 ✓
Rain Days.	15.	18	26.	9	14.	11.	20.	16.	10.	14.	18.	24.	195. ✓

W. 8,000. X. 14.

1216

FORM A.
BRITISH RAINFALL.

8 JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at Kettering Waterworks (Thorpe Malsor)

in the County of Northampton

by Thos. R. Smith, Surveyor to the Urban District Council.

Lat. 52° 24½′ Long. 0° 47′ W.
Time of Observation 9 A.M
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 351.76 ft.

1126

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·09	·06	–	·13	–	–	–	·19	·01	·05	·11	1
2	·02	·15	·10	·18	–	·03	–	·38	·03	·08	–	·06	2
3	·44	–	·06	·13	–	–	·04	·44	·05	–	–	·12	3
4	·05	–	–	–	–	–	·30	·04	–	–	–	·57	4
5	·02	·35	–	–	·23	–	–	·03	–	–	–	·30	5
6	·16	·03	·01	·15	–	–	·84	·02	–	–	–	·07	6
7	·05	·35	·03	–	–	·10	·18	·12	–	–	–	·16	7
8	·02	·18	–	·02	–	–	–	·02	–	–	·04	–	8
9	–	·01	–	–	–	·09	–	–	–	·02	·18	·50	9
10	·44	–	·01	–	–	–	–	·08	–	–	·03	·02	10
11	·03	–	–	·02	·07	–	·18	·01	–	–	·64	·15	11
12	·03	·02	–	·20	·38	–	·01	·26	–	–	1·25	–	12
13	–	·56	–	–	·88	–	–	–	–	–	–	–	13
14	–	·03	–	–	–	–	·13	·03	·05	–	–	·36	14
15	·24	–	–	–	·08	–	–	·13	–	–	·12	·17	15
16	·02	·31	–	–	–	–	1·05	·10	–	–	–	·07	16
17	–	·18	–	–	·03	–	·24	–	–	–	–	·02	17
18	–	·08	·09	–	·02	–	–	–	–	–	·04	–	18
19	–	·02	·02	–	·02	–	·05	–	–	–	–	·01	19
20	·37	–	–	–	–	–	–	–	–	–	–	·37	20
21	·08	·05	–	–	·08	–	·09	–	–	–	–	·07	21
22	·09	–	·23	·02	–	–	·26	–	·05	–	–	·11	22
23	·02	·01	·08	–	–	·03	·37	–	·01	·30	·01	·31	23
24	–	–	·03	–	–	–	·49	–	·84	·02	–	·17	24
25	–	–	–	–	–	·29	·18	–	–	·04	–	·34	25
26	–	·16	–	–	–	–	·08	–	–	–	–	·30	26
27	–	–	–	–	–	–	·10	–	–	·53	–	·07	27
28	–	–	01	–	–	–	–	·04	·08	·10	–	–	28
29	·01	–	–	–	–	·03	·05	·05	–	–	·17	·20	29
30	·12	X	–	–	–	·15	–	·02	–	–	·02	·07	30
31	·05	X	–	X	–	X	·01	·05	X	·38	X	·07	31
Total	2·62	2·58	·73	·72	1·92	·72	4·65	1·82	1·30	1·48	2·55	4·71	YEAR'S TOTAL 25·80
Rain Days.	20	17	12	7	10	7	19	17	8	9	11	26	163

W. 8,000. X. 15.

Exd CJE cdby c

1190

1126

FORM A.
BRITISH RAINFALL.
2 MAY 1917

REGISTER OF RAINFALL IN 1916

Kept at Kettering Waterworks Thorpe-Malsor

in the County of Northampton.

by T R Smith Surveyor to the Urban District Council

Lat. 52° 24½' Long. 0° 47' W.

Time of Observation 9 A.M.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 351 · 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·	·20	·	·02	·04	·26	·	·01	·	·45	·	1
2	·59	·02	·07	·	·23	·	·05	·	·03	·33	·05	·	2
3	·	·51	·	·	·	·	·09	·	·56	·41	·03	·	3
4	·47	·13	·	·	·15	·26	·25	·	·01	·05	·15	·	4
5	·03	·	·01	·	·03	·27	·02	·	·	·13	·22	·	5
6	·	·10	·08	·04	·01	·02	·33	·	·	·10	·36	·	6
7	·07	·	·27	·	·05	·	·38	·	·	·09	·15	·07	7
8	·	·	·06	·	·01	·	·	·	·	·	·05	·21	8
9	·01	·	·03	·	·32	·08	·	·	·	·05	·	·05	9
10	·	·07	·04	·04	·02	·04	·	·	·03	·03	·	·04	10
11	·	·18	·10	·10	·05	·10	·	·	·02	·	·01	·08	11
12	·03	·02	·11	·	·47	·08	·05	·	·	·04	·	·	12
13	·	·21	·18	·05	·03	·04	·04	·08	·	·	·	·	13
14	·	·51	·	·05	·01	·	·	·15	·05	·04	·	·	14
15	·	·25	·46	·	·01	·	·02	·05	·	·01	·	·	15
16	·	·08	·24	·16	·04	·	·08	·01	·	·03	·	·	16
17	·03	·02	·	·18	·	·	·15	·31	·15	·25	·	·	17
18	·11	·18	·02	·04	·	·	·	·56	·10	·	·84	·04	18
19	·05	·02	·28	·09	·	·	·	·01	·15	·	·60	·14	19
20	·02	·	·11	·07	·	·	·	·04	·	·	·25	·34	20
21	·	·	·30	·04	·	·	·	·	·	·	·	·75	21
22	·	·02	·03	·	·04	·02	·	·	·	·05	·02	·58	22
23	·04	·42	·	·	·	·09	·	·05	·	·	·04	·23	23
24	·	·39	·02	·	·	·24	·	·01	·	·04	·02	·15	24
25	·	·14	·15	·	·05	·	·	·27	·	·11	·12	·	25
26	·	·03	·01	·	·	·01	·	·05	·	·04	·02	·	26
27	·02	·12	1·36	·	·	·04	·61	·02	·13	·28	·	·	27
28	·	·24	1·43	·	·	·	·	·05	·	·02	·	·21	28
29	·	·16	·	·	·	·18	·	1·60	·	·34	·	·02	29
30	·	X	·	·	·	·01	·	·10	·	·14	·	·	30
31	·	X	·	X	·	X	·	·03	X	·07	X	·	31
Total	1·50	3·82	5·56	·86	1·54	1·52	2·33	3·39	1·24	2·65	3·38	~~2·57~~ 2·91	YEAR'S TOTAL 30·70 ~~30·36~~
Rain Days.	13	22	23	11	17	16	13	17	11	22	17	14	196

8,000. X. 15.

1148

426

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Thorpe Reservoir, Kettering
in the County of Northamptonshire
by C. A. Markham, T. R. Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·17				1·17	·14		·02	·02	1
2	·02	·03		·01		·09		·21		·01	·04		2
3			·01	·04				·47		·06	·10		3
4		·20	·08					·06		·51			4
5			·06	·09					·09	·03	·13		5
6						·19			·01	·09			6
7	·42		·01							·28			7
8	·47			·14			·24	·44		·39	·16	·02	8
9	·06		·15	·08	·02		·02	·38		·01	·08		9
10	·44		·25	·23	·08			·13		·20	·04		10
11	·05		·11	·14				·36	·02	·29	·01		11
12	·05		·01	·02	·11			·02		·42	·01		12
13			·12				·01	·23	·06			·04	13
14	·10			·07				·39					14
15	·06				·10		·08	·02		·02		·20	15
16	·05	·12		·14	·01		·05	·02		·17			16
17	·02	·05		·13	·47	1·18	·20	·04	·10	·10			17
18	·02			·05	·09		·09	·01	·98				18
19	·02	·15	·20		·17				·06				19
20	·01	·22	·05		·93						·15		20
21			·04	·02	·02					·01			21
22			·06					·10	·02	·15			22
23	·01	·08			·08			·29	·04				23
24		·03				·47				·20	·06	·01	24
25			·06								·02		25
26			·03					·44	·12		·18	·04	26
27						·56		·98					27
28		·02	·03			·50		·11				·05	28
29						·08	·12	·05		·32		·28	29
30	·02						·23	·14				·01	30
31			·15				·03	·08				·10	31
Total	1·82	·90	1·42	1·33	2·08	3·07	1·07	6·14	1·64	3·26	1·00	·77	YEAR'S TOTAL 2450 24·50
Rain Days.	16	9	17	14	11	7	10	23	11	18	13	10	159

W. 8,000, VIII. 16

40
1126

FORM A.
BRITISH RAINFALL.

31 7 19

REGISTER OF RAINFALL IN 1918.

Kept at *Kettering Waterworks Thorpe Malsor*
in the County of *Northampton*
by *Thos R Smith Surveyor to the Kettering Urban District Council*

Lat *52° 24½'* Long. *0° 44 W*
Time of Observation *9.0 AM*
Nearest Railway Station *Kettering*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *—* ft. *11* in.
" " " Sea Level *351.46* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.01	.15							.20	.03	1
2		.28		.12				.10			.04	.15	2
3		.02	.04		.41			.38	.14		.50		3
4		.04	.04				.08	.04	.15	.01	.40	.02	4
5		.04			.25			.04	.16	.05		.01	5
6		.14	.01	.15		.02			.01				6
7	.01	.10		.12		.06			.03	.04	.10		7
8		.03	.03	.04					.08	.03		.11	8
9		.24		.06		.26	.16		.30	.20	.01	.04	9
10	.03			.12			.33		.04	.14		.03	10
11				.02	.08		.38		.18	.16		.04	11
12			.04		.14		.04					.03	12
13		.09			.22	.02			.13			.03	13
14	.36			.01		.03	.58		.23	.14		.04	14
15	.49			.69		.06	.08		.13			.15	15
16	.08			.41					.24				16
17	.24			.04	.04	.01	.56					.10	17
18	.35			.01		.10	.34		.31			.24	18
19	.01		.08	.14		.03				.06		.12	19
20	.01	.12		.54					.04	.16			20
21	.06			.34					.18	.09		.02	21
22	.13				.06		.05					.34	22
23	05				.31	.02	.23		.02			.02	23
24	.01	.14			.01		.16		.02	.02	.24		24
25					.04		.03	.26		.03	.02		25
26							.09		.01		.09	.20	26
27			.02				.11	.13	.10		.08	.02	27
28		.01	.10			.03		.15			.25	.11	28
29									1.08		.10	.01	29
30			.30					.01	.09		.20	.11	30
31			.11							.03			31
Total	2.14	1.34	.81	2.96	1.56	.64	3.22	1.11	3.40	1.19	2.26	2.06	YEAR'S TOTAL 23.02
Rain Days.	14	12.	11	16	10	11.	15	8	22.	14	13.	23	169.

W. 8,000, IX. 17.

Ex MX 1080

1126

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

13 FEB 20

Kept at Kettering Waterworks (Thorpe Malsor)

in the County of Northampton

by Thos R Smith Surveyor to The Kettering Urban District Council

Lat. 52° 24½' Long. 0° 44' W.

Time of Observation 9 A.M.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 351·46 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·37	·04	·03	·	·16	·	·03	·	·	·05	·04	·56	1
2	·11	·	·02	·	·03	·	·13	·	·09	·05	·24	·11	2
3	·90	·	·07	·	·04	·	·26	·	·26	·	·17	·05	3
4	·	·	·40	·	·	·08	·02	·32	·04	·	·02	·20	4
5	·07	·14	·15	·	·	·	·03	·	·58	·	·	·14	5
6	·04	·	·06	·	·98	·	·	·	·	·	·04	·02	6
7	·11	·	·20	·	·05	·	·	·	·	·	·01	·	7
8	·17	·	·03	·14	·	·	·	·	·	·	·03	·	8
9	·	·	·02	·15	·03	·	·	·	·	·	·	·	9
10	·	·	·30	·05	·	·	·	·	·	·02	·03	·07	10
11	·11	·	·28	·03	·	·	·68	·	·	·	·03	·01	11
12	·02	·	·38	·06	·	·16	·	·	·01	·07	·04	·02	12
13	·17	·	·	·20	·	·02	·	·	·04	·04	·	·01	13
14	·36	~~·03~~	·	·28	·	·	·	·	·	·	·01	·01	14
15	·24	·03	·74	·10	·	·	·	·	·	·03	·10	·47	15
16	·	·79	·	·01	·	·	·	·06	·	·	·27	·01	16
17	·06	·34	·	·	·	·	·	·	·	·	·19	·02	17
18	·	·03	·10	·	·	·	·	·16	·	·	·03	·14	18
19	·04	·23	1·20	·	·	·17	·40	·15	·07	·	·06	·06	19
20	·67	·05	·30	·	·	·	·28	·28	·01	·	·07	·03	20
21	·31	·48	·08	·	·	·	·30	·	·03	·	·02	·08	21
22	·	·42	·	·	·	·	·06	·	·34	·	·01	·41	22
23	·	·	·	·	·	·	·04	·	·	·48	·	·04	23
24	·	·	·	·15	·	·	·03	·02	·	·21	·	·05	24
25	·07	·	·	·13	·	·	·	·22	·	·	·	·03	25
26	·14	·07	·22	·03	·	·02	·	·05	·06	·	·	·36	26
27	·68	·02	·	·43	·	·	·	·14	·	·01	·	·09	27
28	·09	·	·	·	·	·	·	·45	·	·01	·11	·26	28
29	·01	·	·	·03	·	·	·	·07	·	·21	·10	·21	29
30	·	X	·06	·23	·	·22	·	·04	·	·07	·09	·29	30
31	·	X	·06	X	·	X	·05	·	X	·05	X	·03	31 ✓
Total	4·74	2·64	4·10	2·02	1·29	·67	2·31	2·26	1·53	1·30	2·01	3·78	YEAR'S TOTAL 28·65
Rain Days.	21	12	20	15	6	6	13	12	11	13	22	28	149 ✓

W. 8,000, VIII. 16

1920

1126

JUL PAID

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Thorpe, Kettering

in the County of Northamptonshire

by per C. A. Markham, T. R. Smith

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ......ft. ......in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·12	·25		·19		·01	·18	·02	·19	1
2				·05	·01		·01	·22	·08	·05		·06	2
3		·02		·57	·01	·03	·42		·07	·08		·01	3
4			·04	·11			·03	·39		·32		·05	4
5			·08		·22		·58	·09	·10			·01	5
6			·09		·05		·30	·01				·02	6
7	·01		·08	·14			·09					·01	7
8	·20	·07		·48	·03		·08			·01			8
9	·44	·01		1·05			·14	·15			·02		9
10	·14	·02	·04	·34		·01	·07				·03	·02	10
11	·22	·01	·07	·10	·19	·13	·02	·10			·01	·07	11
12	·04		·02	·21		·18		·02			·03	·19	12
13	·02	·04	·08	·20		·02		·01	·10		·03	·01	13
14	·02	·02	·53	·19		·40	·02		·12	·16	·19	·01	14
15	·01	·05	·37	·07			·03		·11	·03	·08		15
16				·02	·22	·03			·11	·08			16
17	·01			·03	·14				·42	·02		·07	17
18	·23	·01		·01			·01	·16	·21			·03	18
19	·07	·11		·17		·06		·07			·01	·02	19
20	·05	·26		·27		·38					·01	·03	20
21	·01						·03	·13	·04			·01	21
22	·01	·01		·15			·01	·03	·24				22
23	·01	·01					·24					·36	23
24			·15							·02	·03	·07	24
25		·07	·03	·01	·06	·01	·71						25
26	·12	·01	·13	·02	·02		·03			·02	·01	·02	26
27	·11	·03	·01	·07		·55				·02	·62	·29	27
28	·45		·09		·10		·02				·03	·05	28
29	·09		·14		·32	·03	·04				·08	·56	29
30	·02	✕		·07	·02	·06	·04		·11		·08	·18	30
31	·08	✕	·03	✕	·04	✕	·07		✕	·29	✕	·07	31
TOTAL	2·36	·76	1·98	4·45	1·68	1·89	3·18	1·38	1·72	1·28	1·28	2·40	YEAR'S TOTAL 24·36
Days with ·01 in. or more	22	17	17	23	15	13	23	12	13	13	16	25	209
Days with ·04 in. or more	13	6	13	18	10	7	13	8	12	7	5	13	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Examined C.W.B.

1028

1126

11 AUG 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kettering Waterworks (Thorpe malor)
in the County of Northampton
by The Kettering Urban District Council (Mr. T. R. Smith, Surveyor)

Lat. 52° 24½′ Long. 0° 47′ W
Time of Observation 9 AM
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground - ft. 11 in.
" " " " Sea Level 351·76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·01	·	·12	·25	·	·19	·	·01	·18	·02	·19	1
2	·	·	·	·05	·01	·	·01	·22	·08	·05	·	·06	2
3	·	·02	·	·57	·01	·03	·42	·	·07	·08	·	·01	3
4	·	·	·04	·11	·	·	·03	·39	·	·32	·	·05	4
5	·	·	·08	·	·22	·	·58	·09	·10	·	·	·01	5
6	·	·	·09	·	·05	·	·30	·01	·	·	·	·02	6
7	·01	·	·08	·14	·	·	·09	·	·	·	·	·01	7
8	·20	·07	·	·48	·03	·	·08	·	·	·01	·	·	8
9	·44	·01	·	1·05	·	·	·14	·15	·	·	·02	·	9
10	·14	·02	·04	·34	·	·01	·07	·	·	·	·03	·02	10
11	·22	·01	·07	·10	·19	·13	·02	·10	·	·	·01	·07	11
12	·04	·	·02	·21	·	·18	·	·02	·	·	·03	·19	12
13	·02	·04	·08	·20	·	·02	·	·01	·10	·	·03	·01	13
14	·02	·02	·53	·19	·	·40	·02	·	·12	·16	·19	·01	14
15	·01	·05	·37	·07	·	·	·03	·	·11	·03	·08	·	15
16	·	·	·	·02	·22	·03	·	·	·11	·08	·	·	16
17	·01	·	·	·03	·14	·	·	·	·42	·02	·	·07	17
18	·23	·01	·	·01	·	·	·01	·16	·21	·	·	·03	18
19	·07	·11	·	·17	·	·06	·	·07	·	·	·01	·02	19
20	·05	·26	·	·27	·	·38	·		·	·	·01	·03	20
21	·01	·	·	·	·	·	·03	·13	·04	·	·	·01	21
22	·01	·01	·	·15	·	·	·01	·03	·24	·	·	·	22
23	·01	·01	·	·	·	·	·24	·	·	·	·	·36	23
24	·	·	·15	·	·	·	·	·	·	·02	·03	·07	24
25	·	·07	·03	·01	·06	·01	·71	·	·	·	·	·	25
26	·12	·01	·13	·02	·02	·	·03	·	·	·02	·01	·02	26
27	·11	·03	·01	·07	·	·55	·	·	·	·02	·62	·29	27
28	·45	·	·09	·	·10	·	·02	·	·	·	·03	·05	28
29	·09	·	·14	·	·32	·03	·04	·	·	·	·08	·55	29
30	·02	×	·	·07	·02	·06	·04	·	·11	·	·08	·18	30
31	·08	×	·03	×	·04	×	·07	·	×	·29	×	·07	31
TOTAL	2·36	·76	1·98	4·45	1·68	1·89	3·18	1·38	1·72	1·28	1·28	2·40	YEAR'S TOTAL 24·36
Days with ·01 in. or more	22	14	17	23	15	13	23	12	13	13	16	25	209
Days with ·04 in. or more	13	6	13	18	10	7	13	8	12	7	5	13	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KETTERING
WATER WORKS
(CRANSLEY)
NORTHAMPTONSHIRE
1911 – 1920

FORM A2.
BRITISH RAINFALL.
21 MAR 1912

R 11.

Kept at Kettering W sher.

8 in.

bove Ground -- ft. 6 in.

in the County of Nort ,, Sea Level 275 ft. 1124

.0.a.m.

by Thos R Smit
Urban Distr

n Name Kettering.

Distance 3m. Direction E of gauge.

IMPORTANT NC and the result entered to the previous day. If an universal rule, he is earnestly requested to add the r year in the space provided for it at the end of urement of rain, the selection and pla British Rainfall Organization are given on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·01	·01				·03			·02	·05	1
2	·03				·18			·01			·06	·04	2
3		·02			·17			·05			·02	·01	3
4		·01	·08	·06					·06	·21	·21	·31	4
5				·01				·10		·03	·02		5
6	·27		·01	·02							·03	·28	6
7	·01			·01						·10	·17	·12	7
8	·11		·13								·03	·11	8
9	·07			·02							·03	·03	9
10	·01	·05	·28								·02	·34	10
11	·13							·08			·40		11
12	·02		·47						·05		·16	·01	12
13			·05		·04				·27	·01		·39	13
14		·04	·03		·12					·04		·40	14
15		·07	·12							·11	·09	·01	15
16						·01					·34	·10	16
17						·03					·01	·09	17
18		·15				·09					·03	·07	18
19						·12			·13	·05	·40	·04	19
20		·06				·01		22	·18			·52	20
21		·10	·11					1·05		·09		·16	21
22	01		·08			·35		·12		·11	·02	·38	22
23		·09	·18			·58			·33			·12	23
24		·10				·27				·53		·09	24
25		·02	·04	·05	1·10	·04		·01					25
26		·01		·29	·66		·17			·29	·15	·21	26
27		·18	·14	·10			·06	·12	·08			·05	27
28		·17		·16				·16			·05		28
29		X		·10		·13	·01		·15	·25			29
30		X				·03				·06		·01	30
31		X		X	·15	X			X	01	X		31
Total	·68	1·07	1·73	·83	2·42	1·66	·24	1·95	1·25	1·89	2·26	3·94	TOTAL for year 19·92
No. of Rain Days.	10	14	14	11	7	11	3	11	8	14	20	25	148

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
21 MAR 1912

REGISTER OF RAI… 11.

Kept at Kettering Waterworks(Cransley)

in the County of Northampton. 4

by Thos R Smith., Surveyor to the Urban District Council.

RAIN GAUGE
Pattern …sher.
Diameter of top 8 in.
Height of top above Ground -- ft. 6 in.
" " " Sea Level 275 ft. 1124
Time of Observation 9.0.a.m.
Nearest Railway Station
Name Kettering.
Distance 3m. Direction E of gauge.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·01	·01				.03			·02	·05	1
2	·03				·18			·01			.06	·04	2
3		·02			·17			·05			.02	.01	3
4		·01	·08	.06					.06	·21	.21	·31	4
5				.01				·10		·03	.02		5
6	·27		·01	·02							·03	·28	6
7	·01			·01						.10	·14	·12	7
8	·11		·13								·03	·11	8
9	·04			·02							·03	·03	9
10	·01	·05	·28								·02	·34	10
11	·13							·08			·40		11
12	·02		·44						.05		·16	·01	12
13			·05		·04				·24	.01		·39	13
14		·04	·03		·12					·04		·40	14
15		·04	·12							·11	·09	·01	15
16						.01					·34	·10	16
17						.03					.01	·09	17
18		·15				·09					·03	·04	18
19						·12			·13	·05	·40	·04	19
20		·06				·01		22	·18			·52	20
21		·10	·11					1·05		·09		·16	21
22	01		·08			·35		·12		·11	·02	·38	22
23		·09	·18			·58			·33			·12	23
24		·10				·27				·53		·09	24
25		·02	·04	·05	1·10	·04		·01					25
26		·01		·29	·66		·14			·29	·15	·21	26
27		·18	·14	·10			·06	·12	·08			·05	27
28		·17		·16				·16			·05		28
29		X		·10		·13	·01		·15	·25			29
30		X				·03				·06		·01	30
31		X		X	·15	X			X	01	X		31
Total	·68	1·04	1·43	·83	2·42	1·66	·24	1·95	1·25	1·89	2·26	3·94	TOTAL for year 19·92
No. of Rain Days.	10	14	14	11	7	11	3	11	8	14	20	25	148

W. 8,000, X. '11.

Ex 7C

REGISTER OF RAINFALL IN 19 12.

FORM A.
BRITISH RAINFALL.

29 APR 1913

1124

Kept at Kettering Waterworks(Cransley).

in the County of Northampton. 4

by Thos R Smith., Surveyor to the Urban District Council.

Lat. 52° 23'. Long. 46° 30'.
Time of Observation 9.0.a.m.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground -- ft. 6 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·02			·10			·05		·02	·10	1
2		·03	·04		·01	·20	·60		·01			·02	2
3	07				·04	·04	·04	·54	·03			·06	3
4	·04		·53		·06	·31		·15			·26		4
5	07	·06	·16			·10		·24			·08		5
6	·36	·09				·24	·11	·38				·04	6
7		·06			·02	·49		·04				·01	7
8	·35	·26	·20			·16	·13	·06	·10			·01	8
9		·04	05	·04		·39	·02					·13	9
10						·02		·12			·32		10
11	·03	·04				·06		0·1			·02	·30	11
12	·04	·43	·04		·04	·02	·32				·05		12
13	·01	·09				·03		·02			·03		13
14	·04		·10		·10	·32		·01					14
15		·01	·09		·22	·18						·15	15
16	·65		·08		·06			·04		·10			16
17	·45		·16			·13		·18			·03	·30	17
18	·14		·04					·05				·04	18
19	·21	·04	·05				·06	·22		·03	·03		19
20	·05		·16		·08		·51	·26		25			20
21			·12		·39			·90		·18	·03		21
22	·35	·08			·30		·65	·29					22
23	·08	·24	·24				·94	·40			·06	·31	23
24	·09	·02				·11		·10				·06	24
25						·18		·45			·14	·30	25
26		·03	01			·03	·33	1·23		·62	·24	·30	26
27						·08	·25	·04		·31		·22	27
28		·02					·08	·51	·05	·28	·21	·43	28
29						·15			·64	·40			29
30	·03	X			·14				·19	·24			30
31		X	·04	X	·44	X	·46	·14	X		X	01	31
Total	3·09	1·63	2·25	·04	1·96	3·34	4·53	6·44	1·04	2·44	1·55	2·82	YEAR'S TOTAL 31·25 ins.
Rain Days.	18.	16.	18.	1.	13.	21.	14.	24.	7.	9.	14	18.	143.

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913.

Gre. Mg.

17 JUL 1914
FORM A.
BRITISH RAINFALL.

1124

Kept at Kettering Waterworks(Cransley).

in the County of Northampton. 4

by Thos P. Smith., Surveyor to the Urban District Council.

Lat. 52° 23'. Long. 46° 30'.

Time of Observation 9.0.a.m.

Nearest Railway Station Kettering.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground --- ft. 6 in.

" " " " Sea Level 275. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.01	.11	.10					.63		.15		1
2	.01	.13		.03			.12		.22		.01		2
3			.13		.59				07			.14	3
4	.38				.04		.02			.53	.03	.16	4
5							.01		.05	73	.03	.01	5
6		.03	.03		.15	.11	.20			.16		.01	6
7		.09			.01	.10	.01			.54	07		7
8					.08	.04				.02	.09		8
9		.24	.06			.13			.03		.09	.01	9
10	.02			.06	.06		75.	.01			.59		10
11	1.25			.40						.12	.25		11
12	.03				.24						.28		12
13	.03		.01	.02				.02	.03		.20		13
14	.08		.22	.02			.32	.01		.04	.03		14
15	.09	.04	.18	.40			.04		.03				15
16	.03		.41	.19									16
17	.08	.04	.12	.19		.24					.04	.02	17
18			.11	.06			.04						18
19	20		.04				.05		.08			.02	19
20	.14		.10							.40	.02		20
21	.01		.14	.04	.12		.06				.23		21
22	.46		.21					.04	.20				22
23						.10		.03	.02			.01	23
24	.03			.09		.01							24
25		.01		.08		.02							25
26		.03	.24	.16				.08		.25	.01	.15	26
27		.02	.02	.13	.01								27
28	.46		.35	.12						.05		.04	28
29	.02	X	.15	.51				76		.09		.06	29
30	.18	X		.02				.01		.09	.16		30
31		X		X	.14	X		.15	X		X		31
Total	3.52	.64	2.96	2.62	1.44	.45	1.62	1.09	1.36	3.05	2.28	.63	YEAR'S TOTAL 22.02
Rain Days.	19.	10.	18.	18.	10.	8	11.	9.	10.	12.	14.	11	153.

W.7,000, XI. 13

✓ 6x ML

REGISTER OF RAINFALL IN 19 14.

28 APR 1915

FORM A. BRITISH RAINFALL.

1124

Kept at Kettering Waterworks (Cransley).

in the County of Northampton. 4

by Thos R Smith, Surveyor to the Urban District Council.

Lat. 52° 23' Long. 46° 30'.
Time of Observation 9.o.a.m.,
Nearest Railway Station Kettering.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground -- ft. 6 in.
" " " " Sea Level 275. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	.04.	-	-	.15.	.24	-	-	.06	.04	1
2	-	-	-	-	-	-	-	.12	-	;01	.38	.29	2
3	-	-	-	-	.12	-	.26	-	-	-	.03	-	3
4	.18	-	-	.17.	-	-	-	.28.	-	-	.43.	.19.	4
5	.02	-	.05	.21	.02	.06	.33	.23	-	-	.02	- -	5
6	-	.03	-	.01	.05	-	-	-	-	-	.02	.04	6
7	-	.07	.38	-	.03	.07	.04	-	-	-	-	.02	7
8	.04	.02	.04	.07	.08	1.00	.06	.17	-	-	-	.03	8
9	.33	-	.21	.08	-	1.46	-	-	.10	-	-	-	9
10	.10	.06	-	.14	.05	-	-	-	.08	-	-	.01.	10
11	-	.09	.32	.10	.13	.19	-	-	.01	-	.26	.39	11
12	-	-	.07	-	-	-	.01	-	.25	-	.02	.30	12
13	.02	.16	.14	-	-	-	-	-	.03	.34	.14	.30	13
14	-	-	.17	-	-	-	.13	-	-	.62	.12	.31	14
15	.05	.01	.18	-	-	-	.02	-	,04	-	.03	.07	15
16	-	-	.04	-	-	-	.07	-	.04	-	.01	-	16
17	-	.21	.02	-	-	-	-	-	.18	-	-	.22	17
18	.01	-	.01	-	-	-	.25	-	-	-	-	.52.	18
19	-	.01	.17	-	-	-	-	-	.02	-	.05	.01	19
20	-	.20	.17	-	-	-	-	-	-	-	-	.07	20
21	-	.15	.08	-	-	.04	-	.05	-	.06	-	.23	21
22	-	-	.01	-	.16	.03	.04	.08	-	.15	-	-	22
23	-	.01	.07	-	.08	-	-	-	-	.04	-	.05	23
24	-	-	-	-	-	-	.11	-	-	.31	.12	-	24
25	.02	-	-	-	-	-	.02	.19	-	.46	-	.20	25
26	-	-	.01	-	-	-	-	.04	-	.04	.16	.33	26
27	.02	-	-	-	-	-	-	-	-	-	.02	.20	27
28	-	.10	-	-	.01	-	.01	-	-	.08	.05	.81	28
29	.02	~~-~~	.12	-	.03	-	-	-	-	.26	.07	-	29
30	-		.01	-	-	-	-	-	-	.04	.21	.23	30
31	.01		-		.05		.11	-		-		.07	31
Total	.82	1.12	2.27	.82	.81	2.85	1.61	1.40	.75	2.41	2.20	4.93	YEAR'S TOTAL 21.99
Rain Days.	12.	13.	20.	8.	12.	7.	15.	9.	9.	12.	19.	24.	160.

W. 8,000. X. 14.

1213

FORM A.
BRITISH RAINFALL.

8 JUN 1916

1124

REGISTER OF RAINFALL IN 1915

Kept at Kettering Waterworks (Cransley)
in the County of Northampton
by Thos. R. Smith, Surveyor to the Urban District Council

Lat. 52°23′ Long 0°46′30″
Time of Observation 9 A.M
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·14	·07	–	·11	–	–	–	·01	–	·04	·11	1
2	·01	·13	·17	·16	–	·03	–	·39	·01	·11	·01	·07	2
3	·33	–	·03	·11	–	–	·08	·45	·06	–	–	·13	3
4	·04	–	–	–	–	–	·21	–	–	–	–	·54	4
5	·03	·39	–	–	·14	–	–	·03	–	–	·02	·33	5
6	·13	·01	·02	·17	–	–	·76	·01	–	–	–	·05	6
7	·04	·36	·07	–	–	·07	·09	·10	–	–	–	·13	7
8	·02	·15	–	·02	–	–	–	·01	–	–	·03	–	8
9	–	–	–	·01	–	·10	–	–	–	·02	·20	·55	9
10	·41	–	·01	–	–	–	–	·28	–	–	·03	–	10
11	·02	–	–	·02	·08	–	·23	–	–	–	·62	·11	11
12	·03	·01	–	·20	·37	–	–	·12	=	·01	1·26	–	12
13	–	·50	–	–	·87	–	–	–	–	–	–	–	13
14	–	01	–	–	–	–	·07	–	·07	·01	–	·37	14
15	·27	–	–	–	·10	–	·03	·06	–	–	·13	·16	15
16	·01	28	–	–	–	–	·97	·25	–	–	–	·03	16
17	–	·17	–	–	·05	–	·20	–	–	–	·01	–	17
18	–	·04	·21	–	–	–	–	–	–	–	·02	–	18
19	–	·04	·01	–	·01	–	·05	–	–	–	–	–	19
20	·31	–	–	–	–	–	–	–	–	–	–	26	20
21	·08	·04	–	–	·09	–	·10	–	–	–	–	·03	21
22	·11	–	·24	·02	–	–	·23	–	·01	–	–	·09	22
23	·01	·03	·10	–	–	·03	·21	–	·05	·30	–	·33	23
24	–	–	·02	–	–	·01	·49	–	·29	·03	–	·10	24
25	–	–	·01	–	–	·23	·17	–	–	·04	–	·28	25
26	–	·14	–	–	–	–	·09	–	–	–	–	·31	26
27	–	·01	–	–	–	–	·10	–	–	·54	–	03	27
28	–	·05	–	–	–	·01	–	·05	·08	·12	–	–	28
29	–	X	–	–	–	·01	·03	·07	–	·01	·16	·18	29
30	·10	X	–	–	–	·07	–	·01	–	–	·01	·08	30
31	–	X	–	X	–	X	–	·06	X	·40	X	·06	31
Total	2·17	2·50	·96	·71	1·82	·56	4·11	1·89	1·08	1·59	2·54	4·33	YEAR'S TOTAL 24·26
Rain Days.	18	18	12	8	9	9	18	14	8	11	13	23	161

W. 8,000. X. 15.

Ed C.T.E.

H 88

C

FORM A.
BRITISH RAINFALL.
2 MAY 1917

1124

REGISTER OF RAINFALL IN 1916

Kept at Kettering Waterworks (Cransley)

in the County of Northampton.

by The Kettering Urban District Council.

Lat. 52° 23′ Long. 0° 46′ 30″

Time of Observation 9 AM

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	-	·19	-	-	·03	·20	-	-	-	·45	-	1
2	·61	-	·09	-	·23	-	·10	-	·02	·74	·04	-	2
3	-	·48	-	-	-	-	·17	-	·48	·25	·03	-	3
4	·43	·14	-	-	·12	·24	·12	-	-	-	·13	-	4
5	·02	-	-	-	·03	·23	·01	-	-	·15	·20	-	5
6	-	·09	·11	·04	-	-	·28	-	-	·11	·31	-	6
7	·08	-	·27	-	·08	-	·34	-	-	·06	·12	·07	7
8	-	-	·05	-	-	-	-	-	-	-	·05	·20	8
9	-	-	·02	-	·32	·04	-	-	-	·03	-	·05	9
10	-	·09	·07	·06	-	·04	·01	-	-	·02	-	·02	10
11	·01	·18	·10	·10	·07	·11	-	-	-	-	-	·08	11
12	·02	·02	·11	-	·44	·09	·06	-	-	·04	-	-	12
13	·01	·20	·18	·05	·02	·03	·04	·08	-	-	-	-	13
14	-	·52	-	·07	-	-	-	·07	-	·01	-	-	14
15	-	·24	·45	-	·02	-	·07	·06	·01	·01	-	-	15
16	-	·11	·25	·18	·05	-	·09	·01	-	-	-	·02	16
17	·03	-	-	·23	-	-	·05	·33	·14	·23	-	-	17
18	·10	·18	·02	·04	-	-	-	·33	·07	-	·85	·04	18
19	·08	·02	·26	·17	-	-	-	-	·14	-	·56	·05	19
20	-	-	·12	·03	-	-	-	·03	-	-	·13	·35	20
21	-	-	·27	·06	-	-	-	-	-	-	·01	·67	21
22	-	·05	·06	-	·05	·01	-	-	-	·04	-	·62	22
23	·03	·40	·01	-	-	·08	-	·03	-	-	·04	·21	23
24	-	·40	·04	-	-	·34	-	·03	-	·04	-	·21	24
25	-	·18	·10	-	·04	-	-	·21	-	·11	·10	-	25
26	-	·06	-	-	-	-	-	·10	-	·05	-	-	26
27	·02	·11	1·39	-	-	-	-	·02	·07	·27	-	-	27
28	-	·29	1·45	-	-	·01	-	-	-	·01	·01	·26	28
29	-	·11	-	-	·02	·19	-	1·43	-	·35	-	·03	29
30	-	X	-	-	-	·02	-	·04	-	·13	-	-	30
31	-	X	-	X	-	X	-	·01	X	·03	X	-	31
Total	1·51	3·87	5·61	1·03	1·49	1·46	1·54	2·78	·93	2·68	3·03	2·88	YEAR'S TOTAL 28·81
Rain Days.	13	20	22	11	13	14	13	15	7	20	15	15	178

W. 8,000, VIII. 16

Exd 1146

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
1124

Kept at Cransley Waterworks, Kettering
in the County of Northamptonshire
by C. A. Markham, T. R. Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11				1·28	·13		·03	·03	1
2	·03	·01		—		·08		·11		·01	·01		2
3				·03				·50		·19	·12		3
4		·14	·09					·07		·37		·01	4
5	·15		·03	·07					·08	·01	·10		5
6						·16				·07			6
7	·47				—					·30		·01	7
8	·51			·16			·32	·32		·38	·14	·01	8
9	·04		·15	·09				·38		·01	·15		9
10	·48		·23	·22	·06			·23		·01	·01		10
11	·04	·01	·01	·14				·38	·02	·26			11
12	·11	·01			·10			·01		·39		·01	12
13			·12	·01			·02	·18	·05				13
14	·11			·07				·54			·01		14
15							·09	·01		·03		·01	15
16	·03	·12		·19	·01		·09			·10		·16	16
17	·01	·03		·14	·46	·64	·18	·09	·11	·07			17
18		·01		·06	·07		·12		1·00				18
19	·01	·13	·13		·28				·04				19
20		·17	·04		·94						·14		20
21			·03	·02	·03					·01			21
22			·05					·04	·03	·14			22
23		·07			·08			·24	·03				23
24		·02				·51		·02		·22	·08		24
25			·04								·07		25
26								·41	·14		·14	·04	26
27						·50		·96				·01	27
28			·03			·54		·07		·01		·05	28
29		X	·01			·09	·14	·02		·30		·26	29
30		X					·31	·15				·01	30
31		X	·15	X		X	·04	·08	X		X	·12	31
Total	1·99	·72	1·11	1·31	2·03	2·52	1·31	6·09	1·63	2·88	1·00	·73	YEAR'S TOTAL 23·32
Rain Days.	12	11	14	13	9	7	9	22	10	19	12	13	151

W. 8,000, VIII. 16

38

FORM A.
BRITISH RAINFALL.

17.7.19

1124

REGISTER OF RAINFALL IN 1918

Kept at Kettering Waterworks (Cransley)
in the County of Northampton
by Thos R Smith Surveyor to the Kettering Urban District Council

Lat. 52° 23' Long. 0° 46' 30"
Time of Observation 9 0 A.M.
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 245 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01			.16							.21	.03	1
2		.20		.10				.05			.09	.15	2
3		.04	.05		.42			.34	.14		.43		3
4			.05				.04	.04	.42	.01	.46	.02	4
5		.06			.22			.06	.20	.05		.01	5
6		.14		.16		.02						.01	6
7	01	.06		.13		.05			.02	.05	.10		7
8			.02	.02					.04	.03		.10	8
9		.23		.06		.09	.14		.28	.18		.06	9
10	.03			.14			.32		.02	.14		.02	10
11					.04		.34		.15	.19		.04	11
12		.10	.03		.11		.06		.04			.01	12
13				.01	.15	.01	.01		.12	.01		.02	13
14	.31			.01			.53		.26	.13	.01	.03	14
15	1.09			.64		.06	.04		.15			.40	15
16	.05			.43				.01	.25				16
17	.19			.05	.02		.53					.09	17
18	.31					.11	.25		.33			.30	18
19	01	01	.06	.14		.01	.01			.05		.13	19
20	.02	.08		.55		.03			.06	.16	.01		20
21	.04			.23					.19	.08		.02	21
22	.12				.05		.02		.02			.34	22
23	.05				.36	.01	.14					01	23
24		.16					.18		.02	.02	.14		24
25					.04	.01	01	.26		.02			25
26							.09		.05		.08	.20	26
27			01				.06	.13	.03		.10	.01	27
28		.09	.10					.15			.24	.10	28
29									1.00			.01	29
30			.28					.01	.09		.19	.08	30
31			.13							.02			31
Total	2.24	1.20	.43	2.83	1.44	.40	2.83	1.08	3.91	1.14	2.09	2.19	YEAR'S TOTAL 22.11
Rain Days.	13	11.	9.	15.	9.	10.	14.	9.	22.	15.	12.	24	166

W. 8,000, IX. 17.

Ex ML

1078

1124

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

13 FEB 20

Kept at Kettering Waterworks (Cransley)
in the County of Northampton
by Mr. T. R. Smith, Surveyor to the Urban District Council

Lat. 52° 23' Long. 0° 46' 30" W.
Time of Observation 9 a.m.
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 245. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·06	·02	·	·18	·	·02	·	·	·06	·03	·54	1
2	·13	·	·01	·	·01	·	·18	·	·08	·06	·43	·10	2
3	·81	·	07	·	·02	·	·28	·	·24	·	·17	·05	3
4	·07	·	·38	·	·	·09	·	·25	·04	·	·01	·20	4
5	·03	·21	·13	·	·	·	·04	·	·54	·	·	·13	5
6	·	·	02	·	1·14	·	·	·	·	·	·02	·01	6
7	·02	·	·24	·	·	·	·	·	·	·	·	·	7
8	·16	·	·04	·17	·	·	·	·	·	·	·01	·	8
9	·	·	·	·11	·	·	·	·	·	·	·	·	9
10	·	·	·31	·02	·02	·	·	·	·	·01	·03	·09	10
11	·09	·	·32	·04	·	·	·62	·	·	·	·03	·	11
12	·	·	·28	·06	·	·18	·	·	·	·07	·03	·01	12
13	·14	·	·	·17	·	·	·	·	·03	·04	·	·	13
14	·37	·	·	·28	·	·	·01	·	·05	·01	·	·	14
15	·23	·02	·13	·08	·	·	·	·	·	·02	·24	·45	15
16	·07	·77	·	·	·	·	·	·07	·	·	·17	·	16
17	·04	·37	·	·	·	·	·	·	·	·	·20	·01	17
18	·	·	·10	·	·	·	·	·12	·	·	·02	·13	18
19	·04	·19	1·18	·	·	·14	·36	·12	·	·	·04	·05	19
20	·60	·03	·21	·	·	·10	·27	·28	·01	·	·09	·01	20
21	·24	·40	·08	·	·	·	·26	·	·	·	·	·11	21
22	·	·40	·	·	·	·	·04	·	·52	·	·	·44	22
23	·	·	·	·	·	·03	·01	·06	·01	·50	·	·03	23
24	·	·	·	·13	·02	·	·05	·02	·	·26	·	·05	24
25	·08	·	·	·05	·03	·	·	·18	·	·	·	·02	25
26	·12	·01	·21	·06	·	·	·	·02	·04	·	·01	·40	26
27	·53	·03	·01	·61	·	·	·	07	·	·01	·	·04	27
28	·02	·	·	·02	·	·	·	·91	·	·	·21	·31	28
29	·03		·	·03	·	·	·	·08	·	·23	·01	·23	29
30	·		·07	·22	·	·21	·	·02	·	·13	·06	·32	30
31	·		·04		·		·03	·		·02		·03	31
TOTAL	4·19	2·49	3·85	2·05	1·42	·75	2·17	2·20	1·56	1·42	1·81	3·76	YEAR'S TOTAL 27·67 ins
Days with ·01 in. or more	21	11	20	15	7	6	13	13	10	13	19	24	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 1026
1124

JUL PAID

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cransley, Kettering
in the County of
by Jas C. A. Markham, T. R. Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·20		·21			·16	·02	·20	1
2				·06				·15	·08	·05		·06	2
3		·02		·56		·03	44		·09	·08			3
4			·04	·10			·01	·38		·30		·04	4
5		·01	·08		·23		·54	·15	·19				5
6			·09		·04		·36					·02	6
7				·12			·08						7
8	·20	·05	·08	·48	·03		·07						8
9	·44			1·06			·05	·10		·01			9
10	·16	·01	·03	·37			·06						10
11	·25		·06	·12	·17	·12	·02	·08				·17	11
12	·03		·02	·19		·24					·05	·17	12
13		·02	·08	·10		·02			·04		·02	·16	13
14	·01	·01	·66	·18		·27	·04		·14	·14	·24		14
15		·06	·44	·05					·11	·02	·08		15
16				·01	·13	·03			·14	·08			16
17				·02	·13				·50			·07	17
18	·17	·01						·16	·19		·02	·02	18
19	·06	·08		·17		·07		·07				·02	19
20	·04	·28		·28		44							20
21							·01	·11	·02			·02	21
22				·14				·01	·25				22
23	·01						·26					·37	23
24			·14									·06	24
25		·06	·01		·02	·01	·63				·03		25
26	·13		·14								·01	·01	26
27	·12	·02		·13		·55					·50	·26	27
28	·47		·09		·10		·01				·03	·03	28
29	·09		·11		·29	·03	·03				·07	·54	29
30	·02			·09		·05	·06		·11		·07	16	30
31	·09		·02		·04		·02			·28		·07	31
Total	2·29	·63	2·09	4·36	1·38	1·86	2·90	1·21	1·86	1·12	1·14	2·45	Year's Total 23·29
Days with ·01 in. or more	16	12	16	20	11	12	18	9	12	9	12	19	166
Days with ·04 in. or more	12	5	12	18	9	7	12	8	11	7	6	13	120

Examined E.W. 26.

1026

1124

1 AUG 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Kettering Waterworks (Cransley)
in the County of Northampton
by The Kettering Urban District Council (Mr. J.K. Smith, Surveyor)

Lat. 52° 23′ Long. 0° 46′ 30″
Time of Observation 9 AM
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 8″ in.
Height of top of Gauge above Ground - ft. 6 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	-	-	·13	·20	·	·21	·	·	·16	·02	·20	1
2	·	-	-	·06	·	·	·	·15	·08	·05	·	·06	2
3	·	·02	-	·56	·	·03	·44	·	·09	·08	·	·	3
4	·	-	·04	·10	·	·	·01	·38	·	·30	·	·04	4
5	·	·01	·08	·	·23	·	·54	·15	·19	·	·	·	5
6	·	-	·09	·	·04	·	·36	·	·	·	·	·02	6
7	·	-	-	·12	·	·	·08	·	·	·	·	·	7
8	·20	·05	·08	·48	·03	·	·07	·	·	·	·	·	8
9	·44	-	·	1·06	·	·	·05	·10	·	·01	·	·	9
10	·16	·01	·03	·37	·	·	·06	·	·	·	·	·	10
11	·25	·	·06	·12	·17	·12	·02	·08	·	·	·	·17	11
12	·03	·	·02	·19	·	·24	·	·	·	·	·05	·17	12
13	-	·02	·08	·10	·	·02		·	·04	·	·02	·16	13
14	·01	·01	·66	·18	·	·27	·04	·	·14	·14	·24	·	14
15	·	·06	·44	·05	·	·	·	·	·11	·02	·08	·	15
16	·	·		·01	·13	·03	·	·	·14	·08	·	·	16
17	·	·	·	·02	·13	·	·	·	·50	·	·	·07	17
18	·17	·01	·	-	·	·	·	·16	·19	·	·02	·02	18
19	·06	·08	·	·17	·	·07	·	·07	·	·	·	·02	19
20	·04	·28	·	·28	·	·44	·	·	·	·	·	·	20
21	·	·	·	·	·	·	·01	·11	·02	·	·	·02	21
22	·	·	·	·14	·	·	·	·01	·25	·	·	·	22
23	·01	·	·	·	·	·	·26	·	·	·	·	·37	23
24	·	·	·14			·	·		·	·	·	·06	24
25	·	·06	·01	·	·02	·01	·63	·	·	·	·03	·	25
26	·13	·	·14	·	·	·	·	·	·	·	·01	·01	26
27	·12	·02		·13	·	·55	·	·	·	·	·50	·26	27
28	·47	·	·09	·	·10	·	·01	·	·	·	·03	·03	28
29	·09	·	·11	·	·29	·03	·03	·	·	·	·07	·54	29
30	·02	×	·	·09	·	·05	·06	·	·11	·	·07	·16	30
31	·09	×	·02	×	·04	×	·02	·	×	·28	×	·07	31
Total	2·29	·63	2·09	4·36	1·38	1·86	2·90	1·21	1·86	1·12	1·14	2·45	Year's Total 23·29
Days with ·01 in. or more	16	12	16	20	11	12	18	9	12	9	12	19	166
Days with ·04 in. or more	12	5	12	1~~7~~8	9	7	12	8	11	7	6	13	~~119~~/20

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

1042
151A

FORM A.
BRITISH RAINFALL.

6 MAR 20

R

KINGS SUTTON
MANOR, HOOSE
NORTHAMPTONSHIRE
1919 – 1920

Kept at Manor
in the County of Nor
by A. Mascord

ge .... in.
ound .... ft. .... in.
ea Level .... ft.

IMPORTANT
e result entered to the
previous day. If a
al rule, he is earnestly
requested to add the
in the space provided
for it at the end of
t of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·05	·04		·05	·46	·07			·09		·71	1
2	·20				·08				·48	·09	·20	·03	2
3	·78		·11				·06		·41		·10	·20	3
4	·07	·02	·34		·04	·07		·09	·23		·01	·21	4
5		·29	·25		1·08		·04		·41			·15	5
6	·04				·10							·20	6
7	·03		·21								·08		7
8	·13		·06	·22									8
9	·01			·04									9
10	·01		·38							·01		·13	10
11	·01		·14	·06			·42						11
12			·52	·04		·14	·03			·18	·24	·03	12
13	·08			·32						·15		·08	13
14	·29			·14			·15			·04		·05	14
15	·22	·06	·04	·14								·55	15
16	·10	·76									·17		16
17		·39		·01							·10	·02	17
18			·27					·16			·01	·09	18
19	·18	·27	1·19			·12	1·27	·39			·04		19
20	·41	·04	·12			·10	·13	·30	·06		·11		20
21	·03	·47	·04				·23				·02	·14	21
22		·12					·08		·09			·34	22
23						·09							23
24				·05						·40	·04		24
25	·10			·08	·09			·28		·72			25
26	·08	·02	·12	·12					·11			·30	26
27	·38		·05	·83				·46				·07	27
28	·02	·02	·08					·43				·24	28
29	·03							·08		·19	·22	·25	29
30		X	·04	·25		·20		·06		·09	·17	·34	30
31	·02	X		X		X			X	·02	X		31
Total	~~3·47~~ 3·52	2·51	4·00	2·30	1·44	1·18	2·48	2·25	1·79	1·98	1·51	4·13	YEAR'S TOTAL 29·09
Rain Days	23	12	18	13	6	7	10	9	7	11	14	20	150

W, 6,500. VII. 18. W W C

8L
Brackley

1042
1st A

16 MAR 20

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Manor House, King's Sutton
in the County of Northamptonshire
by A. Mascord

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·05	·04		·05	·46	·07			·09		·71	1
2	·20				·08				·48	·09	·20	·03	2
3	·78		·11				·06		·41		·10	·20	3
4	·07	·02	·34		·04	·07		·09	·23		·01	·21	4
5		·29	·25		1·08		·04		·41			·15	5
6	·04				·10							·20	6
7	·03		·21								·08		7
8	·13		·06	·22									8
9	·01			·04									9
10	·01		·38							·01		·13	10
11	·01		·14	·06			·42						11
12			·52	·04		·14	·03			·18	·24	·03	12
13	·08			·32						·15		·08	13
14	·29			·14			·15			·04		·05	14
15	·22	·06	·04	·14								·55	15
16	·10	·76									·17		16
17		·39		·01							·10	·02	17
18			·27					·16			·01	·09	18
19	·18	·27	1·19			·12	1·27	·39			·04		19
20	·41	·04	·12			·10	·13	·30	·06		·11		20
21	·03	·47	·04				·23				·02	·14	21
22		·12					·08		·09			·34	22
23						09							23
24				·05						·40	·04		24
25	·10			·08	·09			·28		·72			25
26	·08	·02	·12	·12					·11			·30	26
27	·38		·05	·83				·46				·07	27
28	·02	·02	·08					·43				·24	28
29	·03							·08		·19	·22	·25	29
30		×	·04	·25		·20		·06		·09	·17	·34	30
31	·02	×		×		×			×	·02	×		31
Total	~~3·47~~ 3·52	2·51	4·00	2·30	1·44	1·18	2·48	2·25	1·79	1·98	1·51	4·13	YEAR'S TOTAL 29·09
Rain Days	23	12	18	13	6	7	10	9	7	11	14	20	150

W, 6,500, VII. 18. W W C

Ex. A.1 990

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

21 MAR 1921

Kept at Manor House, Kings Sutton
in the County of Northampton
by B Mitchell per C.A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·28	·30		·35		·05	·43		·30	1
2				·11			·07	·17	·10	·13		·10	2
3	·09	·03		·08	·03		·48		·14	·21			3
4			·07	·13			·01	·31		·21			4
5			·12	·03	·16		·28	·02	·09	·12			5
6			·17		·10		·21			·01		·06	6
7			·07	·08			·17						7
8	·18	·05		·50	·04		·33						8
9	·18			1.86				·03					9
10	·11	·04	·02	·21			·13						10
11	·33		·05	·22	·39	·17	·05						11
12	·02	·04		·18		·68			·04		·03		12
13			·15						·26				13
14			·30	·33		·16	·06		·12	·07	·24		14
15		·07	·39	·28		·04			·15	·02			15
16				·03		·09				·06	·10		16
17				·47	·09				·20	·03			17
18	·13			·03	·04		·04	·19	·35			·14	18
19	·05	·10		·29		·08		·06			·02		19
20	·03	·29		·30		·28						·05	20
21								·05	·04			·10	21
22								·06	·12			·19	22
23							·42	·08				·37	23
24			·18								·03		24
25		·09	·08	·02			·48					·03	25
26	·29		·20		·21		·12					·08	26
27	·42	·04		·24		·36					·23	·22	27
28	·54		·04				·06				·06		28
29	·14		·19		·63	·08					·13	·38	29
30	·01		·19			·11	·10		·19		·16	·15	30
31	·05									·65		·08	31
TOTAL	2·57	·75	2·22	5·67	1·99	2·05	3·36	·97	1·85	1·94	1·00	2·25	YEAR'S TOTAL 26·62
Days with ·01 in. or more	15	9	15	20	10	10	17	9	13	11	9	14	152
Days with ·04 in. or more	12	8	14	16	9	10	16	7	13	8	6	13	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓made

1177

26.VI.16

FORM A.
BRITISH RAINFALL.

6 MAY 1916

NORTHANTS.
KINGS SUTTON - SCHOOL
1915 - 1920

REGI 15

Kept at Kings Sutton ... Long. 1° 205 W.

in the County of Northa ... ion Kings Sutton GWR.

... ge 5 in.

by A H ... ge above Ground ... ft. ... in.

„ Sea Level ... ft.

IMPORTANT NOT ... and the result entered to the previous day. If an Observer prefers ... universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·16	·12	—	·04	—	—	·45	—	·33	—	·03	1
2	·10	·18	·34	—	—	04	—		—		—	·04	2
3	·47	·01	·04	·13	·005	—	—	·34	—	—	—	·20	3
4	·01	—	—	—	—	—	—	—	—	—	—	·63	4
5	·005	·44	—	·05	—	—	·44	·02	—	—	·05	·31	5
6	·22	·01	—	·12	—	·005	·81	·08	—	—		·06	6
7	·005	·39	—	·02	·06	·10	·16		—	—		·11	7
8	·005	·14	—	—	—	—	—		—	—	·01	·01	8
9	·01	—	—	·13	—	—	—		—	—	·13	·55	9
10	·23	—	·03	—	—	—	·005	·16	—	—	·03	—	10
11	·05	·02	—	·02	·03	—	—		·06	—	1·15	·04	11
12	·03	·05	—	·23	·42	—	—			·02	·64	—	12
13	—	·32	—	—	·88	—	—		—	·04	·02	—	13
14	·01	·07	—	—	—	—	—	Not Taken	·06		·09	·56	14
15	·15	—	—	·05	·04	—	·005		—	·02	·01	·18	15
16	·01	·72	—	—	·16	—	·56	·005	—		—	·04	16
17	·01	·25	—	—	·34	—	·05		·02		—	—	17
18	—	·09	·04	—	—	—	—			—	—	—	18
19	·005	—	—	—	·02	—	·06	—		—	02	—	19
20	·44	—	—	—	—	—	·16		—	—		·23	20
21	·08	—	—	—	·14	—	—	—	—	·05		·08	21
22	·19	—	·29	·02	—	—	·15		·01	·34	—	1·47	22
23	·005	·09	·05	—	—	03	·45	—	·08		—		23
24	—	·005	·25	·03	—	·01	·25		1·45	·22	—		24
25	—	—	—	—	—	·34	1·34	—	·005	·03	—		25
26	—	·10	—	—	—	—	·06	—	—	·005	—		26
27	—	—	—	—	—	06	·05	·18	—	·53	—		27
28	—	·06	—	—	—	—	—	—	·39	—	—	·48	28
29	—		—	—	—	—	·03	—	—	·24	·20		29
30	·04		—	—	—	03	·10	—	—		·25		30
31	·02		—		—		—	—		·62			31
Total	2·345	3·105	1·16	·80	2·165	·815	4·18	1·265	2·075	2·445	2·60	5·05	YEAR'S TOTAL 28·535
Rain Days.	23 21	18	8	10	10	8							

W.7,000, XI. 13

made

1177

FORM A.
BRITISH RAINFALL.

6 MAY

REGISTER OF RAINFALL IN 1915

Kept at Kings Sutton Council School
in the County of Northampton
by A H Fillary

Lat. 52° N. Long. 1° 205 W.
Time of Observation
Nearest Railway Station Kings Sutton G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·16	·12	—	·04	—	—	·45	—	·33	—	·03	1
2	·10	·18	·34	—	—	04	—		—		—	·04	2
3	·47	·01	·04	·13	·005	—	—	·34	—	—	—	·20	3
4	·01	—	—	—	—	—	—	—	—	—	—	·63	4
5	·005	·44	—	·05	—	—	·44	·02	—	—	·05	·31	5
6	·22	·01	—	·12	—	·005	·81	·08	—	—		·06	6
7	·005	·39	—	·02	·06	·10	·16		—	—		·11	7
8	·005	·14	—	—	—	—	—		—	—	·01	·01	8
9	·01	—	—	·13	—	—	—		—	—	·13	·55	9
10	·23	—	·03	—	—	—	·005	·16	—	—	·03	—	10
11	·05	·02	—	·02	·03	—	—		·06	—	1·15	·04	11
12	·03	·05	—	·23	·42	—	—			·02	·64	—	12
13	—	·32	—	—	·88	—	—		—	·04	·02	—	13
14	·01	·07	—	—	—	—	—	Not	·06		·09	·56	14
15	·15	—	—	·05	·04	—	·005	Taken	—	·02	·01	·18	15
16	·01	·72	—	—	·16	—	·56	·005	—		—	·04	16
17	·01	·25	—	—	·34	—	·05		·02		—	—	17
18	—	·09	·04	—	—	—	—			—	—	—	18
19	·005	—	—	—	·02	—	·06			—	·02	—	19
20	·44	—	—	—	—	—	·16	—	—	—		·23	20
21	·08	—	—	—	·14	—	—	—	—	·05		·08	21
22	·19	—	·29	·02	—	—	·15		·01	·34	—	1·47	22
23	·005	·09	·05	—	—	03	·45	—	·08		—		23
24	—	·005	·25	·03	—	·01	·25		1·45	·22	—		24
25	—	—	—	—	—	·54	1·34	—	·005	·03	—		25
26	—	·10	—	—	—	—	·06	—	—	·005	—		26
27	—	—	—	—	—	·06	·05	·18	—	·53	—		27
28	—	·06	—	—	—	—	—	—	·39	—	—	·48	28
29	—		—	—	—	—	·03	—	—	·24	·20		29
30	·01		—	—	—	03	·10	—	—		·25		30
31	·02		—		—		—	—		·62			31
Total	2·345	3·105	1·16	·80	2·165	·815	4·18	1·265	2·075	2·445	2·60	5·05	YEAR'S TOTAL 28·535
Rain Days.	23 21	18	8	10	10	8							

87 ✓ Ese 87 1534 173

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Kings Sutton School

in the County of Northamptonshire

by A. H. Tilbury

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		01					47	—			46		1
2		02	03		22		01		03	45	02	01	2
3		91			04		03			28			3
4					05	27			03				4
5	68					06	17			05	80		5
6		16	11	10	17	21	59				49		6
7			23		02					19	27		7
8					30	10							8
9			01		10		15					33	9
10		25		11			04						10
11	03			13	09				01	42		08	11
12	03		13	10		75	20	03			01		12
13		36	28	05			22	08					13
14		36			39								14
15		12	59		15		24						15
16	05		46	20	08		04		30	04			16
17	08	16		19						39			17
18	02			11					07	02		15	18
19	20		18	23					11		1·26		19
20	03	05	38									66	20
21		01	66		08			84					21
22					12					05			22
23	01	30					10			01	08		23
24		06			07					20			24
25						94		44					25
26			21			21				22	13	2·00	26
27	05	39							02				27
28		36	1·44			05			10		01		28
29	01	·10				24		1·49		31			29
30		X		07		·03			12	20			30
31	02	X		X		X			X	23	X		31
Total	1·21	3·62	4·71	1·29	1·88	2·86	2·23	2·88	·79	3·06	3·53	(3·23)	YEAR'S TOTAL 31·29
Rain Days.	?	24	20	?	19	16	17	5	14	27	16	?	

8,000. X. 15.

1114

FORM A.
BRITISH RAINFALL.

10 APR 1918

12 APR 1918

REGISTER OF RAINFALL IN 1917

Kept at King's Sutton C. School

in the County of Northants

by A. H. Tilbury

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station King's Sutton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·25	—	·10	—	·94		(·01)	·33		1
2					—		—	·36		·03		·01 snow	2
3				·05	—	—	—	·34		·41	—	—	3
4			·28			—	—			·46		—	4
5	·79		·07		—	—	—				·08	—	5
6			·29			·04	~~·90~~			·49	·03	—	6
7			·01		—	—	·90	—			—		7
8					—			1·13		·32	·11	·25	8
9		·50			·17	—	·01	~~1·14~~		—			9
10	·23				·19	—	—	~~·03~~		—	·11	—	10
11	·80		·73	1·21		—	—			·14		—	11
12					·4	·01	—				—	—	12
13			·12			—				·18	—	—	13
14	·16				—		—				—		14
15	·01				—	—				·08	—	Partly snow ·29	15
16	·04				·13		·28			·16		—	16
17				·12	·82	·39	·28			·08	—	—	17
18	·06			·03		—	·20			—		—	18
19		·25	·15		·64	—	—			—	—	—	19
20		·14	·03			—	·37			—	·05	—	20
21	·02	·01	·15		·05	~~·13~~				—	·02		21
22	·05				—					·14	—		22
23					·08	·18	—			·02			23
24					—		~~—~~	~~2·19~~	2·19	·17	partly ·09 snow		24
25		·23	·05			—	—		·03	—			25
26					·20	—	—		·11		·08		26
27						·05	·08		—	·02	—		27
28			·17		·45	·50					—		28
29					Nil ~~·45~~	·22		3·49	—	·56	—		29
30		✕			—	—	·30			·02			30
31		✕	·20	✕	—	✕	·06		✕	—	✕	partly snow ·48	31
Total	2·16	1·13	2·26 ~~2·31~~	1·46 ~~1·66~~	2·33	1·65	2·48	7·46		3·34	·90	1·03	YEAR'S TOTAL to Jan 7 1918 26·70
Rain Days.													

to Jan 7 1918

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

11.1.19

Kept at Kings Sutton School
in the County of Northampton
by A. H. Tilbury

Lat. ________ Long. ________
Time of Observation 10 a.m.
Nearest Railway Station Kings Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—			—	—	—	—		—		·09	1
2			·03		—	—	—			—		·08	2
3		·24				—	—				1·51	—	3
4			—		·38	—	—					·09	4
5		·04	—	·32		—	—			·22		·23	5
6		·10	—		—	—	—					·08	6
7		·12	—		·04	—	—			—		·23	7
8	·02	—			—	·17	—		2·34	·12		·04	8
9	—		—	·07	·04		·22			·28		·08	9
10	·04	·27		·09		—	—			·19		·06	10
11			—	·03	·18	—	·04				·14	—	11
12	—	—	·05			—		1·19		·21		—	12
13		·03	—	·02		·04	·43						13
14	·30	—	—							·16		·31	14
15		—		·80		·04	·14			—			15
16			—	·62			—		·19	·11		—	16
17	Partly snow 1·84	—		·03		·20	·45		·12	—		·15	17
18			—	—		·21	·10		·25			·41	18
19		—	—		1·33	—				·25		·17	19
20		·05	—	1·26		—	·06		·41				20
21	·09	·12	—							·04	·21		21
22	·18	—		—		—				—			22
23	—		—	—			·18		·06	—			23
24	—	·15		—		—	·05		·05	—			24
25			—	—		·02			—		—	·80	25
26	—	—	—			—			—	·06	·06		26
27		—	—	—		—	·38				·15		27
28	—	snow ·08			—	—			1·64	—	·08		28
29	—	snow ·06	·55	—	—	—				—			29
30	—	✕		—	—	—	—		·06	—			30
31	—	✕	—	✕	—	✕			✕	—	✕		31
Total	2·47	1·26	·63	3·24	1·97	·68	2·35	1·19	5·45	1·64	2·18	2·85	YEAR'S TOTAL 25·94
Rain Days.													

W. 8,000, IX. 17.

Note. These observations have been taken at 10 a.m all through the year, both Summer Time & Greenwich time.

1043

FORM A.
BRITISH RAINFALL.
7 JAN 20

cont by C d for acct of surrounding Stns –

REGISTER OF RAINFALL IN 1919

Kept at King's Sutton School ~~W.~~

in the County of Northamptonshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·07		—	·03	·04	·07		·10			·94	1
2			·07	—		—	·04	—		·17	·25	·05	2
3		—	·12	—	·1	·05	·04					·14	3
4	1·51 ~~·80~~	·09	·35			·02		·07	1·71	—	·11	·18	4
5		·32 snow	·28	—	—	—	·04				—		5
6			·10		1·23					—	—	·38	6
7				·03	·11		—	—		—		—	7
8	·17	—	·21	·21	—		—			—	·07	—	8
9				·04			—			—		—	9
10		—	·45	—	—		—				·08	—	10
11	·03	—	·15			·12			·02	·19	—	·11	11
12		—	·46	·46	—		·50				·20		12
13	·08	—	—		—					·13	—	·12	13
14	·32			·15	—		·16			·04			14
15	·25	·88	—	—	—		—	·18	—	—	·17	·56	15
16	·08			—			—		—	—		—	16
17		·41	—		—	—	—		—		·30	·03	17
18	·22	·29	·33 partly snow			—			—	·01	·03	·08	18
19			1·22 partly snow		—	·12	1·59	·45		—	·04		19
20	·46		·15		—				·08	—	·12		20
21	·04	·68			—	·13	·37			—		·44	21
22			·04		—		—	·1	·09	—	·04		22
23		—		1·05		—	—		—	·50			23
24	·21	—	—		·03	—	—		—		—		24
25		—	—			·03			—	·71	—		25
26		—	·12		—	—	—	1·14			—	1·30	26
27	·40 snow	—	·09		—					—	—		27
28	·04	—			—	—	—		·13	—			28
29			·11	·03	—		—			·20	·39		29
30	–	✕		·26	—	·23	—	·13	—	·08			30
31		✕	—	✕	–	✕	—		✕		✕		31
Total	3·01	2·74	4·25	2·23	1·50 ~~·51~~	·74 ~~·40~~	2·75	2·34	2·03	2·03	1·80	4·42 ~~3·42~~	YEAR'S TOTAL 30·67 ~~30·47~~
Rain Days.													

W. 8,000, IX. 17.

N W 991

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at King's Sutton Cl. Sch.
in the County of Northants
by A. H. Tilbury

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station King's Sutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			—			—	·36 ·36	·16	[illegible]			·28	1
2		·09	—		·30	—						·07	2
3	·01		—		—	·01	·01			·88			3
4					—		·63	·32		·21			4
5			·06		·20	—	·31	·02		·11		·03	5
6	—				—		·18			·01		·03	6
7	—		·35 Snow	4·00		—	·18		·58				7
8	·18		·01		·12	—	·41				·02		8
9			—			—		·02					9
10	·62		·08		·43	·08				·01		partly snow	10
11			—				·14					·04	11
12	·02				—	·92							12
13	—		partly snow ·49	·35	—						·25		13
14				·26		·12	·06 ·06		·33	·08			14
15			partly snow ·11		·04	·06	[illegible]		·15				15
16	·16			·54		·06	[illegible]		·16		·04		16
17					·10	·16	·01	·01		·10			17
18							·04	·16				·05	18
19	·01	·69	·19	·36		·40	·01	·04	·54				19
20	·03			·33					·01		·02	·06	20
21	·01			·01	1·04	—	[illegible]		·03			·10	21
22	·03			·15		—			·12			·19	22
23						—							23
24	·02			·01		—							24
25			·05				·95						25
26	·34			·04			·10						26
27	·46		·24	·20									27
28	·58			—		·40	·04				·31	·68	28
29	·14		·25	—		·08	·03				·09		29
30			·25			·10	·10		·20		·16		30
31	·04		·02							·61		·58	31
TOTAL	2·41	·48	2·40 ~~2·39~~	6·28	2·29	2·39	3·57 ~~3·24~~	·75	2·15	2·01	·92	2·11	28·36 ~~28·05~~
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

NAMPORT HALL GARDENS
NORTHANTS
1912, 1915-1920

REGI

Kept at Lamport Ha

in the County of Northa

by W. Pettit

in.

nd ft. in.

Level ft.

e

nce Direction

IMPORTANT NOTE.—I result entered to the previous day. If an Observe l rule, he is earnestly requested to add the reading in the space provided for it at the end of this par of rain, the selection and placing of Rainfall Organization are given in "Ru sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·16	02		·09	·01		·04			·14	1
2		02	·07	·01	·01	·10	·64		·02			·02	2
3	·10		·03		·08	·08	·14	·44	·04			·05	3
4	·08		·53		·12	·41		·04			·31		4
5	·10	·03	·16			·11		·20	·03		·08	·07	5
6	·35	·08				·06	·09	·50					6
7		·11			·04	·50	·02	·33				·02	7
8	·40	·26	·20	·01		·20	·19	·15	17				8
9		·07	·10	·12		·24	·02	·04				·20	9
10		·01		·01		·09		·13			·30		10
11	·04	·10	·01			·07		·05			·03	·31	11
12	·09	·33	·10		·07		·20			·03	·11		12
13		·10			·01	·07					·04		13
14	·05		·14		·11	·12							14
15	·02	·03	·10		·24	·18		·02				·20	15
16	·40		·08		·02	·02		·08		·12			16
17	·65		·12			·15		·19			·02	·30	17
18	·14	02	·08					·08		·03	·02	·03	18
19	·23	·06	·05				·16	·42		·03	·04		19
20	·08		·16		·02		·62	·29		·29			20
21	·02	·01	·13		·50			·82		·25	·05		21
22	·38	·08			·41		·28	·39	·02				22
23	·10	·30	·33				·42	·45			·09	·34	23
24	·07	·02				·11	·03	·16				·08	24
25						·20		·10			·25	·35	25
26		·04	·02				·15	1·58		·64	·26	·28	26
27						·06	·04			·33		·22	27
28		02				·02	·07	·58	·04	·25	·24	·50	28
29				·01		·34	·31		·61	·43			29
30	·04				·23		·02		·14	·24			30
31			·03		·10		·48	·25		·02			31
Total	3·34	1·69	2·60	·18	1·96	3·22	3·89	7·29	1·11	2·66	1·84	3·11	TOTAL for year 32·89
No. of Rain Days.	19	19	20	6	14	21	19	23	9	12	14	16	192

W. 8,000, X. '11.

8L

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lamport Hall Gardens

in the County of Northamptonshire 4

by W. Pettit

RAIN GAUGE: Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station: Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.16	.02		.09	.01		.04			.14	1
2		.02	.07	.01	.01	.10	.64		.02			.02	2
3	.10		.03		.08	.08	.14	.44	.04			.05	3
4	.08	—	.53		.12	.41		.04			.31		4
5	.10	.03	.16			.11		.20	.03		.08	.07	5
6	.35	.08				.06	.09	.50					6
7		.11			.04	.50	.02	.33				.02	7
8	.40	.26	.20	.01		.20	.19	.15	.17			—	8
9		.07	.10	.12		.24	.02	.04				.20	9
10		.01		.01		.09		.13			.30		10
11	.04	.10	.01			.07		.05			.03	.31	11
12	.09	.33	.10		.07		.20			.03	.11		12
13		.10			.01	.07					.04		13
14	.05		.14		.11	.12							14
15	.02	.03	.10		.24	.18		.02				.20	15
16	.40		.08		.02	.02		.08		.12			16
17	.65		.12			.15		.19			.02	.30	17
18	.14	.02	.08					.08		.03	.02	.03	18
19	.23	.06	.05				.16	.42		.03	.04		19
20	.08	—	.16		.02		.62	.29		.29			20
21	.02	.01	.13		.50			.82		.25	.05		21
22	.38	.08			.41		.28	.39	.02				22
23	.10	.30	.33				.42	.45			.09	.34	23
24	.07	.02				.11	.03	.16				.08	24
25						.20		.10			.25	.35	25
26		.04	.02			—	.15	1.58		.64	.26	.28	26
27						.06	.04			.33		.22	27
28		.02	—			.02	.07	.58	.04	.25	.24	.50	28
29				.01		.34	.31		.61	.43			29
30	.04				.23		.02		.14	.24			30
31			.03		.10		.48	.25		.02			31
Total	3.34	1.69	2.60	.18	1.96	3.22	3.89	7.29	1.11	2.66	1.84	3.11	TOTAL for year 32.89
No. of Rain Days.	19	19	20	6	14	21	19	23	9	12	14	16	192

W. 8,000, X. '11.

[illegible] 21·III·16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL
26 JAN 1916

Kept at Lamport Gardens
in the County of Northampton
by Fred Howard

Lat. 52°N 22' Long. 0° W. 53'
Time of Observation 9 a.m.
Nearest Railway Station Lamport ¾ mile
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. two in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·03	— —	— —	·12	— —	— —	— —	— —	·01	— —	·15	1
2	·01	·12	Snow & Rain ·42	·15	— —	·03	— —	·78	— —	·15	— —	·07	2
3	·30	·13	·02	·15	— —	— —	·41	·41	·13	— —	— —	·24	3
4	·06	— —	— —	— —	— —	— —	·04	— —	— —	— —	— —	·52	4
5	·05	— —	— —	— —	— —	— —	— —	— —	— —	— —	·02	·27	5
6	·17	·34	— —	·16	— —	— —	·86	·03	— —	— —	— —	·03	6
7	·06	·02	— —	— —	— —	·03	·08	·15	— —	— —	— —	·16	7
8	·02	·26	Snow ·05	— —	— —	— —	— —	— —	— —	— —	·05	— —	8
9	— —	·13	— —	— —	— —	— —	— —	— —	— —	·02	·26	— —	9
10	·38	— —	— —	— —	— —	— —	— —	·28	— —	— —	— —	·51	10
11	— —	— —	— —	— —	·13	— —	·10	— —	— —	— —	·68	— — Frost 8°	11
12	·04	— —	— —	·31	·39	— —	— —	·14	— —	·02	1·14	Snow Frost 14°	12
13	·02	— —	— —	— —	·91	— —	— —	— —	— —	— —	— —	Frost 8°	13
14	— —	Snow ·56	— —	— —	— —	— —	— —	·05	·05	— —	·018 Snow	·52 With the above Snow	14
15	·30	— —	— —	— —	·13	— —	·10	·10	— —	— —	— —	·15 Frost 7°	15
16	— —	— —	— —	— —	·09	— —	— —	·04	— —	— —	— —	·03	16
17	— —	·27	— —	— —	— —	— —	1·12	— —	— —	— —	— —	Fog Frost 5°	17
18	— —	·23	Snow — —	— —	— —	— —	·30	— —	— —	— —	— —	— — Frost 7°	18
19	— —	— —	Snow — —	— —	— —	— —	·09	— —	— —	·02	— —	— —	19
20	·31	— —	— —	Shower — —	Shower — —	— —	— —	— —	— —	— —	— —	·32	20
21	·11	— —	— —	— —	·13	— —	·12	— —	— —	— —	— —	·09	21
22	— —	·16	·46	·05	— —	— —	— —	— —	— —	— —	— —	·11	22
23	— —	— —	— —	— —	— —	— —	·15	— —	·06	·29	— —	·36	23
24	— —	Snow — —	·03	Shower — —	— —	— —	·33	— —	·87	·04	— —	·09	24
25	·04	— —	·12	— —	— —	·01	·31	— —	— —	·02	— —	·26	25
26	— —	— —	— —	— —	— —	— —	·08	— —	— —	— —	— —	·36	26
27	— —	·16	— —	— —	— —	— —	·05	— —	— —	·54	— —	·16	27
28	— —	·07	— —	— —	— —	— —	— —	·02	·09	·08	— —	— —	28
29	— —		— —	— —	— —	·04	·04	·11	— —	— —	·22	·15	29
30	— —	×	— —	— —	— —	·09	·02	— —	— —	— —	— —	·08	30
31	·15	×	·02	×	— —	×	·01	·05	×	·49	×	·09	31
Total	2·27 ✓	2·48 ✓	1·12 ✓	·82 ✓	1·90 ✓	·20 ✓	4·21 4·21	2·16 ✓	1·20 ✓	1·68 ✓	2·55	4·72	YEAR'S TOTAL 25·~~2~~31
Rain Days.	16	13	7	5	7	5	18	12	5	11	7	22	25·31 ~~130~~ 128

W. 8,000. X. 15.

Entd

1185

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
18. JAN. 1917

Kept at Lamport Gardens
in the County of Northampton
by Fred Howard

Lat. 52°N. 22' Long. 0·W. 53
Time of Observation 9: a.m.
Nearest Railway Station Lamport 3/4 mile
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Gale ·02	— —	More Snow ·09 Frost 10°	— — Frost 6°	— —	·16	·24	— —	— —	— —	·46	— —	1
2	·55	— —	More Snow ·07 Frost 4°	— —	·22	A Trace Slt. Showr.	·02	— —	·01	·54	·05	— —	2
3	— —	·44	Snow — — Frost 7°	— —	— —	— —	·05	— —	·07	·25	·04	— —	3
4	·53	·10	Snow Show — — Frost 11°	— —	·18	·26	·30 (from 9.30 (p.m.)	— —	— —	·01	·10	Frost 8° — —	4
5	·04	— —	More Snow — — Frost 8°	— —	·04	·31	— —	— —	— —	·16	·18	Frost 9° — —	5
6	·02	·15	Much more Snow Frost 9°	·06	— —	— —	·31	— —	— —	·10	·33✓	Frost 14° — —	6
7	·09	— — Frost 5°	More Snow — — Frost 4°	— —	·20	— —	·33	— —	— —	— —	·22	Frost 13° ·11	7
8	— — Frost 7°	— — Frost 11°	More Snow ·46* Frost 9°	— —	·01	— —	— —	— —	— —	— —	·06	Frost 2° ·14	8
9	— —	— —	More Snow — — Frost 4°	— —	·29	·27	— —	— —	— —	·10	— —	Frost 9° — —	9
10	— —	·11	More Snow ·06	·12	— —	·02	— —	— —	·06	— —	·01	— —	10
11	·03	·17 Snow	More Snow ·13	·12	·07	·19	— —	— —	— —	— —	— —	Snow & ·17 Rain	11
12	·07	Frost 4° ·04	·10	— —	·38	·06	A Trace	— —	— —	·06	— —	Frost 4° — —	12
13	·05 Frost 6°	·22	·09	·11	·01	·02	·47	·10	— —	— —	— —	— —	13
14	— —	Frost 5 & 6 inches of Snow	— —	·02	a Trace	— —	— —	·10	— —	— —	— —	— —	14
15	— —	·69*	·49	— —	·01	— —	·11 (6th a.m. 16th)	·09	·01	·02	— —	Frost 7° — —	15
16	— —	·02	·30	·22	·04	— —	·15	·02	— —	·03	Frost 7° — —	Frost 10° — —	16
17	·06	— — Trace	— —	·11	— —	— —	·04	·32	·21	·23	Frost 8° — —	Frost 17° — —	17
18	— —	·25	·02	·08	— —	— —	— —	1·23	·05	— —	Snow & Rain 1·08	Frost 10° — —	18
19	·11	·03 Frost 8°	·31	·14	— —	— —	— —	·06	·30	— —	Snow & ·37 Rain	Frost 7° Snow	19
20	·02	— — Frost 8°	·15	·02	— —	— —	— —	·05	·01	— —	·36	Frost 19° ·64	} with Snow on 19th 20
21	·06	— — Frost 7°	Some Snow ·34	·08	— —	— —	·04	— —	— —	— —	— —	Snow ·48	21
22	— —	Snow — — Frost 6°	Frost 5° ·02 Hail & Snow	— —	·08	— —	— —	— —	— —	·07	— —	Frost 7° Snow and Rain ·44	22
23	·04	Snow 4 in. — — Frost 8°	Frost 15° — —	— —	— —	— —	— —	·03	— —	·01	·06	Snow and ·40 Rain	} Frost 6° 23
24	— —	Much Snow — — Frost 9°	Snow ·04 Frost 10°	·02	— —	·18	— —	·04	— —	·04	Trace	Snow & ·27 Rain	24
25	— —	More Snow — — Frost 5°	·10 Frost 6°	— —	·06	— —	— —	·27	— —	·05	·14	Trace Frost 9°	25
26	— —	More Snow Storms Frost 6°	Hail Showers Frost 6°	— —	— —	— — Shower	— —	·11	— —	·06	·01 Frost 5°	— — Frost 19°	26
27	— —	More Snow ·96*	Heavy Snow Storm p.m.	— —	— —	·03	— —	·04	·15	·18	— —	— — Frost 16°	27
28	Fog ·02	More Snow ·16	Great Storm of Snow. 22 hours	— —	— —	·10	·01	— —	— —	·02	— —	·23 Max. Temre = 46°	28
29	— —	More Snow ·34	Storm — Frost 13°	— —	— —	·19	— —	1·55	— —	·35	— —	·03	29
30	— —	X	Frost 10° ·26△	— —	— —	·02	— —	·04	— —	·19	— —	— —	30
31	·02 Mostly Fog	X	Thawing — Frost 6°	X	— —	X	— —	·01	X	·05	X	·03	31
Total	1·73	3·68	3·03	1·10	1·59	1·81	2·07	4·06	·87	2·52	3·47	2·94	YEAR'S TOTAL 28·87
Rain Days.	16	~~14~~ 20	~~17~~ 18	12	13	13	12	16	9	20	15	11	~~168~~ 175

W. 8,000, VIII. 16

* Including previous days Snow * Including previous 5 days Snow * Including previous 5 days Snow Mar. 3rd to 8th inclusive △ From Snow ✓ From 11th p.m. F.H.

cor results

1143

FORM A. BRITISH RAINFALL.

MAR 1918

REGISTER OF RAINFALL IN 1917

Kept at Lamport Gardens
in the County of Northampton
by Fred Howard

Lat. 52° N. 22' Long. 0 W. 53'
Time of Observation 9 a.m.
Nearest Railway Station Lamport 3/4 mile
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	— —	— —	— —	Frost 14° — ·18 (From Snow)	— —	— —	— —	Very Stormy 1·37	Stormy — ·16	Thick — — Fog	Fog. — —	— ·02	1
2	— ·02	Snow — — Frost 13°	— —	Snow — — Frost 4°	— —	— ·22	— —	— ·12	Stormy — —	— — Fog	Fog. — ·02	Snow — — Showers	2
3	— —	— —	— — Frost 7°	— ·15 From Snow	— —	— —	— —	— ·45	— —	— ·25	— ·09	Frost 11° — —	3
4	— —	Snow — — Storms	— — Snow 1 in.	— — Snow	— —	— —	— —	— ·18	— —	— ·34	— —	Frost 15° — —	4
5	— ·15	— — Frost 25°	Snow & — ·14 Rain	— ·06 Snow	— —	— —	— —	— —	— ·08	— ·02	— ·07	Frost 13° — —	5
6	— —	— — Frost 21°	— — Frost 15°	— —	— —	— ·05	— —	— —	— —	— ·07 Frost 5°	— —	Frost 11° — —	6
7	— ·49	Frost 28°	— — Frost 18°	— —	— —	— —	A Trace	— —	— —	— ·31	— ·05	— —	7
8	Snow 8 in. — ·46 for 24 hrs	— — Frost 25°	— —	— —	— —	— —	— ·48	— ·33	— —	Very Stormy — ·36	— ·11	— ·13	8
9	— ·03 Frost 7°	— — Frost 15°	Snow — — Storm	Snow & — ·16 Rain	— ·05	— —	— ·02	— ·48	— —	— —	— ·12	Frost 6° A Trace & Snow.	9
10	— — 3 in. Snow	— — Frost 9°	— ·36	— ·34 Snow	— ·14	— —	— —	— ·05	— —	— —	— ·07	— — Frost 11°	10
11	— ·45 with Showers	Snow — — & Frost 2°	— ·12	— ·26 Snow	— ·01	— —	— —	— ·14	— ·03	— ·23	A Trace	— —	11
12	— ·11 Rain & Snow	Snow Showers	— —	— — Frost 4°	— ·03	— —	— —	— ·01	— —	— ·47	— —	— ·02	12
13	— — Frost 12°	— — Frost 10°	— ·14	— —	— —	— —	— —	— ·28	— ·08	— —	— —	— —	13
14	— ·09 Snow	— ·31*	— —	— ·10 Frost 4°	— —	— —	— —	— ·11	— —	— ·06	— —	— —	14
15	Snow — — Frost 16°	— —	— —	— — Frost 4°	A Trace	— —	— ·09	— ·03	— —	— —	— —	— —	15
16	Snow — — Showers	— ·16	— —	— ·17 Hail, Snow	— ·01	— —	— ·18	— —	— —	— ·16	— —	Snow & — ·17 Rain	16
17	Snow — — Showers	— — Fog	— —	— ·14	— ·47	— ·97	— ·21	— ·01	— ·14	— ·27	— —	Frost 11° — —	17
18	Snow — ·04 Showers	— — Fog	— —	— ·10	— ·09	— —	— ·11	— —	1·01	— —	— —	Frost 10° — —	18
19	Sleet — — Showers	— ·25	— ·06 Hail	— —	— ·14	— —	— —	— —	— ·03	— —	— —	Frost 22° — —	19
20	— —	— ·12 Fog.	— ·08 Snow & Hail	— —	— ·59	— —	A Trace	— —	— —	— —	— ·18	Frost 20° — — Fog	20
21	— —	— —	Frost 7° — —	— ·03	— ·03	— ·03	— —	— —	— —	— —	— —	— — Frost 7°	21
22	— —	— —	— ·14 Frost 11°	— —	— —	— —	— —	— ·01	— —	— ·16	— —	— — Frost 17°	22
23	— —	— ·08	— —	— —	— ·10	A Trace	— —	— ·21	— ·05	— ·04	— —	— — Frost 7°	23
24	— —	— —	— —	— —	— —	— ·51	— —	— ·09	— —	Very Stormy — ·21	— —	— ·02 Thaw	24
25	— —	— ·03	— —	— —	— —	— —	A Trace	— —	— —	— —	Very Stormy — ·13	— — Frost 7°	25
26	— —	— —	— —	— —	— —	— —	— —	— ·32	— —	— —	Snow — ·14 & Rain	Snow — — Showers	26
27	— —	— —	— —	— —	— —	— ·65*	A Trace	— ·65	— ·13	— —	— —	Frost 5° — —	27
28	— —	— —	— ·09	— —	— —	— ·58	— —	— ·10	— —	— ·01	— —	— ·09	28
29	— —	— ·02	— — Frost 5°	— —	— —	— ·06	— ·13	— ·04	— —	— ·31	— —	— ·25	29
30	— —	X	— — Frost 9°	— —	— —	— —	— ·21	— ·22	— —	— —	— —	— ·01	30
31	— —	X	— ·11 Frost 9°	X	— —	X	— ·05	— ·09	X	— —	X	— ·12	31
Total	1·84	·97	1·14	1·69	1·66	3·07	1·48	5·29	1·71	3·27	·98	·83	YEAR'S TOTAL 23·93 24·03
Rain Days.	9	5	9	11	11	8	9	22	9	16	10	8	127

Frost, day & night, anything from 4 degrees to fifteen degrees F.H.

* All from Snow from Feb. 2nd to 12 inclusive F.H.

* From 5-30 a.m. on June 28th Thunder F.H.

W. 1,000, X. 15. EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

CX 9MZ cross for S

35

18. 1. 19

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Lampott Gardens

in the County of Northampton

by Fred Howard

Lat. 52° N. 22′ Long. 0° W. 53′

Time of Observation 9 hrs. a.m.

Nearest Railway Station Lamport

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Frost 9° — · —	Frost 7° — ·27	Snow & Frost 8° — —	— ·09	— —	— —	— —	— —	— —	— —	— —	— —	1
2	Frost 8° — · —	— —	Frost 10° — —	Hail — ·15	— —	— —	— —	— ·14	A Trace	— —	— ·09	— ·17	2
3	Frost 15° — —	A. Trace	Frost 7° — —	— —	— ·36	— —	— —	— —	— ·20	— —	— ·42	— ·01	3
4	Frost 2° — —	— ·02	— —	— —	— —	— —	— ·01	A Trace — —	— ·25	— ·01	— ·41	— ·01	4
5	— —	— ·03	— ·23	— —	— ·20	— —	— —	— ·14	— ·38	— ·06	— —	— —	5
6	Frost 7° — —	— ·24	— —	— ·16	— —	— —	— —	— —	— —	— —	— —	Fog — —	6
7	Frost 17° — — Snow	— ·07	— —	— ·15	— —	— ·06	— —	— —	— ·02	— ·07	— ·11	—	7
8	Frost 21° — — Snow Show^{rs}	— —	Snow Show^{rs}	— ·03	— —	— —	— —	— —	— ·02	— ·04	— —	Fog — ·18	8
9	— —	— ·26	— —	— ·04	— —	— ·04	— ·04	— —	— ·30	— ·28	— —	— ·06	9
10	— ·07	— —	— —	Fog — ·02	— —	— —	— ·34	— —	— ·06	— ·14	— —	— —	10
11	— —	— —	— —	Fog — —	— ·04	— —	— ·23	— —	— ·09	— ·22	— —	— ·03	11
12	Frost 8° — — A Trace	— ·11	— ·08	Fog — —	— ·05	— —	— —	— —	— ·12	— —	— —	— —	12
13	— —	— —	— —	— —	— ·18	— —	— —	— —	— ·14	— ·01	Frost 12° — —	— ·05	13
14.	Frost 18° Snow & — ·33 Rain	A. Trace	— —	— ·02	— —	— ·04	— ·60	— —	— ·33	7 a.m. 15 — ·17	Frost 13° — —	— —	14
Frost 17° 15	One foot (1·00) of Snow	Frost 8° — —	— —	— ·70	— —	— —	— ·07	— —	— ·09	— —	Frost 7° — —	— ·46	15
16	More Snow — — Showers	Frost 17° — —	— —	— ·49	— —	A Trace	— —	— —	— ·20	— —	— —	— —	16
17	Snow & — ·28 Rain	Frost 18° — —	— —	— ·03	— ·02	A Trace	— ·55	— ·02	— —	— —	Frost 7° — —	— ·09	17
3∆21 18	A good — ·34 Thaw	Frost 15° — —	— —	— —	— —	— ·17	Thunder — ·16	— —	— ·25	— —	— —	— ·32	18
19	A Trace — —	A Trace & Thaw	— ·03	Frost 7° — ·18 (From Snow)	— —	— ·02	— ·07	— —	— ·01	— ·06	Frost 9° — ·02 (From Fogs)	— ·14	19
20	— ·03	— ·15	— —	— ·42 Snow & Rain	— —	— ·08	— ·01	— —	— ·07	— ·18	— —	First — ·05 Snow	20
21	— ·06	— —	— —	— ·46 Snow & Rain	— —	— —	— — A Trace	— —	— ·21	— ·09	Fog — —	— — A Trace	21
22	— ·14	— —	— —	— —	— ·23 (Thunder)	— —	— ·03	— —	— ·02	— ·05	Fog — —	— ·38	22
23	— ·06	— —	— —	— —	— ·57	— —	— —	— —	— ·02	— —	Fog —	— ·02	23
24	— —	— ·18	— —	— —	— —	A. Trace	— ·18	— —	— ·02	A Trace	— ·25	Frost 7° — —	24
25	— —	— —	— —	— —	— ·05	— ·09	— —	— ·24	A Trace	— ·04	— —	Frost 9° — —	25
26	— —	— —	— —	— —	— —	— —	— ·13	— ·02	— ·01	— —	Fog & — ·11 Rain	— ·23	26
27	— —	— —	— —	— —	— —	— —	— ·22	— ·17	— ·01	— —	— ·10	— ·01	27
28	— —	— —	— ·14	— —	— —	— —	— —	— ·12	— —	— —	— ·26	— ·11	28
29	— —	— —	— —	— —	— —	— —	— —	— —	1·08	— —	— ·02	— ·01	29
30	— — Frost 7°	X	— ·29	— —	— —	— —	— —	— ·04	— ·10	— ·01	— ·16	— ·16	30
31	— — Frost 10°	X	— ·15	X	— —	X	— —	— —	X	— ·24	X	— —	31
Total	(2·31)	1·33	— ·92	2·94	1·70	— ·50	2·64	·89	4·00	1·67	1·95	2·49	YEAR'S TOTAL (23·34)
Rain Days.	9	9	6	14	·9	7	14	8	24	16	11	19	146

W. 6,500, VII. 18. w w c

81

written for missing month 11-3-20

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

147

16 MAR 20

Kept at Lamport Hall
in the County of Northamptonshire
by J. Sutherland

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	·09	·03		·06		·18			·11	·02	·56	1
2	·14		·03		·15		·08		·13	·01	·48	·08	2
3	·81		·10				·21		·28		·17	·09	3
4	·06		·47			·06	·01	·24	·09		·01	·25	4
5		·30	·18						·83			·15	5
6	·01		·08		·91						·07	·08	6
7	·02		·25		·01				·02				7
8	·12		·06	·14							·02		8
9	·01			·25									9
10			·41	·05			·61			·02	·05	·07	10
11	·10		·27		·02						+	·01	11
12			·48	·12		·27			·02	·06	+	·03	12
13	·14			·20					·03	·06		·01	13
14	·38			·21			·02		·06				14
15	·30	·02	·20	·14							+	·70	15
16	·10	·79		·02				·17			·38 +		16
17		·50									·25	·02	17
18			·23					·15				·24	18
19	·06	·30	1·00			·17	·39	·14	·10		·03	·06	19
20	·67	·03	·27			·06	·27				·13		20
21	·17	·46	·07				·33		·02		·05	·23	21
22		·40					·01		·41			·55	22
23								·02		·57	·01	·04	23
24				·11		·03	·20			·50		·03	24
25	·10			·07				·26	·06			·05	25
26	·07		·21	·08	·04			·05				·36	26
27	·55	·03	·04	·55				·10		·01		·03	27
28	·10	·01					·01	·76		·01		·32	28
29						·01		·06		·29		·26	29
30		×	·11	·22		·23				·08	·32	·29	30
31		×	·03	×		×	·04		×	·04	×	·01	31
Total	4·29	2·93	4·52	2·16	1·19	·83	2·36	1·97	2·05	1·76	1·99	4·52	YEAR'S TOTAL 30·57
Rain Days.	20	11	20	13	6	7	13	10	12	12	19 ~~18~~	25	166

W, 6,500, VII. 18. w w c

Ex 9.L

1075

FORM A.
BRITISH RAINFALL

9 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Lampoɾt Gardens

in the County of Northampton

by Fred Howard

Lat. 52°N. 22' Long. 0°W. 53'

Time of Observation 9hrs a.m.

Nearest Railway Station Lamport 3/4 mile

Diameter of Funnel of Rain Gauge Eight in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·38	—·09 (From Snow)	—·04	— — Frost 9°	—·06	— —	—·18	— —	— —	—·09	— —	—·51	1
2	—·14 ~~Frost 6°~~	Frost 6° — —	—·02	— — Frost 9°	—·15	— —	—·08	— —	—·11	—·11	—·46	—·07	2
3	—·81 Snow & Rain	Frost 7° — —	—·08	— — Milder	— —	— —	—·21	— —	—·25	— —	—·15	—·11	3
4	—·06	Frost 7° — —	—·41	— —	A Trace	—·08	A Trace	—·23	—·04	— —	— —	Stormy —·21 (Hail)	4
5	— —	Frost 13° —·30 (From Snow)	Frost 5° —·17 Some Snow	— —	— —		—·01	— —	—·76	— —	— —	—·12 Stormy	5
6	—·01	Frost 5° — —	—·03	— —	—·90		— —	— —	— —	— —	—·09	—·06 Stormy	6
7	—·02	Frost 25° — —	—·26	— —	—·01		— —	— —	—·02	— —	— —	— — Frost 5°	7
8	—·12	Frost 28° — —	—·05	—·14	— —		— —	— —	— —	— —	—·01	— — Frost 8°	8
9	—·01	Frost 27° — —	A Trace	—·24 Snow & Rain	— —		— —	— —	— —	— —	— —	— —	9
10	— — Frost 7°	Frost 22° — —	—·34	—·03	—·01		— —	— —	— —	—·02	Snow Showers —·05 Frost 7°	Frost 12° —·06	10
11	—·10 Frost 9°	Frost 21° — —	—·25	—·04	— —		—·61	— —	— —	— —	— —	— —	11
12	A Trace Frost 6°	Frost 25° — —	Frost 6° —·48 Some Snow	—·05	— —	—·22 Stormy	— —	— —	—·02	Frost 7° —·06	Snow Showers — — Frost 14°	—·02	12
13	—·14 Fog & Frost	Frost 18° — —	Frost 5° — —	—·16 Thunder	— —	— —	A Trace	— —	—·03	—·04	Frost 8° — — Snow.	— —	13
14	—·38	Frost 3° A Thaw	— —	—·22 (Hail)	— —	— —	—·02	— —	—·06	— —	Frost 9° — — Snow	— —	14
15	—·30	—·02	—·19	—·11 Thunder	— —	— —	— —	— —	— —	—·01	Frost 17° — —	—·62	15
16	—·10	—·79	— —	— —	— —	— —	— —	—·17	— —	— —	✶·38	— —	16
17	— — Frost 5°	—·50 (Snow & Rain)	— —	— —	— —	— —	A Trace	— —	— —	— —	—·25	Frost 12° —·01	17
18	— — Frost 12°	— —	—·12 Snow & Rain	— —	— —		— —	—·15	— —	— —	—·01	—·22 Very Stormy	18
19	—·06	—·24	—·99 Snow & Rain	— —	— —	—·15	—·39	—·14	—·10	— —	—·03	—·03	19
20	—·69	—·03	—·27 Snow & Rain	— — Frost 7°	— —	—·08	—·27	— —	Frost 6° —·01	— —	Snow Storms —·09	— —	20
21	—·17 Frost 14°	—·44	Frost 6° ·12 (Snow & Rain)	— — Frost 5°	— —	— —	—·33	— —	A Trace	— —	Frost 4° —·02	Stormy —·23	21
22	— — Frost 15°	—·39	Frost 12° —·03 Snow	— —	— —	— —	—·01	— —	—·39	— —	— —	—·55	22
23	— — Frost 13°	— —	Frost 10° — —	— —	— —	—·02	— —	—·02	—·01	—·45	— —	—·05	23
24	— — Frost 4°	— — Frost 8°	— —	—·11	— —	— —	—·20	A Trace	— —	—·43	— —	— —	24
25	—·10 Frost 7°	— —	— —	—·04	—·04	— —	— —	—·25 Stormy	— —	— —	— —	—·07 Frost 9°	25
26	— 07	— —	·19 (Hail 27th)	—·08 Frost 8°	— —	— —	— —	—·05	—·06	— —	— —	—·33	26
27	0·65 Snow 9 in.	—·02	—·03 Very Stormy	—·63 Snow & Rain (Heavy fall)	— —	—·02	— —	—·10	— —	—·01	— —	—·06	27
28	More Snow. Frost 8°	— —	Frost 7° — —	— —	— —	— —	—·01	—·72	Frost 4° — —	—·01	— —	—·27	28
29	— — Frost 7°	✶✶	Frost 14° — —	—·08 Frost 6°	— —	— —	— —	—·06	Frost 7° — —	—·24	Snow — —	—·22	29
30	— — Frost 9°	✕	Frost 10° —·10	—·21	— —	—·23	— —	— —	— —	—·08	Frost 12° —·32✓	—·24	30
31	— — Frost 9° Snow Showers	✕	Frost 11° — — Snow Slight	✕	— —	✕	—·04	— —	✕	—·04	✕	—·03 Stormy.	31
Total	4·31	2·82	4·15	2·14	1·17	—·80	2·36	1·89	1·86	1·59	1·86	4·09	YEAR'S TOTAL 29·04 ✓
Rain Days.	19	10	20	14	6	7	13	10	13	13	12	159 22	✓159

✶ From Snow 12th to 16th Nov.

✓ From Snow on 29th & Rain on 30

W. 6,500, VII. 18. W W C

187 [illegible]

1024

9 APL 1921

Form A.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lamport Hall Gardens

in the County of Northamptonshire

by ~~L. Howard~~ J. Sutherland

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·15	·27		·43		·01	·15	·02	·19	1
2				·08					·09	·11		·11	2
3		·04		·43		·04	·41	·19		·08		·02	3
4			·05	·11			·20	·41		·31		·06	4
5			·12	·11	·31		·52	·07	·22				5
6			·14		·07		·30						6
7			·05	·18			·13						7
8	·28	·08		·57			·10						8
9	·44			1·08			·04	·05					9
10	·22		·06	·29			·05				·03		10
11	·33		·07	·35	·31	·04	·01					·11	11
12	·04		·04	·12		·73		·03			·03	·18	12
13	·01	·02	·08	·13					·09		·04		13
14			×	·22		·25			·16	·04	·25	·02	14
15	·04	·08	×1·15	·10			·01		·14	·10	·09	·01	15
16				·05	·20	·42			·11	·03			16
17				·05	·17				·46			·06	17
18	·26						·01	·18	·26			·06	18
19	·05	·02		·23				·11				·02	19
20	·08	·29		·45		·51		·07			·02	·01	20
21								·08	·05			·02	21
22				·17			·36		·26				22
23	·01											·49	23
24			·17							·02		·09	24
25		·12	·04		·39		·71					·05	25
26	·19		·20	·03	·17						·05	·06	26
27	·15	·01	·09	·14		·71					·77	·28	27
28	·13			·02			·02				·10	·14	28
29	·47		·11		·28	·05	·05		·21		·09	·59	29
30	·11		·01	·04		·07	·04		·19		·08	·24	30
31	·10				·06		·03			·27		·07	31
Total	2·91	·66	2·38	5·10	2·23	2·82	3·42	1·19	2·25	1·11	1·57	2·88	Year's Total 28·52
Days with ·01 in. or more	17	8	16	23	(10)	9	18	9	13	9	12	22	166
× 04	15	5	15	21	(10)	9	13	8	12	7	8	16	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1023

11 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Lamport Hall Gardens
in the County of Northampton
by F. Howard to Oct. 1st 20 & H. Tyrrell to Dec 31

Lat. 52° N. 22′ Long. 0° W 53′
Time of Observation 9 hrs a.m.
Nearest Railway Station Lamport L.N.W.R.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. – in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	– –	– –	– –	·13	·24	– –	·37	·18	·05	·15	·02	·18	1
2	– –	– –	– –	·08	– –	– –	– –	– –	·09	·11	– –	·09	2
3	– –	·04	– –	·43	– –	·04	·39	·06	– –	·08	– –	·01	3
4	– –	– –	·04	·11	– –	– –	·18	·35	– –	·31	– –	·08	4
5	– –	– –	·12	– –	·25	– –	·50	·06	·19	– –	– –	·01	5
6	– –	– –	·12	– –	·05	– –	·29	– –	– –	– –	– –	– –	6
7	– –	– –	·05	·15	– –	– –	·11	– –	– –	– –	– –	– –	7
8	·28	·07	– –	·29	·02	– –	·09	– –	– –	– –	– –	– –	8
9	·44	– –	– –	·99	– –	– –	·04	·04	– –	– –	– –	– –	9
10	·21	·03	·05	·27	– –	– –	·05	– –	– –	– –	– –	– –	10
11	·30	– –	– –	·31	·27	·04	·01	– –	– –	– –	(·04)	·12	11
12	·03	– –	·03	·12	– –	·72	– –	– –	– –	– –	·03	·20	12
13	·01	·02	·07	·12	– –	– –	– –	– –	·09	– –	·04	– –	13
14	– –	– –	{1·22 + +	·19	– –	·23	– –	– –	·16	– –	·25	– –	14
15	·02	·07		·07	– –	– –	·01	– –	– –	·04	·09	– –	15
16	– –	– –	·01	·04	·20	·39	– –	– –	·23	·04	– –	– –	16
17	– –	– –	– –	·04	·12	– –	– –	– –	·41	·10	– –	·09	17
18	·24	– –	– –	– –	– –	– –	·01	·19	·26	– –	– –	·04	18
19	·04	·03	– –	·21	– –	– –	– –	·12	– –	– –	·02	·05	19
20	·07	·31	– –	·41	– –	·50	– –	– –	– –	– –	·01	·01	20
21	– –	– –	– –	– –	– –	– –	– –	·07	·21	– –	– –	·01	21
22	– –	– –	– –	·16	– –	– –	– –	– –	·07	– –	– –	– –	22
23	– –	– –	– –	– –	– –	– –	·36	– –	– –	– –	– –	·35	23
24	– –	– –	·14	– –	– –	– –	– –	– –	– –	– –	– –	·08	24
25	– –	·10	·03	·02	·40	– –	·66	– –	– –	·03	·04	– –	25
26	·19	– –	·18	– –	– –	– –	– –	– –	– –	·01	[·69]	·04	26
27	·13	·01	– –	·12	– –	·65	– –	– –	– –	– –	– –	·27	27
28	·48	– –	·09	– –	·15	– –	·02	– –	– –	– –	·11	·12	28
29	·09	– –	·11	– –	·27	·05	·04	– –	– –	– –	·10	[illegible]	29
30	– –		·01	·03	– –	·07	·05	– –	·17	– –	·08	·19	30
31	·09		– –		·06		·03	– –		·22		·07	31
TOTAL	2·62	·68	2·27	4·49	2·03	2·69	3·21	1·07	1·93	1·08	1·52	2·60	YEAR'S TOTAL 26·19
Days with ·01 in. or more	15	9	16	21	11	9	18	8	11	9	13	20	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

12 5 12 19 10 9 13 8 11 8 9 16 132

NORTHANTS

LITCHBOROUGH HALL

1911 – 1920

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

RE 1911

Kept at (Weedon) Litch

in the County of North

by Jno Grant

top in.

above Ground ft. in.

" Sea Level ft.

ation { Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.30	.05							.04	.04	1
2	.03		.02	.09	.15		.05			.07	.07	.04	2
3					.24			.04		.09	.03	.03	3
4	.02	.01		.03					.07	.22	.30	.28	4
5			.10	.04				.23		.02	.05		5
6	.29										.04	.49	6
7	.02										.19	.11	7
8	.12									.02	.01	.12	8
9	.09		.15	.01							.05	.07	9
10	.03	.13						.04			.02	.34	10
11	.13		.29					.35			.66	.02	11
12									.06		.30		12
13			.47		.12				.39		.02	.61	13
14	.02		.04		.01							.39	14
15		.13	.06							.05	.13	.04	15
16			.08			.03				.03	.33	.10	16
17			.01			.06					.04	.32	17
18		.25	.05			.02					.03	.11	18
19						.11	.08		.10	.13	.22	.11	19
20	.02	.08						.86	.15	.05	.01	.70	20
21		.13						.73	.03	.17		.07	21
22			.02			.24		.04		.13	02	.43	22
23		.06	.05			.12			.24	.02		.15	23
24		.08	.28			.40		.02		.65		.14	24
25		.05		.08	.90	.09		.03	.01			.04	25
26		.06	.05	.26	.19	.08				.19	.06	.18	26
27		.19		.14				.15	.12		.05	.11	27
28			.16	.12		.01	.03	.15			.10	.02	28
29				.20		.20	.03		.31	.30			29
30			.01			.05				.08		.01	30
31			.02		.03				.03	.03			31
Total	.78	1.17	2.16	1.02	1.64	1.41	.19	2.64	1.51	2.25	2.71	5.07	TOTAL for year 22.55
No. of Rain Days.	11	11	18	10	7	12	4	11	11	17	23	27	162

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at (Weedon) Litchborough Hall ExRB
in the County of Northamptonshire
by Jno Grant C.A. Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.30	.05							.04	.04	1
2	.03		.02	.09	.15		.05			.07	.07	.04	2
3					.24			.04		.09	.03	.03	3
4	.02	.01		03					.07	.22	.30	.28	4
5			.10	.04				.23		.02	.05		5
6	.29										.04	.49	6
7	.02										.19	.11	7
8	.12									.02	.01	.12	8
9	.09		.15	.01							.05	.07	9
10	.03	.13						.04			.02	.34	10
11	.13		.29					.35			.66	.02	11
12									.06		.30		12
13			.47		.12				.39		.02	.61	13
14	.02		.04		.01							.39	14
15		.13	.06							.05	.13	.04	15
16			.08			.03				03	.33	.10	16
17			.01			.06					.04	.32	17
18		.25	.05			.02					.03	.11	18
19						.11	.08		.10	.13	.22	.11	19
20	.02	.08						.86	.15	.05	.01	.70	20
21		.13						.73	.03	.17		.07	21
22			.02			.24		.04		.13	02	.43	22
23		.06	.05			.12			.24	.02		.15	23
24		.08	.28			.40		.02		.65		.14	24
25		.05		.08	.90	.09		.03	.01			.04	25
26		.06	.05	.26	.19	.08				.19	.06	.18	26
27		.19		.14				.15	.12		.05	.11	27
28			.16	.12		.01	03	.15			.10	.02	28
29				.20		.20	.03		.31	.30			29
30			.01			.05				.08		.01	30
31			.02		.03				.03	.03			31
Total	.78	1.17	2.16	1.02	1.64	1.41	.19	2.64	1.51	2.25	2.71	5.07	TOTAL for year 22.55
No. of Rain Days.	11	11	18	10	7	12	4	11	11	17	23	27	162

W. 8,000, X. '11.

S. made

Ex 98

REGISTER OF RAINFALL IN 1912

25 MAR 1913

FORM A.
BRITISH RAINFALL.

Kept at Litchborough Hall
in the County of Northants 4
by C. A. Markham, Mrs Grant

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07			·06	·01		·06	·15		·10	1
2		·06	·13	·05		·08	·44					·01	2
3	·04				·23	·06	·08	·39	·02		·01	·06	3
4	·13		·62		·19	·46		·14			·20		4
5	·18	·07	·21			·12		·20			·02	·03	5
6	·29	·11			·02		·02	·45	·02			·11	6
7		·11	·03		·06	·87	·06	·28				·06	7
8	·35	·26	·29			·14	·05	·04	·05			·04	8
9		·08	·18	·11		·26		·05				·22	9
10		·02				·02		·37			·15	·02	10
11	·04	·07	·02			·08		·07			·18	·40	11
12	·07	·32	·14			·01	·06				·10		12
13		·05				·08					·04		13
14	·07		·15		·14	·08		·23					14
15	·05	·07	·05		·23	·18		·04				·17	15
16	·52		·09		·05	·06		·08		·07	·02		16
17	1·02		·12		·01	·14		·23			·04	·23	17
18	·14	·02	·12					·02		·02	·02	·03	18
19	·25	·09					·10	·41					19
20	·08		·22				·32	·26		·29			20
21		·02	·18		·37			·90		·23	·01		21
22	·59	·12	·01		·16		·55	·37		·02		·02	22
23	·10	·60	·34			·02	·42	·60			·15	·34	23
24	·11	·02				·23		·25				·15	24
25		·03				·14		·30			·28	·35	25
26						·05	·15	·98		·57	·28	·25	26
27						·06	·03			·42		·30	27
28		·05				·02	·17	·53	·12	·18		·60	28
29		·02				·20	·29		·79	·28	·02		29
30					·46	·04	·03		·12	·24			30
31					·47		·53	·15		·02		·02	31
													YEAR'S TOTAL
Total	4·03	2·19	2·97	·16	2·39	3·46	3·31	7·34	1·18	2·49	1·52	3·51	34·55
Rain Days.	17	20	18	2	12	24	17	24	7	12	15	21	189

W. 7,500, XI. 12

28

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Litchboro Hall, Weedon

in the County of Northamptonshire 4

by Mrs Grant - per C.A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·08	·10	·11					1·07		·20		1
2	·04	·15					·03		·10	2·09	·07		2
3	·05		·10		·72							·11	3
4	·53					·02	·14			·50	·03	·57	4
5						·02	·12		·09	1·16	·03	·04	5
6		·02	·05		·21	·18	·15			·27		·08	6
7		·21			·22	·11	·21			·47	·11	·03	7
8		·02			·17	·07				·14	·03		8
9		·23	·05		·02	·19	·02		·15		·09	·03	9
10	·06			·11	·02		·03				·48		10
11	·97			·40	·04			·03		·37	·51		11
12					·06						·48		12
13	·04		·03	·04					·05		·23		13
14	·08		·19				·05	·05	·05	·11			14
15	·18	·09	·26	·50			·16		·03		·06		15
16	·05	·01	·55	·15									16
17	·18	·02	·05	·14			·08				·04	·03	17
18			·15	·15			·11		·03				18
19	·21		·07				·06		·07				19
20	·25		·27	·05						·37	·12		20
21	·02		·20	·04	·15		·09				·32		21
22	·44		·28		·01			·05	·25				22
23			·01			·11		·04	·05			·06	23
24	·03			·10				·03					24
25				·14									25
26		·06	·12	·28				·08		·37		·12	26
27			·04	·05						·10			27
28	·41		·21	·19				·07		·25		·04	28
29	·04		·20	·56	·01					·18		·10	29
30	·24									·10	·15		30
31			·03		·18			·17					31
Total	3·82	·89	2·96	3·01	1·81	·70	1·25	·52	1·94	6·48	2·95	1·21	YEAR'S TOTAL 27·54
Rain Days.	18	10	20	16	12	7	13	8	11	14	16	11	156

W. 7,500, XI. 12

fm Northampton Nat His Soc

REGISTER OF RAINFALL IN 1914

Kept at Litchborough Hall £4. RR

in the County of Northamptonshire 4

by C. A. Markham McFaul

Lat. .... Long. ....

Nearest Railway Station ....

Time of Observation ....

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " Sea Level 500 ft.

FORM A.
BRITISH RAINFALL.
13 MAR 1915

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.05				.30			.10	.04	1
2							.03	.11			.34	.22	2
3				.01	.18		.39	.02			.03	.01	3
4	.16		.03	.18			.01	.49			.38	.34	4
5	.02			.18	.14	.19	.14	.02			.06		5
6		.03	.02	.01	.04		.07	.02			.02	.10	6
7		.19	.42	.04	.07		.06	.05					7
8	.06	.07	.17	.03	.12	1.03		.16				.07	8
9	.22		.27	.11		1.02		.07	.09				9
10	.06	.19		.10	.11				.22				10
11		.15	.40	.21		.52			.02		.33	.46	11
12		.03	.11		.09		.03		.42		.03	.24	12
13	.02	.22	.22						.08	.05	.09	.29	13
14	.02	.03	.13				.14			.57	.07	.30	14
15			.20				.01	.03	.08		.07	.10	15
16	.02		.04				.03		.08				16
17		.36	.09						.17			.20	17
18			.02				.33					.36	18
19	.02	.03	.17			.31	.02				.05	.03	19
20		.23	.23									.22	20
21		.21	.11	.01		.16	.07			.12	.02	.13	21
22		.02	.03		.19		.04	.08		.23	.07		22
23		.05	.08		.07	.03	.04			.15		.05	23
24					.03		.02			.35	.09		24
25	.08		.03				.01	.16		42	.02	.19	25
26			.16					.06		.07	.17	.44	26
27	.07										.03	.11	27
28		.09	.02		.02					.11	.13	.88	28
29	.02		.05		.01					.25	.17		29
30			.08							.08	.26	35	30
31	.02				.03		.10					.04	31
Total	.79	1.90	3.08	.93	1.10	3.26	1.54	1.57	1.16	2.40	2.53	5.17	25.43
No. of Rain Days.	13	15	23	11	13	7	18	13	8	11	21	23	176

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Northampton Nat Hist Soc

E R R

1187

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Litchborough Hall

in the County of Northamptonshire 4

by Major C. A. Markham Mrs Grant

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.27	.14	.02		.12			.09		.10	.02	.15	1
2	.11	.17	.32	.19		.03		.40		.15		.08	2
3	.39	.01	.03	.05			.07	.76				.20	3
4	.12						.19					.53	4
5	.01	.37						.06			.02	.28	5
6	.24	.07		.20			.77	.01				.24	6
7	.05	.37	.02			.06	.09	.06				.08	7
8	.08	.13									.02		8
9	.01			.11				.03			.15	.48	9
10	.34		.01		.11			.06			.10		10
11	.03		.04	.03			.03				.77		11
12	.04			.21	.58			.33			.93		12
13		.51			1.06							.05	13
14		.05						.06	.06			.51	14
15	.18				.04			.23			.27	.18	15
16	.04	.45			.05		.68	.08				.06	16
17		.30			.18		.08					.02	17
18		.13	.17										18
19		.03	.03		.03		.09						19
20	.37												20
21	.10	.02			.04		.14			.02		.08	21
22	.21		.29	.05			.54		.02			.14	22
23	.01	07	.07			.05	.10		.07	.30		.33	23
24			.11	.04		.09	.40		1.57	.25		.15	24
25						.05	.03			.02		28	25
26		.08	.02			.01	.08		.02			.35	26
27		.10	.02			.08	.06	—		.44		.04	27
28		.25					.03	.07	.23				28
29			.02				.08	.08			.20	.09	29
30	.09	╳				.33	.02			.26	.09	.11	30
31	.09	╳		╳		╳		.05	╳	.42	╳	15	31
Total	2.78	3.25	1.17	.88	2.21	.70	3.50	2.37	1.97	1.94	2.57	4.58	YEAR'S TOTAL 27.92
Rain Days.	20	18	14	8	9	8	18	15	6	9	10	23	158

W. 8,000. X. 15.

S made

Nor Nat Hist Soc 3 x R

1164

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

9 FEB 1917

Kept at Litchborough Hall

in the County of Northamptonshire

by C. A. Markham   Mrs Grant

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.13		.02		.09	.02	.39		.02	.02	.02		1
2	.33		.12		.24	.09			.02	.70	.55		2
3		.56			.01				.39	.24	.15		3
4	.08	.10			.10	.30	.04		.01	.10	.21		4
5		.01			.14	.43	.11			.10	.19		5
6	.08	.23	.12	.17	.04	.03	.90			.08	.50		6
7		10	.20		.02	.14	.18			.02	.27		7
8			.14		.16							.02	8
9	.02		.04		.26	.03						.26	9
10		.17	.11	.09	.06	.08			.02				10
11	.03	.10	.09	.18		.21			.03			.08	11
12	.02	.06	.18	.04	.34	.08	.14	.01		.11			12
13		.29			.03		.12	.19					13
14		.56		.06	.01			.03		.04			14
15		.13	.53		.05		.09	.15					15
16		.03	.41	.30	.07		.15						16
17	.10	.09		.16			.03	.25	.24	.28			17
18	.01	.10	.05	.09				.09	.08		1.00	.14	18
19	.11	.07	.19	.11				.02			.80		19
20	.01		41	08							.05	.28	20
21	.05		.57	.02			.56					.96	21
22		.05	.03		.17					.05	.01	.06	22
23	.03	.36		.02				.05			.07	.70	23
24		.25	.01	.01		25		.06		.19		.10	24
25		.05	.11		.09			.31		.02	.16		25
26	01	.22	.09			.11		.09		.11	.10		26
27	.07	.16	.90				.78	.04		.13			27
28		.42	.32	.03						.05		.41	28
29		.11				.22		1.64		.31			29
30		×						.09		.19		.07	30
31	.02	×		×		×		.02	×	.02	×	.07	31
Total	1.10	4.22	4.64	1.36	1.88	1.99	3.49	3.04	.81	2.76	4.08	3.15	YEAR'S TOTAL 32.52
Rain Days.	16	23	21	14	17	13	12	15	8	19	14	12	184

W. 8,000, VIII. 16

✓ W. D. L. and [illegible]

1123

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Litchborough Hall

in the County of Northamptonshire

by Mrs Grant. C. A. Markham

Lat. ………… Long. …………

Time of Observation …………

Nearest Railway Station …………

Diameter of Funnel of Rain Gauge ………… in.

Height of top of Gauge above Ground ………… ft. ………… in.

" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07			·07		·12		·90	·21		·05	·08	1
2	·02			·05				·03		·04	·05		2
3				·11				·18		·21	·05		3
4		·37	·31					·05		·43		·03	4
5	·22		·04	·12		·12			·04	·08	·15		5
6			·07							·12	·07		6
7	·39									·28			7
8	·41			·18			·60	·10		·33	·15	·19	8
9			·11	·05	·12		·03	·35	·03		·13		9
10	·28		·31	·30	·26			·06			·02		10
11	·05	·03	·28	·43	·01			·13	·13	·25	·01		11
12				·03	·03			·03		·23			12
13			·12	·04				·21	·07				13
14				·41				·12					14
15				·05				·14		·06			15
16	·12	·16		·24			·06			·18		·15	16
17	·05	·03		·14	·56	·12	·30	·01	·25	·07			17
18	·05			·08	·06	·10	·19	·07	·71	·04			18
19	·04	·26	·17		·12				·01				19
20	·03	·18	·05		·50		·02		·14		·16		20
21	·03		·14		·17	·07				·02			21
22			·08							·18			22
23		·14			·05			·34	·01	·09		·01	23
24		·04	·04			·14		·10		·20			24
25		·04									·06		25
26			·04					·29	·18		·15		26
27						·19		·80					27
28			·12			·47		·20				·05	28
29					·14	·21	·07	·11		·42		·35	29
30		✕					·22	·26					30
31		✕	·12	✕		✕	·09		✕	·01	✕	·10	31
Total	1·76	1·25	2·00	2·30	2·02	1·54	1·58	4·48	1·68 1·78	3·24	1·05	·96	YEAR'S TOTAL 23·86 23·96
Rain Days.	13	9	15	15	11	9	9	21	11	19	12	8	152

W. 8,000, VIII. 16

1·49

b 12

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Litchborough Hall

in the County of Northamptonshire

by C. A. Markham Mrs E. Grant

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04	·08	·10	·10					·01	·20	·04	1
2		·06		·10				·08			·09	·13	2
3			·03		·20			1·22	·27		·38		3
4		·03	·03				·12		·35		·63	·03	4
5		·10			·25			·09	·21	·03	·02	·01	5
6		·18		·13					·01			·04	6
7		·10		·06	·02	·02			·07	·13	·14		7
8	·01								·09	·12		·13	8
9				·15		·15	·20		·46	·33		·07	9
10	·06			·02			·25		·09	·17		·04	10
11					·12				·05	·20		·08	11
12		·06	·10		·08		·18		·12				12
13		·02		·01	·12				·10	·02		·10	13
14	·30			·03			·62		·35	·10		·05	14
15	·90			·70			·11		·04			·19	15
16	·16			·71		·11			·21	·01			16
17	·13			·03	·03	·08	·52		·02	·03		·12	17
18	·53					·17	·05		·28			·42	18
19			·02			·02			·01	·05		·35	19
20		·16		·70		·07			·21	·17			20
21	·08			·40		·04			·30	·06		·04	21
22	·13				·94		·05		·03	·03		·31	22
23	·08				·74		·08		·03				23
24		·18					·05		·07		·12		24
25						·12	·13	·19	·01	·02			25
26							·18	·05	·01		·08	·16	26
27							·06	·28	·17		·09	·10	27
28		·10	·23					·03	·01		·22	·09	28
29									1·23		·02	·08	29
30		×	·22						·05		·01	·38	30
31		×	·08	×		×		·05	×	·02	×		31
Total	2·38	1·03	·79	3·14	2·60	·78	2·60	1·99	4·85	1·50	2·00	2·96	YEAR'S TOTAL 26·62
Rain Days.	10	11	8	13	10	9	14	8	28	17	12	22	162

W, 6,500, VII. 18. w w c

1052

23 MAR 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Litchborough Hall
in the County of Northamptonshire
by Mrs E. Grant per Markham

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·06								·11		·65	1
2	·13									·27	·27		2
3	·65								·23		·10	·15	3
4	·04	·06							·27		·03	·12	4
5		·45							·05			·35	5
6									·51	·01	·02	·16	6
7	·06												7
8	·13												8
9											·03		9
10											·04	·10	10
11	·04										·03	·03	11
12									·01	·12	·04	·02	12
13	·15								·07	·10			13
14	·34								·01				14
15	·34	·06								·02		·77	15
16	·08	·85									·26		16
17		·38									·11	·03	17
18								·27			·22	·17	18
19	·05	·21						·29	·07		·05	·02	19
20	·43	·06						·37			·06	·04	20
21	·04	·43									·09		21
22		·41							·20		·03	·50	22
23								·03	·04	·65		·15	23
24										·44	·04		24
25	·16							·29				·10	25
26	·06							·03	·09			·56	26
27	·34	·04						·30				·10	27
28								·62				·33	28
29								·09		·19	·25	·19	29
30										·05	·27	·39	30
31	·04									·02		·02	31
TOTAL	3·43	3·01						2·29	1·55	1·98	1·94	4·95	YEAR'S TOTAL
Days with ·01 in. or more	18	11						9	11	11	18	22	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ent PWB

4 MAR 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Litchboro' Hall, Weedon
in the County of Northampton
by Mrs Grant per Markham

Lat. ____ Long. ____
Time of Observation ____
Nearest Railway Station ____
Diameter of Funnel of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ____

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·31	·28	.	·69	.					1
2	.	.	.	·05	.	03	·15	·11					2
3	·04	·06	.	·31	.	.	·86	.					3
4	.	.	·06	·06	.	.	·06	·38					4
5	.	.	·10	·24	·29	.	·50	·09					5
6	.	.	·25	.	·13	.	·53	.					6
7	·02	.	·03	·15	·01	.	·08	.					7
8	·15	.	.	·70	·03	.	·20	.					8
9	·60	·06	.	1·80	.	.	.	·17					9
10	·10	.	.	·35	.	·02	·18	.					10
11	·29	.	·11	·28	·45	·13	·04	.					11
12	·04	·03	·05	·17	.	·79	·03	.					12
13	.	·03	·15	·09	.	·16	.	.					13
14	·04	.	·40	·33	.	.	·12	.					14
15	.	·04	·80	·28	.	.	.	.					15
16	.	.	.	·05	·18	1·09	.	.					16
17	·01	.	.	·26	·15		.	.					17
18	·25		.	·03	·02	·05	·14	·18					18
19	·02	·12	.	·48	.	·15	.	·03					19
20	·07	·37	.	·36	.	·38	.	.					20
21	.	.	.	·03	.	.	·01	·10					21
22	.	.	.	·20	.	.	.	·14					22
23	.	.	.	.	.	.	·45	·03					23
24	·01	.	·22	·07	.	.	.	.					24
25	.	·10	·05	·03	·22	.	·64	·04					25
26	·36	.	·19	·04	·51	.	·10	.					26
27	·43	.	·01	·38	.	·83	·02	.					27
28	·72	·01	·05	.	·47	.	·09	.					28
29	·17	.	·26	.	·60	05	·15	.					29
30	·02	×	.	·05	.	·15	.	.					30
31	·05	×	.	×	·03	×	.	.	×		×		31
TOTAL	3·39	·82	2·73	7·04	3·37	3·83	5·04	1·27					YEAR'S TOTAL
Days with ·01 in. or more	19	9	15	26	14	12	20	10					
Days with ·04 in. or more	14	6	13	21	10	10	17	8					

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

from

REG ll

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

NORTHANTS

LILBOURNE VICARAGE

1911— 1913

Kept at Lilbourne

in the County of North

by J. R. Price C

8 in.

bove Ground 1 ft. 3 in.

„ Sea Level 320 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03								.02		1
2	.03			.01	.15		.13	.05		.06	.06	.07	2
3	.01				.15			.09	.01	.09	.01	.06	3
4	03	.01		.11	.01			.01	.12	.05	.21	.08	4
5	.02		.09	.10				.17		.04		.09	5
6	.32		.02	.01							.10	.30	6
7	.02			.01							.15	.08	7
8	.17		.15							.01	.04	.12	8
9	.07		.01									.04	9
10	.01	.11	.39								.01	.34	10
11	.21							.50			.40	.02	11
12	.03		.60								.25		12
13			.05		.01	.01			.30	.02	.02	.43	13
14		.08	.03		.01							.47	14
15		.09	.17							.03	.12	.03	15
16			.01			.03					.29	.09	16
17					.48	.08					.07	.17	17
18		.22			.04	.02					.07	.07	18
19		.01				.18		.01		.10	.30	.06	19
20	.01	.10		.01		.01		.18	.20			.49	20
21		.12						.32		.25	.01	.07	21
22		.01	.14			.41				.17	.03	.34	22
23	.01	.16	.23			.18	.01	.01	.30	.01		.14	23
24		.08	.03	.02		.52		.04		.87		.08	24
25		.03	.03	.08	.65	.05		.05		.01		.03	25
26		.22		.28	.26	.08		.05		.13	.15	.17	26
27		.17	.15	.21				.42	.25	.01	.04	.07	27
28		.25		.08		.02		.08			.05	.02	28
29				.04		.13	.08	.01	.16	.17	.01		29
30			.01	01		.08				.11		.02	30
31										.05		.01	31
Total	94	1.66	2.14	97	1.76	1.80	.22	1.99	1.34	2.18	2.41	3.96	TOTAL for year 21.37
No. of Rain Days.	13	15	17	13	9	14	3	15	7	18	22	28	174

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

from

REGISTER OF RAINFALL IN 1911

E4RM

Kept at Lilbourne

in the County of Northampton

by J. R. Price C. A. Markham

RAIN GAUGE	Pattern	
	Diameter of top	8 in.
	Height of top above Ground	1 ft. 3 in.
	" " " Sea Level	320 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03								.02		1
2	.03			.01	.15		.13	.05		.06	.06	.07	2
3	.01				.15			.09	.01	.09	.01	.06	3
4	03	.01		.11	.01			.01	.12	.05	.21	.08	4
5	.02		.09	.10				.17		.04		.09	5
6	.32		.02	.01							.10	.30	6
7	.02			.01							.15	.08	7
8	.17		.15							.01	.04	.12	8
9	.07		.01									.04	9
10	.01	.11	.39								.01	.34	10
11	.21	—						.50			.40	.02	11
12	.03		.60								.25		12
13			.05		.01	.01			.30	.02	.02	.43	13
14		.08	.03		.01							.47	14
15		.09	.17							.03	.12	.03	15
16			.01			.03					.29	.09	16
17					.48	.08					.07	.17	17
18		.22			.04	.02					.07	.07	18
19		.01				.18		.01		.10	.30	.06	19
20	.01	.10		.01		.01		.18	.20			.49	20
21		.12						.32		.25	.01	.07	21
22		.01	.14			.41				.17	.03	.34	22
23	.01	.16	.23			.18	.01	.01	.30	.01		.14	23
24		.08	.03	.02		.52		.04		.87		.08	24
25		.03	.03	.08	.65	.05		.05		.01		.03	25
26		.22		.28	.26	.08		.05		.13	.15	.17	26
27		.17	.15	.21				.42	.25	.01	.04	.07	27
28		.25		.08		.02		.08			.05	.02	28
29				.04		.13	.08	.01	.16	.17	.01		29
30			.01	01		.08				.11		.02	30
31										.05		.01	31
Total	94	1.66	2.14	97	1.76	1.80	.22	1.99	1.34	2.18	2.41	3.96	TOTAL for year 21.37
No. of Rain Days.	13	15	17	13	9	14	3	15	7	18	22	28	174

W. 8,000, X. '11.

[illegible]

BRITISH RAINFALL FORM A.

25 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Lilbourne Vicarage

in the County of Northants

by C. A. Markham, T. R. Price

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01			.08	.06	.01	.01			.10	1
2		01	.05	.04		.05	.55					.01	2
3	.11		.01		.10	.07	.22	.41	.03			.04	3
4	.11		.53		.17	.71		.01	.02		.26		4
5	.14	.02	.25		.06	.13		.31	.06		.02		5
6	.30	.08	.05		.01	.09	.02	.18	.02			.05	6
7		.04			.05	.14		.07				.01	7
8	.31	.21	.12		.01	.23	.03	.20	.12		.01	.04	8
9	.01	.03	.22	.02		.12		.01				.21	9
10				.09		.08		.26	.01		.27		10
11	.14	.10				.05		.17			.17	.41	11
12	.04	.29	.14		.07		.02				.08		12
13	.01	.02				.02		.02			.09		13
14	.07		.53	—	.04	.15		.12		.02			14
15	.09	.04	.07		.26	.23		.01			.01	.21	15
16	.51		.15		.07	.03		.06		.08	.01		16
17	.92		.07			.11		.19			.03	.32	17
18	.09	.01	.13					.17		.03	.01	.22	18
19	.19	.05			.01		.24	.14		.02	.01		19
20	.09		.43		.03		.71	.36		.35			20
21	.01	.01	.13		.52			.81		.22	.01		21
22	.35	.09			.64	.01	.42	.43		.06		.04	22
23	.07	.29	.27			.15	.56	.32		.01	.09	.32	23
24	.09					.29	.07	.07				.10	24
25	.01					.37		.36			.24	.40	25
26	.01	.05	.01				.77	1.06		.54	.22	23	26
27		.04				.27	.01	.57		.48		.22	27
28		.06				.07	.28		.05	.22	.21	.48	28
29						.32	.25		.97	.13		.03	29
30	.04				.37		.02	.17	.05	.14			30
31			.08		.32		.48	.02		.04		.07	31
													YEAR'S TOTAL
Total	3.71	1.44	3.25	.15	2.73	3.77	4.71	6.51	1.34	2.34	1.74	3.51	35.20
Rain Days.	23	18	19	3	16	23	17	27	10	14	17	20	207

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Lilbourne Vicarage
in the County of Northamptonshire
by Rev. J. R. Price per C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.08	.12									1
2		.14	.01	.16									2
3	.01		.14										3
4	.65	.01											4
5	.04												5
6	.01	.02	.07										6
7		.13											7
8		.04	.04										8
9		.34	.05	.03									9
10	.03			.05									10
11	1.44			.37									11
12													12
13	.11	.01	.15	.03									13
14	.05		.40	.02									14
15	.10		.43	.44									15
16	.01		.65	.11									16
17	.11	.04	.11	.06									17
18			.19	.07									18
19	.13		.11										19
20	.35		.10	.04									20
21	.03		.11	.01									21
22	.48		.32	.02									22
23													23
24	.04			.09									24
25				.16									25
26		.07	.13	.13									26
27		.02	.02	.06									27
28	.48		.29	.25									28
29	.01		.21	.65									29
30	.22												30
31			.04										31
Total	4.33	.82	3.65	2.87									YEAR'S TOTAL
Rain Days.	20	10	21	20									

RE 11

LILFORD HALL GDN'S
NORTHANTS.
1911-1913, 1916-1920

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Lilford Ha

in the County of Nort

by Edward Wilson

p 5 in.

bove Ground one ft. — in.

„ Sea Level ft.

-a-m

Nearest Railway Station { Name Thorpe
Distance 2 mil. Direction T S by W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	0,11				0,13							,04	2
3		0,3			0,16			0,11		,02	,07		3
4	,03		,06	,05					,06	0,30	0,17	0,38	4
5				,05				,06		,04	,02	,02	5
6	0,24										,01	0,33	6
7	,02			,02							0,15	0,12	7
8	0,19		0,12								,04	,08	8
9	,09										,04	,02	9
10		,06	0,25								,04	0,24	10
11	0,20							0,27			0,33		11
12	0,12		0,37						,02		0,17	,01	12
13			0,13		,01				0,25			0,35	13
14		,02	,04		0,40					012		0,43	14
15		,03	015						,01		0,19		15
16			0,12			,01				,03	0,30	,06	16
17						,01					,06	0,14	17
18		0,17				,04					0,13	,03	18
19					,03	,09			,04	,06	0,23	,03	19
20								0,41	,06	,07		0,46	20
21		0,15						2,13		0,11		0,14	21
22										,09		0,40	22
23		,03	0,24			0,94			0,32			0,13	23
24		,07			0,76	0,40				0,32		0,10	24
25		0,14	,01	0,10	,06	,01		0,13		,04			25
26				0,31						0,27	0,20	0,21	26
27		0,23	0,24	,07			0,15		,09	,01		,02	27
28		0,22		0,12				0,23			,04	,02	28
29				,03		0,14	,03		0,18	0,22			29
30										,07		,01	30
31													31
Total	1.00	1.15	1,73	0.75	1,55	1,64	0.18	3.34	1,03	1,77	2,19	3.77	TOTAL for year 20,10
No. of Rain Days	8	11	11	8	7	8	2	7	9	15	17	24	127

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Lilford Hall Gardens
in the County of Northampton 4
by Edward Wilson

Rain Gauge
Pattern —
Diameter of top 5 in.
Height of top above Ground one ft. — in.
" " " Sea Level ft.

Time of Observation 9-a-m

Nearest Railway Station
Name Thorpe
Distance 2 mil Direction TS by W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	0,11				0,13							,04	2
3		0,3			0,16			0,11		,02	,07		3
4	,03		,06	,05					,06	0,30	0,17	0,38	4
5				,05				,06		,04	,02	,02	5
6	0,24										,01	0,33	6
7	,02			,02							0,15	0,12	7
8	0,19		0,12								,04	,08	8
9	,09										,04	,02	9
10		,06	0,25								,04	0,24	10
11	0,20							0,27			0,33		11
12	0,12		0,37						,02		0,17	,01	12
13			0,13		,01				0,25			0,35	13
14		,02	,04		0,40					012		0,43	14
15		,03	0,15						,01		0,19		15
16			0,12			,01				,03	0,30	,06	16
17						,01					,06	0,14	17
18		0,17				,04					0,13	,03	18
19					,03	,09			,04	,06	0,23	,03	19
20								0,41	,06	,07		0,46	20
21		0,15						2,13		0,11		0,14	21
22										,09		0,40	22
23		,03	0,24			0,94			0,32			0,13	23
24		,07			0,76	0,40				0,32		0,10	24
25		0,14	,01	0,10	,06	,01		0,13		,04			25
26				0,31						0,27	0,20	0,21	26
27		0,23	0,24	,07			0,15		,09	,01		,02	27
28		0,22		0,12				0,23			,04	,02	28
29				,03		0,14	,03		0,18	0,22			29
30										,07		,01	30
31													31
Total	1.00	1.15	1,73	0.75	1,55	1,64	0,18	3.34	1,03	1,77	2,19	3.77	TOTAL for year 20,10
No. of Rain Days	8	11	11	8	7	8	2	7	9	15	17	24	127

9,000, IX. '10.

Ex DL

FORM A2.
BRITISH RAINFALL.
2- JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Lilford Hall Gardens
in the County of Northampton 4
by Edward Wilson

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground one ft. — in.
" " " Sea Level ft.
Time of Observation 9-0-a-m
Nearest Railway Station: Name Thorpe
Distance 2 mile Direction SSby W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						0,14	,07	,04	,07	0,18		0,16	1
2			,07	,01		0,56	0,49		,01				2
3	0,12	,05	,01		,06	0,17	0,15	0.35	,04			0,10	3
4	,02		0.44		,09	0,30							4
5	,06	0,18	0,22			,07		0,16					5
6	0,37	,07				,06	0,30	0,18					6
7					,01	0,16	0,15					,02	7
8	0,30	0,24	,09			,08		,05	,09				8
9		,09	,02	,05		0,30						0,18	9
10						02		,03	,01		0,31		10
11	0,15	0,11									,02	0,26	11
12	,09	,08	,03		,06	0,23	,03				,02		12
13		,01				,03	,02				0,14	,02	13
14	0,06		,02		0,10	,05		,07					14
15	0,32	,02	0,11		0,31	0,13						,09	15
16	0,36		,05		,06	,04		,08			,01		16
17	0,68		0,11			0,18		0,20				0,19	17
18	,08		0,8								,02		18
19	0.23	0,11	,05			0,16		0,17					19
20	0,25		0,16			0,10		0,85		0,29	,02		20
21	[illegible]		0,11		0,48		1,40	0,80		0,19			21
22	0,35	,07			0,35	1,40	0,70	0,30		,05			22
23	0,10	0,31	0,27					0,51			,04	0,35	23
24	0,13	,01					0,12	0,28				0,11	24
25						,01	[illegible]	0,60			0,19	0,40	25
26		,02	,01			0,20	0,55	1,51		0,57	0,28	,02	26
27						,03	,07			0,38		0,21	27
28		,01				,04	,010	0,48		0,21	0,19	0,61	28
29						,01	0,12	,01		0,31			29
30					,08	0,29	0,68	[illegible]	0,60	0,27			30
31			,08		0,54			0,15					31
Total	3,12	1,38	1,93	,06	2,14	4,76	4,95	6,82	,82	2,45	1,23	2,72	TOTAL for year 32,38
No. of Rain Days.	16	13	18	2	11	25	15	20	6	9	11	14	162

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Selford Hall Gardens
in the County of Northampton 4
by Edward Wilson

Lat. Long.
Time of Observation 9-a.m
Nearest Railway Station Thorpe
Diameter of Rain Gauge in. 5
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
None

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		,02	0,10	0,10					0,59		0,14		1
2		,06		,01	,04		0,16		0,30				2
3			0,14		0,49				,02	,07			3
4	0,30				,09		0,13			0,81	,06	0,13	4
5						0,12	,02		,05	0,58	,01		5
6		,02	,01		0,23	,08							6
7		,03			0,10	,03				0,72	,04		7
8					0,18	,09				,04			8
9		0,24									0,13		9
10	0,94		,03		,01	,08	0,34				0 53		10
11	0,99			snow 0.48				0.45		,02	,06		11
12					0,12						0,27		12
13	0,48										0,23		13
14	,05		0,19	,03			,05			,04	,01		14
15	,09		0,18	0,26			,05		0,30				15
16	,01		0,80	0,13							,02		16
17	,09		0,10	0,10		0,10						,09	17
18			0,12	,05			,06					,01	18
19	0,11		,04						,06			,02	19
20			0,16							0,34			20
21			0,25		,06		,04				0,20		21
22	0,32		0,15					,04	0,17				22
23	,01							,07	,01				23
24	,02			,08				0,11					24
25				0,11									25
26		0,10	0,24	,06						0,35	,05	0,19	26
27	0,27			,06	,03								27
28	0,34		,07	0,10								,06	28
29	,03		0,17	0,67	0,11			,04		,05			29
30	0,15			0,17				,06		,05	0,12	,09	30
31					0,14			0,61					31
Total	4,20	0.47	2,75	2,41	1,60	0,50	0,85	1,38	1,50	3,07	1,87	0,59	YEAR'S TOTAL 21.19 21.19
Rain Days.	16	6	16	15	12	6	8	7	8	11	14	7	126

W. 7,500, XI. 12

37 [illegible] ~~H~~ CSE 1203

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Lilford Hall Gardens
in the County of Northamptonshire
by F. W. Gallop

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Thorpe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.14		0.18				0.25				0.38		1
2	0.41		0.11		0.55		.05		.03	0.34			2
3		0.31				.02			0.30	0.20	.06		3
4	0.50	0.20	.03.		.08	0.18					0.27		4
5	.01				.04	.07				0.12	.06		5
6		.09	0.33	0.11	.02	.04	0.25			.05	0.19		6
7	0.11		0.20		0.10	.01	0.70				0.36	.06	7
8			0.36		.04	.01					.03	0.20	8
9			.03		0.40	.05				0.12		0.10	9 36
10			0.15	.04		.08			.03	.04			10
11	.03	0.30		0.12	.09	0.10	0.2					.08	11
12	.03				0.50	0.19	0.8			.01			12
13		0.22	0.23	.02	0.18	0.11		.07					13
14		Snow 0.80	.02	0.14	.04					.06			14
15		0.46	0.37				0.18	.01					15
16		0.10	0.14	0.19	.08		0.10						16
17	.03	.03		0.15			.07	0.32	0.11	0.24			17
18		.08	.06	.03				0.38	.07		1.06		18
19	0.14		0.18	0.12					.07		0.38	0.15	19
20	0.11		.04	0.10			.03	0.12			0.12	0.34	20
21	.01		0.37									0.60	21
22		Snow 0.10	.02	.05	0.18					.03		0.59	22
23	.03	0.75				0.51		.02		.01	.05	0.25	23
24		0.25	.02			.07						0.25	24
25		0.20	.07		.02			0.28		.07	.09		25
26		0.03	.01			.05				.02			26
27	.02	0.25	1.48					0.17	.02	0.13			27
28		0.45	1.01			0.13						0.19	28
29		.09				0.13		1.62		0.29		.01	29
30		X				.05		0.19		0.13			30
31		X		X		X		01	X	.03	X		31
Total	1.57	4.71	5.44	1.07	2.32	1.80	1.73	2.19	0.63	1.89	3.05	2.87 2.82	YEAR'S TOTAL 29.29 29.22
Rain Days.	13.	18.	22.	11	14.	17	10	11	7	17	12	12	164

W. 8,000. X. 15. Red Ink indicates melted snow.

Ex JL

1159.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

10 JAN 1

Kept at Lilford Hall Gardens
in the County of Northamptonshire
by F. W. Gallop

Lat. 52° 27 Long. 0° 29W.
Time of Observation 9-a-m.
Nearest Railway Station Thorpe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.25				0.86	0.24		.05	.02	1
2	.04	.03				0.13		.07		.02	.02		2
3								0.40		0.12	.06		3
4		0.18	.08	0.10				0.17		0.78			4
5	0.10		.03					.02	0.20	.01	0.14		5
6						.03			.02	.04			6
7	0.44		.02	0.						0.48			7
8	0.43			0.19			0.32	0.67		0.32	.08		8
9	.09		0.18	0.12			.02	0.58			.09	.03	9
10	0.50		0.22	0.13	.01			0.15		0.10	.01		10
11	02	.03	0.17	0.15				0.12	.03	0.23			11
12	0.10	.02	.02	.03	.04			0.21		0.37			12
13	.03		.01	.02				0.20	.05			.03	13
14	0.12		.02	.06			.03	0.39				.02	14
15							.09	0.92		.01		.02	15
16		0.14		0.16		Thunder .02	.01	.01		0.18		.08	16
17				0.11	0.60	0.82	0.13	.01	0.19	.06			17
18					.02	.04	0.20	.04	1.02	.01			18
19		0.10	0.12		0.18		0.15		.04				19
20		0.21	0.11		0.43				.02		0.17		20
21	.01	.02	.05	.01	.02						.01		21
22			.09					0.10	.08	0.12			22
23	.02	.06			0.10			0.30	.03	.02			23
24	.03	.01				0.35	.03	.02		0.15	.05		24
25			.07								.09		25
26			.05					0.29	0.12		0.24	.03	26
27		.02				.03		0.62					27
28			.04			0.79		0.10				.09	28
29					Thunder 0.90	0.26	0.19	.01		0.38		0.26	29
30	.05	╳					0.30	0.15				0.01	30
31		╳	.02	╳		╳	0.12	0.14	╳		╳	0.16	31
Total	1.98	0.82	1.30	1.33	2.30	2.47	1.59	6.55	2.04	3.40	1.01	0.75	YEAR'S TOTAL 25.54
Rain Days.	14.	11.	17.	12.	9.	9.	12.	25.	12.	18.	12.	11	162

W. 8,000, VIII. 16 Red ink indicates melted snow.

End

50

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4

Kept at Lilford Hall Gardens
in the County of Northamptonshire
by F. W. Gallop.

Lat. 52°27 Long. 0°29W.
Time of Observation 9. a.m.
Nearest Railway Station Thorpe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

8. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.19								0.12	1
2		0.20		0.15				.07			0.21	0.11	2
3	.03	.02	.06		0.38			0.20	.03		0.68		3
4			0.10				.06	.04	0.50		0.28	.04	4
5		.01	.03		0.25			0.11	0.50	.03		.01	5
6		0.15		0.15					0.19				6
7	0.11.	.04		0.12		.06			.01		0.18		7
8		.01							.03	0.14		.03	8
9	.05	0.21				.03	0.10		0.30	0.20		.05	9
10				.07			0.43		.03	0.13	.02	.09	10
11				.03	0.27		0.10		.07	0.43		.07	11
12	.01	0.10			0.20		.08		0.12			.07	12
13		.04	.03	.03	0.24	.01			0.29	0.25		.02	13
14	0.30			.01		.01	0.33		0.16			.03	14
15	1.70			0.95			0.16		0.47			0.17	15
16	.05			0.51			.01		.01				16
17	0.20			0.15			0.75	.04	0.75			0.12	17
18	0.29			.01		.09	0.13		.07			0.29	18
19	.04	.02	.03	.07			.02			0.12		0.11	19
20	.01	.04		0.43		.05	.02		0.17	0.25			20
21	.02			0.22			.01		0.21	0.11			21
22	.05				0.18		.01		.03			0.47	22
23	.07				0.23		0.15		.04			.01	23
24		0.19					0.23		.04		0.10		24
25							.02	0.78	.03	.04	.08		25
26							0.10	.02	.01	0.65	0.10	0.14	26
27						.01	0.14	0.14	.03		0.14	.01	27
28		0.10	0.11						.01		0.25	0.10	28
29									1.00			.01	29
30		✕	0.25						.02	.03	.08	0.10	30
31		✕	.05	✕		✕			✕	.06	✕	.01	31
Total	2.93	1.13	0.66	3.09	1.75	0.26	2.85	1.40	5.12	2.44	2.12	2.18	YEAR'S TOTAL 25.93
Rain Days.	14	13	8	15	7	7	19	8	27	13	11	23	165

W. 8,000, IX. 17. Red indicates melted snow.

109

FORM A.
BRITISH RAINFALL.
5 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Lilford Hall Gardens
in the County of Northamptonshire
by F. W. Gallop.

Lat. 52°27 Long. 0°29 W.
Time of Observation 9. a. m.
Nearest Railway Station Thorpe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.33	.04			0.11		.08			.04	[illegible]	0.59	1
2	0.10		.03		.02		0.34			0.10	0.37	0.20	2
3	0.83		0.11		.02		0.20		.03		0.17	.03	3
4	.06		0.36			.07	.05	0.12			.02	0.27	4
5	.02	0.20	0.13				.01		0.85			0.10	5
6			.04		0.56						.05	.09	6
7	.03		0.20								.02		7
8	0.11		.05	.06							.63		8
9			0.10										9
10	.01		0.26	0.13						.02	.02	0.10	10
11	.09		0.31	.06	.04		0.75				.06		11
12			0.22	.05		0.12	.05			.05	.08		12
13	0.14			0.16					.07	.02			13
14	0.29			0.12					.04				14
15	0.17	.03	.05	0.19						.02	0.19	0.36	15
16	.07	0.95						.06			0.19		16
17		0.70									0.24	.03	17
18			.07					0.12				0.12	18
19	.01	0.18	0.92			.05	0.42	0.19	.09		.06	.05	19
20	0.56	.05	0.21			0.28	0.33	0.33	.01		.04	.02	20
21	0.39	0.44	.08				0.40				.01	0.27	21
22		0.19	.03				.01		0.37			0.45	22
23							.05	.05	.03	0.37		.03	23
24				0.30		.04	.03		.01	0.16		.05	24
25	.07			0.27	0.17			0.14				.03	25
26	0.10		0.19	0.10				.03	.09		.02	0.41	26
27	0.98	0.15		0.76				.04				.05	27
28	.03			0.13				0.66		0.15	0.25	0.27	28
29	.09			.04			.04	0.10		0.22	0.23	0.26	29
30		X	.06	0.31		0.30	.03			0.15	0.11	0.23	30
31	.04	X	0.14	X		X			X	.05	X	.03	31
Total	4.52	2.93	3.56	2.68	0.92	0.86	2.79	1.84	1.59	1.35	2.07	4.04	YEAR'S TOTAL 29.15
Rain Days.	22 ✓	10 ✓	20 ✓	14 ✓	6 ✓	6 ✓	15 ✓	11 ✓	10 ✓	12 ✓	19 ✓	23 ✓	168 ✓

W. 8,000, IX. 17.

Red Indicates Snow

[illegible] Rl

1036

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Lilford Gardens
in the County of Northamptonshire
by F. W. Gallop.

Lat. 52°27 Long. 0°29 W.
Time of Observation 9 a.m.
Nearest Railway Station Thorpe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.11	0.20		0.46		.01	0.32	.03	0.16	1
2				0.45				.09	.07	.01		.08	2
3		.03		.08			0.30	[illegible]	.07	.07			3
4			.07	0.15			.08	0.39	.01	0.26		.02	4
5			.07		0.26		0.65	0.10	.08				5
6			0.22		.06		0.44	.01				.03	6
7			0.13	0.10	.01		.0.8						7
8	0.23	.06		0.54	.04		.03						8
9	0.41			0.79			.03	.07					9
10	0.12	.02		0.23			.02					.02	10
11	0.27	.02		0.24	0.20	.07	.03	.02				.05	11
12	.06		.08	0.14	0.11	0.13		.03			.03	0.45	12
13	.02	.03	.03	0.38		.05			.03		.03		13
14		.03	0.53	0.19		0.22	0.11		0.17	.04	0.20	.02	14
15		.02	0.65	.07			.01		0.23	0.10	0.11	.01	15
16		.05		.06	.03				0.32	.02		.02	16
17				.05	0.20				0.18	.04		.07	17
18	0.20			.03	.03			0.18	0.34			.04	18
19	0.10	0.10		0.12				.05			.02		19
20	.04	0.46		0.23		0.49			0.07		.02		20
21				.04			.02	.08	.07			.03	21
22	.02			0.23			.01	.01	0.34				22
23		.02					0.21					0.36	23
24												.07	24
25		0.10	0.14	.03			0.46						25
26	0.11		.05	.04	.03		.03						26
27	0.10	.04	0.10	0.11		0.64	.03				0,56	0.19	27
28	0.48		0.11		.09		.05				.02	.03	28
29	.07		0.15		0.23		.03		.02		.08	0.51	29
30	.03			0.10		.03	.04		0.11		0.10	0.15	30
31	0.12		.06		.01					0.33		0.10	31
Total	~~2.18~~ 2.38	0.98	2.39	4.51	1.50	1.63	3.12	1.03	2.05	1.19	1.20	~~2.41~~ 2.41.	24.39 Year's Total 24.19
Days with ·01 in. or more	16	13	14	24	14	7	21	11	15	9	11	20	175 days

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

13 6 13 22 9 8

Red indicates Snow. 12 122

Df

REGI 1

FORM A2. BRITISH RAINFALL.

23 JAN 1912

191

NORTHANTS

CASTLE ASHBY

1911 – 1920

Kept at Castle Ash

in the County of Northan

by R. G. Scriven

5 in.

e Ground 1 ft. in.

Sea Level 263 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·12			·05			·03	·02	·02	1
2	·04			·05	·17		·09	·01			·05	·06	2
3		·02			·23			·16	·01	·01	·05	·04	3
4	·04	·02	·06	·03					·06	·31	·31	·37	4
5	·02		·01	·02				·11		·03	·05		5
6	·30		·01	·02						·01	·03	·36	6
7	·02			·03						·17	·23	·18	7
8	·13		·14							·02	·06	·09	8
9	·10			·02							·03	·07	9
10	·02	·08	·21	·01							·06	·21	10
11	·10	·01						·04			·47	·02	11
12	·02		·42								·25	·01	12
13			·07		·02				·31	·03	·01	·42	13
14		·02	·03		·11					·01		·28	14
15		·07	·12				·01			·04	·14	·03	15
16			·09			·02				·02	·36	·09	16
17			·12			·07				·01	·08	·21	17
18		·22								·01	·04	·09	18
19		·02	·01		·02	·21	·15			·05	·22	·05	19
20	·02	·06	·03					·24	·17	·15		·55	20
21		·08	·02					·09	·25	·14	·01	·11	21
22	·03	·01	·14	·01		·05		·02		·15	·01	·33	22
23		·02	·32			·39	·10		·22	·01		·15	23
24	·01	·12				·50		·02		·44		·10	24
25		·05	·06	·05	1·18	·18			·01			·03	25
26		·03		·27	1·00	·03				·28	·11	·18	26
27		·21	·17	·15			·09	·04	·13	·04	·01	·06	27
28		·15		·16		·01		·21			·07	·05	28
29			·01	·09		·17	·06		·16	·19		·01	29
30			·01	·01		·04				·16	·01	·01	30
31			·01		·14					·09		·01	31
Total	·85	1·19	2·08	1·04	2·87	1·67	·55	·94	1·32	2·40	2·68	4·19	TOTAL for year 21·78
No. of Rain Days	13	17	22	15	8	11	7	~~9~~ 10	9	24	24	30	190

9,000, IX. '10.

191

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Castle Ashby

in the County of Northamptonshire 4

by R. G. Scriven

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 263 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·12			·05			·03	·02	·02	1
2	·04			·05	·17		·09	·01			·05	·06	2
3		·02			·23			·16	·01	·01	·05	·04	3
4	·04	·02	·06	·03					·06	·31	·31	·37	4
5	·02		·01	·02				·11		·03	·05		5
6	·30		·01	·02						·01	·03	·36	6
7	·02			·03						·17	·23	·18	7
8	·13		·14							·02	·06	·09	8
9	·10			·02							·03	·07	9
10	·02	·08	·21	·01							·06	·21	10
11	·10	·01						·04			·47	·02	11
12	·02		·42								·25	·01	12
13			·07		·02				·31	·03	·01	·42	13
14		·02	·03		·11					·01		·28	14
15		·07	·12				·01			·04	·14	·03	15
16			·09			·02				·02	·36	·09	16
17			·12			·07				·01	·08	·21	17
18		·22								·01	·04	·09	18
19		·02	·01		·02	·21	·15			·05	·22	·05	19
20	·02	·06	·03					·24	·17	·15		·55	20
21		·08	·02					·09	·25	·14	·01	·11	21
22	·03	·01	·14	·01		·05		·02		·15	·01	·33	22
23		·02	·32			·39	·10		·22	·01		·15	23
24	·01	·12				·50		·02		·44		·10	24
25		·05	·06	·05	1·18	·18			·01			·03	25
26		·03		·27	1·00	·03				·28	·11	·18	26
27		·21	·17	·15			·09	·04	·13	·04	·01	·06	27
28		·15		·16		·01		·21			·07	·05	28
29			·01	·09		·17	·06		·16	·19		·01	29
30			·01	·01		·04				·16	·01	·01	30
31			·01		·14					·09		·01	31
Total	·85	1·19	2·08	1·04	2·87	1·67	·55	·94	1·32	2·40	2·68	4·19	TOTAL for year 21·78
No. of Rain Days	13	17	22	15	8	11	7	~~9~~ 10	9	24	24	30	190

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Castle Ashby

in the County of Northamptonshire 4

by R. G. Scriven

RAIN GAUGE { Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " " Sea Level ... ft.

Time of Observation

Nearest Railway Station { Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02			.04	.05		.04	.19		.11	1
2			.07	.01		.16	.45		.01			.02	2
3	.05		.02		.15	.13	.08	.42			.01	.06	3
4	.10		.69		.12	.24	.01	.07			.26		4
5	.14	.08	.17		.01	.12		.15	.07		.15	.01	5
6	.30	.11				.10	.10	.49			.01	.05	6
7		.01				.73	.02	.13			.01	.06	7
8	.29	.28	.21	.03		.15		.02	.10			.02	8
9	.01	.15	.08			.65	.05	.01		.01		.14	9
10		.02	.01	.02				.10			.13	.02	10
11	.14	.08				.05		.14			.02	.27	11
12	.08	.36	.08		.04	.10	.02			.01	.06	.01	12
13		.04			.03	.01					.07	.01	13
14	.03		.07		.08	.08		.08		.02			14
15	.02	.03	.08		.24	.17		.02			.02	.16	15
16	.66		.05		.07	.05		.07		.04	.01		16
17	.52		.20			.13		.17			.04	.22	17
18	.13		.08					.04		.03	.04	.02	18
19	.20	.08					.14	.36		.01	.02		19
20	.03		.16		.06		.16	.23		.22			20
21		.02	.18		.53			1.02		.21	.06		21
22	.45	.08			.05		.43	.39		.06		.04	22
23	.10	.67	.27				1.04	.61			.09	.23	23
24	.11	.01				.12	.01	.26				.13	24
25	.01					.17		.71			.20	.31	25
26		.02				.02	.26	1.07		.55	.31	.15	26
27						.10	.58			.48		.22	27
28		.04					.37	.44	.02	.24	.21	.93	28
29		.02			.01	.07	.29	.05	.62	.28		.02	29
30					.23	.04	.05		.30	.19			30
31			.09		.78		.44	.21				.01	31
Total	3.37	2.10	2.53	.06	2.40	3.43	4.55	7.26	1.16	2.54	1.72	3.22	TOTAL for year 34.34
No. of Rain Days.	19	18	18	3	14	22	19	25	7	15	19	24	203

W. 8,000, X. '11

82. ✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
27 JAN 1914
191

Kept at Castle Ashby E4RL
in the County of Northamptonshire 4
by R. G. Scriven

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·03	·12	·10	·09				·01	1·68		·07	·02	1
2	·02	·20					·14		·18	1·17	·04		2
3	·06		·18		·82		·01		·03	·03		·07	3
4	·40		·01		·01		·02			·33	·05	·31	4
5	·02					·05	·03		·02	1·17	·02	·04	5
6		·01	·04		·16	·17	·14			·19		·05	6
7		·21			·04	·06	·14			·38	·08		7
8		·01			·10	·05				·05	·06		8
9		·21	·01	·01	·01	·10		·01	·10		·08	·04	9
10	·04		·05	·05	·04		·24	·04		·18	·61		10
11	1·13			·39	·03			·05		·14	·11		11
12					·15					·01	·14		12
13	·02	·02	·01	·03				·03	·04		·29		13
14	·10	·01	·15	·02				·07		·09	·02		14
15	·13	·01	·27	·27			·19		·02				15
16	·10		·67	·18					·06				16
17	·16	·03	·05	·20		·01	·05		·02			·06	17
18			·14	·10			·09					·01	18
19	·20		·07		·02		·09		·10		·01	·05	19
20	·16		·13	·03		·32			·01	·35	·03		20
21	·03		·40	·02	·06		·04			·01	·19		21
22	·42		·19					·06	·18				22
23	·02					·06	·02	·04	·04		·01	·05	23
24	·03			·08				·05					24
25		·01		·14		·07	·01	·05		·02		·01	25
26		·04	·21	·13						·29	·04	·15	26
27	·01	·02	·03	·04	·09		·01			·01			27
28	·38		·35	·15					·01	·10	·01	·04	28
29	·03		·15	·59	·13			·09		·05		·04	29
30	·25							·02		·17	·23	·02	30
31	·01		·01		·28			·27					31
Total	3·75 ✓	·90 ✓	3·22 ✓	2·52 ✓	1·94 ✓	·89 ✓	1·22 ✓	·79 ✓	2·49 ✓	4·74 ✓	2·09 ✓	·96 ✓	YEAR'S TOTAL 25·51
Rain Days.	23	13	21	18	14	9	15	13	14	19	19	15	193

W. 7,500, XI. 12

82 185

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Castle Ashby
in the County of Northamptonshire 4
by R. G. Scriven

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02	·01		·03	·23			·08	·04	1
2	·02		·01					·23		·02	·18	·19	2
3					·16		·40				·07	·02	3
4	·14		·01	·19				·81			·35	·17	4
5	·03		·02	·11	·11	·09	·31	·23			·03		5
6		·05		·07	·05	·03		·02			·05	·08	6
7		·15	·39	·03	·04	·02	·09	·01				·05	7
8	·10	·04	·16	·11	·12	1·09	·21	·16	·03		·01	·02	8
9	·31		·44	·19		·70		·04	·04			·02	9
10	·08	·10		·07	·09				·13				10
11		·09	·31	·07	·08	·33			·02		·38	·43	11
12	·01	·03	·08			·02	·10		·36		·03	·27	12
13	·01	·15	·22				·21		·05	·13	·09	·28	13
14		·07	·27				·06			·85	·09	·32	14
15	·03	·02	·21					·02	·10	·02	·08	·13	15
16			·06						·05				16
17		·34	·03						·28			·16	17
18		·02	·02				·21					·36	18
19		·04	·09						·04		·07	·01	19
20		·24	·25						·06			·10	20
21	·01	·14	·09	·01		·20				·08	·03	·22	21
22			·05		·14	·15	·09	·05		·10			22
23		·03	·06		·08							·03	23
24	·01						·22	·03		·28	·09		24
25	·05						·04	·13		·33	·01	·14	25
26			·04				·01	·08		·06	·18	·39	26
27	·03										·04	·14	27
28		·06	·02							·12	·22	1·00	28
29	·04		·14		·03					·28	·13		29
30	·03		·02			·04				·06	·18	·25	30
31	·01				·06		·03					·09	31
													YEAR'S TOTAL
Total	·91	1·57	2·99	·87	·97	2·67	2·01	2·04	1·16	2·33	2·39	4·91	24·82
Rain Days.	16	16	23	10	12	10	14	13	11	12	21	25	183

W.7,000, XI. 13

1188
179

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Castle Ashby
in the County of Northamptonshire 4
by R. G. Scriven

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·09	·10		·11		·01		·13	·06	·02	·15	1
2	·05	·18	·25	·14		·03		·14	·03	·16	·01	·04	2
3	·32		·05	·11			·13	·71	·18		·01	·17	3
4	·05						·57	·06			·01	·55	4
5	·03	·28			·01			·03				·20	5
6	·19	·01	·02	·19			·83	·03		·03	·01	·06	6
7	·05	·36	·12			·02	·13	·07				·13	7
8	·03	·16	·02	·02				·03			·01		8
9				·02		·06				·02	·19	·47	9
10	·28	·02	·05					·11			·07	·02	10
11	·01		·02	·02	·10		·05				·75		11
12	·02			·25	·43		·02	·04		·01	·90	·06	12
13	·03	·42			1·11						·01		13
14	·01	·04			·01			·58	·07			·36	14
15	·19				·03		·06	·18			·26	·17	15
16	·01	·32			·01		·72	·08					16
17		·30			·11		·13					·02	17
18		·06	·12										18
19		·06	·01				·09						19
20	·36			·05	·01					·01		·29	20
21	·11				·10		·09					·03	21
22	·18		·30	·06			·46					·14	22
23	·02	·07	·04			·03	·13		·10	·31	·01	·34	23
24			·10			·21	·08		·77	·10		·11	24
25				·01		·04	·18			·02	·01	·24	25
26		·11					·17		·02			·27	26
27		·07	·01			·03	·03			·45		·04	27
28		·10				·04	·08	·07	·33	·17			28
29					·03		·01	·09			·11	·12	29
30	·09	X	·01			·04		·01			·02	·08	30
31	·04	X		X		X		·04	X	·40	X	·10	31
Total	2·57	2·65	1·22	·87	2·06	·50	3·97	2·27	1·63	1·74	2·40	4·16	YEAR'S TOTAL 26·04
Rain Days.	21	17	15	10	12	9	20	16	8	12	16	24	180

W. 8,000. X. 14.

Exe Jk

116
177

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Castle Ashby

in the County of Northamptonshire

by R. G. Scriven

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·02		·04	·01	·39				·72		1
2	·44	·05	·10		·19		·02		·01	·44	·10		2
3		·42				·01			·11	·20	·03		3
4	·31	·11			·10	·22				·01	·14		4
5	·05			·02	·05	·32	·03			·11	·32		5
6		·15	·15	·25	·01	·03	·29			·06	·41		6
7	·07		·37		·07	·03	·30			·02	·12	·09	7
8	·02		·04		·07	·12					·02	·20	8
9		·02	·02		·35	·04						·06	9
10		·10	·11	·08		·14	·04		·02	·01		·04	10
11	·05	·14		·17	·05	·16						·10	11
12	·03	·04	·14	·01	·57	·10	·07	·01		·06	·01	·01	12
13	·02	·29	·13	·07	·05	·07	·06	·07		·01			13
14		·47		·02	·02	·01		·06		·02			14
15		·20	·49		·02		·10	·08		·01			15
16		·03	·32	·20			·14	·08		·02			16
17	·09	·04	·10	·21			·03	·36	·16	·22		·02	17
18	·01	·13	·05	·09				·07	·08		·78	·02	18
19	·12	·05	·28	·10					·08		·72		19
20	·07		·38	·03					·01		·10	·34	20
21	·04		·56	·05			·02				·01	·59	21
22	·02	·10	·03		·14	·04				·04		·68	22
23	·04	·44				·17		·06			·04	·12	23
24		·33	·05	·02		·33		·08		·03	·01	·25	24
25		·27	·11		·06	—	—	·30		·09	·11		25
26	·01	·11	·10			·03		·18		·03	·07		26
27	·06	·10	1·32			·07	·08	·03	·08	·24		·03	27
28		·33	·76			·16			·06	·03	·01	·14	28
29		·07	·03		·16	·17		1·56		·27		·03	29
30		X				·01		·08		·22			30
31	·02	X		X		X	·01	·03	X	·02	X	·03	31
Total	1·57	3·99	5·66	1·32	1·95	2·24	1·58	3·05	·61	2·16	3·72	2·75	YEAR'S TOTAL 30·60
Rain Days.	19	23	23	14	16	21	14	15	9	22	18	17	211

W. 8,000. X. 15.

Es. Hf

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Castle Ashby Gardens

in the County of Northamptonshire

by C. A. Markham, A. R. Searle

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									·32		·04	·01	1
2										·03	·05		2
3										·36	·11		3
4										·50		·03	4
5									·14	·05	·06		5
6									·02	·12	·02		6
7										·36	·01	·01	7
8										·28	·15	·02	8
9											·14	·01	9
10											·02		10
11									·06	·26			11
12										·21		·01	12
13									·05				13
14											·01		14
15										·04		·01	15
16										·33		·08	16
17									·30	·16			17
18									·82	·01			18
19									·04				19
20									·08		·09		20
21										·01			21
22									·03	·18			22
23										·01		·02	23
24										·15	·07	·01	24
25									·01	·02	·05		25
26									·06		·18		26
27													27
28												·05	28
29										·33		·22	29
30		×										·01	30
31		×		×		×			×		×	·13	31
Total									1·93	3·41	1·00	·62	YEAR'S TOTAL
Rain Days.									12	19	14	14	

W. 8,000, VIII. 16

81

Ex. D.L.

1124
~~166~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Castle Ashby

in the County of Northamptonshire

by R. G. Scriven

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.11				1.10	.36		.04	.01	1
2	.02					.15		.08		.04	.06		2
3		.01		.05				.41		.21	.11		3
4		.20	.13					.07		.59		.03	4
5	.14		.05	.12					.14	.06	.06		5
6	.01					.10			.03	.06	.01		6
7	.37		.02				.01			.44	.02	.02	7
8	.45			.14			.61	.35		.29	.18	.03	8
9	.09		.19	.08	.10		.03	.24		.01	.15	.01	9
10	.27		.26	.20	.05			.25			.02		10
11	.04	.04	.29	.18				.09	.07	.25	.01		11
12	.05	.02	.01			.04		.10		.20	.01	.01	12
13	.01		.03	.11			.03	.17	.06				13
14	.13			.12				.52			.01	.01	14
15				.01			.01	.03		.05		.02	15
16	.06	.12		.16	.02					.31		.08	16
17		.03		.12	.64	.06	.23	.03	.29	.14			17
18	.04	.03		.09	.12	.08	.21	.22	.76	.01			18
19	.04	.16	.21		.11				.08				19
20	.08	.19	.07		.63		.07	-	.09		.09		20
21	.02	.02	.09	.04	.02	.03							21
22			.06					.13	.01	.19			22
23		.11	.04		.06			.33	.03	.02		.02	23
24	.01	.05				.12		.10		.15	.04		24
25			.04				.14		.03	.02	.03		25
26			.02					.47	.06		.17		26
27						.56		.64				.01	27
28		.01	.18			.50		.09		.01		.05	28
29			.01		.12	.46	.30	.07		.36		.23	29
30	.02	X				.01	.52	.15				.02	30
31		X	.10	X		X	.11	.06	X	.01	X	.14	31
Total	1.85	.99	1.80	1.53	1.87	2.11	2.27	5.70	2.01	3.42	1.01	.69	YEAR'S TOTAL 25.25
Rain Days.	18	13	18	14	10	11	12	23	13	21	16	15 ~~14~~	184

W. 8,000, VIII. 16

2.52

81

13

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Castle Ashby

in the County of Northamptonshire

by R. G. Scriven

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·04							·18	·03	1
2		·13		·16	·44			·08			·10	·11	2
3		·03	·04	·01				·01	·21		·42	·03	3
4	·01	·01	·06				·06	·05	·40		·46	·05	4
5		·05	·01		·39			·19	·31	·11		·01	5
6	·01	·16	·01	·17		·01			·01				6
7		·07		·11	·01	·02			·06	·17	·13		7
8				·04					·07	·05		·06	8
9	·01	·02		·05		·03	·18		·48	·19	·02	·12	9
10	·05		·01	·03		·02	·45		·02	·13		·12	10
11				·01	·10		·12		·12	·12	·02	·06	11
12		·07	·05		·17		·12		·10			·01	12
13		·01		·02	·23	·04	·04		·10	·03		·03	13
14	·25			·01		·07	·38		·27	·20		·08	14
15	·95			·76		·05	·11		·10	·01		·14	15
16	·10			·69				·02	·39			·01	16
17	·14			·04	·26		·65		·03	·01		·12	17
18	·43					·16	·06		·66			·39	18
19	·04	·03	·02	·23		·01	·01			·07		·17	19
20	·02	·07		·65		·07			·16	·26	·01	·04	20
21	·04			·17					·29	·04		·02	21
22	·14				·23		·02		·02		·02	·32	22
23	·08			·01	·46		·22		·12		·01	·03	23
24		·14					·10		·05	·01	·19		24
25					·01	·02	·03	·20		·01	·02		25
26						·19	·05	·05	·04	·04	·08	·14	26
27			·01				·13	·22	·13		·09	·03	27
28		·10	·16	·04				·12			·28	·07	28
29	·01								1·29		·01	·01	29
30		X	·30					·02	·07	·02	·10	·08	30
31	·01	X	·07	X		X		·04	X	·07	X		31
Total	2·29	·93	·74	3·24	2·30	·69	2·73	1·00	5·50	1·54	2·14	2·28	YEAR'S TOTAL 25·38
Rain Days.	16	14	11	19	10	12	17	11	25	18	17	26	196

W. 8,000, IX. 17.

DL

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Castle Ashby

in the County of Northamptonshire

by R. G. Scriven

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·08	·02		·06		·15		·01	·04		·68	1
2	·16		·02		·03		·27		·16	·06	·31	·29	2
3	·72		·11		·03		·11		·22		·18	·15	3
4	·08	·06	·35			·11	·04	·09	·06		·02	·10	4
5	·03	·34	·21				·16		·73			·16	5
6			·04	·01	1·03				·22		·03	·04	6
7	·05		·25		·02								7
8	·14		·07	·19							·04		8
9			·01	·08						·02	·03		9
10	·01		·37	·03						·03	·05	·09	10
11	·04		·34	·07	·02		·47				·05	·02	11
12			·31	·09		·07	·11		·02	·11	·10	·02	12
13	·08			·22					·08	·03		·03	13
14	·30			·21			·03			·04			14
15	·14	·02	·16	·14						·05	·13	·43	15
16	·08	·84		·07				·01			·18		16
17	·01	·40		·03							·16	·04	17
18			·08					·24			·04	·10	18
19	·04	·23	1·05			·11	·34	·33	·16		·05	·03	19
20	·59	·04	·24			·25	·34	·35	·02		·05	·03	20
21	·21	·45	·06				·55	·01		·01	·04	·08	21
22		·40					·07		·18		·01	·40	22
23						·03		·04	·12	·37		·07	23
24				·14	·01	·02	·19		·01	·31	·01	·05	24
25	·11			·06	·06			·19				·04	25
26	·12		·08	·03			·03	·03	·11			·35	26
27	·55	·09	·06	·74		·01		·15		·01		·09	27
28				·04			·02	·94			·17	·17	28
29	·06			·07		·02	·09	·12		·27	·13		29
30		X	·09	·25		·26			·02	·10	·14	·25	30
31		X		X		X	·08		X	·06	X	·03	31
Total	3·82	2·95	3·92	2·47	1·26	·88	3·05	2·50	2·12	1·51	1·92	3·74	YEAR'S TOTAL 30·14
Rain Days.	21	11	20	18	8	9	17	12	15	15	21	25	192

W 6,500, VII. 18. w w c

181 1000

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Castle Ashby

in the County of Northamptonshire

by R. G. Scriven

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3	·01												3
4													4
5													5
6													6
7													7
8	·39												8
9	·35												9
10	·15												10
11	·34												11
12	·04												12
13	·03												13
14	·02												14
15	·01												15
16													16
17	·01												17
18	·13												18
19	·05												19
20	·09												20
21													21
22	·01												22
23													23
24													24
25													25
26	·19												26
27	·26												27
28	·40												28
29	·13												29
30	·05												30
31	·12												31
TOTAL	2·78												YEAR'S TOTAL
Days with ·01 in. or more	20												

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEORO** … **ORGANIZATION.**

R … **1920.**

14 MAR 1921

CASTLE ASHBY
NORTHAMPTONSHIRE
1920

Kept at Cast
in the County of
by ~~Dr~~ Arthur

Long.
n
tation
l of Rain Gauge ……… in.
uge above Ground ……… ft. ……… in.
,, Sea Level ……… ft.

IMPORTANT NOT … esult entered to the previous day. If an Observer prefers no … to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·16	·21	.	·38	.	.	·21	·03	·14	1
2	.	.	·02	·07	.	.	·40	·16	·06	·07	.	·06	2
3	·01	·05	.	·19	.	·03	·13	·02	·05	·09	.	.	3
4	.	.	·08	·07	.	.	·09	·37	·01	·27	.	·01	4
5	.	.	·09	.	·14	.	·55	·03	·05	.	.	.	5
6	.	.	·28	.	·04	.	·36	.	.	.	.	·02	6
7	.	.	·03	·05	.	.	·13	.	.	.	.	·01	7
8	·42	·03	.	·43	.	.	·02	.	.	.	.	.	8
9	·34	.	.	·61	.	.	.	·05	.	.	.	·02	9
10	·20	·02	·03	·09	.	.	·07	.	.	.	.	·01	10
11	·25	.	·05	·44	·25	·05	·04	·04	.	.	.	·05	11
12	·03	.	·06	·11	.	·45	.	.	.	.	·01	·15	12
13	·02	·03	·13	·21	.	.	.	.	.	.	.	·01	13
14	·01	.	·31	·18	.	·23	·13	.	·19	·57	·18	·02	14
15	.	·04	·58	·17	.	.	.	.	·25	·10	·18	.	15
16	.	.	·01	·06	·04	·20	.	.	·26	·13	·07	.	16
17	·01	.	.	·01	.	.	.	.	·19	·02	.	·05	17
18	·14	.	.	·08	·18	.	·08	·15	·40	.	.	·03	18
19	·04	·09	.	·21	·07	·03	.	·09	·01	.	.	·01	19
20	·07	·42	.	·28	.	·36	.	.	.	.	.	·01	20
21	.	.	.	.	.	.	·03	·09	·02	.	.	·01	21
22	.	.	.	·27	.	.	·32	.	·28	.	·03	·06	22
23	.	·02	.	.	.	.	.	·01	.	·01	.	·37	23
24	.	.	·16	·01	.	.	.	.	.	.	.	·05	24
25	.	·07	·07	.	·17	·01	·56	.	.	.	·02	.	25
26	·20	.	·05	·01	·03	.	·05	.	.	.	.	·02	26
27	·22	.	.	·16	.	·43	·15	.	.	.	·57	·14	27
28	·42	.	·11	.	·11	.	·02	.	.	·01	·06	.	28
29	·11	.	·11	.	·20	.	·07	.	·20	.	·07	·45	29
30	·04	×	.	·04	·01	·08	·07	.	.	.	·10	·18	30
31	·07	×	·01	×	·04	×	.	.	×	·27	×	·06	31
TOTAL	2·60	0·77	2·18	3·91	1·49	1·87	3·65	1·01	1·97	1·75	1·32	1·94	YEAR'S TOTAL 24·46
Days with ·01 in. or more	18	9	18	23	13	10	20	10	13	11	11	24	180
Days with ·04 in. or more	13	5	13	20	11	7	17	7	10	8	7	12	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

4 MAR 1921

COPY B.R.O.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Castle Ashby
in the County of Northampton.
by ~~Sir~~ Arthur R. Searle

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

per [illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·	·16	·21	·	·38	·	·	·21	·03	·14	1
2	·	·	·02	·07	·	·	·40	·16	·06	·07	·	·06	2
3	·01	·05	·	·19	·	·03	·13	·02	·05	·09	·	·	3
4	·	·	·08	·07	·	·	·09	·37	·01	·27	·	·01	4
5	·	·	·09	·	·14	·	·55	·03	·05	·	·	·	5
6	·	·	·28	·	·04	·	·36	·	·	·	·	·02	6
7	·	·	·03	·05	·	·	·13	·	·	·	·	·01	7
8	·42	·03	·	·43	·	·	·02	·	·	·	·	·	8
9	·34	·	·	·61	·	·	·	·05	·	·	·	·02	9
10	·20	·02	·03	·09	·	·	·07	·	·	·	·	·01	10
11	·25	·	·05	·44	·25	·05	·04	·04	·	·	·	·05	11
12	·03	·	·06	·11	·	·45	·	·	·	·	·01	·15	12
13	·02	·03	·13	·21	·	·	·	·	·	·	·	·01	13
14	·01	·	·31	·18	·	·23	·13	·	·19	·57	·18	·02	14
15	·	·04	·58	·17	·	·	·	·	·25	·10	·18	·	15
16	·	·	·01	·06	·04	·20	·	·	·26	·13	·07	·	16
17	·01	·	·	·01	·	·	·	·	·19	·02	·	·05	17
18	·14	·	·	·08	·18	·	·08	·15	·40	·	·	·03	18
19	·04	·09	·	·21	·07	·03	·	·09	·01	·	·	·01	19
20	·07	·42	·	·28	·	·36	·	·	·	·	·	·01	20
21	·	·	·	·	·	·	·03	·09	·02	·	·	·01	21
22	·	·	·	·27	·	·	·32	·	·28	·	·03	·06	22
23	·	·02	·	·	·	·	·	·01	·	·01	·	·37	23
24	·	·	·16	·01	·	·	·	·	·	·	·	·05	24
25	·	·07	·07	·	·17	·01	·56	·	·	·	·02	·	25
26	·20	·	·05	·07	·03	·	·05	·	·	·	·	·02	26
27	·22	·	·	·16	·	·43	·15	·	·	·	·57	·14	27
28	·42	·	·11	·	·11	·	·02	·	·	·01	·06	·	28
29	·11	·	·11	·	·20	·	·07	·	·20	·	·07	·45	29
30	·04	×	·	·04	·01	·08	·07	·	·	·	·10	·18	30
31	·07	×	·01	×	·04	×	·	·	×	·27	×	·06	31
TOTAL	2·60	0·77	2·18	3·91	1·49	1·87	3·65	1·01	1·97	1·75	1·32	1·94	YEAR'S TOTAL 24·46
Days with ·01 in. or more	18	9	18	23	13	10	20	10	13	11	11	24	180
Days with ·04 in. or more	13	5	13	20	11	7	17	7	10	8	7	12	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

NORTHANTS
CLAPTON MANOR (NR THRAPSTONE)
1911–1919

RE 911

Kept at ~~Wellingborou~~ Thraps
in the County of North
by mrs Buc

op 12 in.
above Ground 2 ft. in.
„ Sea Level 400 ft.

on { Name
Distance Direction

IMPORTANT NOTE. measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·03				·01				·02	1
2				·02	·20			·02			·04	·06	2
3	·05				·22			·37		·02	·05	·01	3
4			·08	·03					·06	·46	·13	·35	4
5				·01				·06		·05		·03	5
6	·25									·01	·01	·29	6
7	·01		·01	·02							·22	·26	7
8	·14		·11							·01	·06	·08	8
9	·06	·14		·01						·01	·04	·01	9
10	·02		·16	·01							·12	·37	10
11	·15	—						·22			·40	·01	11
12	·05		·39						·04		·19		12
13			·08						·28	·03		·34	13
14			·02		·56		·01			·06		·43	14
15			·14						·02	·03	·06		15
16			·10			·02				·01	·37	·07	16
17						·07				·01	·21	·13	17
18		·16				·07	·01			·01	·09	·05	18
19		·03			·05	·06			·07	·06	·21	·06	19
20	·01	·04	·01	·03				·40	·16	·03		·49	20
21	·03	·08						1·41	·09	·11		·16	21
22		·04	·11	·01		·02		·01		·23	·02	·41	22
23		·08	·15			·68			·30			·15	23
24			·01			·26		·02		·31		·10	24
25		·12	·04	·07	·36	·08		·03		·02	·03		25
26		·01		·30	·03	·02				·23	·21	·22	26
27		·19	·15	·15			·07		·13	·06	·01	·03	27
28		·13		·13		·02		·23			·05	·02	28
29			·01	·03		·14	·05		·23	·25	·01		29
30			·01	·01		·02				·06		·01	30
31												·01	31
Total	·77	~~·96~~ 1·02	1·60	·86	1·42	1·46	·14	2·78	1·38	2·07	2·53	4·17	TOTAL of year ~~20·14~~ 20·20
No. of Rain Days	10	11	18	15	6	12	4	11	10	22	21	27	167

9,000, IX. '10.

8L S...

FORM A2. BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at ~~Wellingborough, Orlingbury Hall~~ Thrapstone Clopton

in the County of Northamptonshire 4

by Mrs Buckley

RAIN GAUGE
Pattern
Diameter of top 12 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 400 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·03				·01				·02	1
2				·02	·20			·02			·04	·06	2
3	·05				·22			·37		·02	·05	·01	3
4			·08	·03					·06	·46	·13	·35	4
5				·01				·06		·05		·03	5
6	·25									·01	·01	·29	6
7	·01		·01	·02				—			·22	·26	7
8	·14		·11							·01	·06	·08	8
9	·06	·14		·01						·01	·04	·01	9
10	·02		·16	·01							·12	·37	10
11	·15	—						·22			·40	·01	11
12	·05		·39						·04		·19		12
13			·08						·28	·03		·34	13
14			·02		·56		·01			·06		·43	14
15			·14						·02	·03	·06		15
16			·10			·02				·01	·37	·07	16
17						·07				·01	·21	·13	17
18		·16				·07	·01			·01	·09	·05	18
19		·03			·05	·06			·07	·06	·21	·06	19
20	·01	·04	·01	·03				·40	·16	·03		·49	20
21	·03	·08						1·41	·09	·11		·16	21
22		·04	·11	·01		·02		·01		·23	·02	·41	22
23		·08	·15			·68	—		·30			·15	23
24			·01			·26		·02		·31		·10	24
25		·12	·04	·07	·36	·08		·03		·02	·03	~~·22~~	25
26		·01		·30	·03	·02				·23	·21	·22	26
27		·19	·15	·15			·07		·13	·06	·01	·03	27
28		·13		·13		·02		·23			·05	·02	28
29			·01	·03		·14	·05		·23	·25	·01		29
30			·01	·01		·02				·06		·01	30
31												·01	31
Total	·77	1·02 ~~·96~~	1·60	·86	1·42	1·46	·14	2·78	1·38	2·07	2·53	4·17	TOTAL for year 20·20 ~~20·14~~
No. of Rain Days	10	11	18	15	6	12	4	11	10	22	21	27	167

9,000, IX. '10.

88

[illegible] 17·III·13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

24 JAN 1913

1945

Kept at Clopton Manor, Nr Thrapston

4

in the County of Northamptonshire

by G. Buckley

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·01	·12	·09	·03	·08			·11	1
2		·01	·01	·01	·01	·34	·51		·06			·03	2
3	·14	·01	·08		·02	·11	·01	·29	·07			·09	3
4	·02		·03		·08	·37		·08			·24	·01	4
5	·08	·10	·57			·07		·09	·02		·07		5
6	·36	·12	·23			·19	·29	·26				·02	6
7						·95	·03	·02				·03	7
8	·33	·26				·07	·19	·15	·11				8
9	·01	·07	·14	·06		·45		·02				·10	9
10			·03			·01		·04	·08		·33	·01	10
11	·17	·09	·01		·02	·03		·03	·02		·02	·23	11
12	·10	·08			·06	·09	·06				·05		12
13	·02	·01	·05			·10	·05	·03			·16	·04	13
14	·04				·10	·07		·06		·05			14
15		·04	·03		·36	·13		·03				·11	15
16	·33		·15		·07	·05		·08		·05			16
17	·40		·08			·11		·15			·02	·20	17
18	·15		·18					·17			·03	·03	18
19	·20	·08	·09				·21	·07		·01	·03		19
20	·05		·02		·02		·12	·78		·17			20
21		·02	·18		·48			·88		·32	·07		21
22	·32	·09	·14		·04		1·32	·29		·18			22
23	·18	·32	·01				·70	·48			·06	·29	23
24	·14	·02	·27			·08	·19	·18				·12	24
25	·01					·11		·55			·19	·38	25
26		·01					·72	1·68		·52	·34	·23	26
27			·02			·03	·10	·03		·37		·29	27
28		·03				·04	·08	·47	·06	·21	·15	·86	28
29						·19	·23	·07	·65	·41	·04	·01	29
30	·02				·12	·02	·01	·01	·22	·14			30
31			·07		·82		·39	·12					31
Total	3·07	1·36	2·39	·07	2·21	3·73	5·30	7·14	1·37	2·43 2·4~~5~~3	1·80	3·19	TOTAL for year 34·06
No. of Rain Days.	20	17	21	2	14	23	19	29	10	11	15	20	201

W. 8,000, X. '11.

82 ✓ 195

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

Kept at Clopton Manor Ex BR
in the County of Northamptonshire 4
by G. Buckley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·03	·05	·12	·10					·59	·01	·07	·01	1
2	·03	·12	·01		·03		·13		·23		·02		2
3			·17	—	·51				·03	·15		·02	3
4	·27				·02		·13			·69	·10	·11	4
5	·01					·05	·01		·01	·64	·04		5
6	·01	·02	·01		·32	·16	·03			·10			6
7		·05			·09	·06	·01			·60	·04		7
8					·23	·07				·06	·11		8
9		·24	·03	·02	·02	·12			·02		·06		9
10			·01	·02	·15		·60	·41			·41		10
11	·40			·43		·02				·05	·07		11
12		·01			·13						·22		12
13	·02			·02					·02		·26		13
14	·05	·02	·17	·03			·13	·01		·08	·03		14
15	·11		·25	·24			·12		·33		·01		15
16	·02		·93	·27			·02		·02		—		16
17	·08	·03	·12	·08		·31	·04		·01		·04	·11	17
18	·01		·16	·04			·05				·01	·02	18
19	·16		·08			·03			·08			·04	19
20	·06		·21	·02			·03		·01	·47			20
21	·03		·26		·05						·23		21
22	·34		·15	·01			·01	·09	·19			·01	22
23						·04		·02	·03		·02	·03	23
24	·02			·06		·01	·02	·21				·02	24
25				·15		·02						·01	25
26		·04	·25	·08						·37	·05	·15	26
27		·03	·02	·01	·03		·01			·01			27
28	·36		·07	·16					·01	·04	·02	·05	28
29	·02		·17	·68	·18			·06		·05		·07	29
30	·11			·02	·04			·03		·04	·15	·04	30
31					·15			·43					31
Total	2·14 ✓	·61 ✓	3·19 ✓	2·44 ✓	1·95 ✓	·89 ✓	1·34 ✓	1·26 ✓	1·58 ✓	3·36 ✓	1·96 ✓	·69 ✓	YEAR'S TOTAL 21·41
Rain Days.	20	10 ~~8~~	19	19	14	11	15	8	14	15	20	14	179

W. 7,500, XI. 12

81

cnd fm with 5.III.15

REGISTER OF RAINFALL IN 1914

168

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Clopton Manor

Kept at ~~Upton~~, Thrapston Clopton Manor.

in the County of Northamptonshire 4

by G. Buckley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·04	·01		1·58	·21			·10	·03	1
2				·02			·02	·15		·02	·09	·11	2
3			·04	·03	·15		·30				·04		3
4	·15	·02		·18				·25			·58	·18	4
5	·01		·08	·08	·04	·11	·13	·18			·01		5
6		·02		·01	·05		·04	·02			·10	·04	6
7		·06	·36	·02	·01	·04	·05	·03			·01	·03	7
8	·05	·05	·07	·09	·05	1·00	·07	·14				·08	8
9	·43		·24	·13		1·44		·03	·07	·03		·04	9
10	·19	·05	·01	·05	·04				·10				10
11		·05	·32		·11	·27			·03		·36	·34	11
12		·02	·10			·02			·31		·04	·35	12
13	·03	·15	·12						·04	·49	·13	·22	13
14	·01		·20				·03			·81	·10	·35	14
15	·03	·04	·15					·15	·07	·01	·06	·12	15
16		·24	·04				·15		·02		·01	·01	16
17			·03				·03		·24	·01	·02	·12	17
18			·05				·13					·34	18
19		·03	·25			·02	·07		·05	·01	·09	·02	19
20		·06	·25						·07			·11	20
21		·15	·07			·05		·74		·07		·19	21
22		·01	·01		·11	·06	·15	·14		·07			22
23		·02	·05		·09	·04		·01		·06		·03	23
24		·01	·02	·03	·01	·01	·13	·04		·08	·10		24
25	·02							·14		·47		·11	25
26		·01	·08				·01	·16		·07	·16	·35	26
27	·02		·02								·03	·16	27
28		·05			·07					·27	·16	1·27	28
29	·02		·14		·06					·28	·09		29
30			·02			·04				·06	·21	·28	30
31					·05		·05 ·50			·01		·08	31
Total	·96	1·04	2·72	·68	·85	3·10	2·94	2·39 2·32	1·00	2·82	2·49	4·96	YEAR'S TOTAL 25·95
Rain Days.	11	18	24	11	14	12	16	15	10	17	21	25	198

W.7,000, XI. 13

8L

cwd/pr auth 21.11.16

1222
+83

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Clopton

in the County of Northamptonshire #.8L 4

by G. Buckley.

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.15	.07		.23		.01	.05	.07		.06	.09	1
2	.03	.12	.15	.11				.75		.03	.08	.07	2
3	.24	.01	.05	.18		.03	.20	.05	.29		.02	.20	3
4	.14			.01			.39	.10			.01	.54	4
5	.04	.22			.38			.05			.02	.25	5
6	.14	.02	.03	.13	.01		.60	.02		.03		.10	6
7	.03	.28	.16	.01		.07	.03	.16				.15	7
8	.02	.14	.03	.09				.03			.01		8
9	.02	.02		.02		.03				.02	.15	.48	9
10	.30		.05				.02	.50			.06		10
11	.02	.01	.05		.08		.04	.01			.61	.09	11
12	.04		.01	.28	.33			.06		.04	1.00	.02	12
13	.02	.52		.01	1.00		.05				.02	.02	13
14		.02			.02		.11	.02	.06	.02		.31	14
15	.20				.08		.01	.08		.02	.21	.11	15
16		.22					.80	.33		.03		.07	16
17		.17			.04		.09					.01	17
18		.03	.19								.05		18
19		.03	.01				.10						19
20	.28			.01	.08		.01	.02		.01		.23	20
21	.10	.02					.12					.07	21
22	.19		.23	.02			.33		.03			.13	22
23	.02	.16	.06			.10	.08		.09	.15	.01	.33	23
24	.01		.11			.02	.03		.60			.16	24
25	.01		.02	.02		.23	.03		.02	.01		.29	25
26		.14		.01			.24					.24	26
27						.07	.04			.40		.03	27
28	.01	.16				.26		.09	.10	.22			28
29						.11	.03	.10		.01	.13	.25	29
30	.09					.30		.01			.02	.02	30
31	.03							.06		.13		.15	31
Total	2.38	2.44	1.22	.90	2.25	1.22	3.36	2.49	1.26	1.12	2.46	4.41 4.41	YEAR'S TOTAL 25.51 25.51
Rain Days.	23	19	15	13	10	10	22	19	8	14	16	26	195

W. 8,000. X. 14.

8L

Eoe 8L

1199
~~180~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 APR 1917

Kept at Clopton Manor
in the County of Northamptonshire
by G. Buckley.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14		.18			.06	.20				.50		1
2	.40	.04	.10		.50		.04			.31	.03		2
3	.01	.31			.01				.40	.18	.05		3
4	.41	.26	.03		.07	.10	.01		.01	.02	.26		4
5	.01			.01	.03	.13				.10	.26	.01	5
6		.14	.18	.15	.04	.02	.20			.05	.29		6
7	.12		.23		.18		.43			.03	.12	.08	7
8	.01		.06		.06	.06					.03	.23	8
9					.29	.09				.07		.05	9
10		.07	.09	.04		.05	.03		.04	.06		.04	10
11	.04	.22	.15	.11	.05	.10			.01		.01	.06	11
12	.04	.02	.02	.03	.70	.18	.03			.03			12
13		.23	.22		.12	.15	.01	.05					13
14		.62	.02	.13	.05			.02		.03			14
15		.26	.31		.02		.21	.02				.02	15
16		.06	.18	.16	.04		.15			.01		.01	16
17	.05	.04	.01	.20			.05	.04	.12	.25			17
18	.01	.09	.05	.05				.24	.08		.90		18
19	.14	.05	.17	.08		.01			.06		.40	.12	19
20	.10		.07	.03				.08			.15	.46	20
21	.03		.35	.01			.07				.02	.66	21
22	.02	.12	.02	.01	.10	.03				.03		.65	22
23	.04	.23				.71	.01	.04		.03	.03	.17	23
24		.28				.25		.04		.01	.01	.30	24
25		.16	.05		.07			.25		.04	.05		25
26		.09	.02			.06		.05		.02			26
27	.03	.16	.70	.01		.02		.11	.02	.16			27
28		.31	.71			.11	.03		.05	.02		.19	28
29		.10				.08		1.74		.27		.02	29
30	.01	X				.09		.25		.15			30
31	.01	X		X		X	.01	.03	X	.04	X		31
Total	1.62	3.86	3.92	1.02	2.33	2.30	1.48	2.96	.79	1.91	3.11	3.07	YEAR'S TOTAL 28.37
Rain Days.	19	22	23	14	16	19	~~12~~ 15	14	9	22	16	16	205

W. 8,000. X. 15.

8L ✓ [illegible] and for [illegible]

1158
169

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Clopton Manor
in the County of Northamptonshire
by G. Buckley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	-					·12					1
2	·04	·03						1·00	·15		·04		2
3						·11		·11					3
4		·11						·45		·15	·06		4
5	·12							·01		·44			5
6								·01	·12	·02	·12		6
7	·40					·07			·01	·10			7
8	·43					·03	·36			·26			8
9	·10							·49		·27	·11		9
10	·33							·35			·17		10
11	·08				·01			·09		·11			11
12	·09	·01						·08		·27			12
13	·09				·05			·19		·33			13
14	·11						·03	·09	·06				14
15	·05						·09	·84					15
16	·07	·12					·02			·03		·10	16
17	·04	·03				·05				·27			17
18	·03	·02			·58	·66	·18		·20	·11			18
19	·01	·11			·05	·06	·07		·81				19
20		·20			·28				·04			·08	20
21		·02			·38				·21		·14		21
22					·01			·08					22
23		·07						·22	·09	·11			23
24		·02			·09				·04		·01	·02	24
25		·02				·31					·10		25
26													26
27						·11		·34	·13		·26		27
28		·02				·07		·65					28
29						·99		·06				·10	29
30	·04	X			·72	·30	·25	·14		·34		·22	30
31	·01	X		X		X	·46	·18	X		X		31
Total	2·04	·79			2·17	2·76	1·46	5·50	1·56	2·81	1·01	~~·55~~ ·52	YEAR'S TOTAL
Rain Days.	17	~~13~~ 14			9	11	8	20	11	14	9	5	

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Clopton Manor
in the County of Northamptonshire
by G. Buckley

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07						·05		·25	1
2				·25							·13		2
3		·19	—	·14				·11			·05		3
4		·02	·11		·40		·04	·14	·09		·76		4
5		·02	·09					·04	·55		·26		5
6		·06	·02		·23			·11	·55	·02			6
7		·15		·14									7
8		·05		·07		·06			·09	·12	·08		8
9											·07		9
10	·11	·17				·10	·07		·04	·17	·01	·26	10
11	·05			·06			·62		·35				11
12				·01	·24		·06		·11	·56		·07	12
13		·12	·03		·23	·01	·17		·07	·02		·05	13
14	·31	·01		·04	·21		·31		·09				14
15							·05		·37	·30		·06	15
16				1·07			·37		·15			·09	16
17				·48				·01	·53				17
18	·99			·08	·13		·83	·02				·11	18
19	·30					·10	·17		·15			·33	19
20	·05	·02	·04	·06			·03			·10		·09	20
21	·05	·04		·40		·04			·22	·13			21
22	·07			·13					·23	·09			22
23					·05		·02		·03			·34	23
24	·07				·35		·13						24
25		·22			·04		·03		·05	·03	·07		25
26							·02	·28					26
27											·15	·20	27
28							·15	·15	·06			·01	28
29			·11	·01				·03			·32	·11	29
30		X							1·07		·02	·01	30
31		X	·30	X		X		·01	X	·02	X		31
	–	–	·07	–	–	–	–	–	·05	–	·25	(–)	YEAR'S TOTAL
Total	2·00	1·07	~~·70~~ ·77	~~3·01~~ 2·94	1·88	·31	3·07	·90	~~4·80~~ 4·85	~~1·61~~ 1·56	~~1·92~~ 2·17	~~1·98~~ 1·93	23·25
Rain Days.	9	12	7	15	9	5	16	10	19	12	11	14	139

W. 8,000, IX. 17.

81

~~118~~ 1086

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Clopton Manor
in the County of Northamptonshire
by G. Buckley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

WD

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2	·43												2
3	·16												3
4	·73												4
5													5
6	·04	·24											6
7													7
8	·02												8
9	·12												9
10													10
11													11
12	·05												12
13													13
14	·12												14
15	·32												15
16	·13												16
17		·74											17
18		·47											18
19													19
20		·17											20
21	·50	·03											21
22	·45	·40											22
23		·21											23
24													24
25													25
26	·05												26
27	·13	·02											27
28		·16											28
29		(–)											29
30	·90												30
31	–												31
Total	4·15	2·24											YEAR'S TOTAL
Rain days	15	9											

W. 6,500, VII. 18. W W C

NORTHANTS.

COLLYWESTON – CUCKOO LODGE

1914 ONLY

REG 914

FORM A.
BRITISH RAINFALL.
29 JAN 1915

Kept at Cuckoo Lodge

in the County of

by

Long.

n

ation Stamford

Gauge 8" in.

auge above Ground 1 ft. in.

„ Sea Level 301·9 ft.

IMPORTANT NC m. and the result entered to the previous day. If an Observer prefers ost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2							·04½				·11½	·19	2
3							·28				·04		3
4											·51		4
5					·14	·07	·10						5
6													6
7				·38	·9½							·08	7
8				·01	·6½	1·14	·06						8
9					·2	·86	·21		·33				9
10				·23	·9		·08						10
11				·06		·08					·38	·06	11
12				·09	·1				·37			·32½	12
13					·17					·30	·07	·36½	13
14										·82	·10	·25	14
15												·23½	15
16							·14						16
17							·08½		·12			·12½	17
18						·10½	·15					·11½	18
19							·09				·13		19
20													20
21										·05		·25	21
22							·04			·19			22
23													23
24					·29	·09½				·31½			24
25				·06	·4½					·43		·21	25
26					·3½					·09	·20	·34	26
27										·28	·81	·21½	27
28												·15	28
29										·34	·20		29
30		X			·2	·12½				·03		·98	30
31		X		X	·4½	X	·06		X		X	·23½	31
Total			2·30	·83	1·02½	2·47½	1·34	1·49½	·82	2·84½	2·55½	4·12½	YEAR'S TOTAL
Rain Days.				6	12	7	12	7	3	10	10	16	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
29 JAN 1915

Kept at Cuckoo Lodge. Collyweston
in the County of Northants E+M
by Jno Booth

Lat. ……… Long. ………
Time of Observation ………
Nearest Railway Station Stamford
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. ……… in.
" " " " Sea Level 301·9 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2							·04½				·11½	·19	2
3							·28				·04		3
4											·51		4
5					·14	·07	·10						5
6													6
7				·38	·9½							·08	7
8				·01	·6½	1·14	·06						8
9					·2	·86	·21		·33				9
10				·23	·9		·08						10
11				·06		·08					·38	·06	11
12				·09	·1				·37			·32½	12
13					·17					·30	·07	·36½	13
14										·82	·10	·25	14
15												·23½	15
16							·14						16
17							·08½		·12			·12½	17
18						·10½	·15					·11½	18
19							·09				·13		19
20													20
21										·05		·25	21
22							·04			·19			22
23													23
24					·29	·09½				·31½			24
25				·06	·4½					·43		·21	25
26					·3½					·09	·20	·34	26
27										·28	·81	·21½	27
28												·15	28
29										·34	·20		29
30		X			·2	·12½				·03		·98	30
31		X		X	·4½	X	·06		X		X	·23½	31
Total			2,30	·83	1·02½	2·47½	1·34	1·49½	·82	2·84½	2·55½	4·12½	YEAR'S TOTAL
Rain Days.				6	12	7	12	7	3	10	10	16	

W. 8,000. X. 14.

NORTHANTS.
COURTEENHALL GRANGE
1913 & 1914 ONLY

Courteenhall
North

Ear
1913

1 JAN 1914

E.M. Archdale

	Jan	Feb	Mch	Apl	May	June	July	Aug	Sep	Oct	Nov	Dec
1		12	6	8					1·43			
2		15					8		13	1·30	4	
3			11		77					11		
4					2	1	9			25	5	33
5	38						1			40	1	
6		1	6		22	12	11			25		8
7		14			6		27			35	6	
8		1	3		11	12				1	4	
9		20	2		8	12	2	3				2
10	5		1	1	2		1	2	11		58	
11				49	16			4		26	43	
12	95				10				2	1	57	
13				3							21	
14	4		21					10		8	1	
15	10		26	40			25		8		2	
16	10		66	7					3			
17	3	3	5	12			17				1	
18	13		12	9			7				5	5
19	1		11				16		8			
20	24			2						45	3	
21	13		15	2	15		7				20	
22			22					5	20			
23	40		27			7		2			~~6~~	6
24			21	6			1	3				
25	3		25	13		2						1
26		6		15				5		30		12
27				4	7						2	
28			13	17								6
29	36		14	45	6			5				3
30	1										17	
31	20		2		11			17		47		—
Total	3·16	·72	3·04	2·33	1·93	·46	1·26	·56	2·08	4·24	2·15	·76
	3·16	3·13	3·85	[illegible]	[illegible]	11·15	11·61	12·87	13·43	15·51	19·75	21·90
		3·85	6·89	9·22	11 15	11·61	12·87	13·43	15·51	19·75	21·90	22·69
	17	8	20	16	13	6	13	16	8	13	16	9

22·69

149

S. made

Courteenhall Grange
Northampton 3 1/2 miles
About 280
~~H~~ RL

cod for auth 10.III.14
Jan. cor. for W.D. 17.III.14.

Ear
1913

1 JAN 1914

From
E.M. Archdale

	Jan	Feb	Mch	Apl	May	June	July	Aug	Sep	Oct	Nov	Dec	
1		12	6	8					1·43				
2		15					8		13	1·30	4		
3			11		77					11			
4					2	1	9			25	5	33	
5	38						1			40	1		
6		1	6		22	12	11			25		8	
7		14			6		27			35	6		
8		1	3		11	12				1	4		
9		20	2		8	12	2	3				2	
10	5		1	1	2		1	2	11		58		
11				49	16			4		26	43		
12	95				10				2	1	57		
13				3							21		
14	4		21					10		8	1		
15	10		26	40			25		8		2		
16	10		66	7					3				
17	3	3	5	12			17				1		
18	73		12	9			7				5	5	
19	1		11				16		8				
20	24			2						45	3		
21	13		15	2	15		7				20		
22			22					5	20				
23	40		27			7		2			~~4~~	6	
24			21	6			1	3					
25	3		25	13		2						1	
26		6		15				5		30		12	
27				4	7						2		
28			13	17								6	
29	36		14	45	6			5				3	
30	1										17		
31	20		2		11			17		47		—	
Total	3·16	·72	3·04	2·33	1·93	·46	1·76	·56	2·08	4·24	2·15	·76	
	3.16	3·13	3·85	[illegible]	[illegible]	11·15	11·61	12·87	13.43	15·51	19·75	21·90	22·69
		3·85	6·89	9·22	11·15	11·61	13·87	13·43	15·51	19·75	21·90	45·66	
	17	8	20	16	13	6	12	10	8	13	16	9	149

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Courteenhall Grange
in the County of Northampton & 4 BR
by CM Archdale 4

Lat. Long.
Time of Observation 9 A M
Nearest Railway Station Roade
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 250 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				2		2	15	31			8	2	1
2	1							21		3	39	27	2
3					16		31				4	1	3
4	18			17				55			34	15	4
5				12	1		31	10			4		5
6		3		2	4	11		2			2	7	6
7		10	38	1	2	2	7					2	7
8	8	3	15	11	4	87	20	13				3	8
9	24		28	9	10	77		3	3				9
10	5	9	3	4					14				10
11		8	29	3	11	35					30	39	11
12		2	7		5		4		37		3	27	12
13		13	15						5	5	6	31	13
14	1		19				28			70	6	27	14
15			17				26		6			9	15
16			5				3		64				16
17		38							*17				17
18							21					58	18
19		21	17				1				9		19
20			25				13		3			17	20
21		11	6			2				10		15	21
22	2			1		5	7	3		10			22
23		2	4		25	2	1			8		2	23
24					8	1	5	1		20	8		24
25					1		2	11		30			25
26	4				1			6				52	26
27	2		4									6	27
28		5								4	33	1·03	28
29			10		1					29	11		29
30			2		1					4	20	24	30
31	2						6				~~2·17~~	7	31
Total	·67	1·25	2·44	·62	·90	2·24	2·20	1·56	·89	1·93	2·17	4·74	YEAR'S TOTAL 21·61
Rain Days.		67 1·92	1·92 ~~4·36~~	4·36 ~~4·98~~	4·98 5·88	5·88 8·12	8·12 10·32	10·32 11·88	11·88 12·77	11·77 14·70	14·90 16·87	16·87	
	10	12	17	10	14	10	16	11	8	11	17	21	157

W.7,000, XI. 13

S. made ✓

7.IV.14.

FORM A.
BRITISH RAINFALL.

7 APR 1914

RE 1913

NORTHANTS

CROWLAND - BANK HOUSE

1913 ONLY

Kept at Bank H

Long.

on 9 a.m

in the County of Pe

Station

Gauge in.

by W. G

Gauge above Ground 5 ft. 6 in.

" " Sea Level ft.

IMPORTANT N .m. and the result entered to the previous day. If an ost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									113			9	1
2	5						7		8		12		2
3										95	4		3
4					52							8	4
5	28				6					7	14	8	5
6	4									139			6
7					53			3		62			7
8					6	19				54	12		8
9					30								9
10						17					16		10
11				4			16				54		11
12				40				20			3		12
13											64		13
14			147			10					12		14
15			7	7			11	11	8	15			15
16			20	19							4		16
17	110		34			218			15				17
18				4		3	3				3	8	18
19			62				5		6				19
20			10						17				20
21			6		21					48	17		21
22			22		3		9	2					22
23			12						17				23
24					3								24
25				7		7							25
26				11	4					50	3		26
27			13	7								22	27
28			26								3		28
29				7						25			29
30				57				10		7			30
31								3		5		18	31
Total	147		339	163	178	~~[illegible]~~	51	49	184	508	215	73	YEAR'S TOTAL
Rain Days.						2·68							

W.7,000, XI. 13

April 5 1914 16

IV.14

FORM A. BRITISH RAINFALL.

7 APR 1914

RE 913

Kept at Bank House Crowland.

in the County of Peterborough Northants

by W G Hardy

Lat. Long.

Time of Observation 9 am

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground 5 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1									113			9	1
2	5						7		8		12		2
3										95	4		3
4					52							8	4
5	28				6					7	14	8	5
6	4									139			6
7					53			3		62			7
8					6	19				54	12		8
9					30								9
10						11					10		10
11				4			16				54		11
12				40				20			3		12
13											64		13
14			147			10					12		14
15			7	7			11	11	8	15			15
16			20	19							4		16
17	110		34			218			15				17
18				4		3	3				3	8	18
19			62				5		6				19
20			10						17				20
21			6		21					49	17		21
22			22		3		9	2					22
23			12						14				23
24					3								24
25				7		7							25
26				11	4					50	3		26
27			13	7								22	27
28			6								3		28
29				7						25			29
30				57				10		7			30
31								3		5		18	31
Total	147		339	163	178	~~[illegible]~~ 2·68	51	49	184	508	215	73	YEAR'S TOTAL
Rain Days.													

W.7,000, XI. 13

April 5 1914 16

from Northan

REG II

NORTHANTS

DAVENTRY

1911- 1914

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

Kept at Daventry in.

in the County of Northa bove Ground ft. in.

" Sea Level ft.

by H Reynolds C

n Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.01							.01	.01	1
2	.02				.20		.02	.02		.08	.07	.03	2
3					.24			.02		.01	.03	.01	3
4	.01		.10	.11					.05	.12	.28	.27	4
5	.04			.02				.17		.05	.01		5
6	.29	.01	.01	.01							.05	.26	6
7	.01			.01							.15	.06	7
8	.16		.10									.09	8
9	.10			.01							.08	.15	9
10	.01	.15	.37					.11				.18	10
11								.26			.44	.01	11
12	.07		.50						.20		.28		12
13			.10		.05	.04			.40		.01	.40	13
14			.27		.01							.32	14
15			.11							.03	.07	.02	15
16		.11			.11					.01	.31	.10	16
17			.06			.18					.11	.20	17
18		.22			.05	.10						.11	18
19	.01	.01				.14	.02		.14	.09	.29	.05	19
20	.01	.11		.01		.01		.70	.11	.03		.52	20
21		.10						.48		.32		.11	21
22	.01	.04	.07	.01		.36		.02		.08	.01	.32	22
23			.25			.28			.26	.05		.10	23
24		.08	.02	.01		.49		.04		.61		.09	24
25		.04		.06	.93	.11		.05				.08	25
26		.06		.24	.03	.10		.03		.24	.15	.12	26
27		.19		.17				.26	.15		.05	.08	27
28		.23	.11	.14		.01		.12			.02	.02	28
29				.02		.21	.11		.21	.20			29
30			.01	.10		06				.10	.01		30
31			.01							.10		.01	31
Total	.74	1.35	2.11	.93	1.62	2.09	15	2.28	1.52	2.12	2.43	3.72	TOTAL for year 21.06
No. of Rain Days.	12	13	16	15	8	13	3	13	8	16	20	27	164

from Northamp

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at Daventry 2 Oxford Street [illegible]

in the County of Northampton 4

by H Reynolds C A Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.01							.01	.01	1
2	.02				.20		.02	.02		.08	.07	.03	2
3					.24			.02		.01	.03	.01	3
4	.01		.10	.11					.05	.12	.28	.27	4
5	.04			.02				.17		.05	.01		5
6	.29	.01	.01	.01							.05	.26	6
7	.01			.01							.15	.06	7
8	.16		.10									.09	8
9	.10			.01							.08	.15	9
10	.01	.15	.37					.11				.18	10
11								.26			.44	.01	11
12	.07		.50						.20		.28		12
13			.10		.05	.04			.40		.01	.40	13
14			.27		.01							.32	14
15			.11							.03	.07	.02	15
16		.11			.11					.01	.31	.10	16
17			.06			.18					.11	.20	17
18		.22			.05	.10						.11	18
19	.01	.01				.14	.02		.14	.09	.29	.05	19
20	.01	.11		.01		.01		.70	.11	.03		.52	20
21		.10						.48		.32		.11	21
22	.01	.04	.07	.01		.36		.02		.08	.01	.32	22
23			.25			.28			.26	.05		.10	23
24		.08	02	.01		.49		.04		.61		.09	24
25		.04		.06	.93	.11		.05				.08	25
26		.06		.24	.03	.10		03		.24	.15	.12	26
27		.19		.17				.26	.15		.05	.08	27
28		.23	.11	.14		.01		.12			.02	.02	28
29				.02		.21	.11		.21	.20			29
30			.01	.10		06				.10	.01		30
31			.01							.10		.01	31
Total	.74	1.35	2.11	.93	1.62	2.09	15	2.28	1.52	2.12	2.43	3.72	TOTAL for year 21.06
No. of Rain Days.	12	13	16	15	8	13	3	13	8	16	20	27	164

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

25 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Daventry, Oxford Street
in the County of Northants 4
by C A Markham, H. Reynolds

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·10			·10	·13		·01	·14		·09	1
2			·09	·04		·04	·37		·08				2
3	·03		·08		·12	·07	·11	·44				·05	3
4	·10		·59		·16	·55		·01			·25		4
5	·17	·03	·25	·01	·01	·07		·30	·07				5
6	·16	·05				·02	·01	·58	·01		·01	·10	6
7		·03			·07	·47		·42				·02	7
8	·30	·26	·17	·02		·21	·07	·16	·07			·10	8
9	·01	·02	·19	·09		·45	·02	·03				·13	9
10	·05					·05		·19	·01		·19		10
11	·06	·03			·01	·07		·27			·24		11
12	·05	·34	·14		·04	·02	·02				·16		12
13		·02				·08				·02			13
14	·06		·26		·10	·05		·18		·03			14
15	·03	·05	·07		·23	·35		·02				·19	15
16	·43		·10		·03	·13		·08		·05	·04		16
17	·80		·03			·11		·20			·02	·44	17
18	·18	·02	·12					·13		·07		·02	18
19	·25	·09					·20	·65			·01		19
20	·07		·22				·50	·35		·25			20
21	·02		·11		·36			1·00		·29	·01		21
22	·59	·11			·33		·44	·47		·01		·01	22
23	·07	·29	·33			·10	·46	·22		·01	·16	·27	23
24	·06					·21		·07				·12	24
25		·01				·39		·03			·26	·23	25
26		·02	·01			·01	·25	1·32		·57	·22	·15	26
27						·19	·02			·41		·20	27
28		·03				·10	·15	·62	·12	·14	·23		28
29		·01	·06			·20	·20		·84	·31	·01	·58	29
30	·02				·44	·05		·01	·12	·53			30
31			·03		·40		·56	·19		·03		·04	31
Total	3·51	1·42	2·95	·16	2·30	4·09	3·51	7·94	1·33	2·86	1·81	2·74	YEAR'S TOTAL 34·62
Rain Days.	21	18	19	4	13	25	16	25	9	15	14	17	196

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

16 MAR 1914

Kept at 43. Sheaf Street, Daventry
in the County of Northamptonshire
by H. Reynolds. per C.A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.03	.11	.05	.03				.68		.10		1
2		.15	.01	.25					.40	.54			2
3	.10		.08		.71				.01			.21	3
4	.63					.01	.01			.57	.04	.40	4
5	.01					.03	.05		.04	.55	.03	.02	5
6		.05	.02		.29	.22	.26			.25	.04	.08	6
7		.27			.11	.10	.12			.30			7
8			.03		.14		.01			.29		.02	8
9			.01	.05	.01	.08		.01	.07		.12	.05	9
10	.04		.02	.15	.02			.05			.35		10
11	1.02			.39	.10	.02		.12		.28	.62	.01	11
12					.18					.11	.60		12
13	.02		.02	.02					.03		.23		13
14		.02	.06	.01				.03					14
15	.10		.48	.47					.02				15
16	.11		1.01	.26									16
17	.18		.08	.10		.01							17
18			.20	.12	.01		.16						18
19	.16		.01		.04		.04		.06			.01	19
20	.12		.05	.07						.21	.12		20
21			.15	.03	.15		.05				.33		21
22	.55	.01	.25						.31				22
23	.01		.01			.03		.02				.02	23
24				.10				.06			.01		24
25	.02	.04		.14								.01	25
26		.10	.08	.23				.07	.02	.15		.12	26
27		.02	.02	.08						.01	.01		27
28	.49		.31	.19						.09		.04	28
29	.02		.21	.53	.04					.12		.21	29
30	.26									.18	.24		30
31	.04				.09			.08					31
													YEAR'S TOTAL
Total	3.89	.69	3.22	3.24	1.92	.50	.70	.44	1.64	3.65	2.84	1.20	23.93
Rain Days.	19	9	22	19	14	8	8	8	10	14	14	13	158

W. 7,500, XI. ·12

from Northampton Nat His Soc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 MAR 1915

Kept at Daventry Sheaf Street 4 RR

in the County of Northamptonshire 4

by C. A. Markham H. Reynolds

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " Sea Level 486 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.08									1
2													2
3				.01	.16								3
4	.23		.01	.16									4
5	.01		.02	.12	.02	.20							5
6		.03		.07	.03								6
7		.20	.33		.03	.05							7
8			.24	.08	.05	.93							8
9	.28		.22	.28		1.25							9
10	.16	.10	.01	.06	.13								10
11		.09	.22	.15	.16	.45							11
12		.01	.09										12
13		.02	.17										13
14	.01	.03	.09										14
15	.03		.48										15
16			.02										16
17		.29	.09										17
18			.01										18
19		.02	.08										19
20		.18	.12										20
21		.25	.21										21
22			.01	.01	.08								22
23		.06	.06		.05								23
24			.02										24
25	.02												25
26			.14										26
27	.09		.01										27
28	.01	08	.03										28
29	.04		.07		.02								29
30	.02		03										30
31					.03								31
Total	.90	1.36	2.78	1.02	.76	2.88							TOTAL for year
No. of Rain Days.	11	13	25	16	11	5							

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

DAVENTRY.
TUNNEL END.
NORTHAMPTON SHIRE
1911 – 1920

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

R

Kept at TUNNELL ... dow
n.
in the County of NOR
nd 1 ft. 6 in.
evel 394 ft.
by T. W. MILL
m, Daventry
nce 1 3/4 m Direction

IMPORTANT NO ... result entered to the previous day. If an ... rule, he is earnestly requested to add the re ... n the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.04	.01	.01	—	.01	—	—	—	.01	.01	1
2	.02	—	—	.02	.15	—	.02	.02	.01	.10	.07	.03	2
3	—	.01	—	—	.19	—	—	.04	—	.05	.04	.01	3
4	.04	.01	.10	.10	.01	—	—	—	.08	.15	.25	.36	4
5	.01	—	.01	.02	—	—	—	.18	—	.04	.01	—	5
6	.39	—	—	.01	—	—	—	.01	—	—	.03	.38	6
7	.01	—	—	.02	—	—	—	—	—	—	.16	.08	7
8	.16	—	.17	—	—	—	—	—	—	.01	.01	.14	8
9	.08	—	.01	.02	—	—	—	—	—	—	.10	.04	9
10	.02	.13	.33	—	—	—	—	.14	—	—	.01	.36	10
11	.19	.01	.01	—	—	—	—	.24	—	—	.47	.01	11
12	.01	—	.53	—	—	—	—	—	.23	—	.26	—	12
13	—	—	.09	—	.03	.06	—	—	.36	—	.01	.45	13
14	.01	.01	.06	—	.01	—	—	—	—	.01	.01	.41	14
15	—	.10	.15	—	—	—	—	—	—	.04	.08	.03	15
16	—	.01	.01	—	.07	.03	—	—	—	.01	.30	.08	16
17	—	—	.04	—	—	.15	—	—	—	—	.12	.24	17
18	—	.22	—	.01	.05	.13	—	—	—	—	.02	.12	18
19	—	—	—	—	—	.13	.02	—	.11	.16	.30	.06	19
20	.01	.08	—	.01	—	.02	—	.89	.07	.12	.01	.54	20
21	—	.13	.01	—	—	—	—	.69	.01	.27	—	.10	21
22	—	—	.06	.01	—	.23	—	.03	—	.08	.01	.35	22
23	—	.05	.33	—	—	.21	.01	—	.28	—	—	.10	23
24	—	.07	.02	.01	—	.47	—	.04	—	.80	—	.09	24
25	—	.04	.04	.10	.95	.10	—	—	.01	.01	—	.03	25
26	—	.06	—	.26	.11	.08	—	.03	—	.22	.17	.17	26
27	—	.20	.11	.18	—	.01	—	.26	.16	.01	.04	.08	27
28	—	.23	.01	.08	—	.01	—	.10	—	—	.03	.04	28
29	—		—	.01	—	.21	.11	—	.22	.20	—	—	29
30	—		—	.12	—	.09	—	—	.01	.07	.01	.01	30
31	—		.01		.01		—	—		.10		.01	31
Total	0.97	1.36	2.14	0.99	1.59	1.93	0.17	2.67	1.55	2.45	2.53	4.33	TOTAL for year
No. of Rain Days.	13	16.	21	17	11.	15	5	13	12	19	25	28	22.68

W. 8,000, X. '11.

T. W. Millard

195

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at TUNNEL END, DAVENTRY. 4

in the County of NORTHAMPTONSHIRE.

by T. W. MILLNER.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 394 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Daventry.
Distance 1¾ M Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
✓

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	—	.04	.01	.01	—	.01	—	—	—	.01	.01	1
2	.02	—	—	.02	.15	—	.02	.02	.01	.10	.07	.03	2
3	—	.01	—	—	.19	—	—	.04	—	.05	.04	.01	3
4	.04	.01	.10	.10	.01	—	—	—	.08	.15	.25	.36	4
5	.01	—	.01	.02	—	—	—	.18	—	.04	.01	—	5
6	.39	—	—	.01	—	—	—	.01	—	—	.03	.38	6
7	.01	—	—	.02	—	—	—	—	—	—	.16	.08	7
8	.16	—	.14	—	—	—	—	—	—	.01	.01	.14	8
9	.08	—	.01	.02	—	—	—	—	—	—	.10	.04	9
10	.02	.13	.33	—	—	—	—	.14	—	—	.01	.36	10
11	.19	.01	.01	—	—	—	—	.24	—	—	.47	.01	11
12	.01	—	.53	—	—	—	—	—	.23	—	.26	—	12
13	—	—	.09	—	.03	.06	—	—	.36	—	.01	.45	13
14	.01	.01	.06	—	.01	—	—	—	—	.01	.01	.41	14
15	—	.10	.15	—	—	—	—	—	—	.04	.08	.03	15
16	—	.01	.01	—	.07	.03	—	—	—	.01	.30	.08	16
17	—	—	.04	—	—	.15	—	—	—	—	.12	.24	17
18	—	.22	—	.01	.05	.13	—	—	—	—	.02	.12	18
19	—	—	—	—	—	.13	.02	—	.11	.16	.30	.06	19
20	.01	.08	—	.01	—	.02	—	.89	.07	.12	.01	.54	20
21	—	.13	.01	—	—	—	—	.69	.01	.27	—	.10	21
22	—	—	.06	.01	—	.23	—	.03	—	.08	.01	.35	22
23	—	.05	.33	—	—	.21	.01	—	.28	—	—	.10	23
24	—	.07	.02	.01	—	.47	—	.04	—	.80	—	.09	24
25	—	.04	.04	.10	.95	.10	—	—	.01	.01	—	.03	25
26	—	.06	—	.26	.11	.08	—	.03	—	.22	.17	.17	26
27	—	.20	.11	.18	—	.01	—	.26	.16	.01	.04	.08	27
28	—	.23	.01	.08	—	.01	—	.10	—	—	.03	.04	28
29	—		—	.01	—	.21	.11	—	.22	.20	—	—	29
30	—		—	.12	—	.09	—	—	.01	.07	.01	.01	30
31	—		.01		.01		—	—		.10		.01	31
Total	0.97	1.36	2.14	0.99	1.59	1.93	0.17	2.67	1.55	2.45	2.53	4.33	TOTAL for year
No. of Rain Days.	13	16.	21	17	11.	15	5	13	12	19	25	28	22.68

W. 8,000, X. '11.

T. W. Millner

195

Ex 9d

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

JAN 1913

Kept at TUNNEL END, DAVENTRY.
in the County of NORTHAMPTONSHIRE 4
by T. W. MILLNER.

Lat. 52°.16.50 N Long. 1°.9.24 W.
Time of Observation 9 a.m
Nearest Railway Station Daventry
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	.04	—	—	.09	.15	—	.06	.11	—	.10	1
2	—	—	.11	.05	—	.08	.45	—	.01	—	—	.01	2
3	.05	—	.08	—	.11	.05	.06	.41	.02	—	.01	.25	3
4	.09	—	.69	.02	.16	.57	.01	.02	—	—	.23	—	4
5	.15	.06	.21	—	.02	.12	—	.32	.19	—	.02	.01	5
6	.31	.06	.01	—	—	.12	.01	.56	.02	—	—	.06	6
7	—	.06	—	—	.05	.41	—	.24	—	—	.01	.03	7
8	.38	.27	.21	—	—	.15	.15	.18	.07	—	—	.02	8
9	.02	.05	.22	.10	—	.59	.01	.02	—	.01	—	.21	9
10	—	.02	.01	—	—	.04	—	.47	.02	—	.19	.01	10
11	.12	.05	.01	—	.01	.06	—	.15	—	—	.22	.43	11
12	.06	.35	.14	—	.07	—	.03	—	—	—	.16	.01	12
13	—	.01	.01	—	—	.01	—	—	—	—	.09	.01	13
14	.07	—	.25	—	.08	.06	—	.18	—	.02	.01	—	14
15	.03	.05	.07	—	.33	.22	—	.02	—	—	—	.15	15
16	.58	.01	.10	—	.03	.07	—	.06	—	.11	.01	—	16
17	.75	—	.03	—	—	.10	—	.19	—	—	.02	.42	17
18	.14	.02	.11	—	—	.01	—	.14	—	.05	—	.02	18
19	.28	.07	.02	—	—	—	.20	.60	—	.01	.01	.01	19
20	.09	—	.29	—	.01	—	.53	.36	—	.34	—	—	20
21	.01	.01	.08	—	.33	—	.02	.82	—	.28	.02	—	21
22	.47	.11	.01	—	.58	—	.38	.38	—	.01	—	.01	22
23	.05	.29	.36	—	—	.07	.55	.30	—	—	.14	.28	23
24	.06	.01	.01	—	—	.32	—	.10	—	—	—	.09	24
25	.01	—	—	—	—	.51	—	.24	—	—	.29	.30	25
26	—	.03	.02	—	—	.04	.33	1.14	—	.58	.20	.31	26
27	—	—	—	—	—	.17	.01	—	—	.42	.01	.19	27
28	—	.03	—	—	—	.10	.09	.65	.08	.20	.28	.56	28
29	—	.01	.03	—	—	.26	.31	.01	.95	.22	.02	.02	29
30	.01		—	—	.50	.01	.02	—	.11	.49	—	—	30
31	—		.12		.35		.57	.16		.03		.01	31
Total	3.73	1.57	3.24	0.17	2.63	4.23	3.82	7.72	1.43	2.88	1.94	3.32	YEAR'S TOTAL 36.68
Rain Days.	21.	20	26	3	14	25	19	25	10	15	19	25	222.

W. 7,500, XI. 12

T. W. Millner. 3rd Jany 1913.

REGISTER OF RAINFALL IN 1913

7 - JAN 1914
FORM A.
BRITISH RAINFALL

Kept at TUNNEL END, DAVENTRY
in the County of NORTHAMPTONSHIRE
by T. W. MILLNER.

4

Lat. 52° 16 50 N Long. 1° 9 24 W
Nearest Railway Station DAVENTRY
Time of Observation 9 A.M.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " Sea Level 394 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02	.11	.07	.01	—	—	—	.81	—	.14	.01	1
2	—	.20	.01	.26	—	—	.01	—	.19	.37	.02	.01	2
3	.04	.01	.13	—	.72	—	—	—	.02	.01	—	.17	3
4	.75	—	—	—	.04	.01	.05	—	—	.30	.06	.37	4
5	.02	—	.01	—	—	.02	.05	—	.02	.61	.06	04	5
6	—	04	.02	—	.25	.21	.29	—	—	.27	.01	.09	6
7	—	.10	—	—	.08	.07	.11	—	—	.37	05	.02	7
8	—	.02	.02	—	.16	.11	—	—	—	.40	.09	—	8
9	—	.26	.02	.05	.01	.20	.02	.10	.06	—	.06	.03	9
10	05	.01	.04	.10	.03	—	—	.08	—	.01	.36	—	10
11	S 1.11	—	—	.43	.06	.01	—	.02	—	.27	.56	—	11
12	—	—	—	—	.23	—	—	—	—	.01	.65	—	12
13	.03	—	.02	.03	—	—	—	.01	.03	—	.20	—	13
14	.08	—	.38	.01	—	—	.01	.05	—	.12	.02	—	14
15	.12	.01	.32	.45	—	—	.01	—	.03	.01	.01	—	15
16	.09	—	.87	.15	—	—	—	—	—	—	—	—	16
17	.14	.01	.03	.09	—	—	.04	—	—	—	.01	.01	17
18	.01	—	.14	.10	—	—	.09	—	.03	.01	—	—	18
19	.17	—	.04	—	.05	—	.09	—	.10	—	—	.01	19
20	.36	—	.06	.06	.01	—	—	—	.01	.22	.07	—	20
21	.03	.01	.20	.05	.15	—	.03	—	—	—	.40	—	21
22	.55	—	.25	—	.01	—	—	.08	.27	.01	—	—	22
23	.01	.01	.01	—	—	.05	—	.09	.06	—	.01	.03	23
24	.03	—	—	.07	—	—	—	.08	—	—	—	—	24
25	—	.08	—	.14	—	—	—	—	—	.01	.01	—	25
26	—	.08	.10	.22	—	—	—	.09	—	.35	—	.18	26
27	—	.03	.01	.09	.01	—	—	—	—	.01	—	—	27
28	.51	.01	.36	.23	—	—	—	—	.61	.24	—	.08	28
29	.01		.24	.68	.02	—	—	.06	—	.16	—	.15	29
30	25		01	.01	—	—	—	—	01	.21	.21	.01	30
31	—		.03		.16		—	.07		.01		—	31
Total	4.36	0.90	3.43	3.29	2.00	0.68	0.80	0.73	1.65	3.98	3.00	1.21	TOTAL for year 26.03
No. of Rain Days	21	16	25	20	14	8	12	11	14	22	20	15	201

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

T. W. Millner

Price 2d.

Exd MCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at TUNNEL END, DAVENTRY.

in the County of NORTHAMPTONSHIRE

by T. W. MILLNER

Lat. 52° 16. 50 N Long. 1° 9 24 W

Nearest Railway Station DAVENTRY

Time of Observation 9 A.M.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " Sea Level 394. ft.

4

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	.01	.08	—	—	.69	.28	—	—	.06	.07	1
2	—	—	—	—	—	—	.07	.26	—	—	.39	.20	2
3	.01	—	.01	—	.15	—	.39	.02	—	—	.04	.01	3
4	.20	—	.01	.21	.01	—	.01	.42	—	—	.37	.29	4
5	.02	—	.03	.09	.06	.16	.08	.04	—	—	.04	—	5
6	—	.03	—	.14	.04	.01	—	.01	—	—	.19	.04	6
7	—	.18	.40	.01	.04	.02	.07	.05	—	—	.01	.03	7
8	.07	.03	.28	.14	.16	.88	.58	.17	.01	—	—	.06	8
9	.34	—	.27	.26	.01	1.22	—	.01	.05	—	—	—	9
10	.12	.11	.02	.14	.12	—	—	—	.17	—	—	.01	10
11	.01	.10	.29	.06	.25	.37	—	—	.02	—	.38	.47	11
12	—	.02	.09	.01	.01	.01	.23	—	.34	—	.02	.32	12
13	.01	.18	.21	—	—	—	—	—	.05	.11	.11	.30	13
14	—	.06	.11	—	—	—	.19	—	—	.45	.10	.37	14
15	.03	.02	.15	—	—	—	.18	.03	.01	.02	.05	.07	15
16	—	—	.06	—	—	—	.08	—	.08	—	—	.01	16
17	—	.28	.10	—	—	—	.01	—	.12	—	—	.26	17
18	.01	—	.01	—	—	—	.25	—	—	—	—	.54	18
19	—	.02	.03	—	—	—	.03	—	.03	—	.07	.03	19
20	—	.22	.16	—	—	—	.19	—	—	—	—	.21	20
21	—	.28	.11	—	—	.11	—	.04	—	.09	.01	.20	21
22	.02	.01	.01	.01	.15	.01	.08	.10	—	.11	—	.01	22
23	—	.09	.09	—	.05	.01	—	.01	—	.05	—	.11	23
24	—	.01	.09	.01	.15	.02	.08	—	—	.14	.06	—	24
25	.05	—	.01	—	—	—	.01	.18	—	.37	.01	.23	25
26	—	—	.19	—	—	—	.03	.17	—	.06	.17	.30	26
27	.09	—	—	—	—	—	—	—	—	.02	.02	.12	27
28	.01	.05	03	—	.02	—	—	—	—	.11	.09	1.02	28
29	.01		.09	—	.01	—	—	—	—	.26	.09	—	29
30	—		.02	—	—	.01	—	—	—	.03	.34	.28	30
31	03		—		.03		.21	—		.01		.04	31
Total	1.04	1.69	2.88	1.16	1.26	2 83	3.46	1.79	0.88	1 83	2.62	5.60	TOTAL for year
No. of Rain Days.	17	17	24	12	16	12	20	15	10	14	21	27.	27.04

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

T. W. Millner 4/1/15

Price 2d.

208

498

REGISTER OF RAINFALL IN 1915

Kept at TUNNEL END, DAVENTRY.

in the County of NORTHAMPTONSHIRE

by T. W. MILLNER.

Lat. 52° 16 50 N Long. 1° 9 24 W

Time of Observation 9 AM.

Nearest Railway Station DAVENTRY

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 394 ft.

FORM A. BRITISH RAINFALL.

5. JAN. 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·10	·02	—	·13	—	—	·15	·20	·07	·01	·09	1
2	·08	·18	·29	·13	—	·04	—	·34	·02	·15	—	·07	2
3	·56	·01	·04	·08	—	—	·10	·44	·14	·01	—	·17	3
4	·12	—	—	—	—	—	·16	—	·01	—	—	·45	4
5	·04	·33	—	—	·01	—	·01	·05	—	—	·02	·25	5
6	·20	·12	—	·14	—	—	·71	·05	—	—	—	·06	6
7	·04	·25	·02	—	—	—	·24	·07	—	—	·01	·18	7
8	·06	·10	—	·01	—	—	—	·02	—	—	·05	·01	8
9	—	·01	—	·02	—	—	—	—	—	·01	·25	·42	9
10	·31	·03	·04	—	—	—	·01	·22	—	—	·05	·01	10
11	·02	—	·03	·01	·08	—	·11	·01	—	—	·72	·01	11
12	·04	·01	—	·27	·36	—	·05	·20	·01	·07	·94	·04	12
13	—	·60	—	—	·84	—	—	—	—	·01	·01	·01	13
14	—	·07	—	—	·01	—	—	·09	·04	—	—	·37	14
15	·25	·01	—	·02	·04	—	·02	·02	—	·04	·19	·18	15
16	·02	·27	—	—	·05	—	·78	·19	—	—	—	·01	16
17	—	·43	—	—	·13	—	·17	—	—	—	—	—	17
18	—	·13	Snow $2\frac{5}{10}$ ·18	—	—	—	·01	—	—	—	·01	—	18
19	—	·03	·01	—	·03	—	·11	—	—	—	—	—	19
20	·31	—	—	·01	—	—	·01	—	—	—	—	·22	20
21	·11	·06	—	—	·02	—	·15	—	—	—	—	·09	21
22	·15	—	·27	·05	—	—	·25	—	·01	—	—	·12	22
23	·01	·05	·03	—	—	—	·12	—	·08	30	—	·38	23
24	—	—	·05	·07	—	·01	·14	—	1..49	·15	—	·10	24
25	—	—	·02	—	—	·03	·16	—	·05	·03	—	·31	25
26	—	·09	—	—	—	—	·03	—	·01	—	—	·35	26
27	—	·04	—	—	—	·58	·27	—	—	·39	—	·02	27
28	—	·14	—	—	—	·03	·09	·11	·08	·04	—	—	28
29	—		—	—	—	·04	·01	·10	—	—	·16	·08	29
30	·07	X	—	—	—	·94	—	·01	—	·17	·03	·08	30
31	·09	X	—	X	—	X	·01	·05	X	·37	X	·13	31
Total	2..67	3..06	1..00	0..81	1..70	1..67	3..72	2..12	2..14	1..81	2..45	4..21	YEAR'S TOTAL 27·36
Rain Days.	19	22	12	11	11	7	24	17	12	14	13	24	189

W. 8,000. X. 14.

T. W. Millner

8L Ex 8L 1172 ~~178~~

FORM A.
BRITISH RAINFALL
27 MAR 1917

REGISTER OF RAINFALL IN 1916

Kept at Tunnel End, Daventry
in the County of Northamptonshire
by T. W. Millner

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·04		–	·07	·29		—	·03	·26		1
2	·47		·03		·18	·01	·08		·02	·55	·04		2
3		·57	·04	·01	·01		·02		·20	·31	·05		3
4	·39	·01		·01	·18	·23	·12		·02	·02	·23		4
5	·05		·01		·07	·47	·11			·12	·16		5
6	·01	·19	·13	·08	·05	·08	·67			·16	·34		6
7	·10	·01	·18		·02	·03	·43			·02	·17	·12	7
8	·01		·01		·04						·02	·15	8
9	·01		·02		·27	·09				·01		·03	9
10		·11	·07	·08		·21	·02		·10			·03	10
11	·04	·14	·07	·15	·15	·21			·03			·06	11
12	·05	·08	·07	·01	·39	·07	·10	·01	·01	·06			12
13	·03	·22	·07	·06	·03	·02	·17	·14	·01	·01	·01		13
14		·42	·01	·03	·01			·04		·02			14
15		·24	·53	·03	·03		·09	·15	·01	·02			15
16		·01	·40	·22	·09		·22	·07		·04			16
17	·08	·06	·01	·20			·05	·31	·25	·24			17
18		·13	·01	·04				·39	·16		·82	·08	18
19	·04	·05	·18	·08				·04	·25		·56		19
20	·03		·30	·02				·03			·15	·41	20
21	·01		·31	·04			·03					·63	21
22		·01	·01		·13	·01				·04	·01	·58	22
23	·03	·29				·05		·04		·08	·05	·16	23
24		·29	·01	·04		·15		·10		·10		·12	24
25		·06	·13		·08			·30		·06	·14	·07	25
26		·06	·05			·03		·27		·10	·07		26
27	·03	·13	1·25				·06	·08		·25			27
28		·35	·24	·10				·01	·02	·04	·01	·19	28
29		·08			·01	·23		1·19		·32		·05	29
30		×	·01			·05		·04		·16			30
31		×		×		×		·01	×	·07	×	·06	31
Total	1·43	3·51	4·19	1·20	1·74	2·01	2·46	3·22	1·08	2·83	3·09	2·74	YEAR'S TOTAL 29·50
Rain Days.	17	22	27	17	17	17	15	18	12	24	17	15	218

W. 8,000. X. 15.

1131

FORM A.
BRITISH RAINFALL.

2nd Entry

REGISTER OF RAINFALL IN 1917

Kept at TUNNEL END DAVENTRY.
in the County of NORTHAMPTONSHIRE
by T. W. MILLNER.

Lat 52° 16. 50 N Long. 1° 9. 24 W.
Time of Observation 9 A.M.
Nearest Railway Station DAVENTRY.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 394. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	.12	—	.01	—	1.24	.20	.01	.06	.07	1
2	.01	—	—	—	—	.11	—	.12	—	.02	.06	—	2
3	.01	.01	—	.19	—	—	—	.23	—	.22	.08	—	3
4	—	.30	.22	—	—	—	—	.05	—	.68	—	.03	4
5	.10	—	.05	.06	—	—	—	.01	.04	.08	.13	—	5
6	.01	—	.02	—	—	.17	—	—	—	.07	.04	—	6
7	.42	—	—	—	—	.01	—	—	—	.20	.01	.01	7
8	.48	—	—	.19	—	—	.36	.11	.01	.34	.14	.14	8
9	.02	—	.13	.07	.08	—	.02	.11	.01	.02	.11	.01	9
10	.27	—	.26	.15	.18	—	—	.04	—	—	.04	.01	10
11	.08	—	.17	.30	.01	—	—	.16	.08	.25	.01	—	11
12	.11	—	.01	.05	.09	—	—	.03	.01	.27	.01	—	12
13	.01	—	.01	.01	—	—	—	.11	.07	.01	—	—	13
14	.04	—	.01	.06	—	—	—	.14	—	—	—	.01	14
15	—	—	—	.01	—	—	.05	.12	—	.04	—	.03	15
16	.04	.12	—	.15	—	—	.03	.01	.01	.10	—	.15	16
17	—	.05	—	.17	.47	.05	.24	.01	.12	.11	—	.02	17
18	.01	.05	—	.06	.07	—	.11	.01	.97	.07	—	—	18
19	.01	.25	.14	—	.58	—	—	—	.05	.01	—	—	19
20	.01	.18	.05	—	.54	.01	.01	—	.10	—	.15	—	20
21	.02	.02	.18	.01	.31	.07	—	.01	.01	.01	.01	—	21
22	—	—	.02	—	.01	—	—	.06	.01	.14	—	—	22
23	—	.10	—	—	.06	.01	—	.19	.04	.08	—	.01	23
24	—	.05	—	—	—	.32	—	.05	—	.23	.05	.03	24
25	—	.02	.05	—	—	—	—	.01	.01	.02	.05	—	25
26	—	—	—	—	—	—	—	.29	.10	—	.10	.01	26
27	—	—	—	—	—	.40	.01	.62	—	—	.01	—	27
28	—	—	.11	—	—	.49	—	.09	—	.09	—	.05	28
29	—		.01	—	—	.07	.02	.08	—	.39	—	.28	29
30	.01	X	—	—	—	.01	.50	.31	—	.01	—	.01	30
31	—	X	.14	X	—	X	.09	.03	X	—	X	.06	31
Total	1.66	1.15	1.59	1.60	2.40	1.73	1.44	4.24	1.84	3.48	1.06	0.93	YEAR'S TOTAL 23.11
Rain Days.	18	11	18	15	11	13	11	27	14	25	14	14	200

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

2.20 T. W. Millner

Price 2d.

6x9x

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

10 I 19

Kept at TUNNEL END, DAVENTRY
in the County of NORTHAMPTONSHIRE
by T.W. MILLNER

Lat. 52°16.50N Long. 1°9 24 W
Time of Observation 9 AM
Nearest Railway Station DAVENTRY
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	·01	·06	—	—	—	—	—	—	·21	·01	1
2	—	·09	—	·06	—	—	—	·14	·06	·01	·05	·14	2
3	—	·05	·03	·01	·16	—	—	·01	·28	—	·33	·01	3
4	—	·01	·02	—	—	—	—	·02	·35	—	·57	·01	4
5	—	·12	—	·03	·27	—	—	·09	·09	·01	—	·01	5
6	·01	·14	·01	·14	—	—	—	—	·01	—	—	·02	6
7	·06	·09	—	·08	·01	·04	—	—	·03	·08	·10	—	7
8	—	·01	—	·01	—	—	—	—	·16	·04	—	·28	8
9	—	·12	—	·07	—	·13	·23	—	·28	·25	—	·07	9
10	·07	—	—	·01	—	·04	·29	—	·07	·15	—	·06	10
11	—	—	—	·01	·09	—	·15	—	·12	·19	·01	·08	11
12	·01	·10	·07	—	·18	—	·07	—	·02	·01	—	·01	12
13	—	·01	—	·01	·08	·02	·02	—	·12	·03	—	·05	13
14	·30	·01	—	·03	—	·05	·36	—	·39	·06	—	·07	14
15	1·25	—	—	·54	·01	·02	·19	—	·09	—	—	·32	15
16	·13	—	—	·47	—	·10	·01	·01	·10	—	·01	—	16
17	·17	—	—	·05	—	·99	·32	—	·02	·02	—	·08	17
18	·41	—	—	—	—	·16	·19	—	·63	—	—	·41	18
19	·03	·03	·01	·03	—	·04	·01	—	·02	·07	—	·47	19
20	·02	·13	—	·69	—	·06	·01	—	·04	·10	·01	·05	20
21	·06	·01	—	·42	—	·04	·01	—	·30	·02	—	·01	21
22	·19	—	—	·01	·71	—	·04	—	·06	·02	—	·35	22
23	·06	—	—	—	·49	—	·04	—	·09	—	·01	·05	23
24	·01	·19	—	—	·01	—	—	—	·03	—	·13	·01	24
25	—	—	—	—	—	·07	·05	·28	—	·03	—	—	25
26	—	·02	—	—	—	—	·25	·10	—	·01	·05	·11	26
27	—	·03	—	—	—	—	·08	·35	·02	—	·07	·08	27
28	—	·18	·17	—	—	·02	—	·05	—	—	·29	·09	28
29	—	—	·01	—	—	—	—	—	1·18	—	·04	·01	29
30	—	×	·26	—	—	—	—	·06	·08	—	·05	·36	30
31	—	×	·30	×	—	×	—	·02	×	·01	×	—	31
Total	2·78	1·37	·89	2·73	2·01	1·78	2·32	1·13	4·64	1·11	1·93	3·22	YEAR'S TOTAL 25·91
Rain Days.	15	19	10	19	10	14	18.	11	26	18.	15.	27	202

T. W. Millner

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Tunnel End Daventry

in the County of Northamptonshire

by T. W. Millner

Lat. 52° 16' 50" N Long. 1° 9' 24" W.

Time of Observation 9 A.M.

Nearest Railway Station Daventry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·04	·04	—	·04	·06	·30	—	—	·11	·01	·46	1
2	·12	—	·02	—	·05	—	·15	—	·39	·26	·24	·08	2
3	·90	—	·10	—	·02	·01	·25	—	·27	—	·11	·09	3
4	·03	—	·40	—	—	·03	·05	·14	·05	—	·01	·04	4
5	·05	·27	·24	—	—	—	·03	·01	·36	·01	—	·13	5
6	·02	—	·04	—	·54	—	—	—	—	—	·03	·01	6
7	·06	—	·28	—	·02	—	—	—	·01	—	·01	—	7
8	·16	—	·06	·17	—	—	—	—	—	—	—	—	8
9	·04	—	·01	·04	—	—	—	—	—	—	·03	—	9
10	—	—	·38	·03	—	—	—	—	—	·01	·02	·05	10
11	·06	—	·49	·04	·01	—	·40	—	·01	—	—	—	11
12	·06	—	·10	·12	—	·13	—	—	—	·05	·06	—	12
13	·10	—	·01	·18	—	—	·06	—	·03	·07	—	·05	13
14	·44	—	—	·19	—	—	·09	—	·06	—	—	·01	14
15	·44	·02	·10	·15	—	—	—	—	—	·05	·10	·56	15
16	·11	·85	—	·04	—	—	—	·32	—	—	·23	—	16
17	·02	·37	—	·01	—	·01	—	·01	—	—	·16	·01	17
18	—	—	·21	—	—	—	—	·10	—	—	·02	·14	18
19	·02	·23	1·00	—	—	·09	·70	·18	·15	—	·01	·02	19
20	·49	·10	·23	—	—	·08	·35	·30	·01	—	·16	·01	20
21	·04	·39	·08	—	—	—	·55	—	—	·01	·03	·14	21
22	—	·33	·01	—	—	—	·02	—	·28	—	·01	·42	22
23	—	—	—	—	—	·05	·01	·02	·02	·56	·01	·03	23
24	—	—	—	·10	·01	—	·06	—	—	·44	·01	·01	24
25	·12	—	—	·01	·18	·06	—	·31	—	·01	—	·01	25
26	·08	·01	·15	·08	—	—	—	·03	·09	—	—	·32	26
27	·42	·02	·02	·42	—	—	—	·13	—	—	·01	·06	27
28	·06	—	—	·03	—	—	—	·70	—	—	·11	·26	28
29	·03		—	·02	—	—	—	·08	—	·30	·04	·26	29
30	—		·05	·26	—	·31	—	—	—	·04	·06	·22	30
31	·02		—		—		·04	—		·05		·02	31
Total	4·27	2·63	4·02	1·89	·87	·83	3·06	2·33	1·73	1·97	1·48	3·41	Year's Total 28·49
Days with ·01 in. or more	25	11	22	17	8	10	15	13	13	14	23	25	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

T. W. Millner

1008

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

7 JAN 1921

Kept at Tunnel End Daventry
in the County of Northampton
by T. W. Millner

Lat. 52° 16 50 N Long. 1° 9 24 W
Time of Observation 9 AM
Nearest Railway Station Daventry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 394 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·13	·24	—	·39	—	·04	·38	·01	·14	1
2	—	—	·01	·05	—	—	·03	·19	·10	·09	—	·08	2
3	·03	·04	—	·27	—	·02	·64	·01	·05	·11	—	—	3
4	—	—	·03	·18	—	—	·02	·34	·01	·28	—	·02	4
5	—	—	·05	·13	·18	—	·31	·04	·22	·03	—	—	5
6	—	·01	·17	—	·05	—	·38	—	—	—	—	·01	6
7	—	—	·03	·20	·06	—	·05	—	—	—	—	—	7
8	·48	·05	—	·59	·02	—	·11	·01	—	—	—	—	8
9	·34	—	—	1·29	—	—	·01	·14	—	—	—	—	9
10	·23	·03	·03	·06	—	·01	·09	—	—	—	·03	—	10
11	·21	—	·05	·23	·28	·12	·04	·04	—	—	—	·03	11
12	·01	·01	·05	·13	·01	·58	·01	—	—	—	·02	·15	12
13	—	—	·15	·07	—	—	—	·01	·03	—	·03	·01	13
14	·03	—	·81	·16	—	·36	·01	—	·22	·08	·21	—	14
15	—	·07	·15	·09	—	·04	·01	—	·10	·01	·02	—	15
16	—	—	·01	·07	·04	·85	—	—	·11	·12	·04	—	16
17	—	—	—	·44	·13	—	—	—	·37	·03	—	·04	17
18	·21	—	—	·05	·04	—	·06	·18	·26	—	—	·01	18
19	·04	·14	—	·37	—	·05	·01	·05	·02	—	·01	·02	19
20	·05	·22	—	·35	—	·32	—	—	—	—	—	·03	20
21	—	·01	—	·02	—	—	·01	·10	·05	—	—	·02	21
22	—	—	—	·14	—	—	·01	·08	·05	—	—	·07	22
23	—	—	—	·01	—	—	·28	·09	—	—	—	·33	23
24	·01	—	·12	·01	—	—	—	·02	—	—	·01	·09	24
25	—	·04	·02	·05	·70	·03	·51	—	—	—	—	—	25
26	·23	·01	·21	·01	·01	—	·02	—	—	—	—	·05	26
27	·15	·01	·01	·13	—	·49	·01	—	—	·01	·52	·28	27
28	·63	—	·01	·01	·12	—	·05	—	—	—	·06	·02	28
29	·08	—	·24	—	·70	·06	·08	—	·01	—	·06	·49	29
30	·01	X	—	·03	·05	·07	·05	—	·25	—	·11	·21	30
31	·05	X	—	X	·02	X	—	—	X	·33	X	·07	31
													YEAR'S TOTAL
TOTAL	2·79	·64	2·15	5·27	2·65	3·00	3·19	1·30	1·89	1·47	1·13	2·17	27·65
Days with ·01 in. or more	17	12	18	28	16	13	25	14	16	11	13	21	204
Days with ·04 in. or more	12	6	10	22	12	10	14	10	12	4	6	12	133

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

T. W. Millner

NORTHANTS.
DEENE RECTORY
1916 - 1919

Copy from
REGIS 6

FORM A.
BRITISH RAINFALL.

Kept at Deene Rect

in the County of Northa

by J. Catton (R

g.

9 a.m.

Rain Gauge in.

above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOTE and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·17	-	·02	·07	·15	-	-	-	·38	.	1
2	·39	·01	·11	.	·41	-	·07	.	·04	·31	·03	.	2
3	-	·39	-	.	·01	·01	·16	.	·09	·31	·05	.	3
4	·50	·20	-	-	·13	·20	-	.	-	·01	·20	.	4
5	·01	·01	[illegible]	-	·02	·09	-	-	-	·14	·25	·01	5
6	·06	·14	·13	·06	·01	·01	·24	-	-	·03	·32	-	6
7	·07	·01	·13	·01	·09	.	·14	-	-	·08	·14	·07	7
8	·01	·04	·01	-	·02	·04	-	-	-	.	·01	·23	8
9	-	-	·04	.	·32	·20	-	-	.	·07	-	·08	9
10	-	·11	·07	·05	-	·07	·01	-	·05	-	-	·04	10
11	·01	·20	·10	·08	·10	·04	-	.	.	-	-	·06	11
12	·04	·03	·12	·02	·52	·11	·06	·01	-	·05	-	-	12
13	-	·21	·19	·01	·15	·07	-	·03	-	-	-	-	13
14	-	·41	·02	·11	·03	-	-	·16	-	-	-	.	14
15	-	·30	·37	-	·02	-	·14	·07	-	·07	-	.	15
16	-	·07	·16	·18	·01	-	·06	·01	-	·07	-	-	16
17	·03	·05	·01	·05	-	-	·04	·40	·15	·23	-	.	17
18	-	·10	·19	·04	-	-	-	·22	·08	-	·70	·08	18
19	·03	·03	·06	·19	-	.	-	·03	·06	-	·33	·02	19
20	·08	·01	·24	·08	-	-	-	·09	-	-	·14	·38	20
21	·02	-	·02	·09	.	-	·01	·01	.	-	.	·58	21
22	-	·02	·03	·01	·04	·04	-	-	-	·04	.	·52	22
23	·04	·32	·01	-	-	·15	·01	·03	-	·01	·05	·18	23
24	-	·19	.	-	-	·11	-	·03	-	·01	-	·17	24
25	-	·09	·13	.	·03	·04	-	·21	.	·04	·08	·01	25
26	·03	·01	-	.	-	·06	.	·34	-	·03	.	-	26
27	-	·31	·87	-	-	·15	-	·68	·01	·19	-	.	27
28	-	·20	·03	-	-	·20	-	-	·01	·01	-	·17	28
29	-	·07	-	-	-	·23	-	1·30	·01	·31	.	·03	29
30	-	X	-	-	-	·16	-	-	-	·14	-	-	30
31	·01	X	-	X	·01	X	-	·06	X	·05	X	-	31
Total	1·36	3·53	3·21	·98	1·94	2·05	1·09	3·68	·50	2·20	2·68	2·63	YEAR'S TOTAL 2585
Rain Days.	16	26	23	14	17	20	12	17	9	21	13	16	204

W. 8,000, VIII. 16

Copy from

FORM A.
BRITISH RAINFALL.

10

REGISTER OF RAINFALL IN 1916

Kept at Deene Rectory Wansford
in the County of Northants
by J. Catton (Rev.)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·17	-	·02	·07	·15	-	-	-	·38	-	1
2	·39	·01	·11	-	·41	-	·07	-	·04	·31	·03	-	2
3	-	·39	-	-	·01	·01	·16	-	·09	·31	·05	-	3
4	·50	·20	-	-	·13	·20	-	-	-	·01	·20	-	4
5	·01	·01	·15	-	·02	·09	-	-	-	·14	·25	·01	5
6	·06	·14	·13	·06	·01	·01	·24	-	-	·03	·32	-	6
7	·07	·01	·13	·01	·09	-	·14	-	-	·08	·14	·07	7
8	·01	·04	·01	-	·02	·04	-	-	-	-	·01	·23	8
9	-	-	·04	-	·32	·20	-	-	-	·07	-	·08	9
10	-	·11	·07	·05	-	·07	·01	-	·05	-	-	·04	10
11	·01	·20	·10	·08	·10	·04	-	-	-	-	-	·06	11
12	·04	·03	·12	·02	·52	·11	·06	·01	-	·05	-	-	12
13	-	·21	·19	·01	·15	·07	-	·03	-	-	-	-	13
14	-	·41	·02	·11	·03	-	-	·16	-	-	-	-	14
15	-	·30	·37	-	·02	-	·14	·07	-	·07	-	-	15
16	-	·07	·16	·18	·01	-	·06	·01	-	·07	-	-	16
17	·03	·05	·01	·05	-	-	·04	·40	·15	·23	-	-	17
18	-	·10	·19	·04	-	-	-	·22	·08	-	·70	·08	18
19	·03	·03	·06	·19	-	-	-	·03	·06	-	·33	·02	19
20	·08	·01	·24	·08	-	-	-	·09	-	-	·14	·38	20
21	·02	-	·02	·09	-	-	·01	·01	-	-	-	·58	21
22	-	·02	·03	·01	·04	·04	-	-	-	·04	-	·52	22
23	·04	·32	·01	-	-	·15	·01	·03	-	·01	·05	·58	23
24	-	·19	-	-	-	·11	-	·03	-	·01	-	·17	24
25	-	·09	·13	-	·03	·04	-	·21	-	·04	·08	·01	25
26	·03	·01	-	-	-	·06	-	·34	-	·03	-	·0	26
27	-	·31	·87	-	-	·15	-	·68	·01	·19	-	-	27
28	-	·20	·03	-	-	·20	-	-	·01	·01	-	·17	28
29	-	·07	-	-	-	·23	-	1·30	·01	·31	-	·03	29
30	-	X	-		-	·16	-	-	-	·14	-	-	30
31	·01	X	-	X	·01	X	-	·06	X	·05	X	-	31
Total	1·36	3·53	3·21	·98	1·94	2·05	1·09	3·68	·50	2·20	2·68	2·63	YEAR'S TOTAL 25.85
Rain Days.	16	26	23	14	17	20	12	17	9	21	13	16	204

W. 8,000, VIII. 16

Copy from Register returned Jan 8th 1918

Ex- L.M.S. 1164

REGISTER OF RAINFALL IN 1917

Kept at Deene Rectory

in the County of Northants

by Revd. J. Cotton

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Weldon & Corby Mid

Diameter of Funnel of Rain Gauge Standard in.

Height of top of Gauge above Ground Standard in.

" " " " Sea Level about 230 ft.

FORM A. BRITISH RAINFALL. 8 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·02	-	·05	-	-	-	1·10	·28	-	·01	–	1
2	·00	-	-	·01	-	·15	-	·08	·01	·03	·03	–	2
3	·00T	-	-	·05	-	-	-	·52	-	·38	·01	-	3
4	·00	·02	·03	·01	-	-	-	·12	-	·19	·02	-	4
5	·13	-	·02	·09	-	-	-	·03	·43	·01	·10	-	5
6	·00	-	-	-	-	·02		-	·02	·38	·01	-	6
7	·50	-	-	-	-	·04	-	·15	-	·09	-	-	7
8	·28	-	-	·22	-	·04	·22	1·11	-	·31	·07	-	8
9	·12	-	·07	·05	-	-	-	·19	-	·00	·01	-	9
10	·38	-	·23	·23	·02	-	-	·21	-	·04	·01	–	10
11	·06	·03	·09	·11	·03	-	-	·27	·04	·18	·01	-	11
12	·14	·04	·01	·05	·14	-	-	·04	-	·31	-	-	12
13	·12	-	·09	·01	-	-	-	·20	·04	-	-	·05	13
14	·02	-	·01	·11	-	-	-	·39	-	-	·05	-	14
15	·01	·13	-	-	–	-	·05	·23	-	-	-	·06	15
16	·05	-	-	·15	-	·65	·01	-	-	·11	-	·07	16
17	·01	-	-	·18	·55	-	·25	·04	-	·08	-	-	17
18	·02	-	-	·08	·07	-	·05	·09	·82	-	-	-	18
19	·01	·14	·17	·01	·17	-	-	-	·05	-	-	-	19
20	·01	·20	·09	-	·44	·03	-	-	-	-	·18	-	20
21	·01	·02	·02	·01	·01	·01	-	-	-	-	-	-	21
22	·00T	-	·03	-	-	-	-	·14	·05	-	-	–	22
23	·00T	·03	·01	-	·07	-	·03	·15	·04	·05	-	–	23
24	·00	·02	-	-	·01	·62	-	·02	-	·20	·03	·02	24
25	·00	-	·07	-	-	-	·03	-	·01	-	·06	-	25
26	-	-	·02	-	-	-	-	·37	·14	-	·21	·01	26
27	-	-	·01	-	-	·05	-	·86	-	-	-	·03	27
28	-	-	·07	-	-	·62	-	·05	-	-	-	·05	28
29	-	X	-	-	·85	·01	·15	·02	-	·32	-	·16	29
30	·01	X	-	-	-	-	·18	·32	-	-		·01	30
31	— T	X	·16	X	-	X	·08	·20	X	-	X	·05	31
Total	1·88	·65	1·20	4·42	2·36	2·24	1·02	690	1·93	2·68	·74	·51	YEAR'S TOTAL 2353
Rain Days.	17	10	18	17	11	11	9	25	12	16	13	10	169

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL

Kept at Deene Rectory
in the County of Northants
by Revd T. Catton

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Weldon & Corby [illegible].
Diameter of Funnel of Rain Gauge Standard in.
Height of top of Gauge above Ground Standard ft in.
" " " " Sea Level about 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total													YEAR'S TOTAL
Rain Days.													

I am sending you on my rainfall book for 1917 & shall be glad to have it back again when you have finished with it—

Yours

The Revd T. Catton
Deene Rectory
Peterborough.

P.S. You will find all particulars for the year on page following December

W. 8,000, IX. 17.

from original returned 21.9.19

55

FORM A.
BRITISH RAINFALL.

21 1 19

REGISTER OF RAINFALL IN 1918

Kept at Deene Rectory

in the County of Northamptonshire

by Rev: T. Calton

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·03	·01	·25	–	–	–	–	–	–	·16	·08	1
2	·02	–	–	·06	–	–	–	·14	·01	–	·08	·11	2
3	–	·18	·04	·06	·42	–	–	·30	·07	–	·53	–	3
4	–	·02	·07	–	–	–	·14	·04	·73	·01	·44	·03	4
5	–	·06	·01	·01	·25	–	–	·04	·32	·05	–	·01	5
6	·01	·08	–	·11	–	–	–	–	–	·01	–	–	6
7	·05	·10	–	·19	–	·06	–	–	·03	·20	·11	–	7
8	·04	·01	·01	·02	–	–	–	–	·07	·02	–	·08	8
9	·01	·15	–	·01	–	·02	·14	–	·29	·20	–	·07	9
10	·05	·01	–	·01	–	–	·36	–	·08	·14	–	·07	10
11	·01	–	–	·01	·09	·01	·21	–	·14	·36	–	·11	11
12	·01	·11	·04	–	·10	–	·05	–	·05	–	–	·04	12
13	–	·01	–	–	·31	–	–	–	·11	·02	–	·03	13
14	·33	–	–	·05	–	·01	·37	–	·36	·10	–	·02	14
15	·63	–	–	·78	–	–	·07	–	·07	–	–	·18	15
16	·04	–	–	·27	–	–	–	·01	·37	·02	–	·03	16
17	·23	–	–	·01	·03	–	·65	–	–	·01	–	·08	17
18	·26	–	·04	·06	–	–	·26	–	·20	–	–	·28	18
19	·02	·01	–	·02	–	·07	·03	–	·04	·09	–	·12	19
20	·03	·05	–	·30	–	·07	·01	–	–	·12	–	–	20
21	·03	–	–	·08	–	·08	·13	–	·17	·14	–	·02	21
22	·10	·01	–	·01	·26	–	·03	–	·01	·01	–	·32	22
23	·10	–	–	–	·40	–	·05	–	–	–	–	·01	23
24	·01	·15	–	·01	·01	·02	·16	–	·07	·02	·14	–	24
25	–	–	–	–	·01	–	·03	·30	–	·02	·02	·12	25
26	–	–	–	–	–	–	·11	·01	·04	·01	·08	·02	26
27	–	–	–	·01	–	–	·05	·15	·06	–	·12	·03	27
28	–	·04	·16	–	–	·01	–	·01	–	–	·20	·15	28
29	–	·09	–	–	–	–	–	–	·86	–	·01	·01	29
30	–	X	·29	–	–	–	–	–	·02	–	·06	·13	30
31	–	X	·22	X	–	X	–	–	X	·03	X	·01	31
Total	1·98	1·11	·89	2·33	1·88	·35	2·85	1·00	4·17	1·62	2·01	2·16	YEAR'S TOTAL 22·35
Rain Days.	19	17	10	21	10	9	18	9	23	20	12	26	194

W. 8,000. X. 15.

Copy made from original 19.1.20. ~~returned~~ 22.1.20   confd [illegible] Obs notified   1096

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

22 JAN 20

Kept at Deene Rectory
in the County of Northamptonshire
by Rev. J. Catton

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in. n+Z.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·03	·02		·14		·16			·03	·08	·65	1
2	·19		·02		·02		·23		·11	·09	·52	·06	2
3	·84		·06		·04	·01	·26		·13		·17	·03	3
4	·08		·36			·07	·14	·08	·04		·02	·19	4
5	·03	·10	·10				·01	·01	·74			·10	5
6	·01		·04		·65						·04	·11	6
7	·02		·19								·01		7
8	·12		·06	·21							·08		8
9	·02		·01	·04							·02		9
10			·30	·04							·04		10
11	·08		·42	·04	·24		·76				·02	·01	11
12	·01		·30	·04						·07			12
13	·14			·16		·22			·01	·04	·01		13
14	·25			·22		·02			·16				14
15	·26	·01	·04	·15							·15	·47	15
16	·05	·72		·01							·15		16
17	·01	·18									·20	·02	17
18			·08			·01	·01	·18	·02		·01	·17	18
19	·15	·15	1·04				·82	·27	·07		·05	·05	19
20	·41	·02	·10			·18	·33		·02		·07	·05	20
21	·28	·45	·10			·10	·01		·01		·01	·35	21
22		·24	·03				·01		·27	·69		·40	22
23					·02		·02	·04	·01	·16	·01	·03	23
24				·19	·15	·02		·04	·01			·05	24
25	·11			·09		·04		·26				·05	25
26	·01		·11	·08		·03		·06	·08		·01	·42	26
27	·60	·25	·03	·48		·02		·11		·01		·04	27
28	·01			·04			·01	·86		·04	·03	·35	28
29	·04			·01		·02	·01	·20		·21	·05	·22	29
30	·01	X	·05	·28		·25		·01		·10	·09	·29	30
31	·03	X	·01	X		X	·04		X	·08	X	·03	31
TOTAL	4·02	2·15 ~~1·95~~	3·47 ~~3·[illegible]~~	2·08 ~~3·08~~	1·26	·99	2·82	2·12 ~~2·10~~	1·68	1·52	1·84	4·14	YEAR'S TOTAL 28·09 ~~26·69~~
Days with ·01 in. or more	26	10	22	16	7	13	15	12	14	11	23	23	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

DESBOROUGH
COUNCIL SCHOOL
NORTHAMPTONSHIRE
1911-1912, 1913, 1914, 1917-1920

R 911

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

Kept at Desbor

in the County of Nor

by G. E. Marlow

p .... in.
bove Ground .... ft. .... in.
„ Sea Level .... ft.

on { Name
Distance .... Direction

IMPORTANT N … and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … g year in the space provided for it at the end of … urement of rain, the selection and pl… British Rainfall Organization are given … on application to Dr. H. R. Mill, 62, C…

Jan. 1, following.

Date	Jàn.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02					.08				.02	1
2	.06				.11			.02			.02	.07	2
3	.01				.20					.04	.07	.02	3
4	.06	.04	.08	.09					.12	.25	.20	.30	4
5	.08			.06				.14		.03		:	5
6	30		.01	.01						.15	.04	.35	6
7				.03						.02	.09	.10	7
8	.13		.13								.02	.12	8
9	.08										.11	.02	9
10	.02	.07	.35								.01	.43	10
11	.09							.12					11
12			.45						.06		.11	.02	12
13			.02		.06				.22	.08	.01	.41	13
14		.06	.04		.08					.07		.44	14
15		.06	.10							.03	.08	.03	15
16			.06			.01					.32	.11	16
17						.05					.08	.20	17
18		.16			.02	.05					.09	.09	18
19		.02				.12			.09	.06	.33	.06	19
20		.05				.01		.40	.07	.02		.61	20
21		.13	.20					1.03		.12		.15	21
22		.02	.12			22		.09		.10	.02	.40	22
23		.02	.18			.52		.01	.25			.15	23
24		.09	.02			.35						.06	24
25		.08	.02	.07	.96	.08							25
26				.33	.65					.26	.02	.16	26
27		.25	.18	.11			.08	.20	.14	.02	.18	.07	27
28		15		.16				.14			.09		28
29			.02	.13		.12	.02	.02	.21	26	.02		29
30				.02		.04		.02	.02	05			30
31					.17								31
Total	.83	1.20	2.00	1.01	2.25	1.57	10	2.27	1.18	1.56	1.91	4.39	TOTAL for year 20.27
No. of Rain Days.	9	14	17	10	8	11	2	12	9	16	20	24	152

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

REGISTER OF RAINFALL IN 19

Ex RL

Kept at Desborough

in the County of Northamptonshire 4

by G. E. Marlow   C. A. Markham

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02					.08				.02	1
2	.06				.11			.02			.02	.07	2
3	.01				.20					.04	.07	.02	3
4	.06	.04	.08	.09					.12	.25	.20	.30	4
5	.08			.06				.14		.03			5
6	30		.01	.01						.15	.04	.35	6
7				.03						.02	.09	.10	7
8	.13		.13								.02	.12	8
9	.08										.11	.02	9
10	.02	.07	.35								.01	.43	10
11	.09							.12					11
12			.45						.06		.11	.02	12
13			.02		.06				.22	.08	.01	.41	13
14		.06	.04		.08					.07		.44	14
15		.06	.10							.03	.08	.03	15
16			.06			.01					.32	.11	16
17						.05					.08	.20	17
18		.16			.02	.05					.09	.09	18
19		.02				.12			.09	.06	.33	.06	19
20		.05				.01		.40	.07	.02		.61	20
21		.13	.20					1.03		.12		.15	21
22		.02	.12			.22		.09		.10	.02	.40	22
23		.02	.18			.52		.01	.25			.15	23
24		.09	.02			.35						.06	24
25		.08	.02	.07	.96	.08							25
26				.33	.65					.26	.02	.16	26
27		.25	.18	.11			.08	.20	.14	.02	.18	.07	27
28		15		.16				.14			.09		28
29			.02	.13		.12	.02	.02	.21	.26	.02		29
30				.02		.04		.02	.02	05			30
31					.17								31
Total	.83	1.20	2.00	1.01	2.25	1.57	10	2.27	1.18	1.56	1.91	4.39	TOTAL for year 20.27
No. of Rain Days.	9	14	17	10	8	11	2	12	9	16	20	24	152

W. 8,000, X. '11.

[illegible]

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.
25 MAR 1913

Kept at Desborough

in the County of Northants 4

by C. A. Markham, G. E. Marlow

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.07			.10	.02	.03	.10			.15	1
2		.02	.01	.03	.01	.39	.40		.02				2
3	.06		.09		.10	.24	.09	.53	.03			.04	3
4	.06		.58		.10	.38		.06			.34		4
5			.34			.11		.21	.04				5
6	.38					.09	.11	.31				.06	6
7		.23	.04		.04	.30		.01	.12			.03	7
8	.32	.33	.17			.09	.07	.06				.01	8
9	.02		.07	.07		.45	.02						9
10		.10				.07		.20			.25	.09	10
11	.03	.10	.02		.02	.06		.05			.03	.26	11
12	.08	.43	.08		.09	.02	.35				.07		12
13		.14				.01		.02					13
14	.04		.12		.08	.10		.07		.03			14
15	.01	.03	.12		.26	.14		.02					15
16	.53		.10		.09	.02		.05				.02	16
17	.14		.18			.12		.22			.07	.09	17
18	.15		.10					.09			.02		18
19	.25	.05	.03				.15	.35		.04	.03		19
20	.09		.21		.06		.92	.84		.27			20
21			.14		.43			.74		.20	.05		21
22	.24	.09	.05		.30		1.11	.32				.29	22
23	.11	.27	.20		.02		.02	.55			.07	.12	23
24	.09	.02			.02	.15		.11					24
25						.31	.30	.54			.30	.40	25
26		.03	.01			.02	.09	1.36		.66	.16	.45	26
27						.08	.03	.03		.41		.29	27
28		.02				.01	.24	.56		.34	.28	.17	28
29		.03				.19			.52	.47			29
30	.06				.24	.02	.43		.28	.09			30
31	.01		.14		.10		.59	.14		.15		.02	31
Total	2.67	1.59	2.87	.10	1.96	3.47	4.94	7.47	1.11	2.66	1.67	2.49	YEAR'S TOTAL 33.30
Rain Days.	19	15	22	2	16	24	17	26	7	10	12	16	186

W. 7,500, XI. 12

from Nat His Socy

REG 13

FORM A. BRITISH RAINFALL.

13 MAR 1914

Kept at Desborough

in the County of North

by G. E. Marlow C.

ong.

ion

ge in.

ge above Ground ft. in.

" Sea Level ft.

NORTHANTS.

DESBOROUGH

1913 ONLY

IMPORTANT NOT and the result entered to the previous day. If an Ob universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.17	.07	.41				.73		.12	.12	1
2		.10					.07		.22		.02		2
3	.03				.57				.09			.09	3
4	.51				.11		.01			.86	.07	.14	4
5	.01		.18			.03	.02		.07	.88	.08		5
6		.02			.15	.08	.46			.10			6
7					.12	.06	.02			.70	.08		7
8					.21	.09					.08		8
9		.35			.02	.15			.03		.14		9
10			.07		.05		.42				.54		10
11	.60			.52						.09	.30		11
12					.24					.02	.48		12
13	.06		.03	.03					.03		.21		13
14	.09	.08	.25	.02			.41			.07	.08	.04	14
15			.35	.60			.04		.04				15
16	.16	.05	.12	.08					.06	.01			16
17			.74	.05		.06	.06			.01	.06	.02	17
18			.28	.10			.07				.02		18
19	.31		.06				.03		.06				19
20	.22		.11		.10					.47	.04		20
21	.02		.12				.08				.33		21
22	.40		.29						.21				22
23				.03		.04	.01		.03				23
24	.04			.09		.03		.07					24
25				.07	.70					.02			25
26		.06	.25	.20				.20		.25	.04		26
27		.04		.13	.04					.03		.16	27
28	.41		.25	.11						.11		.05	28
29			.24	.47				1.22		.09		.10	29
30	.04			.03	.34			.03		.10			30
31								.14					31
Total	2.98	.70	3.51	2.60	3.06	.54	1.70	1.66	1.57	3.81	2.66	.72	YEAR'S TOTAL 25.51
Rain Days.	15	7	16	16	13	8	13	5	11	16	17	8	145

W.7,000, XI. 13

from Nat Hist Socy

REGI 13

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Desborough 4

in the County of Northamptonshire 4

by G. E. Marlow C. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08		.17	.07	.41				.73		.12	.12	1
2		.10					.07		.22		.02		2
3	.03				.57				.09			.09	3
4	.51				.11		.01			.86	.07	.14	4
5	.01		.18			.03	.02		.07	.88	.08		5
6		.02			.15	.08	.46			.10			6
7					.12	.06	.02			.70	.08		7
8					.21	.09					.08		8
9		.35			.02	.15			.03		.14		9
10			.07		.05		.42				.54		10
11	.60			.52						.09	.30		11
12					.24					.02	.48		12
13	.06		.03	.03					.03		.21		13
14	.09	.08	.25	.02			.41			.07	.08	.04	14
15			.35	.60			.04		.04				15
16	.16	.05	.12	.08					.06	.01			16
17			.74	.05		.06	.06			.01	.06	.02	17
18			.28	.10			.07				.02		18
19	.31		.06				.03		.06				19
20	.22		.11		.10					.47	.04		20
21	.02		.12				.08				.33		21
22	.40		.29						.21				22
23				.03		.04	.01		.03				23
24	04			.09		.03		.07					24
25				.07	.70					.02			25
26		.06	.25	.20				.20		.25	.04		26
27		.04		.13	.04					.03		.16	27
28	.41		.25	.11						.11		.05	28
29			.24	.47				1.22		.09		.10	29
30	.04			.03	.34			.03		.10			30
31								.14					31
Total	2.98	.70	3.51	2.60	3.06	.54	1.70	1.66	1.57	3.81	2.66	.72	YEAR'S TOTAL 25.51
Rain Days.	15	7	16	16	13	8	13	5	11	16	17	8	145

W.7,000, XI. 13

Cord for arith. & by mm. slits 31-11-15 Lat. 149.

REGISTER OF RAINFALL IN 1914.

BRITISH RAINFALL FORM A.
23 MAR 1915

Kept at Desborough
in the County of Northants 4
by G. P. Marlow, Esq.

Lat. – Long. –
Time of Observation 9 am.
Nearest Railway Station Desboro MR.
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 453 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02					.67	.06			.06	.12	1
2			.03	.06				.12		.01	.18	.15	2
3					.16		.36	.			.05	.06	3
4	.25			.19				.09			.44	.17	4
5	.06		.11		.23	.09	.26	.67			.03		5
6				.22	.07			.12			.03	.04	6
7			.40	.01	.08	.01		.02			.01	.05	7
8	.06	.03	.14		.02	.91	.10	.22				.03	8
9			.26	.38		.92			.03 (.03)			.10	9
10	.18	.07	.02					.02	.07			.02	10
11		.09	.33			.08					.34	.45	11
12			.12			.02					.03	.36	12
13	.03	.16	.19							.37		.23	13
14		.02	.20							.68		.31	14
15		.03	.07				.17		.63			.14	15
16			.12				.02		.04				16
17	.10		.06						.19			.19	17
18	.06	.19										.53 .33	18
19		.04	.08						.02		.37	.04	19
20		.18	.20			.01					.04	.03	20
21		.19	.11							.05		.33	21
22					.38		.03	.07		.13		.05	22
23		.03	.06		.14			.03		.05		.04	23
24					.01					(.25)	.15		24
25	.05						.17	.18		.46		.21	25
26			.08							.04	.14	.42	26
27	.04										.07	.19	27
28		.10			.04		.05			.11	.02	.94	28
29	.02		.10		.02					.28	.14	.05	29
30		×	.05							.05	.22	.29	30
31		×		×	.04	×			×		×	.07	31
Total	.85	1.15	2.73	.86	1.19	2.04	1.83	1.60	.981	2.481	2.29	5.51 5.61	YEAR'S TOTAL ~~20.43~~ 23.61
Rain Days.	10	13	20	5	11	7	9	11	6	12	17	28	149

W. 8,000. X. 14.

Exd DL

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Desborough, Market Harborough
in the County of Northamptonshire
by C. A. Markham, F. H. Grudginge

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.05	1.10	.36				1
2								.10					2
3								.55		.24	.12		3
4								.07		.52			4
5								.01		.05	.13		5
6									.08		.02	.02	6
7										.37			7
8							.35	.30		.34	.13		8
9	.80							.22			.17	.05	9
10			.31					.08	.10		.03		10
11								.24		.27			11
12								.10		.34		.02	12
13								.02	.05		.02		13
14								.10					14
15							.15			.05			15
16							.05			.11		.15	16
17							.30	.02	.06	.10		.03	17
18							.10	.10	.81				18
19		.40							.06				19
20											.20		20
21													21
22										.15			22
23								.25	.08	.10			23
24								.02		.21			24
25											.10		25
26								.48	.19		.21	.06	26
27								.54					27
28								.08				.09	28
29							.07	.02		.31		.30	29
30		X					.25	.20					30
31		X		X		X	.02		X		X	.06	31
Total	1.57	1.10	1.10	1.58	2.82	2.07	1.34	4.60	1.79	3.16	1.13	.78	YEAR'S TOTAL 23.04
Rain Days.		6	11				9	21	9	14	10	9	

W. 8,000, VIII. 16

6 Exc Dl 47

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Desborough

in the County of Northamptonshire

by C. A. Markham, F. U. Grudgings

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·20							·20		1
2		·25									·10	·15	2
3		·02	·08		·38				·10		·46	·02	3
4		·04	·05				·10		·65		·54	·05	4
5		·11			·27			·50 }	·27	·06			5
6	·04	·12	·01			·02			·02	·01			6
7		·09		·12		·02			·03	·12			7
8				·05					·08	·04		·14	8
9		·27		·09			·19		·32	·20		·09	9
10	·08			·18			·41		·03	·14			10
11					·11		·21		·13	·25		·07	11
12		·14	·07		·12		·05		·15			·03	12
13		·02		·03	·25		·02		·15	·03			13
14	·34			·02	·01	·02	·43		·33	·10			14
15	·94			·63		·02	·09		·10			·30	15
16				·44					·23				16
17				·04			·54			·02		·15	17
18	·30					·12	·08		·37			·33	18
19	·04	·02	·07	·17			·18			·12		·17	19
20	·02	·09		·42		·10			·06	·25		·02	20
21	·07			·32			·05		·20	·13			21
22	·17				·08		·05		·03	·07		·44	22
23	·09				·38		·21		·04				23
24		·19					·15		·04	·03	·11		24
25					·04		·10	·38	·01				25
26							·05		·07		·24	·18	26
27							·05	·19	·05		·01	·20	27
28		·12	·14								·26	·12	28
29									·90			·30	29
30		×	·27						·15		·12	·11	30
31		×	·23	×		×			×	·02	×	·10	31
Total	2·09	1·48	·92	2·71	1·64	·30	2·96	1·07	4·51	1·59	2·04	2·97	YEAR'S TOTAL 24·28
Rain Days	10	13	8	13	9	6	18	5	25	16	9	19	151

W. 6,500, VII. 18. W W C

B Mode Ev Dl 1088

23 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Desborough

in the County of Northamptonshire

by F. V. Grudgings, per Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40		·04	·05	·17								1
2	·15		·02		·02								2
3	·83		·08		·03								3
4	·19		·39			·14							4
5	·02	·30	·12										5
6			·04		·76								6
7	·04		·22										7
8	·15		·07	·14									8
9	·03			·14									9
10			·33	·04									10
11			·37	·03	·03								11
12			·37	·09		·24							12
13	·19			·18									13
14	·37			·19									14
15	·33		·17	·12									15
16	·11	·81											16
17	·06	·28				·02							17
18			·09										18
19	·05	·22	·83			·25							19
20	·61	·06	·23			·07							20
21	·22	·43	·17										21
22		·34											22
23													23
24						·01							24
25	·12			·19	·09								25
26	·08		·26	·03		·01							26
27	·45	·03	·03	·16									27
28				·04									28
29	·08			·02		·04							29
30			·04	·25		·29							30
31			·12										31
TOTAL	4·48	2·47	3·99	1·67	1·10	1·07							YEAR'S TOTAL
Days with ·01 in. or more	20	8	20	15	6	9							

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Desborough
in the County of Northampton
by F H Grudgings

Lat. 52° 26' 24" Long. 0° 48' 59" w
Time of Observation 9 am
Nearest Railway Station Desboro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·13	·03		·25		·29		·01	·	·30	·22	1
2							·08		·10	·32		·10	2
3						·04	·17	·04	·06	·07			3
4			·01				·06		·	·36			4
5		·01			·19		·69	·38	·04			·12	5
6				2·30	·05		·34	·04				·03	6
7			·26				·08						7
8	·27	·09			·04		·12						8
9	·40		·03				·04						9
10	·33		·06			·07	·06	·29			·30		10
11	·20	·04			·22	·11	·02					·25 snow	11
12	·05			·18		·21		·07		·07			12
13	·04			·14		·02		·05	·06				13
14				·20		·02			·10	·25	·32		14
15		·13	2·00	·60					·11	·06	·09		15
16					·14				·12	·10			16
17					·12				·41	·04			17
18	·17			·07	·01		·07		·23		·01	~~·25~~	18
19	·08	·16		·19		·06		·19				·02	19
20	·02			·37		·41		·08				·01	20
21	·07								·06			·04	21
22	·02	·24		·20			·02	·15	·33			·01	22
23		·04					·18					·28	23
24			·15								·02		24
25	·13	·08		·06	·04		·62			·07			25
26	·03			·03	·02		·04				·57		26
27	·14			·12		·61	·02				·09	·41	27
28	·50		·27	·02			·02			·01		·05	28
29	·13	·03	·13		·39		·03			·01	·03	·43	29
30					·10	·05	·05		·12		·10	·26	30
31							·05					·06	31
TOTAL	2·58	·95	2·94	4·42	1·57	1·54	2·99	1·29	1·75	1·24	~~1·74~~ 1·83	2·29	YEAR'S TOTAL 25·39
Days with ·01 in. or more	16	10	~~9~~ 11	(21)	12	10	21	9	13	11	10 ~~9~~	15	(159)
Days with ·04 in. or more	13	8	~~6~~ 8	(17)	10	7	15	9	12	7	7 ~~8~~	10	(123)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

MD. cd. 3. 18.12

RE 11

DINGLEY HALL
NORTHAMPTONSHIRE
1911 – 1920

FORM A2.
BRITISH RAINFALL.

24 JAN 1912

Kept at Dingley,

in the County of North

by E. C. Purlo

p 5 in.

ove Ground 1 ft. 6 in.

„ Sea Level ft.

9 a.m

Name Market Harboro

Distance 3 miles Direction ~~West~~ E.

IMPORTANT NOTE. nd the result entered to the previous day. If an Observer universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.14		.02	.18	.03						1
2	.02		.03								.02	.06	2
3	.06				.14			.02			.06	.06	3
4					.16					.04	.01		4
5	.03	.01	.07	.08				.01	.14		.17	.25	5
6	.02	.01		.12				.12		.03	.02	.03	6
7	.32		.01	.01						.01	.01	.20	7
8	.01		.11	.01						.18	.17	.17	8
9	.10										.04	.11	9
10	.09			.01						.01	.12	.01	10
11	.10	.08	.26					.02				.46	11
12	.11							.25			.39	.01	12
13	.04		.44						.10		.16		13
14			.06		.03				.20		.01	.38	14
15		.09	.06		.08					.05		.55	15
16		.06	.01							.06	.13	.02	16
17						.01				.03	.25	.10	17
18			.01			.02				.01	.09	.18	18
19		0.42				.15					.06	.06	19
20		.03				.15	.03		.07	.05	.47	.04	20
21		.03						.69	.06			.51	21
22		.18	.23			≠		.61		.17		.09	22
23		.03	.08	.01		.14		.22		.09		.37	23
24		.06	.21			.54	.01		.23			.13	24
25		.07	.03			.43				.70		.06	25
26		.10	.06	.13	.98	.08							26
27				.28	.75					.17		.13	27
28		.21	.12	.14			.10	.29	.13	.01	.26	.06	28
29				.24				.14			.04		29
30				.05			.01	.02	.15	.17	.05		30
31			.02			.14		.01		.11			31
Total	~~.91~~ .90	.14 ~~1.38~~ 1.52	~~1.95~~ 1.81	.02 ~~1.08~~ 1.10	.18 ~~2.16~~ 2.32	.03 ~~1.84~~ 1.69	~~.18~~ .15	2.40	1.08	1.89	~~2.54~~ 2.53	.02 ~~4.04~~ 4.06	TOTAL for year 21.45
No. of Rain Days	~~12~~ 11	~~14~~ 15	~~18~~ 17	~~11~~ 12	7	9 10	~~5~~ 4	12	8	17	20	~~24~~ 25	21.45

9,000, IX. '10.

15-8

√ M.D. [illegible]

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL 24 JAN 1912

Kept at Dingley, Gardens 5

in the County of Northamptonshire

by E. C. Purton.

RAIN GAUGE
Pattern 5
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level ft.

Time of Observation 9. a.m

Nearest Railway Station
Name Market Harboro
Distance 3 miles Direction ~~West~~ E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.14		.02	.18	.03						1
2	.02		.03								.02	.06	2
3	.06				.14			.02			.06	.06	3
4					.16					.04	.01		4
5	.03	.01	.07	.08				.01	.14		.17	.25	5
6	.02	.01		.12				.12		.03	.02	.03	6
7	.32		.01	.01						.01	.01	.20	7
8	.01		.11	.01						.18	.17	.17	8
9	.10										.04	.11	9
10	.09			.01						.01	.12	.01	10
11	.10	.08	.26					.02				.46	11
12	.11							.25			.39	.01	12
13	.04		.44						.10		.16		13
14			.06		.03				.20		.01	.38	14
15		.09	.06		.08					.05		.55	15
16		.06	.01							.06	.13	.02	16
17						.01				.03	.25	.10	17
18			.01			.02				.01	.09	.18	18
19		0.42				.15					.06	.06	19
20		.03				.15	.03		.07	.05	.47	.04	20
21		.03						69	.06			.51	21
22		.18	.23			.7		.61		.17		.09	22
23		.03	.08	.01		.14		.22		.09		.37	23
24		.06	.21			.54	.01		.23			.13	24
25		.07	.03			.43				.70		.06	25
26		.10	.06	.13	.98	.08							26
27				.28	.75					.17		.13	27
28		.21	.12	.14			.10	.29	.13	.01	.26	.06	28
29				.24				.14			.04		29
30				.05			.01	.02	.15	.17	.05		30
31			.02			.14		.01		.11			31
		.14		.02	.18	.03						.82	
Total	~~.91~~ .90	~~1.38~~ 1.52	~~1.95~~ 1.81	~~1.08~~ 1.10	~~2.16~~ 2.32	~~1.84~~ 1.69	~~.18~~ .15	2.40	1.08	1.89	~~2.54~~ 2.53	~~4.04~~ 4.06	TOTAL for year 21.45
No. of Rain Days	~~12~~ 11	~~14~~ 15	~~18~~ 17	~~11~~ 12	7	9 10	~~5~~ 4	12	8	17	20	~~24~~ 25	21.45

9,000, IX. '10.

15-8

Cordᵈ with 17·11·13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
10 JAN 1913

Kept at Dingley
in the County of Northamptonshire 5
by E. C. Purton.

RAIN GAUGE { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9. a. m.
Nearest Railway Station { Name Mkt Harboro
Distance 2½ Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1. following. .02.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	.07	...	...	.10	...	...	.08	...	...	...	1
2	...	.08	.07	.02	...	.27	.24	.48	...	...	...	.17	2
3	.08	...	.02	...	.13	.20	.05	.06	.02	...	...	.04	3
4	.06	...	.59	...	.11	.40	...	.23	...	...	.27	...	4
5	.01	.03	.30	...	...	.12	...	.27	.04	...	.09	.01	5
6	.46	.06	...	...	...	.01	.07	...	...	...	...	.07	6
7	...	.08	...	...	.01	.23	.03	...	...	...	...	.02	7
8	.39	.26	.17	...	...	.10	.07	.03	...	...	...	.01	8
9	...	.08	.19	.07	...	.31	...	.01	.14	...	...	.11	9
10	.01	...	.01	...	...	.18	...	.15	...	...	.16	...	10
11	.05	.08	...	...	.01	.07	...	.01	...	...	.03	.39	11
12	.07	.24	.07	...	.08	.03	.15	...	...	...	.08	...	12
13	...	.08	...	...	...	...	...	.01	...	...	.04	.01	13
14	.02	...	.20	...	...	.07	...	.01	...	.01	...	...	14
15	.01	.03	.10	...	.29	.09	...	.03	...	...	...	.19	15
16	.53	...	.05	...	.12	...	...	.05	...	.05	...	...	16
17	.41	...	.10	...	...	.11	...	.19	...	...	.03	.29	17
18	...	...	.11	...	...	...	.01	.12	...	.01	...	.06	18
19	.24	.06	...	...	...	...	.17	.70	...	.02	.05	...	19
20	...	...	.07	...	.10	...	.92	.57	...	.28	...	...	20
21	.10	...	.32	...	.59	...	.02	.62	...	.19	.04	...	21
22	.26	.07	...	...	.54	...	1.03	.26	...	.02	...	.03	22
23	.10	.25	.21	...	.01	.02	.30	.57	...	...	.08	.29	23
24	.13	.01	[illegible]	...	...	.09	.07	.12	...	...	...	.10	24
25	...	...	...	...	...	.31	...	.20	...	...	.26	.18	25
26	...	.03	.02	...	...	.01	.34	1.19	...	.60	.21	.46	26
27	...	...	...	...	...	.05	.01	.07	...	.41	...	.22	27
28	...	.02	...	...	...	.04	.03	.54	...	.30	.22	.44	28
29	...	.05	...	...	...	.27	.37	...	.60	.33	...	...	29
30	.06		...	...	.15	.01	...	...	.13	.38	...	...	30
31	...		.07		.15		.43	.08		.01		.04	31
Total	2.99	1.54 1.51	2.74 2.74	.09	2.29	3.06 3.09	4.31	6.57	1.01	2.61	1.56	3.13	31.90 TOTAL for year
No. of Rain Days.	18	17	19	2	13	23	18	24 25	6	13	13	20	187

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

8 JUL 1914

REGISTER OF RAINFALL IN 1913

Kept at Dingley Gardens
in the County of Northants. 5 Ex Ng
by Viscount Downe
per J. Hanson

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Market Harboro
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02				·02	·06			1·00		·10		1
2	·01		·11	·01	~~·02~~				·23		·02		2
3	·01	·10		·03	·04		·03		·05	·13			3
4	·53		·16		·50				·02	·52	·10	·02	4
5	·01				·13		·02		·12	·91	·11	·12	5
6	·						·04			·03		·02	6
7			·05		·19	·08	·61			·67		·02	7
8		·12			·13	·05	·11			·07	·15		8
9					·14	·15							9
10	·03	·~~0~~25			·01	·19					·61	·03	10
11	1·30 Snow		·05	·06 Snow			·45			·05			11
12				·40				·16			·45		12
13	·05 Snow				·27			·02			·48		13
14	·08		·01	·02				·04	·05	·09	·22		14
15	·07		·31	·01			·04				·12		15
16		·08	·47 Snow	·35			·11		·03		·01		16
17	·11		·15	·28					·04				17
18				·07			·01				·05		18
19	·15		·39	·12			·02				·02		19
20	·25		·31	·02			·07		·03	·38		·03	20
21			·07										21
22	·41		·15	·03	·05		·06	·10			·34		22
23			·31					·05	·12				23
24	·06		·04					·09	·03		·05		24
25				·07									25
26		·10		·10		·06				·29			26
27		·05	·22	·17				·02				·20	27
28	·~~0~~37	·01		·10	·17					·05	·02		28
29	·01		·22	·19				1·00		·18			29
30	·32		·17	·49						·07	·12		30
31								·10					31
Total	3·79	·71	3·19	2·52	1·65	·59	1·57	1·58	1·72	3·44	2·97	·44	YEAR'S TOTAL 24·17
Rain Days.	18	7	17	18	11	6	12	9	11	13	17	7	146

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
4 JAN 1915

Kept at Digley Gardens
in the County of Northampton E4 BR 5
by Major Genl. Viscount Downe

Lat. Long.
Time of Observation 7 a.m.
Nearest Railway Station Market Harboro
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·12	·58				·04	1
2				·06				·34			·29	·21	2
3								·07			·11	·02	3
4					·17		·32	·12			·40	·21	4
5	·26			·20				·20			·03		5
6	·04		·11	·19	·30	·09	·20				·04	·05	6
7		·05	~~·11~~		·04	·02						·04	7
8		·10	·33		·09		·12	·19				·01	8
9	·07	·08	·16		·12	1·12			·25				9
10	·37		·25	·19		·90		·01					10
11	·20	·11		·07	·05				·08		·42	·41	11
12		·18	·30	·14	·12	·06			·31		·01	·40	12
13		·02	·09						·05	·19	·20	·29	13
14		·15	·25							·53	·11	·33	14
15		·05	·14				·22	·05	·09		·07	·10	15
16	·10		·15				·02				·02		16
17			·12				·12		·26			·20	17
18	·02	·19					·05					·45	18
19							·19		·03		·06	·02	19
20		·05	·26						·05				20
21		·19	·06			·25		·02		·06		·50	S. 21
22		·25						·12		·36		~~·45~~	22
23					·25		·05	·01				·05	23
24		·14	·08		·16		·02			·02	·09		24
25			·03				·08			·20		·08	25
26								·20		·36	·20	·42	26
27			·05							·05	·01	·23	27
28	·03	·06					·02				·06	1·08	S. 28
29					·01					·11	·07		29
30			·10							·30	·24	·19	30
31	·02				·02					·05		·06	31
Total	1·11	1·62	2·42	·85	1·33	2·44	1·53	1·91	1·12	2·25	2·43	5·38	YEAR'S TOTAL 24·39
Rain Days.	9	14	16	6	11	6	13	12	8	11	18	~~22~~ 23	~~148~~ 147

W. 8,000. X. 14.

1239

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dingley Hall Gardens

in the County of Northants

by The Viscountess Downe

5

Lat. Long.

Time of Observation 7 a.m.

Nearest Railway Station Mkt Harboro

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·14	·07		·20			·03	·09		·03	·16	1
2		·16	·12	·15		·07		·87		·08			2
3	·26		·07	·21			·28	·75	·07			·18	3
4	·06						·12					·58	4
5	·04	·39					·19	·03			·04	·30	5
6	·10	·05		·20			·85	·05				·06	6
7	·08	·27	·03.S	·05		·40	·26	·18				·20	7
8	·02	·13		·04									8
9		·62		·04						·03	·24	·45	9
10	·34							·10			·09		10
11	·03		·04	·02	·11		·08				·45	·05.S	11
12	·03			·14	·24			·17			1·18	·03.S	12
13		·62.S			·90		·05						13
14		·01					·03	·01	·10			·23	14
15	·35				·05		·02				·10.S	·21	15
16		·31			·03		1·02	·25					16
17		·33			·02		·48						17
18		·12	·30.S								·05		18
19					·03		·11						19
20	·42		·04.S	·02								·32	20
21	·11.S	·10			·04		·14					·09	21
22	·09		·16	·03			·16					·14	22
23	·03	·04.S	·04			·03	·08		·05	·20		·28	23
24			·13				·04		·83	·04		·12	24
25			·03			·53	·05			·11		·22	25
26		·13	·02.S				·03					·25	26
27		·03					·16			35		·10	27
28		·12				·38	·07		·10	·29			28
29					·01	·15	·03	·16			·20	·23	29
30	·08	✕				·25		·03				·07	30
31	·01	✕		✕		✕		·06	✕	·47	✕	·07	31
Total	2·26	2·97	1·05	·93	1·63	1·81	4·25	2·69	1·24	1·57	2·38	4·34	YEAR'S TOTAL 27·12
Rain Days.	17	17	12	10	10	7	21	13	6	8	9	22	152

W. 8,000. X. 15.

1216

FORM A. BRITISH RAINFALL.

3 JAN

REGISTER OF RAINFALL IN 1916

Kept at Dingley Hall Gardens

in the County of Northamptonshire

by The Right Hon the Viscount Downe

Lat. Long.

Time of Observation 7. a. m.

Nearest Railway Station Market Harboro

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	·06	—	·20S	—	·02	·05	·16	—	—	—	·42	—	1
2	·35	·03	·10S	—	·25	—	·05	—	—	·36	·09	—	2
3	—	·45	—	—	—	—	·02	—	·35	·21	·05	—	3
4	·39	·10	—	—	·24	·26	·43	—	—	·13	·13	—	4
5	·02	—	—	—	·05	·11	—	—	—	·14	·23	—	5
6	—	·15	·11S	·05	·05	·02	·28	—	—	·06	·35	—	6
7	·11	—	·20S	—	·08	—	·34	—	—	·16	·32	·10S	7
8	—	—	·06	—	—	—	—	—	—	—	·06	·18S	8
9	—	—	·08	—	·28	·05	—	—	—	·05	—	—	9
10	—	·03	·09	·07	—	·06	·05	—	·03	—	—	·11S	10
11	—	·26	·14	·12	·15	·15	—	—	—	—	—	·13S	11
12	·10	—	·11	·02	·45	·08	·03	—	·02	·03	—	·03S	12
13	·03	·18	·14	·09	·08	—	·02	·07	—	·01	—	—	13
14	—	·57S	—	·11	—	—	—	·04	—	·07	—	—	14
15	—	·21	·49	—	—	—	·04	·13	—	·01	—	—	15
16	—	·09	·45	·15	·04	—	—	—	—	·09	—	—	16
17	·05	—	—	·10	—	—	·14	·20	·17	·26	—	—	17
18	—	·30	—	·07	—	—		·75	·09	—	·91	—	18
19	·10	·06	·26	·05	—	—	—	—	·31	—	·30	·15S	19
20	·09	—	·15	·06	—	—	—	·12	—	—	·17	·17S	20
21	—	—	·33	—	—	—	·03	—	—	—	—	·75S	21
22	—	·06S	·02	—	·05	—	—	—	—	·06	·05	·55S	22
23	·03	·54S	—	—	—	·05	·01	·03	—	·02	·05	·17S	23
24	—	·50S	·05	—	—	·06	—	·03	—	—	—	·25S	24
25	—	·10S	·10	—	·04	—	—	·20	—	·09	·15	—	25
26	—	·15S	—	—	—	—	—	·48	—	·07	—	—	26
27	·04	·21S	·88S	—	—	—	—	·25	·05	·13	—	—	27
28	—	·30S	·25S	—	—	·12	—	—	—	·01	—	·20	28
29	—	·11	—	—	·09	·30	—	1·36	—	·20	—	·03	29
30	—	×	—	—	—	·05	—	·15	—	·25	—	—	30
31	—	×	—	×	—	×	—	·02	×	·07	×	—	31
Total	1·37	4·40	4·21	·89	1·87	1·36	1·60	3·83	1·02	2·42	3·28	2·82	YEAR'S TOTAL 29·07
Rain Days.	12	20	20	11	14	13	13	14	7	22	14	13.	173

W. 8,000, VIII. 16

1172

4 JAN 1918

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Dingley Hall

in the County of Northampton

by The Viscount Downe

Lat. ______ Long. ______

Time of Observation 7 a.m.

Nearest Railway Station Market Harboro

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·15 s	—	—	—	·76	·41	—	·03		1
2	—	—	—	·03 s	—	·13	—	·10	—	—	·05		2
3	·05	—	—	·13 s	—	—	—	·56	—	·02	·06		3
4	—	·20 s	·08	—	—	—	—	·03	—	·65	—		4
5	·10	—	·03	·15 s	—	—	—	·05	·03	·05	·09		5
6	—	—	—	—	—	·04	—	—	—	—	—		6
7	·43	—	—	—	—	·35	—	—	—	·46	·04		7
8	·48	—	—	·20 s	—	—	·24	·20	—	·45	·11	·03	8
9	·09	—	·20 s	·06 s	·23	—	·05	·06	—	—	·13		9
10	·33 s	—	·25	·15 s	—	—	—	·05	—	—	·09		10
11	·05 s	—	·11	·36 s	—	—	—	·29	·06	·22			11
12	·17 s	—	—	—	·15	—	—	·02	—	·46			12
13	·02 s	—	·02	·03	—	—	·05	·24	·07	—			13
14	·15 s	—	—	—	—	—	—	·15	—	—			14
15	·02 s	—	—	—	—	—	·09	—	—	·02		·88	15
16	·07 s	—	—	—	—	—	·30	—	—	·05		·17	16
17	·05 s	·18	—	·10	·50	1·58	·03	—	·02	·10			17
18	·03	—	—	—	·48	—	·35	·12	·76	·04			18
19	—	·10	—	·02	·26	—	—		·18	—			19
20	—	·17	·05	—	·89	—	—		—	—	·17		20
21	—	—	·03	·04	·03	—	—		—	·02	·05		21
22	—	—	·16	—	—	—	—		·05	·06			22
23	—	·07	—	—	·09	—	—		—	—			23
24	—	·03	—	—	—	·58	—		—	·25	·08		24
25	—	—	—	—	—	—	·15		—	—	·14		25
26	—	—	—	—	—	—	—	·33	·15	—	—	·05 s	26
27	—	—	—	—	—	·55	—	·53	—	—	—		27
28	—	—	·07	—	—	·57	—	·07	—	—	—	·08 s	28
29	—	—	·02	—	—	·53	·03	·03	—	·45	—	·30 s	29
30	—	×	—	—	—	—	·26	·24	—	—	—		30
31	—	×	—	×	—	×	·03	·11	×	—	×	·05	31
Total	2·04 ✓	·75 ✓	1·02 ✓	1·42 ✓	~~2·43~~ 2·63	4·33 ✓	1·58 ✓	~~4·24~~ 3·94	1·73 ✓	3·30 ✓	1·04	·76 ✓	YEAR'S TOTAL 24·54 24·54
Rain Days.	14 ✓	6 ✓	11 ✓	12 ✓	8 ✓	8 ✓	11 ✓	19	9 ✓	15 ✓	12 ✓	7 ✓	132 ✓

W. 8,000, IX. 17.

E.F.F.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

9.1.19

Kept at Dingley Gardens
in the County of Northampton
by The Viscount Downe

Lat. Long.
Time of Observation 7 a.m.
Nearest Railway Station Market Harboro'
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·03	·12	—	—	—		—	·03	·23	·09	1
2	—	·20	—	·04	—	—	—	1·14	—	—	—	·10	2
3	—	·05	·08	—	·34	—	—	·28	·05	·03	·51	·14	3
4	—	·05	·05	—	—	—	—	·04	·75	—	·74	—	4
5	—	·08	—	—	·23	—	—	·10	·20	·08	—	—	5
6	—	·08	—	·15	—	—	—	—	—	—	—	·03	6
7	·10	·10	—	·10	—	·07	—	—	·03	·25	·05	—	7
8	~~·03~~	—	·12	—	—	—	—	—	·10	—	—	·15	8
9	—	·20	—	·06	—	·09	·10	—	·30	·21	·05	·05	9
10	·15	—	—	·12	—	—	·18	—	·06	·10	—	—	10
11	—	—	—	·03	·07	—	·40	—	·07	·34	—	·10	11
12	—	·12	·03	—	·10	—	·07	—	·12	—	—	·07	12
13	—	—	—	—	·20	—	—	—	·08	—	—	·05	13
14	·35	—	—	·03	—	·08	·41	—	·20	·09	—	·04	14
15	·75 ~~·08~~	—	—	·53	—	—	·12	—	·19	—	—	·20	15
16	·085 ~~·44~~	—	—	·40	—	~~·09~~	—	—	·18	—	—	—	16
17	·18	—	—	·04	—	—	·51	—	—	·03	—	·14	17
18	·25	—	—	—	—	·09	·07	—	·61	—	—	·30	18
19	—	—	·07	·09	—	—	·03	—	—	·09	—	·11	19
20	—	·10	—	·28	—	·06	—	—	·06	·08	—	—	20
21	·08	—	—	·62	—	—	·05	—	·25	·14	—	·09	21
22	·18	—	—	—	·04	—	·05	—	·03	—	—	·31	22
23	·05	—	—	—	·45	—	·06	—	—	—	—	—	23
24	—	·15	—	—	—	—	·18	—	·06	·02	·25	—	24
25	—	—	—	—	—	—	·05	·30	—	·04	—	·03	25
26	~~·05~~	—	—	—	—	—	·05		·04	·05	·05	·17	26
27	—	—	·01	—	—	—	·03	·20	·09	—	·05	·03	27
28	~~·08~~	·225	·18	—	—	—	—	·10	·03	—	·34	·17	28
29	~~·70~~		—	—	—	—	—	—	·76	—	—	·03	29
30	—		·25	—	—	—	—	—	·10	—	·09	·07	30
31	~~·05~~		·27		—		—	—		—		—	31
Total	2.17 ~~1.76~~	1·35	1·09	2·61	1·43	·39	2·36	1·16	4·36	1·58	2·36	2·47	YEAR'S TOTAL ~~20·97~~ 23·33
Rain Days.	~~7~~ 10	11	10	14	7	5	16	7	23	15	10	22	150

W. 8,000, IX. 17.

cordly c. 1105

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dingley Gardens
in the County of Northants
by J. Hanson

Lat. Long.
Time of Observation 7 a.m.
Nearest Railway Station Mkt Harboro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·06	·04	—	·11		·03	—	—	·07	—	·26	1
2	·14		—	—	·10	—	·07	—	·18	·08	·30	·24	2
3	·41		·08	—	·03	—	·21	—	·22	—	·24	·06	3
4	·17		·43	—	—	·11	·5	·16	·04	—	·04	·36	4
5	—	·26	·08	—	—	—	·3	—	·55	—	—	·11	5
6	·87		·04	—	·63	—	—	—	—	—	·04	·07	6
7	·05		·25	—	·04	—	—	—	—	—	—	—	7
8	·16		·09	·14	—	—	—	—	—	—	—	—	8
9	—		—	·05	—	—	—	—	—	—	·03	—	9
10	—		·25	·05	—	—	—	—	—	·02	·09 S.	·07	10
11	·07		·31	—	—	—	·57	—	—	—	—	—	11
12	—		·35	·10	—	·25	·07	—	—	—	·15 S.	—	12
13	·11		—	·14	—	—	—	—	—	·12	—	·02	13
14	·42		—	·24	—	—	—	~~·38~~	·38	—	—	—	14
15	·48	·04	·09	·15	—	—	—	—	—	—	·15 S.	·56	15
16	·17	·85	—	—	—	—	—	·03	—	—	·18 S.	—	16
17	—	·34	—	—	—	—	—	—	—	—	·20	·02	17
18	—	·08	·05	—	—	—	—	·20	—	—	·01	·10	18
19	—	·19	·96	—	—	·65	·69	·9	·11	—	·06	·03	19
20	·68	·08	·35	—	—	·25	·42	·40	—	—	·08	·01	20
21	·22	·45	·20	—	—	—	·31	—	—	—	·02	·20	21
22	—	·24	—	—	—	—	—	~~·19~~	·19	—	·01	·42	22
23	—	—	—	—	—	—	·04	·10	·12	·51	—	·08	23
24	—	—	—	·18	—	—	·10	—	—	·36	—	·03	24
25	·14	—	—	·16	·12	—	—	28	—	—	·01	·05	25
26	·02	—	·27	·04	—	—	—	~~·12~~	·12	—	—	·40	26
27	·50 S.	—	—	·55	—	·03	—	·03	—	—	—	·04	27
28	·16 S.	—	—	—	—	—	—	·78	—	—	·06 S.	·27	28
29	·65 S.		—	—	—	—	—	·17	—	·25	·14 S.	·11	29
30	·02 S.		·10	·31	—	·31	—	—	—	·05	·11	·30	30
31	·08 S.		·19		—		·03	—		·06		—	31
TOTAL	4·49	2·59	4·13	2·11	1·03	1·00	2·62	2·24	1·91	1·52	1·92	3·81	YEAR'S TOTAL 29·37
Days with ·01 in. or more	21	10	18	12	6	6	13	10	9	9	19	23	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1048

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dingley Gardens, Market Harboro'.
in the County of Nhnts
by Rev I Hanson.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	~~in.~~	in.	in.	in.	in.	in.	in.	
1	·	·	·	·20	·26	·	·18	·	·	·11	·06	·19	1
2	·	·	·	·	·	·	·14	·17	·11	·29	·	·09	2
3	·	·	·01	·65	·	·03	·34	·01	·05	·08	·	·03	3
4	·	·01	·02	·10	·05	·	·	·37	·	·38	·	·04	4
5	·	·	·05	·	·	·	·75	·10	·03	·	·	·01	5
6	·	·	·17	·	·20	·	·35	·01	·	·	·	·01	6
7	·	·	·11	·16	·08	·	·06	·	·	·	·	·	7
8	·31	·	·	·53	·04	·	·10	·	·	·	·	·	8
9	·41	·06	·	1·11	·	·	·02	·16	·	·	·	·	9
10	·18	·	·04	·14	·	·	·04	·	·	·	·02	·	10
11	·23	·05	·03	·08	·23	·06	·	·07	·	·	·	·12	11
12	·02	·03	·02	·23	·	·17	·	·	·	·	·	·15	12
13	·03	·	·08	·13	·	·	·	·	·11	·	·03	·01	13
14	·	·07	·67	·15	·	·33	·	·	·10	·09	·15	·	14
15	·	·01	·56	·08	·	·	·01	·	·25	·28	·09	·01	15
16	·	·06	·	·02	·	·	·	·	·08	·10	·	·	16
17	·	·	·	·02	·19	·	·	·	·32	·05	·	·08	17
18	·09	·	·	·04	·06	·	·	·19	·42	·	·	·02	18
19	·08	·08	·	·43	·	·	·	·06	·	·	·	·02	19
20	·05	·32	·	·38	·	·47	·	·	·	·	·	·	20
21	·	·	·	·	·	·	·06	·10	·09	·	·	·04	21
22	·	·	·	·19	·	·	·	·	·24	·	·	·	22
23	·	·	·	·	·	·	·24	·	·	·	·	·31	23
24	·	·	·17	·	·	·	·	·	·	·	·	·04	24
25	·	·03	·02	·06	·11	·01	·62	·	·	·	·	·	25
26	·23	·	·10	·02	·03	·	·07	·	·	·	·	·02	26
27	·10	·	·	·09	·	·49	·02	·	·	·	·49	·30	27
28	·49	·01	·01	·	·18	·	·01	·	·	·	·16	·14	28
29	·09	·	·22	·	·39	·03	·04	·	·	·	·07	·43	29
30	·		·	·03	·02	·02	·10	·	·09	·	·08	·11	30
31	·04		·01		·03		·01	·		·30		·13	31
TOTAL	2·35	·73	2·29	4·84	1·87	1·61	3·16	1·24	1·89	1·68	1·15	2·30	YEAR'S TOTAL 25·11 ✓
Days with ·01 in. or more	14	11	17	22	14	9	19	10	12	9	9	22	168
Days with ·04 in. or more	12	6	10	18	11	5	14	8	11	9	7	14	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ETTON

MARKET DEEPING
NORTHAMPTONSHIRE
1911–1920

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

1150

REGIS

Kept at Etton

in the County of Northam

by John C. Gill.

Copper Gauge.
in.
round 1 ft. 0 in.
ea Level 24½ ft.
m.
ame Helpston M.R.
Distance 6 furl's Direction W. N.W.

IMPORTANT NOTE.—Rain sho the result entered to the previous day. If an Observer prefers not to conform to this rsal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·05				·02	1
2	·14				·12						·03	·03	2
3				·01	·09			·06		·08			3
4	·04	·03	·09	·02					·06	·18	·21	·24	4
5				·02				·01		·03		·07	5
6	·34		·01	·01				·01		·02		·25	6
7											·19	·31	7
8	·15		·09						·54		·07	·08	8
9	·06		·01	·01							·04	·04	9
10		·04	·08	·03								·33	10
11	·14							·01			·34		11
12	·06		·33								·18		12
13			·07			·05			·21			·36	13
14		·03	·03		·33	·03						·47	14
15		·03	·11						·01	·02	·03		15
16			·03			·02					·36	·05	16
17			·01								·03	·09	17
18		·13				·08					·04	·01	18
19		·02			·03	·05			·05	·06	·29	·03	19
20		·02		·01		·01		·34	·14	·07		·46	20
21		·30		·01				·56		·04		·15	21
22		·01	·11	·01		·06		·05		·11		·39	22
23	·02		·24			·96			·40			·02	23
24		·04	·03			·29				·39		·17	24
25			·02	·01	·05							·02	25
26				·18	·01					·29	·29	·34	26
27		·17	·08	·14			·01	·01	·13	·04		·01	27
28		·09		·12		·05		·16			·04	·03	28
29		X				·11	·08		·19	·17			29
30		X	·01	·04	·07					·09			30
31		X		X		X			X		X		31
Total	·95	·91	1·35	·62	·70	1·71	·09	1·26	1·43	1·59	2·14	3·97	TOTAL for year 14·02
No. of Rain Days.	8	12	17	14	7	11	2	10	9	14	14	24	142

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Etton

in the County of Northamptonshire 5

by John C. Gill. A.M.I.C.E.

RAIN GAUGE
Pattern Glaishers. Copper Gauge.
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 24½ ft. 1150

Time of Observation 9 a.m.

Nearest Railway Station
Name Helpston M.R.
Distance 6 furlgs Direction W. N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·05				·02	1
2	·14				·12						·03	·03	2
3				·01	·09			·06		·08			3
4	·04	·03	·09	·02					·06	·18	·21	·24	4
5				·02				·01		·03		·07	5
6	·34		·01	·01				·01		·02		·25	6
7											·19	·31	7
8	·15		·09						·54		·07	·08	8
9	·06		·01	·01							·04	·04	9
10		·04	·08	·03								·33	10
11	·14							·01			·34		11
12	·06		·33								·18		12
13			·07			·05			·21			·36	13
14		·03	·03		·33	·03						·47	14
15		·03	·11						·01	·02	·03		15
16			·03			·02					·36	·05	16
17			·01								·03	·09	17
18		·13				·08					·04	·01	18
19		·02			·03	·05			·05	·06	·29	·03	19
20		·02		·01		·01		·34	·14	·07		·46	20
21		·30		·01				·56		·04		·15	21
22		·01	·11	·01		·06		·05		·11		·39	22
23	·02		·24			·96			·40			·02	23
24		·04	·03			·29				·39		·17	24
25			·02	·01	·05							·02	25
26				·18	·01					·29	·29	·34	26
27		·17	·08	·14			·01	·01	·13	·04		·01	27
28		·09		·12		·05		·16			·04	·03	28
29		X				·11	·08		·19	·17			29
30		X	·01	·04	·07					·09			30
31		X		X		X			X		X		31
Total	·95	·91	1·35	·62	·70	1·71	·09	1·26	1·43	1·59	2·14	3·97	TOTAL for year 14·02
No. of Rain Days.	8	12	17	14	7	11	2	10	9	14	14	24	142

W. 8,000, X. '11.

Cnd fr auth 17·III·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
30 JAN 1913

1150

Kept at Etton

in the County of Northamptonshire 5

by John C. Gill A.M.I.C.E.

Lat. 52° 34′ 52″ N. Long. 0° 18′ 40″ W.

Time of Observation 9 a.m.

Nearest Railway Station Helpston M.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·01			·06			·06			·22	1
2			·01		·01	·15	·30					·01	2
3	·06	·01			·05	·47	·03	·45	·02			·08	3
4	·03		·37		·05	·34		·29			·31		4
5	·09	·06	·35					·09			·02		5
6	·64	·11				·66	·90	·26			·01		6
7						·56	·02	·15					7
8	·34	·16	·08			·03	·04		·11				8
9		·09	·01	·07	·09	·74						·10	9
10				·01				·28	·10		·05		10
11	·13	·11				·02			·01			·23	11
12	·09	·15	·04		·12						·08		12
13	·02	·01				·08	·01	·04			·18	·01	13
14	·06		·02		·07	·05		·02					14
15		·01	·01		·36	·11						·10	15
16	·46		·03		·02	·03		·05		·07			16
17	·25		·19			·17		·15			·07	·14	17
18	·05	·01	·08					·09		·02	·01		18
19	·23	·11					·17	·11					19
20	·09		·12		·02		·39	·67		·24			20
21		·01	·07		·33			·47		·15	·04		21
22	·14	·04			·31		·84	·27		·01		·01	22
23	·12	·30	·19				2·53	·47			·06	·26	23
24	·15					·18	·03	·15				·25	24
25	·02					·08	·04	·64			·10	·30	25
26		·02				·12	·78	1·47		·58	·18	·25	26
27						·04	·30			·32		·14	27
28		·01				·02	·05	·47		·32	·16	·48	28
29						·17	·16	·02	·56	·27	·13		29
30		X			·72				·17	·14			30
31		X	·19	X	1·76	X	·48	·15	X		X		31
Total	2·97	1·22	1·77	·08	3·91	4·08	4·27	6·76 [illegible]	1·03	2·12	1·40	2·58	YEAR'S TOTAL 35·19
Rain Days.	18	17	16	2	13	20.	17	22	7	10	14	15	35·19 141

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

15 JAN 1914

1150

Kept at Etton

in the County of Northamptonshire 5

by John C. Gill, A.M.I.C.E.

Lat. 52° 37' 52" N Long. 0° 18' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Helpston. M.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·02	·07						·61		·13		1
2		·07	·02		·04		·14						2
3			·08		·53					·03		·13	3
4	·28				·06	·02				·08	·08	·28	4
5						·05	·01		·08	·86			5
6			·01		·94	·05	·12			·03			6
7		·05			·08	·09	·01			·57			7
8					·24	·13				·02	·14		8
9		·19	·04		·01	·11	·08				·17		9
10	·02			·03	·19		·13	·18			·52		10
11	·84		–	·37				·17			·04		11
12											·48		12
13			·26								·28		13
14	·05			·02			·15			·07			14
15	·17	·03	·23	·18					·69				15
16	·03		·66	·10					·09				16
17	·09	·04	·06	·09		·06					·04	·04	17
18			·20	·02			·08		·65			·03	18
19	·05		·01						·06			·02	19
20	·11		·06	·04					·02	·45			20
21			·12		·06		·08				·16		21
22	·17		·18					·01	·17				22
23						·04	·01	·03	·02				23
24	·03			·08		·03							24
25				·10									25
26		·04	·18	·04						·43	·06	·25	26
27		·01	·01	·10		·01							27
28	·19		·07	·18						·03			28
29	·02	×	·13	·44	·08			·10		·04		·12	29
30	·22	×			·01					·05	·08		30
31		×		×	·11	×		·66	×		×		31
Total	2·57	·45	2·39	1·79	2·35	·59	·81	1·15	2·39	2·66	2·18	·87	YEAR'S TOTAL 20·20
Rain Days.	15	8	18	14	12	10	10	6	9	12	12	7	133

W.7,000, XI. 13

Ex DL

1150

FORM A.
BRITISH RAINFALL.
30 JAN 1915

REGISTER OF RAINFALL IN 1914.

Kept at Etton

in the County of Northamptonshire 5

by John C. Gill, A.M.I.C.E.

Lat. 52° 34' 52" Long. 0° 18' 40" W.

Time of Observation 9 a.m.

Nearest Railway Station Helpston M.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03			·32	·23			·06	·09	1
2								·06			·09	·18	2
3			·03		·14		·21				·04		3
4	·09			·20				·23			·56	·04	4
5	·02		·04	·04	·16		·09	·19					5
6		·03		·05	·04		·25				·18	·01	6
7		·02	·41			·03							7
8	·04	·04	·03	·02	·14	·80	·04	·13					8
9	·49		·26	·24		·86		·02	·11				9
10	·50	·05							·10				10
11		·11	·35	·03	·15	·04			·08		·35	·24	11
12			·06			·02	·34		·31		·12	·23	12
13	·02	·12	·11							·34		·18	13
14			·21				·01			·92	·06	·34	14
15	·04	·03	·15								·04	·15	15
16			·03										16
17	·04	·28					·02		·04			·04	17
18			·06				·13					·38	18
19		·03	·19			·41	·23		·10		·09		19
20		·04	·25										20
21	·01	·12	·16			·05		·41		·04		·13	21
22					·13		·13	·08		·12			22
23			·05		·05	·02				·03		·04	23
24			·05	·05	·02		·04	·04			·12		24
25	·02							·06		·24		·05	25
26			·19					·13		·52	·18	·39	26
27			·02							·04		·16	27
28		·03									·08	1·21	28
29	·01	X	·12		·09					·15	·02		29
30		X				·04				·30	·19	·26	30
31		X		X		X	·12		X	·06	X	·05	31
Total	1·28	·93	2·44	·69	·95	2·30	1·93	1·61	·44	2·88	2·21	4·29	YEAR'S TOTAL 22·61
Rain Days.	11	12	20	8	9	9	13	11	6	11	15	19	144

W. 8,000. X. 14.

Ex MS

REGISTER OF RAINFALL IN 1915

1245
FORM A.
BRITISH RAINFALL
1150
12 JAN 1916

Kept at Etton

in the County of Northamptonshire

by Charles A. Gill, A.M.I.C.E., etc.

5

Lat. 52° 37' 52" Long. 0° 18' 40" W.
Time of Observation 9 a.m.
Nearest Railway Station Helpston (M.R.)
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·14			·25				·14		·11	·08	1
2	·04	·08	·14	·04		·01		·69	·05		·05	·03	2
3	·26		·03	·18			·22	·23	·09			·14	3
4	·29						·36	·41				·49	4
5	·02	·10			·05			·02				·24	5
6	·04	·15		·16			·55					·02	6
7	·03	·19	·03			·01	·24	·11				·08	7
8	·03	·12	·29				·06	·02			·09		8
9		·05				·02					·14	·48	9
10	·32							·14			·05		10
11	·01		·02		·12		·10				·45	·11	11
12	·02		·03	·26	32			·32			1·89		12
13	·01	·44	·01		·92		·02						13
14							·02	·14				·18	14
15	·23				·05			·06		·04	·25	·06	15
16		·18					·40					·03	16
17		·11					·02						17
18		·01	·14								·09		18
19		·08					·04			·02			19
20	·15											·26	20
21	·10				·28		·06						21
22	·10		·14	·01			·23am					·15	22
23		·12							·04	·12	·01	·26	23
24			·35				·13		·49	·02		·16	24
25			·02			·25	·52			·11		·23	25
26		·10					·14					·29	26
27		·03				·20	·04			·53		·03	27
28		·12	·01			·02			·05	·19			28
29						·09		·21			·16	·26	29
30	·06					·15							30
31	·02							·08		·14		·13	31
Total	2·02	2·08	1·21	·65	1·99	·45	3·54	2·49	·89	1·14	3·29	3·74	YEAR'S TOTAL 23·82
Rain Days.	18	16	12	5	4	8	14	12	6	8	11	21	141

Exd Fw

224

FORM A. BRITISH RAINFALL. 1150

18. JAN. 1917

REGISTER OF RAINFALL IN 1916

Kept at Etton.

in the County of Northamptonshire

by Peterborough Corporation

Lat. 52° 37' 52" Long. 0° 18' 40" W.

Time of Observation 9

Nearest Railway Station Helpston M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01			·15	·18				·31		1
2	·36		·06		·41		·06			·21	·02		2
3		·15	·01				·13		·32	·20	·03		3
4	·39	·28			·09	·10			·13	·03	·29		4
5					·01	·18				·13	·24		5
6		·12	·10	·15			·24			·04	·24	·01	6
7	·09		·19		·19		·31				·71	·02	7
8			·01		·01							·22	8
9			·01	·02	·34	·45				·06		·12	9
10		·02	·09	·09		·02			·03	·02		·05	10
11	·04	·35	·15	·04	·11	·09						·02	11
12			·06	·02	·49	·18	·01			·03			12
13		·14	·04		·24	·11	·01	·03					13
14		·49	·04		·07		·02	·19					14
15		·14	·38	·11			·06			·02			15
16		·05	·12	·08	·03		·11	·04					16
17	·01	·03		·01			·05	·54	·24	·23			17
18		·10	·02	·24			·15	·45	·04	·01	·91		18
19	·08	·02	·09	·04				·02			·28	·12	19
20	·09		·13								·11	·23	20
21			·18				·02					·59	21
22		·09	·02		·11	·02				·02		·45	22
23	·02	·22				·29	·01	·03			·07	·29	23
24		·33	·08					·02				·27	24
25		·04	·12	·03	·02			·23		·06	·04		25
26		·04				·01		·13		·02			26
27	·01	·33	·94					·09		·08			27
28		·22	·34			·03						·12	28
29		·08				·20		1·69		·34		·03	29
30		×				·18		·14		·14		·04	30
31		×		×		×		·02	×	·02	×		31
Total	1·09	3·36	3·25	·86	2·12	2·01	1·36	3·62	·76	1·66	3·25	2·58	YEAR'S TOTAL 25·92
Rain Days.	9	20	23	11	13	14	14	14	5	18	12	15	168

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No. 1150

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~17

COPY

Kept at Market Deeping – Etton

in the County of Northamptonshire

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			02	12				91	32					1
2				02		11		09		04	29			2
3		02		01				48		13				3
4								14		37				4
5	11	03	04	12				09	01		11			5
6										06				6
7	41					03				30				7
8	46			15			19	103		26	06			8
9	10			02				10			05			9
10	11		12	14				06		11				10
11	01		27	16				26		15				11
12	03	01	07		10			~~18~~ 16	02	30		02		12
13								~~27~~ 18		02				13
14	15		04	11				~~24~~ 27				03		14
15	01						10	24		01				15
16	07			06		05				10		11		16
17	02	11		16	48	50	10		02	03				17
18		02	04	03	03		18		67					18
19					36				06					19
20		08	17		15						13			20
21		24	14		04			~~6~~ –						21
22			01					03		15				22
23			10		09			27	09					23
24		02				105				17				24
25			01											25
26			07					46	13		29	04		26
27						17		49				06		27
28		02	03			47		02				03		28
29	03	X	01		07	07	14	24		29		06		29
30		X					15	25						30
31		X	02	X		X	11	15	X		X	09		31
TOTAL	1·51	0·55	1·16	1·10	1·32	2·45	0·97	5·92	1·32	2·49	0·93	0·44	Year's Total 20·16	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

7·11·14

and for pt W D Inspection Exd.

1179

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

1150

Kept at Etton

in the County of Northamptonshire

by Peterborough Corporation Waterworks.

Lat. 52° Long. 18°

Time of Observation 9 a.m.

Nearest Railway Station Helpston

Diameter of Funnel of Rain Gauge 8 ins

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	~~·02~~				·91	·32				1
2				·12				·09					2
3		·02		·02		·11		·48		·04	·29		3
4				·01				·14		·13			4
5	·11	·03	·04					·09	·01	·34			5
6				·12							·11		6
7	·41									·06			7
8	·46					·03	·19	1·03		·3			8
9	·10			·15				·10		·26	·06		9
10	·11		·12	·02				·06			·05		10
11	·01		·24	·14				·26		·11			11
12	·03	·01	·04	·16	·10			·16		·15		·02	12
13								·18	·02	·3			13
14	·15		·04					·24		·02		·03	14
15	·01			·11			·1	·24					15
16	·04									·01		·11	16
17	·02	·11		·06	·48	·05	·1		·02	·1			17
18		·02	·04	·16	·03	·5	·18		·64	·03			18
19				·03	·36				·06				19
20		·08	·14		·15								20
21		·24	·14		·04						·13		21
22			·01					·03					22
23			·1		·09			·24		·15			23
24		·02							·09	·14			24
25			·01			1·05							25
26			·04					·46				·04	26
27								·49	·13		·29	·06	27
28		·02	·03			·14	·14	·02				·03	28
29	·03		·01		·04	·47	·15	·24		·29		·06	29
30		X				·04	·11	·25					30
31		X	·02	X		X	~~·91~~	·15	X		X	·09	31
Total	1·51	·55	1·16	1·12	1·32	2·45	~~·88~~ ·97	5·92	1·32	2·49	·93	·44	YEAR'S TOTAL ~~21·09~~ 20·16
Rain Days.	12	9	16	12	8	8	~~8~~ 7	21	8	16	6	8	137

W. 8,000, IX. 17.

Tok 9M 71

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 24.1.19 1150

Kept at Etton

in the County of Northamptonshire

by Peterboro Corporation Waterworks

Lat. 52° 34' 52" N. Long. 0° 18' 40" W.

Time of Observation 9. a.m.

Nearest Railway Station Helpston M. R.

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09		·09	·09							·10	·06	1
2		·15	·01	17 am				·22			·09	·14	2
3		·03	07·am		·62			·23	·03		·65		3
4	·01		·05				·01	·01	·80		·24	·02	4
5		·03			·14			·24	·41	·03			5
6		·02		·08				·01				·01	6
7	·04	·08		07am		·08			·02	·11	·06		7
8											·01	05·am	8
9		17·am		·06		·04	07·am		·29	·22		·02	9
10	·02			·01			·29			·16		·05	10
11	07·am	·03		·01	27am		·22		·07	·43		05am	11
12		·12	·01		·13		·10		·01				12
13				·01	·38				·09			·02	13
14	27·am						·33		·14	·16		·01	14
15	·58			85·			·28		·14			·14	15
16				37am					54am				16
17	·29			·15	·02		·63					·11	17
18	17am					·05	·02		·35	·01		·15	18
19	·02	·02	·05	·05						·07		·10	19
20	·03	·01		·14		·03			·04	·11			20
21	·03								17·am	·22			21
22	·06				·06							·28	22
23	07am				·29		·10		·06				23
24		·14					·05		·01		·08		24
25						·01	·06	·24			·14		25
26							·97				13·	·06	26
27						·08	·54	·19	13		·15	·01	27
28		·09	·09					·09			·19	·14	28
29		X							·75		·02		29
30		X	·18						·02		·09	·08	30
31		X	·06	X		X			X	·06	X	·03	31 ✓
Total	1·45	·89	·61	2·06	1·91	·29	3·64	1·26	4·04	1·58	1·98	1·53	YEAR'S TOTAL 21·60
Rain Days.	14	12	9	13	8	6	14	8	19	11	[illegible]	20	149

113

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Elton
in the County of Northamptonshire
by Peterborough Corporation Waterworks

Lat. 52° 34' 52" Long. 0° 18' 10" W
Time of Observation 9 am
Nearest Railway Station Helpston M.R. 1150
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·03	·04		·06		·06			·05	·09	·56	1
2	·12	·03					·06	·01	·01	04	·41	·21	2
3	·63		·05				·19		·04		·15		3
4	·05		·39			·08		·04			·01	·18	4
5	·04	·10	·01					·01	·84			·03	5
6					·33						·02	·02	6
7	·01		·14								·01		7
8	·04		·01	·04							·08		8
9			·02										9
10			·20	·06							·04	·05	10
11	·09		37 ·~~04~~	·03	·03		·88				·04		11
12			·14			·09			·01	·02	·01		12
13	·11			·14						·03	·01		13
14	·25			·09					·03				14
15	·19	·05	·08	·04							·14	·32	15
16	·06	~~·91~~			·02						·04		16
17		·43									·15		17
18								·11				·11	18
19		·14	·46			·18	·43	·33	16		·06	·01	19
20	45		·29			·09	·47	·25	·09		·05	·05	20
21	·31	·44	·09			·02	·45					·09	21
22		·10							·21			·31	22
23				·04			·05			56			23
24				·08	·05	·10	·01	·04		·04		·01	24
25	·06				16			·24				·08	25
26	·02		16	·02				·06	·05		·06	·30	26
27	·63	·14		·56				·12		0.2	·01		27
28				·09			·01	·61		·18	·15	·36	28
29	·05	X		·04				09		·30	·04	·20	29
30				·26		·16				·05		·22	30
31	·06									·14		·04	31
Total	3·54	2.37	2.75	1·61	·65	·42	2·91	1·94	1·49	1·52	1·66	3·15	Year's Total ·24·29
Days with ·01 in. or more	19	10	15	13	6	4	10	12	9	11	20	19	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1055

4 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ETTON

in the County of NORTHAMPTONSHIRE

by PETERBOROUGH CORPORATION WATERWORKS

Lat. 52° 34' 52" Long. 0° 18' 10" W.
Time of Observation 9 A.M.
Nearest Railway Station HELPSTON M.R. 1150
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 24½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	03	·02		21			·56	·02	·11	1
2				·24				44	·10	15		05	2
3		·01		·03		·04	48		04	04		01	3
4			·03	·11	01		08	32	04	08		03	4
5			·02		14		62	04					5
6			·08	01	02		31					01	6
7			·02	06			06					01	7
8	·19	·03		44	05					01			8
9	·34			83				12					9
10	·10	·01	·04	27				29			04	01	10
11	·22		04	36	16		03	03				24	11
12	·04		01	20		·09		02			01	11	12
13	·03	·03	06	31		26			05		18		13
14		06	51	13		03	03		14	01	11		14
15	·01	·02	45	04			01		10	02		01	15
16					01				29			02	16
17					11				29			05	17
18	·10			01			03	14	28				18
19	·06	·11		05		·05		01	01			01	19
20	·04	·32		39		44					01		20
21	·05			10			03	06	09			01	21
22				15			02		26				22
23							14					31	23
24			·12								03		24
25		·09	01	04	35	05	39						25
26	·05		04	01	14		01					01	26
27	·08			05	01	91	04				16	16	27
28	44		13		14		02				08	03	28
29	·05		11		03		01				05	34	29
30	·02	☒	02	02					04		06	14	30
31	·02	☒	01	☒		☒	05		☒	·13	☒	07	31
TOTAL	1·90	·68	2·04	3·91	1·25	1·84	2·90	1·44	1·46	1·00	·45	1·44	YEAR'S TOTAL 21·24
Days with ·01 in. or more	14	9	18	23	13	8	19	10	13	8	11	21	140
Days with ·04 in. or more	13	4	10	14	4	4	10	4	12	5	4	10	109

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

F 19 11

FORM A2.
BRITISH RAINFALL.
-5 FEB 1912

NORTHANTS

FAWSLEY PARK.

1911 – 1913

Kept at Fawsley

in the County of Nor

by The Lady Kn

of top 5 in.

top above Ground 1 ft. in.

" " Sea Level 477 ft.

ion 9 a. m

Station { Name Cherwelton G.C.R
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	·05	—	—	—	—	·03	1
2	—	—	—	·07	·15	—	·04	·03	·01	—	·06	—	2
3	—	—	—	—	·18	—	—	—	—	·07	·03	·02	3
4	·03	—	·11	·07	—	—	—	—	·05	·17	·49	·24	4
5	·02	—	—	—	—	—	—	·01	—	·02	·03	—	5
6	·29	—	—	—	—	—	—	—	—	—	·02	·31	6
7	—	—	—	—	—	—	—	—	—	—	·16	·10	7
8	·18	—	·18	—	—	—	—	—	—	—	—	—	8
9	—	—	—	—	—	—	—	—	—	—	·05	·03	9
10	·02	·12	·30	—	—	—	—	·06	—	—	—	·29	10
11	·15	—	—	—	—	—	—	·12	—	—	·58	—	11
12	—	·32	·47	—	—	—	—	—	·26	—	·30	—	12
13	—	—	·07	—	·06	—	—	—	·45	—	·02	·44	13
14	—	—	·05	—	·01	—	—	—	—	—	—	—	14
15	—	·12	·20	—	—	—	—	—	—	·02	·10	·02	15
16	—	—	—	—	—	—	—	—	—	·03	·17	·07	16
17	—	—	·11	—	·07	—	—	—	—	—	·02	·28	17
18	—	·29	—	—	—	·12	—	—	—	—	·02	·09	18
19	—	—	—	—	—	·15	·06	—	·15	·14	·33	·04	19
20	—	·07	—	—	—	—	—	·59	·05	·05	·43	·58	20
21	—	·12	—	—	—	—	—	·35	—	·24	—	·12	21
22	—	—	—	—	—	·28	—	—	—	·16	·01	·36	22
23	—	·10	·25	—	—	·32	—	—	·21	—	—	·07	23
24	—	·06	—	—	—	·48	—	·02	—	·48	—	·14	24
25	—	·05	·03	·06	·77	·11	—	—	—	—	—	·03	25
26	—	·04	—	·25	—	·08	—	—	—	·22	·12	·15	26
27	—	·18	·14	·18	—	—	—	·12	·15	—	—	·09	27
28	—	·22	—	·12	—	·02	—	·20	—	—	·03	·02	28
29	—		—	·04	—	·19	·36	—	·33	·25	·03	—	29
30	—		—	·05	—	·38	—	—	—	·11	—	—	30
31	—		—		—		—	—		·05		—	31
Total	·69	1·69	1·91	·84	1·24	2·13	·51	1·50	1·66	2·01	3·00	3·52	TOTAL for year 20·79
No. of Rain Days.	6	12	11	8	6	10	4	9	9	14	20	22	131

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 11

FORM A2.
BRITISH RAINFALL.
-5 FEB 1912

Kept at Fawsley Park
in the County of Northampton 4
by The Lady Knightley of Fawsley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 477 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Charwelton G.C.R.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	—	·05	—	—	—	—	·03	1
2	—	—	—	·07	·15	—	·04	·03	·01	—	·06	—	2
3	—	—	—	—	·18	—	—	—	—	·07	·03	·02	3
4	·03	—	·11	·07	—	—	—	—	·05	·17	·49	·24	4
5	·02	—	—	—	—	—	—	·01	—	·02	·03	—	5
6	·29	—	—	—	—	—	—	—	—	—	·02	·31	6
7	—	—	—	—	—	—	—	—	—	—	·16	·10	7
8	·18	—	·18	—	—	—	—	—	—	—	—	—	8
9	—	—	—	—	—	—	—	—	—	—	·05	·03	9
10	·02	·12	·30	—	—	—	—	·06	—	—	—	·29	10
11	·15	—	—	—	—	—	—	·12	—	—	·58	—	11
12	—	·32	·47	—	—	—	—	—	·26	—	·30	—	12
13	—	—	·07	—	·06	—	—	—	·45	—	·02	·44	13
14	—	—	·05	—	·01	—	—	—	—	—	—	—	14
15	—	·12	·20	—	—	—	—	—	—	·02	·10	·02	15
16	—	—	—	—	—	—	—	—	—	·03	·17	·07	16
17	—	—	·11	—	·07	—	—	—	—	—	·02	·28	17
18	—	·29	—	—	—	·12	—	—	—	—	·02	·09	18
19	—	—	—	—	—	·15	·06	—	·15	·14	·33	·04	19
20	—	·07	—	—	—	—	—	·59	·05	·05	·43	·58	20
21	—	·12	—	—	—	—	—	·35	—	·24	—	·12	21
22	—	—	—	—	—	·28	—	—	—	·16	·01	·36	22
23	—	·10	·25	—	—	·32	—	—	·21	—	—	·07	23
24	—	·06	—	—	—	·48	—	·02	—	·48	—	·14	24
25	—	·05	·03	·06	·77	·11	—	—	—	—	—	·03	25
26	—	·04	—	·25	—	·08	—	—	—	·22	·12	·15	26
27	—	·18	·14	·18	—	—	—	·12	·15	—	—	·09	27
28	—	·22	—	·12	—	·02	—	·20	—	—	·03	·02	28
29	—		—	·04	—	·19	·36	—	·33	·25	·03	—	29
30	—		—	·05	—	·38	—	—	—	·11	—	—	30
31	—		—		—		—	—		·05		—	31
Total	·69	1·69	1·91	·84	1·24	2·13	·51	1·50	1·66	2·01	3·00	3·52	TOTAL for year 20·70
No. of Rain Days.	6	12	11	8	6	10	4	9	9	14	20	22	131

W. 8,000, X. '11.

Wrote [illegible] July est. conf for aut by Markham } 17.III.13

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

23 JAN 1913

Kept at Fawsley Park

in the County of Northamptonshire 4

by Lady Knightley of Fawsley

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 477 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Charwelton G.C.R.
Distance 3m. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05			.04			.05	.14		.07	1
2			.08			.06							2
3	.05		.02	.05	.17	.03		.42			.02	.06	3
4	.15		.46		.08	.46		.02			.22		4
5	.14		.30		.06	.09		.24	.03			.05	5
6	.28	.11			.05	.05		.80	.07				6
7					.03	.63 .63		.32					7
8	.33	.20	.15			.38		.11	.08			.02	8
9		.06	.24	.09		.30		.07				.01	9
10			·01			.08		.13			.15	.25	10
11	.07	.04						.05			.21	.39	11
12	.05	.33	·12			.10					.21		12
13		.04						.06			.22		13
14	.05		·26			.10							14
15	.03	.04	·05		.24	.24		.01				.20	15
16	.57		·08		.06	~~.04~~		.05		.01			16
17	.36					.10		.14			.03	.29	17
18	.16	.06	.13					.11		.03	.02	.03	18
19	.27							.58			.01		19
20	.07		.23					.30		.30			20
21	.43		.10		.35			.82		.28			21
22	.13	.10			.25			.34		.05			22
23		.39	.28					.34			.19	.40	23
24	.05	.01				.08		.17				.10	24
25						.30		.15			.25	.19	25
26		.01				.02		1.16		.49	.24	.38	26
27		.01				.16				.37		.22	27
28		.07				.05		.48	.12	.37	.20	.61	28
29						.25			.81	.33		.02	29
30					.35	.16			.13	.29			30
31					.48			.17					31
Total	3.39 3.19	1.47	2.56	.14	2.22	3.68	(4.00)	8.04 7.04	1.29	2.66	1.76	3.39	TOTAL for year 33.30
No. of Rain Days.	17	14	16	2	11	21	(22)	24	7	11	12	17	(174)

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

16 MAR 1914

Kept at Fawsley Park, Daventry
in the County of Northamptonshire 4
by Lady Knightley per. C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04	·10	·12									1
2	·05	·12	·01										2
3	·03		·10	·11	·63		·01						3
4	·44				·11	·02	·10						4
5	·01				·01	·03	·10						5
6		·01	·05		·29	·20	·15						6
7		·10			·08	·05							7
8					·15								8
9		·25	·02	·02		·21							9
10			·03	·18	·02			·02					10
11	·27			·33	·10			·08					11
12				·02	·03		—						12
13	·11		·04	·03				·01					13
14	·10		·26	·01				·02					14
15		·02	·21	·40									15
16	·05		·63	·17									16
17		·03	·18	·22		·02	·09						17
18			·40	·11	·06		·01						18
19	·20		·16	·02	·02								19
20	·31		·11	·05	·02	·01	·14						20
21	·06		·15	·06	·11	·04	·01						21
22	·31		·01				·10	·05					22
23	·01					·03	·01	·03					23
24	·02			·07			·01	·02					24
25			·09	·11									25
26		·08		·17				·06					26
27		·07		·05									27
28	·45	·04	·30	·20									28
29	·03		·22	·61	·05			·07					29
30	·30												30
31			·03		·25			·04					31
Total	2·75	·76	3·10	3·06	1·93	·61	·73	·40					YEAR'S TOTAL
Rain Days.	17	10	20	21	15	9	11	10					

W. 7,500, XI. 12

REG 11

NORTHANTS

FINEDON HALL

1911 + 1912 ONLY

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Wellingborough

in the County of Northa

by W. Durden C.A

in.

bove Ground ft. in.

„ Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								.01					1
2	.05			.04	.18			.01			.07	.07	2
3	.02	.03			.27			.06		.50	.05		3
4			.08	.02					.05	.04		.33	4
5		.02	.02	.01				.12			.20		5
6	.19										.02	.28	6
7	.14									.04	.21	.09	7
8			.12								.04	.16	8
9	.07										.03	.03	9
10	.02	.08	.19								.08	.21	10
11	.16							.10			.39		11
12	.02		.40						.03		.25		12
13			.02		.09				.28		.01	.35	13
14		.03	.14		.31					.04		.28	14
15		.05								.03	.08	.03	15
16											.38	.04	16
17			.09	.04		.09						.20	17
18		.15				.11					.06	.05	18
19						.10				.07	.37	.04	19
20		.05		.02				.28		.04		.38	20
21		.10						.73		.09		.09	21
22	.08		.23			.05		.06		.13	.03	.36	22
23		.12	.22			.81			.34			.20	23
24		.10		.04		.25				.47			24
25		.02		.04	1.23	.09		.03					25
26				.27	.70					.24	.12	.18	26
27		.15	.19	.09			.12		.14			.05	27
28		.25		.11				.26			.06	.02	28
29				.02		.05				.29			29
30			.01			.04	.02			.12		.01	30
31										.04			31
Total	.75	1.15	1.71	70	2.78	1.59	.14	1.66	.84	2.14	2.45	3.45	TOTAL for year 19.36
No. of Rain Days.	9	13	12	11	6	9	2	10	5	14	18	22	131

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

REGISTER OF RAINFALL IN 1911

24 Pf

Kept at Wellingborough Finedon Hall

in the County of Northamptonshire 4.

by W. Durden C. A. Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								.01					1
2	.05			.04	.18			.01			.07	.07	2
3	.02	.03			.27			.06		.50	.05		3
4			.08	.02					.05	.04		.33	4
5		.02	.02	.01				.12			.20		5
6	.19										.02	.28	6
7	.14									.04	.21	.09	7
8			.12								.04	.16	8
9	.07										.03	.03	9
10	.02	.08	.19								.08	.21	10
11	.16							.10			.39		11
12	02		.40						.03		.25		12
13			.02		.09				.28		.01	.35	13
14		.03	.14		.31					.04		.28	14
15		.05								.03	.08	.03	15
16											.38	.04	16
17			.09	.04		.09						.20	17
18		.15				.11					.06	.05	18
19						.10				.07	.37	.04	19
20		.05		.02				.28		.04		.38	20
21		.10						.73		.09		.09	21
22	.08		.23			.05		.06		.13	.03	.36	22
23		.12	.22			.81			.34			.20	23
24		.10		.04		.25				.47			24
25		02		.04	1.23	.09		.03					25
26				.27	.70					.24	.12	.18	26
27		.15	.19	.09			.12		.14			.05	27
28		.25		.11				.26			06	.02	28
29				.02		.05				.29			29
30			.01			.04	.02			.12		.01	30
31										.04			31
Total	.75	1.15	1.71	.70	2.78	1.59	.14	1.66	.84	2.14	2.45	3.45	TOTAL for year 19.36
No. of Rain Days.	9	13	12	11	6	9	2	10	5	14	18	22	131

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

25 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Finedon Hall
in the County of Northants 4
by C. A. Markham W. Durden

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						·04			·04				1
2						·18	·71						2
3	·10					·16	·05	·49					3
4			·61			·54		·04					4
5	·15		·24		·10	·08		·13					5
6		·26				·20	·20	·18					6
7						·59	·11						7
8	·60	·23	·15			·05		·43	·10				8
9	·01			·08		·10	·15						9
10						·25		·10					10
11	·12	·12	·08			·35							11
12	·09	·45			·08			·05					12
13						·10		·02					13
14								·04					14
15	·06		·12										15
16	·32					·15		·08	·01				16
17	·35					·13		·14					17
18	·09	·05	·28					·04					18
19	·24	·09					·10	·23					19
20	·02				·05			·07					20
21		·02	·08		·52		·35	·92	·06				21
22	·45	·08	·15		·17			·29					22
23	·11	·31	·16				·41	·40					23
24		·02				·21	·74	·13					24
25	·12							·45					25
26			·04				·43	1·49					26
27						·22	·28	·07					27
28							·18	·49					28
29		·05					·26	·02	·35				29
30			·02		·11		·57		·51				30
31					·53			·23					31
Total	2·83	1·68	1·93	·08	1·56	3·35	4·54	6·53	1·07				YEAR'S TOTAL
Rain Days.	15	11	11	1	7	16	14	24	6				

W. 7,500, XI. ·12

NORTHANTS.

FINESHADE ABBEY

1911- 1919

RE 1911

FORM A2. BRITISH RAINFALL.

26 MAR 1912

Kept at Stamford Fine

in the County of Northa

by F W Plumb C.A

top in.

p above Ground ft. in.

„ Sea Level ft.

ation { Name
Distance Direction

IMPORTANT NOT ,, and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03							.09					1
2	.10							.04			.05		2
3	.12			.08						.05	.04		3
4	.02		.06	.06					.10	.25	.15	.37	4
5	.03			.05				06		.06		.05	5
6	.29									.02		.23	6
7											.11	.18	7
8	.13		.12								.09	.08	8
9	.10										.14	.04	9
10	.02	.16	.20								.02	.31	10
11	.10							.10			.41		11
12			.41						.05		.10		12
13			.10						.15			.34	13
14		.08			1.06					03		.45	14
15		.07	.08							.05	.04	.02	15
16			.10								.30	.04	16
17											.08	.12	17
18		.20				.10					.10	.05	18
19										.09	.22		19
20								.34	.13	.03		.45	20
21		.23						.56		.07		.13	21
22		.04		.04		.21		.16		.18		.45	22
23		.03	.20	.07		.75			.29			.06	23
24						.34				.60		.11	24
25		.10		.10			.10			.14		.10	25
26				.23	1·20		.25			.24	.26	.24	26
27		.25	.14	.10				.05	.10	.05		.11	27
28		.15		.13		.08		.17					28
29						.13	.11		.18	.16			29
30										.14			30
31			.01					.10		.01			31
Total	94	1·29	1·42	·86	2.26	1·61	·46	1·67	1.00	2·17	2·11	3·93	TOTAL for year 19·72
No. of Rain Days.	10	10	10	9	2	6	3	10	7	17	15	21	120

W. 8,000, X. '11.

4

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Ex Pl

Kept at Stamford Fineshade abbey

in the County of Northamptonshire 5

by F W Plumb C. A Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
,, ,, ,, Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03							.09					1
2	.10							.04			.05		2
3	.12			.08						.05	.04		3
4	.02		.06	.06					.10	.25	.15	.37	4
5	.03			.05				.06		.06		.05	5
6	.29									.02		.23	6
7											.11	.18	7
8	.13		.12								.09	.08	8
9	.10										.14	.04	9
10	.02	.16	.20								.02	.31	10
11	.10							.10			.41		11
12			.41						.05		.10		12
13			.10						.15			.34	13
14		.08			1.06					03		.45	14
15		.07	.08							.05	.04	.02	15
16			.10								.30	.04	16
17											.08	.12	17
18		.20				.10					.10	.05	18
19										.09	.22		19
20								.34	.13	.03		.45	20
21		.23						.56		.07		.13	21
22		.04		.04		.21		.16		.18		.45	22
23		.03	.20	.07		.75			.29			.06	23
24						.34				.60		.11	24
25		.10		.10			.10			.14		.10	25
26				.23	1·20		.25			.24	.26	.24	26
27		.23	.14	.10				.05	.10	.05		.11	27
28		.15		.13		.08		.17					28
29						.13	.11		.18	.16			29
30										.14			30
31			.01					.10		.01			31
Total	94	1·29	1·42	·86	2.26	1·61	·46	1·67	1.00	2.17	2·11	3·93	TOTAL for year 19·72
No. of Rain Days.	10	10	10	9	2	6	3	10	7	17	15	21	120

W. 8,000, X. '11.

P. made

Ex 32

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

25 MAR 1913

Kept at Kings Cliffe, Fineshade Abbey

in the County of Northants 5

by C. A. Markham, F. W. Plumb

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·28			·05			·36	1
2			·04	·04		·36	·41		·09				2
3			·06		03	·42	·04	·47	·03			·09	3
4	·03		·50		·06	·44		·04			25		4
5	·17		·30			·02		·10					5
6	·53	·18				·03	·36	·08					6
7						·49	·05	·11					7
8	·37	·31	·13			·12	·02		·14				8
9		·08				·63	·02					·18	9
10						·03		·07			·14		10
11	·07	·15				·01					·02		11
12	·09	·18			·11	·28	·09				·06		12
13	·03	·08				·02							13
14	·06		·13			·03		·05					14
15	·04		·08		·10	·07						·37	15
16	·30		·06		·37			·06		·08		·19	16
17	·30		·22			·23		·10				·04	17
18	·18		·09					·11			·06		18
19	·27	·09					·10	·23					19
20	·10		·23		·05		·79	·56		·26			20
21			·08		·42			·51		·17			21
22	·16	·04			·61		1·11	·29					22
23	·10	·19	·22				1·17	·46				·25	23
24	·12					·17	·04	·27			·12	·16	24
25						·28		·57			·22	·29	25
26		·02				·11	24	1·65		·60	·26	·43	26
27						·10	·64	·02		·35		·18	27
28						·03	·02	·46		·33		·41	28
29		·02				·07	·26		·50	·30	·10		29
30					·15				·19	·20			30
31			·15		·14		·43	·12					31
Total	2·92	1·34	2·29	·04	2·04	4·22	5·79	6·33	1·00	2·29	1·23	2·95	YEAR'S TOTAL 32·44
Rain Days.	17	11	14	1	10	22	17	21	6	8	9	12	148

W. 7,500, XI. 12

28

FORM A.
BRITISH RAINFALL.

13 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Fineshade Abbey, Stamford

in the County of Northants 5

by F. W. Plumb per C. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·08				·55		·08		1
2	·02						·10		·18				2
3					·47					·07		·06	3
4	·32				·11	·03				·30	·06	·38	4
5									·06	·68			5
6					·39	·12	·12			·07			6
7		·41			·08					·61			7
8					·21					·05	·18		8
9		·23				·12	·03				·07		9
10			·07		·34	·19	·17	·23			·53		10
11	·96			·46				·66			·18		11
12					·15						·37		12
13									·04		·20		13
14	·11		·10				·09						14
15	·11		·65	·30					·16				15
16			·87	·20					·03				16
17	·12	·04	·05	·08		·20					·08		17
18			·21	·06							·02		18
19	·12		·04				·09						19
20	·21		·11							·46			20
21			·10		·12						·20		21
22	·24		·15					·03	·34				22
23						·08		·02					23
24				·06									24
25				·19									25
26		·05	·26	·08						·36		·24	26
27			·10								·04		27
28	·41		·24	·22				·18				·09	28
29				·50	·03							·05	29
30										·17			30
31					·05			·45					31
Total	2·62	·73	2·95	2·15	2·03	·74	·60	1·57	1·36	2·77	2·01	·82	YEAR'S TOTAL 20·35
Rain Days.	10	4	13	10	11	6	6	6	7	9	12	5	99

W. 7,500, XI. 12

Copied from C Comp fr mth 8.III.15 ~~H~~LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 MAR 1915

Kept at Kings Cliffe (Fineshade Abbey)

in the County of Northampton 5

by F. W. Plumb C. A Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·04	-	-	-	28	-	-	-	·05	1
2	-	-	-	-	-	-	-	·08	-	-	·09	·18	2
3	-	-	-	·08	·18	-	44	·03	-	-	-	·15	3
4	-	-	-	·19	·12	-	-	·20	-	-	·69	·16	4
5	·15	-	·11	·12	-	17	12	·23	-	-	-	-	5
6	·04	·05	-	-	·07	-	-	-	-	-	-	-	6
7	-	·06	·39	-	·10	·06	-	-	-	-	-	·05	7
8	·07	-	-	·01	·07	·97	-	17	-	-	-	-	8
9	·43	-	·35	·31	-	·85	-	-	·07	-	-	-	9
10	·27	·08	-	·07	-	-	-	-	-	-	-	-	10
11	-	-	·25	·10	·20	·06	-	-	-	-	39	·30	11
12	-	-	·11	-	-	-	·04	-	·37	-	-	·35	12
13	·05	-	·16	-	-	-	-	-	-	·20	·15	·27	13
14	-	-	·14	-	-	-	·09	-	-	·41	·10	·25	14
15	-	·06	·16	-	-	-	-	-	·04	-	·08	·15	15
16	-	-	-	-	-	-	·05	-	-	-	-	-	16
17	·08	·29	-	-	-	·07	·08	-	12	-	-	·15	17
18	·02	-	·13	-	-	-	·22	-	-	-	-	·34	18
19	-	-	·12	-	-	-	-	-	-	-	·09	-	19
20	-	·15	·24	-	-	-	-	-	-	-	-	-	20
21	-	·19	·09	-	-	-	·04	-	-	-	-	·27	21
22	-	-	·06	-	20	-	-	12	-	·25	-	-	22
23	-	·02	-	-	-	-	-	-	-	-	-	-	23
24	-	-	-	-	-	-	·08	-	-	·22	·09	-	24
25	-	-	·04	-	-	-	-	-	-	·41	-	·19	25
26	-	-	-	-	-	-	·03	27	-	·09	·15	·36	26
27	-	-	-	-	-	-	-	-	-	-	-	·18	27
28	-	-	-	-	·04	-	-	-	-	·18	·15	1·13	28
29	-	-	·08	-	·06	-	-	-	-	·30	·04	·24	29
30	-		-	-	-	-	-	-	-	-	·15	-	30
31	-		-		·02		·06	-		·02		·05	31
Total	1·11	·90	2·43	·92	1·06	2·18	1·25	1·38	·60	2·38	2·17 ~~2·21~~	4·82	YEAR'S TOTAL 21·20 ~~21·24~~
Rain Days.	8	8	15	8	10	6	11	8	4	9	12	19	~~118~~

W. 8,000. X. 14.

Northampton Nat His Soc

12244

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Fineshade Abbey Stamford

in the County of Northamptonshire 5

by Major C. A. Markham F. W. Plumb

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.21				.23		.05	.06	.07			.10	1
2		.30		21				.42		.04	.06		2
3	.34		.18	.11			.20	.10	.11			.13	3
4	.10						.18	.05				.60	4
5	03	.22		.08	.18			.03				.29	5
6		.04		.19			.72	.10				.07	6
7		.30		.04			.06	.20				.10	7
8		.12	.14	.06				.02					8
9								.05			.18	.48	9
10	.53							.25			.16		10
11					.11		.26				.51		11
12				.24	.30	.32	.04	.12			1.40	.12	12
13		.48			.84		.08						13
14		.02						.48	.03			.28	14
15					.08			.04			.17	.11	15
16	.25	.34					1.15	.05				.03	16
17		.14					.15						17
18			.35								.05		18
19		.15					.08						19
20												.25	20
21					.38		.09					.10	21
22			.16				.16					.06	22
23	.60	.06				.04	.10		.05	.35		.34	23
24			.08				.13		.66	.05		.03	24
25						.57	.08					.31	25
26		.10					.13					.34	26
27			.06			.22	.08			.70			27
28		.11	.04			.10	.01		.06	.11			28
29						.45	.01	.08			.18	.25	29
30		X				.62		.10		.22		.04	30
31	.10	X		X		X			X		X	.09	31
Total	2.16	2.38	1.01	.93	2.12	2.32	3.76	2.15	98	1.47	2.71	4.12	YEAR'S TOTAL 26.11
Rain Days.	8	13	7	7	7	7	20	16	6	6	8	21	126

W. 8,000. X. 15.

[illegible] [illegible] 1221

FORM A.
BRITISH RAINFALL.
28 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Kings Cliffe Fineshade Abbey Stamford

in the County of Northamptonshire

by C. A. Markham F W Plumb

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.18			.09	.22				.25		1
2	.41		.13		.49		.07		.06	.30	.20		2
3		.33					.30		.07	.23			3
4	.43	.15			.15	.21					.15		4
5						.26				.20	.45		5
6	.10	.10	.13	.06			.21				.34		6
7			.08		.07		.28			.04	.16	.05	7
8			.12								.03		8
9			.06		.39	.09						.33	9
10			.10	.04		.12			.06				10
11	.02	.34	.13	.07		.08						.09	11
12	.05		.08		.30	.10	.05	.01		.07			12
13		.20	.23		.56	.07		.02					13
14				.05	.03			.33					14
15		.66	.37		.03								15
16		.16	.20	.11			.20						16
17	.03	.05		.08			.16	.26	.15	.27			17
18		.22	.03	.06					.03	.01	.78		18
19	09	.05	.16	.10		.05			04		.31	.09	19
20	.09		.08	.06							.17	26	20
21	.02	.02	23	.04				.04				58	21
22		.03			.10	.05						.61	22
23	.05	50				.19					.05	.19	23
24		.18		.05		.04						.15	24
25			.15		.05			.37		.05	07		25
26		.03				.02		.11					26
27	.04	.31				.05	.03	.09		.19			27
28		.28	1.27	.02		.10						.16	28
29		.02				.21		1.22		.30		06	29
30		✕				.12		.22		.14			30
31		✕		✕		✕		.04	✕		✕		31
Total	1.35	3.63 3.63	3.73 3.73	.74	2.17 2.17	1.85	1.52	2.71	.41	1.80	2.96	2.57	YEAR'S TOTAL 25.44 25.44
Rain Days.	12	18	18	12	10	17	9	11	6	11	12	11	41

W. 8,000, VIII. 16

1176

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Stamford, Fineshade Abbey
in the County of Northamptonshire
by C. A. Markham, F. W. Plumb

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·18				·95	·12		·02		1
2		·06		·09		·19		·10			·03		2
3				·06				·46					3
4	·06	·10	·08					·56		·49			4
5	·13							·06	·25	·03	·11		5
6				·11				·02					6
7	·47					·08				·41			7
8	·36			·12			·22	1·03		·32	·06		8
9	·20		·15	·09				·74		·02	·06		9
10	·24		·25	·19	·01			·24		·03			10
11	·08		·09	·15				·19	·02	·37	·01		11
12	·14	·05			·14			·10		·31			12
13	·06			·07				·19	·02				13
14	·08		·08					·31				·03	14
15	·12						·13	·25		·01			15
16	·07	·15		·10			·05			·09		·12	16
17	·06			·19	·54	·38	·11	·02					17
18	·02		·12	·06	·09		·22	·05	·71				18
19		·09	·04		·13								19
20		·25	·06		·31						·17		20
21													21
22						·03		·11		·07			22
23		·03			·08			·14	·08				23
24						·86		·02		·45			24
25													25
26			·10					·30	·23		·25		26
27								·72					27
28						·49		·06				·04	28
29			·09		1·21	·06	·13	·03		·40		·30	29
30		X					·19	·20					30
31		X		X		X	·09	·14	X		X	·04	31
Total	2·09	·73	1·06	1·41	2·51	2·09	1·14	6·99	1·43	3·00	·71	·53	YEAR'S TOTAL 23·69
Rain Days.	14	7	10	12	8	7	8	25	7	13	8	5	~~124~~

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Fineshade Abbey

in the County of Northamptonshire

by C. A. Markham, F. W. Plumb

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·15	·10							·10		1
2		·17		·11							·03	·11	2
3								·12			·50		3
4			·05		·43		·09	·03	·81		·62		4
5		·04			·17					·10		·05	5
6		·10		·09								·03	6
7		·05		·10						·14	·09		7
8	·30			·04					·12	·03		·10	8
9		·18					·10		·35	·10		·06	9
10				·04			·20		·02	·23		·04	10
11					·14		·30		·03			·02	11
12		·15			·07		·10		·13				12
13					·30				·05				13
14							·32		·29	·18			14
15	·50			·67			·09		·09			·07	15
16				·24		·16			·34				16
17	·40			·05	·20		·60						17
18	·20			·05		·04	·05		·09			·56	18
19			·07	·04			·01			·30			19
20	·08	·04		·46	·76		·01		·10	·07			20
21				·05			·01		·25	·14			21
22	·13					·09	·03					·43	22
23	·12					·10	·08						23
24		·16				·05	·15		·06				24
25							·10	·25					25
26							·15						26
27			·15				·07	·19	·10			·06	27
28											·15	·20	28
29									·82		·30	·21	29
30		×	·20						·02		·21	·04	30
31		×	·19	×		×			×		×	·10	31
Total	1.83	·89	·81	2.04	2.07	·44	2.46	·59	3.67	1.29	2.00	2.08	YEAR'S TOTAL 20.17
Rain Days	8	8	6	13	7	5	18	4	17	9	8	15	118

1110

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Kings Cliffe, Fineshade Abbey

in the County of Northamptonshire

by F. W. Plumb per Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22												1
2	·12		·02										2
3	1·00												3
4	·07		·43										4
5	·02												5
6	·02		·17										6
7			·20										7
8	·13		·04	·22									8
9			·03	·05									9
10			·18	·06									10
11	·08		·37	·03									11
12			·29										12
13	·04			·20									13
14	·40			·12									14
15	·15		·05	·08									15
16		1·14											16
17	·07	·35											17
18													18
19		·15	1·08										19
20	·60		·28										20
21	·29	·44	·15										21
22		·20											22
23				·02									23
24				·22									24
25	·08			·04									25
26			·20	·08									26
27	·32	·25		·50									27
28	·23												28
29													29
30		X		·30									30
31		X		X		X			X		X		31
TOTAL	3·84	2·53	3·49	1·92									YEAR'S TOTAL
Days with ·01 in. or more	17	6	14	13									

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

forme.

R 19 11

NORTHANTS

GREAT BILLING

1911 - 1918

FORM A2. BRITISH RAINFALL.

4 - JAN 1912

Glaisher altered

Kept at Great Billing

in the County of North

by Rev. G. H. Mullins.

of top 8 in.

op above Ground 1 ft. 6 in.

„ Sea Level 295 ft.

9 am

ation { Name Billing CWW
Distance 1⅓ Direction 9

IMPORTANT NOT measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.016		.010	.078			.021	.050			.023	.024	1
2	.024			.048	.185		.065	.010		.021	.036	.035	2
3	.010	.017			.185			.080	.023	.039	.024	.035	3
4	.022	.010	.080	.038					.050	.273	.361	.305	4
5	.010			.012				.100		.030	.036		5
6	.257		.010								.029	.353	6
7	.010			.010						.100	.151	.100	7
8	.130		.120							.010	.030	.095	8
9	.090			.010							010	.050	9
10	.010	.090	.202								.010	.264	10
11	.012							.040			.130	.019	11
12	} .028		.460						.017		.330	.010	12
13			.026		.072				.306	.010	.015	.415	13
14		.010	.038		.043							.324	14
15		.060	.120							.029	.070	.023	15
16	.010		.108							.013	.340	.065	16
17			.072			.049					.028	.196	17
18		.202				.084				.010	} .074	.060	18
19		.029				.205	.040		.072	.030	.282	.055	19
20	.010	.060				.010		.400	.086	.042		.625	20
21		.072	.010					.100		.110	.012	.120	21
22	.022	.010	.130	.010		.050		.040	.252	.136	.010	.340	22
23		.052	.301			.261						.106	23
24	.010	.060	.010			.384				.348		.076	24
25		.051	.033	.028	1.008	.098		.015		.010		.010	25
26		.017		.337	1.005	.025		.010		.183	.085	.146	26
27		.206	.182	.044			.045	.046	.116	.010	.015	.050	27
28		.184		.120				.200	+		.062	.035	28
29			.010	.020		.138	.088		.146	.204	.010		29
30			.010			.075				.100		.012	30
31			.010		.234					.075		.010	31
Total	.671	1.130	1.942	.755	2.735	1.379	.259	1.091	1.068	1.783	2.471	3.956	TOTAL for year 19.240
No. of Rain Days	~~16~~ 17	16	20	12	7	11	5	12	9	21	24	29	~~152~~ 183

9,000, IX. '10.

forme.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Great Billing

in the County of Northampton. 4

by Rev. G. H. Mullins.

RAIN GAUGE: Pattern Glaisher altered
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 275 ft.

Time of Observation 9 am

Nearest Railway Station: Name Billing L.N.W.
Distance 1⅓ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.016		.010	.078			.021	.050			.023	.024	1
2	.024			.048	.185		.065	.010		.021	.036	.035	2
3	.010	.017			.185			.080	.023	.039	.024	.035	3
4	.022	.010	.080	.038					.050	.273	.361	.305	4
5	.010			.012				.100		.030	.036		5
6	.257		.010								.027	.353	6
7	.010			.010						.100	.157	.100	7
8	.130		.120							.010	.030	.095	8
9	.090			.010							.010	.050	9
10	.010	.090	.202								.010	.264	10
11	.012							.040			.130	.017	11
12	.028		.460						.017		.330	.010	12
13			.026		.072				.306	.010	.015	.415	13
14		.010	.038		.043							.324	14
15		.060	.120							.029	.070	.023	15
16	.010		.108							.013	.340	.065	16
17			.072			.049					.028	.196	17
18		.202				.084				.010	.074	.060	18
19		.029				.205	.040		.072	.030	.282	.055	19
20	.010	.060				.010		.400	.086	.042		.625	20
21		.072	.010					.100		.110	.012	.120	21
22	.022	.010	.130	.010		.050		.040	.252	.136	.010	.340	22
23		.052	.301			.261						.106	23
24	.010	.060	.010			.384				.348		.076	24
25		.051	.033	.028	1.008	.098		.015		.010		.010	25
26		.017		.337	1.008	.025		.010		.183	.085	.146	26
27		.206	.182	.044			.045	.046	.116	.010	.015	.050	27
28		.184		.120				.200	#		.062	.035	28
29			.010	.020		.138	.088		.146	.204	.010		29
30			.010			.075				.100		.012	30
31			.010		.234					.075		.010	31
Total	.671	1.130	1.942	.758	2.735	1.379	.259	1.091	1.068	1.783	2.471	3.956	TOTAL for year 19.240
No. of Rain Days	~~16~~ 17	16	20	12	7	11	5	12	9	21	24	29	~~182~~ 183

9,000, IX. '10.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 8 JAN 1913

Kept at Great Billing

in the County of Northampton 4

by G. H. Mullins

RAIN GAUGE
Pattern Glaisher-modified
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
„ „ „ Sea Level 275 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Billing L.N.W.
Distance 1½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.024	.017		.040	.070	.010	.020	.157	.010	.085	1
2		.040	.055	.013		.120	.484	.	.010			.010	2
3	.045		.050		.094	.090	.035	.510	.032		.010	.046	3
4	.074		.562		.108	.220		.047			.278		4
5	.141	.068	.234		.010	.190		.150	.038		.145		5
6	.305	.124				.030	.077	.480			.010	.126	6
7		.024			.054	.500	.010	.146				.035	7
8	.335	.233	.236	.028		.170	.032	.060	.090	.010		.014	8
9	.013	.065	.072	.077		.530	.039	.050				.144	9
10		.011		.018		.010		.156			.164	.010	10
11	.049	.085				.060		.055			.028	.236	11
12	.065	.382	.070		.027	.080	TS▲ .441	.010			.080		12
13	.010	.031				.010					.050	.010	13
14	.030		.079		.067	.044		.075		.010			14
15	.020	.036	.065		.254	.154		.012				.156	15
16	.381	[illegible]	.030		.098	.048		.056		.060	.012		16
17	.420		.140			.116		.184			.037	.184	17
18	.387		.066					.046		.030	.011	.018	18
19	.221	.090					.055	.266		.020	.018		19
20	.045		.175		.076		.164	.244		.170			20
21	.010	.012	.116		TS .471			.766		.166	.042		21
22	.483	.065			.086		.540	.485		.040		.017	22
23	.084	.390	.316			.010	TS 1.035	.390			.100	.281	23
24	.054	.010				.060	.010	.234	.010			.142	24
25						.135		.523			.175	.355	25
26		.019	.010			.024	TS .126	1.192		.530	.389	.186	26
27						.062	TS .489			.350	.012	.294	27
28		.026					.066	.395	.015	.160	.213	.685	28
29		.010	.018			.024	.244	.010	.700	.340	.040		29
30	.025				.240	.054	.028		.205	.210	.010		30
31			.013		.220		.376	.200					31
Total	3.227	1.721	2.331	.153	1.805	2.801	4.321	6.742	1.120	2.247	1.832	3.034	TOTAL for year 31.334
No. of Rain Days.	21	19	19	5	13	24	19	27	9	14	21	20	211

P.T.O.

31.334

W. 8,000, X. '11.

P.T.O.

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
4 JAN 1914

Kept at Great Billing Rectory

in the County of Northants 4

by Rev. G. H. Mullins.

RAIN GAUGE
Pattern Glaisher, c. [illegible]
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 295 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Billing (L.N.W.)
Distance 1⅓ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.029	.076	.094	.078		.010			.938		.064	.018	1
2	.010	.160			.010		.135		.133	.305	.032		2
3	.011		.115		.630		.010		.026	.360		.058	3
4	.336						.030			.236	.055	.312	4
5						.021	.050		.082	.738	.011	.011	5
6			.028		.146	.184	.300			.210		.050	6
7		.118			.057	.038	.280			.345	.044	.012	7
8					.119	.098				.048	.037		8
9		.225	.016	.010		.112			.084	.010	.063	.030	9
10	.022		.040	.052	.115		.020	.065			.590		10
11	1.210 ×			.495	.023					.220	.474		11
12	.017	.010			.048				.010	.016	.145		12
13	.031			.028				.020	.040		.222		13
14	.104	.020	.160	.028				.042		.078	.017		14
15	.090	.019	.206	.265			.150		.043				15
16	.042		.590	.165					.028	.010		.037	16
17	.135	.198	.053	.070		.040	.020				.014		17
18	.010		.176	.093			.080					.010	18
19	.185		.057		.010	.018	.080		.077			.024	19
20	.106		.165	.010		.023				.376	.018		20
21	.029		.200	.018	.093		.030			.018	.240		21
22	.425		.217					.028	.168				22
23			.018			.052		.030	.028			.028	23
24	.018			.075				.020				.017	24
25		.020		.162		.125				.014		.010	25
26		.044	.176	.129				.039		.295	.030	.184	26
27		.026	.013	.052	.070					.010	.010		27
28	.406		.262	.140					.010	.124		* .021	28
29	.016		.148	.502	.034			.050		.080		* .040	29
30	.230		.010	.018	.010			.022		.188	.121	* .022	30
31			.010		.173			.234		.010			31
Total	3.462	0.916	2.754	2.390	1.588	.721	1.185	.550	1.667	3.691	2.187	.681	TOTAL for year 21792
No. of Rain Days.	21	11	21	19	14	11	12	10	13	21	18	~~18~~ 17	189

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19~~[illegible]~~ MC 14

FORM A.
BRITISH RAINFALL.
5 - JAN 1915

Kept at Great Billing Rectory
in the County of Northants 4
by Rev. G. H. Mullins

Lat. 52° 16' N Long. 0° 49' W
Time of Observation 9 am
Nearest Railway Station Billing L.N.W.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ~~275~~ 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.010	.035			.094	·245			.074	.070	1
2	.010		.010					·147		·013	.417	.291	2
3					·146		·304	·015			.034	.010	3
4	·170			·125				·475			$.3\overset{5}{9}0$	.165	4
5	* ·034		.017	·110	.040	·100	.385	·185			.048		5
6		·019	.015	.176	.037	·077		·023			.013	.048	6
7		·093	.418	·010	·034	.023	.055	·048				.035	7
8	·112	·025	·128 5	·129	·095	.445	.345	·117	·019			.068	8
9	·334		.226	.074		·896		·050	·054			.010	9
10	·114	·090	.010	.050	·088				·146				10
11		·070	.271	.041	·164	.426			.014		·325	·434	11
12	.010	.030	.094			.011	·046		·354		.045	.265	12
13	.010	.130	·146						.026	·115	.090	.296	13
14			.144				.155			.565	.076	.215	14
15	·034	.070	.200				·230	·010	.060		.020	.108	15
16			.055				.036		.032		.010		16
17		.280	.020						·097		·010	.169	17
18	.010		.014				.264					.375	18
19		.040	.160				.014		.030		·058	.018	19
20		.193	.254						.010			.140	20
21	.010	.096	.075			·134		·078		·070	·017	.165	21
22			.080		·264	.044	·104	·048		.160			22
23		·018	.054		.090	·010				.070		.021	23
24	·010	.010			.010	Ω.013	.224			.198	·084		24
25	·050						·041	·126		.323	.010	·172	25
26			.104			Ω.010	·010	.050		.043	.124	.336	26
27	·028		.010							.010	.035	.126	27
28		·040			.010					.062	.147	1.060	28
29	.014		.094		.038					.291	.050	.023	29
30			.038			.052				.033	.264	·274	30
31	.014				.045		.074					·089	31
Total	·964	1.204	2.644 ✓	·750	1.061	2.681	2·381	1·617	·842	1.956	2.331 2331	4.983	YEAR'S TOTAL 23.414 ✓
Rain Days.	16	15	25	9	13	13	16	14	11	13	22	26	193 ✓

W. 7,500, XI. 12

P.T.O.

Dec 14 est? (obs. agrees 23.III.16) Ed L.N.

[illegible] Dec 14 for note

REGISTER OF RAINFALL IN 1915

1197

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at Great Billing Rectory

in the County of Northampton 4

by Rev. G. St. Mullins

Lat. 52° 15' N Long. 0° 49' W

Time of Observation 9 a.

Nearest Railway Station Billing L.N.W.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.325	.060	.115		.135			.010	.046	.053	.033	.116	1
2	.022	.145	.247	.145		.023		.106	.010	.154		.060	2
3	.335		.024	.097			.160	.813	.145			.126	3
4	.042						.196	.010			.010	.539	4
5	.028	.300			.290			.030			.010	.235	5
6	.180	.024	.024	.185			.839	.053		.010		.095	6
7	.031	.342	.072	.010	.010	.052	.042	.052				.115	7
8	.133	.140	.018					.028					8
9		.010					.010			.020	.168	.498	9
10	.275		.030								.115	.010	10
11	.018		.010	.037	.080		.048				.723	.033	11
12	.028	.010		.210	.398			.736		.012	.941	*.048	12
13	.020	.416		.010	1.106							.016	13
14		.029						.142	.060			(.35)	14
15	.166				.028		.060	.145			.193	.085	15
16	.059	.276			.014		.696	.094				.054	16
17		.175			.075		.175					.013	17
18		.044	.230								.032		18
19	.010	.023	.012		.010		.120						19
20	.356									.020		.267	20
21	.134	.018			.288		.090					.064	21
22	.150	.019	.305	.060			.356		.012			.095	22
23	.028	.040	.056			.020	.125		.062	.190		.340	23
24			.023			.064	.074		.790	.070		.105	24
25			.010			.013	.295			.010	.010	.257	25
26		.090		.010			.115		.013			.275	26
27		.018	.010			.039	.068			.360		.037	27
28		.094				.019	.017	.052	.196	.061			28
29		✕			.010		.025	.101			.110	.096	29
30	.057	✕				.263		trace			.010	.075	30
31	.042	✕		✕		✕		.047	✕	.414	✕	.073	31
Total	2.439	2.273	1.186	.764	2.444	.523	3.571	2.419	1.334	1.374	2.355	~~3.721~~ (4.071)	YEAR'S TOTAL 24.393
Rain Days.	21	20	15	9	12	8	19	15	9	12	12	27?	179 ?

W. 8,000. X. 14.

P.T.O.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Great Billing Rectory
in the County of Northampton
by Rev. G. H. Mullins

Lat. 52° 15' N Long. 0. 49 W.
Time of Observation 9 a.
Nearest Railway Station Billing LNW.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.064		.060		.020		.304			.010	.315		1
2	.530	.017	.098		.190		.075		.032	.531	.050		2
3		.514							.345	.165	.073		3
4	.342	.096			.085	.190				.020	.145		4
5	.040				.030	.130	.030			.153	.195		5
6		.100	* .170	.158	.035	.038	.360			.057	.396		6
7	.072		* .279		.045		.280				.260	.060	7
8	.010		* .039		.015	.295					.030	.159	8
9	.010	.010			.293	.043						.028	9
10		.132	* .108	.074		.130			.017		.010	.028	10
11	.035	.124	* .098	.150	.050	.142			.010			.095	11
12	.025	.040	.154		.444	.045	.110	.019		.036			12
13	.023	.224	.090	.090	.020	.040	.040	.045					13
14		.508		.040	.010			.046					14
15	.010	.205	.566		.034		.090	.073		.010			15
16		.017	.290	.174	.054		.165	.032		.010			16
17	.076	.023		.104			.035	.210	.148	.256		.010	17
18		.154	.020	.070				.065	.105		* .890	.053	18
19	.114	.025	.056	.040					.124		* .696	.038	19
20	.046		.208	.018				.010			.105	.275	20
21	.030	.010	.470	.018			.010					* .626	21
22		.052	.013		.120	.014				.038	.010	⊠ .650	22
23	.047	.283	* .010			.060		.044			.027	.033	23
24		.335	.056	.023	.031	.057		.052		.040		.231	24
25		.291	.061		.037			.220		.108	.110	.025	25
26						.046		.041		.038	.054	.010	26
27	.025	.123	* 1.426			.018		.173	.073	.230			27
28		.374	* 1.004			.288			.050	.020	.010	.147	28
29		.070			.160	.120		1.498		.360		.020	29
30	.010	╳						.032		.144			30
31	.010	╳		╳		╳		.012	╳	.011	╳	.026	31
Total	1.519	3.727	5.276	.959	1.673	1.656	1.499	2.572	.904	2.281	3.381	2.514	YEAR'S TOTAL 27.961
Rain Days.	19	23	21	12	18	16	11	16	9	19	17	18	199

W. 8,000. X. 15.

P.T.O.

~~W 40~~ 1130

REGISTER OF RAINFALL IN 1917

FORM BRITISH RAINFALL. 2 JAN 1918

Kept at Great Billing Rectory
in the County of Northampton
by Rev. G. H. Mullins

Lat. 52°15′ N Long. 0.49 W
Time of Observation 9a
Nearest Railway Station Billing. LNWR
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.042				1.160	.174		.030		1
2	.012			.010		.065		.120		.031	.034		2
3				.032				.450		.203	.136		3
4		.187*	.113*					.020		.614		.020	4
5	.106		.022*	.080*					.100	.039	.095		5
6						.060			.010	.055	.030		6
7	.340						.034			.330	.022	.010	7
8	.505			.098			.510	.473		.291	.136	.020	8
9	.050		.117*	.090*	.076		.014	.556 Ts	.010		.116		9
10	.323		.215	.200	.054			.194		.010	.027	.033	10
11	.030	.015*	.270	.323*				.145	.131	.226	.010		11
12	.150		.010	.018	.034 Ts			.171		.170	.010	.020	12
13	.010		.032					.200	.053				13
14	.120			.069				.626 Ts				.022	14
15	.030			.015			.022	.040 T		.031			15
16	.045	.140		.143			.020			.181		.124*	DI.0 → 16
17	.015	.030		.130	.056		.300	.030	.272	.038			17
18	.029	.039		.084	.486	.029	.090	.075 Ts	.738			.010	18
19	.015	.186	.084		.136				.020				19
20	.010	.144	.050		.095		.010		.105		.097		20
21	.010	.010	.042*		.615								21
22			.075*	.020	.010			.094	.010	.143			22
23		.087			.010			.335 Ts	.032	.020		.010	23
24	.029	.037			.053	.128		.085		.168	.048		24
25			.065				.400 Ts		.018	.010	.044		25
26			.010*					.416	.090		.138	.020	26
27						.798 T		.601				.010	27
28			.165*			.520 Ts		.205				.045	28
29					.530 Ts	.196	.230	.077		.327		.270	29
30	.010						.420	.160				.020	30
31			.070*				.116	.057				.140*	31
Total	1.839	.875	1.340	1.354	2.155	1.796	2.160	6.240	1.763 1.763	2.557	.973	.774	YEAR'S TOTAL 24.206 24.206
Rain Days.	19	10	15	15	13	7	12	23	14	18	15	15	176

W. 8,000, VIII. 16

Ex. & C.

19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

4. I. 19

Kept at Great Billing

in the County of Northampton

by Rev. G. H. Mullins

Lat. 52° 15' Long. 0. 49' W.

Time of Observation 9 a.m.

Nearest Railway Station Billing

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 295 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.045		.101					.025		.195	.030	1
2		.103		.215				.076			.052	.092	2
3		.037	.040		.360			.096	.265		.451	.010	3
4		.010	.050					.042	.296		.400	.028	4
5		.055		.010	.296			.075	.172	.040	.010	.015	5
6		? .130	.010	.122		.022						.016	6
7		.080		.120		.022			.020	.100	.108		7
8			.012*	.108					.047	.027		.065	8
9		.050		.015		.038	.135		.455	.192	.018	.055	9
10	.055			.018		.020	.350		.020	.137		.043	10
11					.236		.042		.050	.235		.051	11
12		.050			.106		.098		.065		.015	.010	12
13		.020	.030	.014	.198	.021	.065		.095	.020		.030	13
14	*.225			.045		.034	.265		.296	.246		.050	14
15	*.890			.762			.130		.042			.090	15
16	*.100			.582		.018		.023	.236			.012	16
17	.135			.023	.028		.620		.010			.088	17
18	.361				~~.104~~	.112	.110		.185			.393	18
19	.036	.025	.010	.143			.030			.039		.186	19
20	.018	.072		.709		.060			.140	.194	.013	.021	20
21	.050			.130			.020		.210	.028		.010	21
22	.106				.184		.010		.028			.346	22
23	.060				.502	.020	.170		.115		.010	.015	23
24		.129					.010		.036		.181		24
25		Put [illegible] under				.116	.050	.188	.010	.015	.020		25
26							.090	.040	.045	.030	.094	.145	26
27		.040					.022	.245	.038		.092	.128	27
28		*.060*	.135					.053			.240	.073	28
29		X	~~.135~~						1.170		.013		29
30		X	.225					.017	.085	.010	.076	.050	30
31	.010	X	.048	X		X			X	.028	X	.010	31
Total	2.046	.876	0.560	3.117	1.410	.483	2.217	.855	4.156	1.341	2.018	2.062	YEAR'S TOTAL 21.641
Rain Days.	12	15	9	16	8	11	17	10	26	15	17	27	183

W. 8,000, IX. 17.

from North

REGIST

NORTHANTS.

GREAT BRINGTON

1911 – 1920

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Great Bringto

in the County of Northa

by A.S.Y Morley   Co

in.

round ft. in.

ea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02								.02	.03	1
2	.03			.04	.17		.06				.05	.02	2
3		.02			.25					.05	.02	.02	3
4	.04		.08	02					.05	.19	.21	23	4
5								.16		.05	.06		5
6	.17			.03							.21	.20	6
7											.02	.06	7
8	.12		.14									.09	8
9	.06			.02							.03	.05	9
10	.02	.09	.19					.14				.22	10
11	.10							.13			.45		11
12			.42						.09		.20		12
13			.02						.34		.01	.52	13
14		.02	.03		.06							.32	14
15		.07	.06							.05	.06	.02	15
16						.03					.28	.03	16
17			.02			.06					.02	.14	17
18		.21				.16	.02				.04	.07	18
19					.02				.11	.07	.32	.12	19
20		.06						.72	.05	.05		.56	20
21		.13	.01					1.24		.12		.05	21
22			.10			.35		.05		.10	.02	.35	22
23		.04	.37			.21			.32			.06	23
24		.04				.34				.60		.10	24
25	.02	.05	.05	.06	.84	.10		.08		.19	.04	.02	25
26		.05		.28	.66	.05		.02			.05	.14	26
27		.14	.13	.10			.06	.14	.11		.05	.06	27
28		.17		.12		.02		.17				.05	28
29						.18	.04		.15	.15			29
30				.04		.07				.08	.01		30
31										.06			31
Total	.56	1.09	1.64	.71	2.00	1.57	.18	2.85	1.22	1.76	2.17	3.53	TOTAL for year 19.28
No. of Rain Days.	8	13	14	9	6	11	4	10	8	13	21	25	142

W. 8,000, X. '11.

from Nor

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

4 RL

Kept at Great Brington

in the County of Northamptonshire 4

by A. S. Y. Morley   C A Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02								.02	.03	1
2	.03			.04	.17		.06				.05	.02	2
3		.02			.25					.05	.02	.02	3
4	.04		.08	.02					.05	.19	.21	.23	4
5								.16		.05	.06		5
6	.17			.03							.21	.20	6
7											.02	.06	7
8	.12		.14									.09	8
9	.06			.02							.03	.05	9
10	.02	.09	.19					.14				.22	10
11	.10							.13			.45		11
12			.42						.09		.20		12
13			.02						.34		.01	.52	13
14		.02	.03		.06							.32	14
15		.07	.06							.05	.06	.02	15
16						.03					.28	.03	16
17			.02			.06					.02	.14	17
18		.21				.16	.02				.04	.07	18
19					.02				.11	.07	.32	.12	19
20		.06						.72	.05	.05		.56	20
21		.13	.01					1.24		.12		.05	21
22			.10			.35		.05		.10	.02	.35	22
23		.04	.37			.21			.32			.06	23
24		.04				.34				.60		.10	24
25	.02	.05	.05	.06	.84	.10		.08		.19	.04	.02	25
26		.05		.28	.66	.05		.02			.05	.14	26
27		.14	.13	.10			.06	.14	.11		.05	.06	27
28		.17		.12		.02		.17				.05	28
29						.18	.04		.15	.15			29
30				.04		.07				.08	.01		30
31										.06			31
Total	.56	1.09	1.64	.71	2.00	1.57	.18	2.85	1.22	1.76	2.17	3.53	TOTAL for year 19.28
No. of Rain Days.	8	13	14	9	6	11	4	10	8	13	21	25	142

W. 8,000, X. '11.

S. made

Ex. D.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

25 MAR 1913

Kept at Great Brington

in the County of Northants 4

by C. A. Markham, A. L. G. Morley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·05			·08	·09		·02	·11		·11	1
2			·08	·02		·10	·40						2
3	·06		·07		·09	·03	·05	·37	·02			·04	3
4	·07		·40	·02	·16	·34		·05			·26		4
5	·16		·19			·10		·28	·04		·07	·02	5
6	·22	·15	·02			·03	·03	·50	·02			·04	6
7					·06	·37		·12				·02	7
8	·30	·24	·17	·04		·18	·21	·16	·05				8
9		·13	·11	·06		·13	·02	·06				·16	9
10		·02				·02		·46			·16		10
11	·03	·07				·05		·05			·19	·29	11
12	·05	·37	·09		·04		·08				·15		12
13		·06						·03			·06		13
14	·04		·12		·09	·06		·14				·02	14
15	·03	·02	·08		·24	·21						·17	15
16	·48		·04		·05	·11		·05		·08			16
17			·07			·12		·14			·03	·30	17
18	·34		·10					·07		·04	·01	·02	18
19	·05	·09					·10	·22					19
20	·06		·20				·46	·34		·21	·03		20
21			·05		·40			·75		·23	·02		21
22	·17	·06			·25		·41	·46		·02	·10	·02	22
23	·11	·30	·37			·03	·23	·30			·23	·31	23
24	·04	·02				·12	·07	·06			·23	·08	24
25						·12		·46				·34	25
26		·03	·02			·05	·11	·93		·54		·19	26
27						·06	·03			·36		·20	27
28		·04				·02	·06	·55	·05	·18	·27	·50	28
29		·02				·36	·22		·77	·24		·02	29
30					·40	·02	·02		·12	·23			30
31					·49		·45	·15				·04	31
Total	2·21	1·62	2·23	·14	2·27	2·71	3·04	6·70	1·09	2·24	1·81	2·89	YEAR'S TOTAL 28·95
Rain Days.	16	15	18	4	11	23	18	24	8	11	14	20	182

W. 7,500, XI. 12

From Nal His Soc

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Great Brington

in the County of Northamptonshire 4

by A. L. Y. Morley C. A. Markham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.06	.06	.09					.63		.14		1
2		.13		.02					.09	.26	.02		2
3	.04		.13		.70				.02	.02		.21	3
4	.40						.07		.05	.34	.03	.36	4
5	.02						.04			.57	.02	.02	5
6		.04	.03		.25	.18	.32			.29		.08	6
7		.12			.23	.07	.18			.44	.05	.02	7
8					.13	.06				.06	.06		8
9		.28	.06	.02	.02	.18	.02	.02	.07		.07		9
10	.04		.02	.03	.07		.03	.10			.40	.03	10
11	.35			.45	.06					.28	.42		11
12											.62		12
13				.03					.05		.21		13
14	.10		.30				.10	.09			.02		14
15	.15	.10	.22	.42			.23		.30	.11			15
16	.02		.86	.15				.02					16
17	.07	.04	.05	.16		.19	.02		.02		.03	.02	17
18			.11	.14			.09		.09				18
19	.19		.06				.05		.09			.02	19
20	.18		.07								.05		20
21	.06		.19	.03	.10		.02			.36	.30		21
22	.40		.26					.04	.21				22
23						.06		.03	.05			.03	23
24	.04			.06				.03					24
25		.02		.10							.02		25
26		.07	.14	.21				.06		.28	.01	.25	26
27			.03	.04						.02			27
28	.42			.14						.13			28
29	.02		.25	.50				.11		.25			29
30	.25		.16							.10	.17	.12	30
31			.02		.22			.12					31
Total	2.78	.86	3.02	2.59	1.78	.74	1.17	.62	1.67	3.51	2.64	1.16	YEAR'S TOTAL 22.54
Rain Days.	18	9	19	17	9	6	12	10	12	15	18	11	156

W.7,000, XI. 13

for Northampton Nat His Soc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
13 MAR 1915

Kept at Great Brington E 4 W

in the County of Northamptonshire 4

by C. A. Markham A.L.Y. Moley

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 9 in.

" " " Sea Level 448 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.06			.24	.26			.07	.04	1
2			.06					.15		.02	.24	.25	2
3			.01		.15		.27	.03					3
4	.20			.18				.41			.32	.27	4
5	.03		.03	.11	.17	.15	.27	.16					5
6		.02		.13	.04						.20	.05	6
7		.11	.43	.01	.04	.02	.04	.04			.01	.02	7
8	.06	.04	.24	.09	.25	.98	.16	.16	.02			.04	8
9	.31		.20	.07		1.04			.03				9
10	.12	.10		.12	.12				.15				10
11		.12	.24	.06	.23	.36			.02			.37	11
12		.10	.09				.43		.30			.30	12
13		.18	.16						.03	.11	.38	.26	13
14		.03	.09				.12	.04		.43	.05	.32	14
15	.03	.01	.16				.04		.02		.09	.04	15
16			.04						.06		.08		16
17		.25	.05						.12		.06	.25	17
18			.13				.32					.38	18
19		.02	.10					.02	.02		.09	.02	19
20		.17							.02			.14	20
21		.14	10			.23		.06		.10		20	21
22			.06		.24	.06	.07	.09		.14			22
23		.05	.06		.06			.04		.07		.04	23
24			.04		.02		.14	.10		.21	.08		24
25	.05						.02	.20		.40		20	25
26			.03				.02			.04	.16	.32	26
27	.04									.04	.04	.09	27
28		.09								.03	.13	1.07	28
29	.02		.12							.16	.11		29
30			.03							.03	.24	.27	30
31	.02				.02		.13						31
Total	88	1.43	2.47	.83	1.34	2.84	2.27	1.76	79	1.78	2.35	4.94	TOTAL for year 23.68
No. of Rain Days.	10	15	22	9	11	7	14	14	11	1.78 13	17	22	23.68 165

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Northampton Nat His Soc

cnd pr auth 24.III.16

1199

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Great Brington

in the County of Northamptonshire 4

by Major C. A. Markham A. L. Y. Morley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.26	.07	.03		.10			.08	.24	.08	.02	.17	1
2	.06	.11	.29	.18		.04		.40	.03	.15		.06	2
3	.44		.04	.09			.05	.23	.04			.18	3
4	.06						.15					.45	4
5	.03	.26						.06				.27	5
6	.20	.04		.16			.85	.05				.07	6
7	.03	.28				.32	.11	.07				.13	7
8	.05	.10		.02				.03			.04		8
9	.28										.21	.48	9
10	.02	.04	.05					.07			.03		10
11	.02		.02	.02	.06		.09				.70		11
12				.21	.43		.11	.34			.75		12
13		.37			.82				.06				13
14		.04			.04			.03				.34	14
15	.39			.02	.04		.06	.12			.15	.20	15
16		.25			.08		.75	.10					16
17		.27					.24						17
18		.10	.16										18
19		.03			.03		.05						19
20	.37											.24	20
21	.06	.04			.05		.14					.06	21
22	.25		.24				.25		.02			.10	22
23	.01		.10	.04			.14		.06	.26	.01	.32	23
24			.06			.05	.05		1.34	.13		.12	24
25			01			.02	.11			.04		.25	25
26		.10					.06		.02			.35	26
27		.04					.04			.36		.03	27
28		.12					.06	.06	.09	.07			28
29								.07			.17	.07	29
30	.06	X				.13				.12	.03	.08	30
31	.10	X		X		X		.05	X	35	X	.10	31
Total	2.69	2.28	1.00	.74	1.65	.56	3.21	1.76	1.90	1.56	2.11	4.07	YEAR'S TOTAL 23.63
Rain Days.	18	2.26 17	16	8	9	5	3.31 18	15	9	9	10	21	23.61 149

W. 8,000. X. 15.

5 made

for Nat Hist Socs £4 0 –

1173

FORM A.
BRITISH RAINFALL.

26 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Great Brington

in the County of Northamptonshire

by C. A. Markham A. L. G. Morley

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15		.04			.09	.20				.45		1
2	.46	.02	.04		.25		.03			.54	.02		2
3		.42							.66	.27	.06		3
4	.42	.07			.15	.25	.27				.15		4
5	.04				.06	.27	.04			.13	.14		5
6		.21		.08		.03	.55			.05	.33		6
7	.05		.24		.04		.26			.02	.24		7
8			.03		.02						.04	.08	8
9	.01				.27	.10						.14	9
10		.14		.07			.02		.04				10
11	.02	.16	.11	.20	.10	.13						.11	11
12	.06	.06	.06		.32	.06	.11			.04			12
13	.02	.22	.05	.09	.03		.11	.14					13
14		.35		.06									14
15		.27	.62		.04		.07	.10					15
16			.39	.22	.06		.25	.11					16
17	.07	.05		.15			.03	.12	.16	.29	.70		17
18		.19		.09				.06	.14		.26		18
19	.08	.05	.05	.11				.06	.11		.12	.14	19
20	.04		.22					.02				.37	20
21			.25				.30					.67	21
22			.26		.16					.05	.04		22
23	.03		.07					.05			.04	.62	23
24		.18				.10		.09		.08		.17	24
25			.08					.25			.11		25
26			.11			.14		.26		.09	.13		26
27	.04	.16	.05				02	.38	.02	.10			27
28		.24	.60	.07					.03	.04		.17	28
29		.07			.13	.18		1.15		.30		.04	29
30		×				.04		.04		.17			30
31		×		×		×			×	.05	×	.02	31
Total	1.49	2.86	3.27	1.14	1.63	1.39	2.26	2.83	1.16	2.22	2.83	2.53	YEAR'S TOTAL 25.61
Rain Days.	14	17	18	10	13	11	14	14	7	15	15	11	159

W. 8,000, VIII. 16

Exe 81 1132

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Great Brington

in the County of Northamptonshire

by C. A. Markham, A. L. J. Morley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·12				·85	·16		·04		1
2						·25		·09			·04		2
3				·40				·21		·03	·09		3
4			·23							·28			4
5	·16								·05	·61	·11		5
6						·15				·09	·03		6
7	·42									·06			7
8	·43			·20			·45	·18		·22	·21		8
9			·12		·09		·02	·52		·34	·16	·24	9
10	·34		·24	·31	·20			·04			·04		10
11	·10		·18	·50				·15	·08	·18			11
12					·06			·03		·24			12
13			·09					·19	·06				13
14	·12			·11				·25					14
15				·04			·11	·02		·05			15
16		·33		·22			·18			·10		·10	16
17				·13	·50	·22	·27		·17	·07			17
18	·07	·05		·11	·12		·11	·03	·95				18
19		·26	·11		·08				·03		·03		19
20		·16	·04		·62	·04			·23		·14		20
21			·06		·22					·04	·01		21
22			·05							·13			22
23					·05			·35	·04	·06		·03	23
24		·11				·32		·05		·22	·12		24
25			·07								·05		25
26							·20	·24	·11		·12		26
27						·45		·73					27
28			·09			·40		·14		·04		·02	28
29					·04	·05	·06	·06		·28		·20	29
30		X					·20	·16		·02			30
31		X		X		X	·06	·07	X		X		31
Total	1·64	·91	1·28	2·14	1·98	1·88	1·66	4·36	1·88	3·06	1·19	·59	YEAR'S TOTAL 22·57
Rain Days.	7	5	11	10	10	8	10	20	10	19	14	5	~~129~~

1·47

W. 8,000. VIII. 16

6 Ex Dr 21

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Great Brington
in the County of Northamptonshire
by C. A. Markham, A. L. J. Morley.

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·06		·16							·18		1
2		·08		·08				·06	·01			·12	2
3		·04	·06		·44			·56	·20		·41	·02	3
4		·02	·10						·30		·43	·01	4
5		·07		·02	·25	·06		07	·05				5
6		·15		·11								·03	6
7		·07		·17						·16	·10		7
8									·10			·22	8
9		·10		·06		·08	·20		·30	·25		·06	9
10	·16						·20			·12			10
11				·02	·06				·04	·25		·10	11
12		·09	·06		·17		·35		·10				12
13		·02			·06				·11			·05	13
14	·27					·12	·90		·23	·12		·03	14
15				·47			·09		·18			·21	15
16	·89			·52			·01		·15				16
17				·03	·04		·53					·10	17
18						·18	·05		·56			·36	18
19				·02			·07			·05		·35	19
20	·05	·14		·45		·05	·01		·08	·13			20
21	·05			·30			·05		·20				21
22					·62				·04	·08		·42	22
23	·16				·66								23
24	·06	·18					·05		·03		·20		24
25						·03		·15					25
26							·20	·05				·14	26
27		·02					·09	·25			·15	·04	27
28			·15			·03					·23	·08	28
29									1.13			·01	29
30		X	·17					·02	·12		·06	·30	30
31		X	·15	X		X		·02	X	·05	X		31
Total	1.64	1.04	·69	2.41	2.30	·55	2.80	1.18	3.93	1.21	1.76	2.65	YEAR'S TOTAL 22.16
Rain Days.	7	13	6	13	8	7	14	8	19	9	8	19	131

W, 6,500, VII. 18. w w c

Ex Ims.

1061

28 MAR 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Great Brington

in the County of Northants

by A. L. Y. Morley per Major C. A. Markham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	·06	.	.	·08	-	·14	.	.	·11	.	·50	1
2	·12	.	-	.	.	-	·10	-	·21	.	·25	·05	2
3	·44	.	·13	.	.	-	·25	-	·22	.	·13	·11	3
4	·02	.	·32	.	.	-	-	·13	-	.	.	-	4
5	-	·25	·21	-	-	·03	·06	.	·52	.	-	·27	5
6	·03	.	·04	.	·85	.	.	-	-	.	.	.	6
7	·03	.	·25	.	.	.	.	.	.	.	-	.	7
8	·10	.	·05	·17	-	.	.	-	.	.	.	-	8
9	-	.	-	·10	.	.	.	.	-	.	-	.	9
10	-	.	·42	.	.	.	.	.	-	.	.	·08	10
11	·05	.	·35	-	.	.	·45	.	.	-	-	-	11
12	-	.	·11	·22	.	·14	-	.	-	·27	·08	-	12
13	·12	.	.	·25	.	.	.	-	.	·05	-	-	13
14	·42	.	-	·13	.	-	·03	.	·07	.	-	-	14
15	·26	·05	·12	·17	.	.	.	.	.	.	·04	·51	15
16	·06	·67	-	·07	.	.	.	·18	.	.	-	-	16
17	·02	·20	.	.	.	.	.	-	.	.	·45	-	17
18	.	-	·20	.	.	.	-	·13	.	.	-	·17	18
19	·05	·18	·83	.	.	·12	·42	·20	·10	-	·03	-	19
20	·45	·08	·28	.	.	·06	·25	·26	.	-	·08	·04	20
21	·08	·35	.	.	.	-	·50	-	-	-	-	-	21
22	.	·47	.	.	-	·06	.	.	·30	-	-	·60	22
23	-	.	.	.	.	.	-	-	-	-	.	·05	23
24	.	.	.	·07	-	-	·13	·02	-	·75	.	-	24
25	·10	.	.	.	·04	.	.	·28	-	.	-	-	25
26	-	.	·20	·12	-	.	.	·02	·08	·25	-	·33	26
27	-	.	·04	·43	.	.	-	-	-	-	-	·09	27
28	·50	.	.	·02	.	.	-	·87	-	.	-	·26	28
29	-	X	.	-	.	.	-	·06	-	·20	-	·40	29
30	-	X	.	23	.	·30	.	-	.	·05	·30	·20	30
31	-	X	.	X	.	X	·03	.	X	·02	X	-	31
Total	3.17	2·31	3·57	1·98	·97	·71	2·36	2·15	1·50	1·70	1·36	3·66	Year's Total 25·44
Days with ·01 in. or more	18	9	15	12	3	6	11	10	7	8	8	15	122 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1009

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Copy by B.R.O.

Kept at Great Brington

in the County of Northampton

by A. J. Morley per C.A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14	·22								1
2				·08									2
3		·12											3
4	·08		·07	·40									4
5			·10	·02	·17								5
6			·14										6
7				·12	·07								7
8		·05		·45									8
9	1.00			1.19									9
10	·22	·05	·05	·20		·05							10
11	·23			·35	·30	·07							11
12	·02	·03		·11		·45							12
13			·16	·10									13
14	·03			·20									14
15		·07	·83	·10		·38							15
16				·13	·15	1.11							16
17				·21	·18								17
18	·18			·02									18
19		·03		·42									19
20	·11	·15		·27		·52							20
21				·10									21
22													22
23													23
24			·12										24
25		·07	·02	·10	·42								25
26	·20		·21										26
27	·15			·17									27
28	·52		·04		·22	·63							28
29	·10		·18		·52	·29							29
30					·05								30
31					·02								31
Total	2.84	·57	1.92	4.88	2.32	3.50							Year's Total
Days with ·01 in. or more	12	8	11	21	11	8							
Days with ·04 in. or more	10	6	10	19	10	8							

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE… 1912

NORTHANTS

GRETTON.

1912 -1920

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at Gretton…

in the County of North…

by J. Roge…

…top 5 in.

…p above Ground 1 ft. 0 in.

„ Sea Level 354 ft.

… 9.a.m.

…ation { Name Gretton
Distance ¼m Direction n.n.w.

IMPORTANT NOT… , and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·16	—	—	·15	·04	—	·06	—	—	·21	1
2	—	—	·12	·02	—	·22	·37	—	—	—	—	·02	2
3	·12	—	—	—	·08	·42	·07	·50	·05	—	—	·06	3
4	·06	—	·52	—	·05	·47	—	—	—	—	·26	—	4
5	·09	·12	·31	—	—	·06	·04	·17	—	—	·05	—	5
6	·40	·07	—	—	—	·02	·28	·12	—	—	—	·03	6
7	—	·05	—	—	—	·35	·02	·02	·01	—	—	·01	7
8	·38	·33	·17	—	—	·04	·03	·01	·06	—	—	—	8
9	·01	·08	·06	·08	—	·19	·02	·02	—	—	—	·12	9
10	—	—	—	—	—	·02	—	·14	—	—	·09	—	10
11	·05	·14	—	—	—	·07	—	·07	—	—	·01	·28	11
12	·09	·19	·04	—	·10	·13	·64	—	—	—	·05	—	12
13	·01	·11	—	—	—	·01	—	·05	—	—	·06	·01	13
14	·08	—	—	—	·06	·05	—	·08	—	—	—	—	14
15	·005	·02	·18	—	·30	·13	—	·02	—	—	—	·13	15
16	·36	—	·05	—	·10	·02	—	·06	—	·08	—	—	16
17	1·02	—	·27	—	—	·23	—	·20	—	—	—	·25	17
18	·43	·01	·08	—	—	—	—	·10	—	—	·04	·03	18
19	·22	·04	·18	—	—	—	·16	·35	·01	—	·04	—	19
20	·08	—	·15	—	·10	—	·88	·65	—	·30	—	—	20
21	·005	—	—	—	·37	—	·04	·55	—	·13	·05	—	21
22	·18	·04	—	—	·41	—	1·15	·29	—	—	—	·02	22
23	·10	·24	·21	—	—	—	·70	·47	—	—	·09	·23	23
24	·08	—	—	—	—	·18	·04	·17	—	—	—	·14	24
25	·01	—	—	—	—	·37	—	·44	—	—	·25	·34	25
26	—	·01	—	—	—	·21	·18	1·75	—	·65	·28	·42	26
27	·01	—	—	—	—	·06	·05	—	—	·37	—	·20	27
28	—	·01	—	—	—	·24	·02	·46	·03	·33	·19	·40	28
29	—	·02	—	—	—	—	—	—	·52	·32	—	—	29
30	·03	—	—	—	·12	·01	·42	—	·19	·26	—	—	30
31	—	—	·11		·16		·35	·15		—	—	—	31
Total	3·82	1·48	2·61	·10	1·85	3·65	5·44	6·84	·93	2·44	1·46	2·90	TOTAL for year 33·52
No. of Rain Days.	~~25~~ 22	16	15	2	11	23	20	24	8	8	13	18	180 ~~179~~

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Gretton
in the County of Northampton 5
by J. Rogers

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 354 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Gretton
Distance ¼ m Direction N. N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·16	—	—	·15	·04	—	·06	—	—	·21	1
2	—	—	·12	·02	—	·22	·37	—	—	—	—	·02	2
3	·12	—	—	—	·08	·42	·07	·50	·05	—	—	·06	3
4	·06	—	·52	—	·05	·47	—	—	—	—	·26	—	4
5	·09	·12	·31	—	—	·06	·04	·17	—	—	·05	—	5
6	·40	·07	—	—	—	·02	·28	·12	—	—	—	·03	6
7	—	·05	—	—	—	·35	·02	·02	·01	—	—	·01	7
8	·38	·33	·17	—	—	·04	·03	·01	·06	—	—	—	8
9	·01	·08	·06	·08	—	·19	·02	·02	—	—	—	·12	9
10	—	—	—	—	—	·02	—	·14	—	—	·09	—	10
11	·05	·14	—	—	—	·07	—	·07	—	—	·01	·28	11
12	·09	·19	·04	—	·10	·13	·64	—	—	—	·05	—	12
13	·01	·11	—	—	—	·01	—	·05	—	—	·06	·01	13
14	·08	—	—	—	·06	·05	—	·08	—	—	—	—	14
15	·005	·02	·18	—	·30	·13	—	·02	—	—	—	·13	15
16	·36	—	·05	—	·10	·02	—	·06	—	·08	—	—	16
17	1·02	—	·27	—	—	·23	—	·20	—	—	—	·25	17
18	·43	·01	·08	—	—	—	—	·10	—	—	·04	·03	18
19	·22	·04	·18	—	—	—	·16	·35	·01	—	·04	—	19
20	·08	—	·15	—	·10	—	·88	·65	—	·30	—	—	20
21	·005	—	—	—	·37	—	·04	·55	—	·13	·05	—	21
22	·18	·04	—	—	·41	—	1·15	·29	—	—	—	·02	22
23	·10	·24	·21	—	—	—	·70	·47	—	—	·09	·23	23
24	·08	—	—	—	—	·18	·04	·17	—	—	—	·14	24
25	·01	—	—	—	—	·37	—	·44	—	—	·25	·34	25
26	—	·01	—	—	—	·21	·18	1·75	—	·65	·28	·42	26
27	·01	—	—	—	—	·06	·05	—	—	·37	—	·20	27
28	—	·01	—	—	—	·24	·02	·46	·03	·33	·19	·40	28
29	—	·02	—	—	—	—	—	—	·52	·32	—	—	29
30	·03	—	—	—	·12	·01	·42	—	·19	·26	—	—	30
31	—	—	·11		·16		·35	·15		—	—	—	31
Total	3·82	1·48	2·61	·10	1·85	3·65	5·44	6·84	·93	2·44	1·46	2·90	TOTAL for year 33·52
No. of Rain Days.	~~23~~ 22	16	15	2	11	23	20	24	8	8	13	18	180 ~~179~~

W. 8,000, X. '11.

cwd for [illegible] 10.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3 JAN 1914

Kept at Gretton House Gardens
in the County of Northampton
by J. Rogers

5

Lon/0 2 west Lat 52 ½° north
Time of Observation 9 a.m.
Nearest Railway Station Gretton
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·14	·01	—	—	—	—	·80	—	·10	—	1
2	—	·09	·01	·08	—	—	·08	—	·03	·02	—	—	2
3	—	—	·14	—	·50	—	—	—	·03	·01	—	·05	3
4	·42	—	—	—	·13	·03	·65	—	—	·68	·06	·19	4
5	·01	—	—	—	—	·01	·02	—	·08	·67	·04	—	5
6	—	·01	·01	—	·21	·24	·26	—	—	·08	—	—	6
7	—	·10	—	—	·07	·08	—	—	—	·79	·05	—	7
8	—	·01	—	—	·19	·08	~~·03~~	—	—	·09	·14	—	8
9	—	·23	·04	—	·01	·22	·03	—	—	—	·07	·02	9
10	—	—	—	·09	—	—	·13	·12	—	—	·50	—	10
S 11	·80	—	—	S ·45	—	·02	—	·50	—	·01	·25	—	11
12	—	—	—	—	·10	—	—	—	—	—	·50	—	12
13	—	—	·03	·05	—	—	—	—	·03	—	·23	—	13
14	·11	—	·26	·02	—	—	·21	—	—	·10	·03	—	14
15	·13	·04	·46	·34	—	—	·09	—	·19	—	·01	—	15
S 16	·04	—	·48	·26	—	—	—	—	·03	—	—	—	16
S 17	·09	·05	·66	·07	—	·09	·06	—	—	—	·07	·01	17
18	—	—	·22	·12	—	—	·03	—	·01	—	·02	·02	18
19	·11	—	·05	—	—	—	·02	—	·07	—	—	·02	19
20	·26	—	·10	·04	—	—	—	—	·06	·32	·01	—	20
21	—	—	·10	—	·12	—	·01	—	—	—	·26	—	21
S 22	·30	—	·22	—		—	—	·08	·21	—	·01	—	22
23	—	—	·03	—	—	·09	—	·02	·03	—	—	—	23
24	·04	—	—	·08	—	·04	—	·03	—	—	—	—	24
25	—	·03	—	·06	—	—	—	—	—	—	—	—	25
26	—	·05	·23	·12	—	—	—	—	—	·28	·02	·19	26
27	—	·01	·03	·08	—	—	—	—	—	·01	—	—	27
28	·36	—	·37	·14	—	—	—	—	7 ·01	·06	—	S ·10	28
29	·01	—	·16	·56	—	—	—	·25	—	·02	—	S ·08	29
30	·27	—	—	·01	—	—	—	·02	—	·09	·10	—	30
31	·02	—	—	—	·13	—	—	·95	—	—	~~·10~~	—	31
Total	2·98	·62	3·44	2·58	1·46	·92 ·90	·98 ·99	1·97	1·58	3·23	2·47	·68	YEAR'S TOTAL 22·90
Rain Days.	16	10	20	18	9	10	12	8	13	15	19	9	22·90 15·9

W. 7,500, XI. ·12

corr fr arith 5.III.15 Wallace

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Gretton

in the County of Northampton 5

by J. Rogers

Lat. 52½° N Long. 1.0 west

Time of Observation 9 a.m.

Nearest Railway Station Gretton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Snow

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.04	—	—	.03	.23	✓	✓	.06	.04	1
2	.02	—	—	—	—	—	✓	.08	✓	✓	.13	.22	2
3	—	—	—	.02	.16	—	.46	.07	✓	✓	.01	✓	3
4	.20	—	—	.19	—	—	✓	.24	✓	✓	.60	.20	4
5	.06	—	.09	.14	.12	.08	.15	.31	✓	✓	✓	✓	5
6	—	.05	—	—	.04	.01	✓	✓	✓	✓	.01	.02	6
7	—	.07	.36	—	.07	.06	.02	.03	✓	✓	✓	.04	7
8	.07	.05	.04	.02	.11	1.10	.02	✓	✓	✓	✓	✓	8
9	.40	—	.23	.18	—	.88	✓	.17	.21	✓	✓	✓	9
10	.21	.10	—	.08	.03	✓	✓	✓	.06	✓	✓	✓	10
11	—	.12	.37	.10	.15	.06	✓	✓	.02	.01	.51	.42	11
12	.02	—	.10	.08	✓	✓	✓	✓	.29	✓	.02	.38	12
13	.03	.11	.19	—	✓	✓	✓	✓	✓	.14	.12	.22	13
14	—	.05	.13	—	✓	✓	.16	✓	✓	.65	.03	.18	14
15	.05	—	.16	—	✓	✓	✓	✓	.05	✓	.14	.10	15
16	—	—	.06	—	✓	✓	.15	✓	✓	✓	.03	✓	16
17	.04	.10	.04	—	✓	✓	.07	✓	.14	✓	✓	.12	17
18	—	—	.03	—	✓	.17	.22	✓	✓	✓	✓	.40	18
19	—	.03	.14	—	✓	✓	.04	✓	✓	✓	.05	.02	19
20	—	.16	.21	—	—	✓	.19	✓	.01	✓	✓	.05	20
21	.01	.22	.09	—	—	✓	✓	✓	✓	.04	✓	.27	S 21
22	—	—	.05	—	.23	.03	.03	.13	✓	.19	✓	.02	22
23	—	.03	.05	—	.05	.02	✓	✓	✓	.01	✓	.02	23
24	—	—	.01	—	.02	✓	.17	✓	✓	.28	.13	✓	24
25	—	—	—	—	✓	✓	✓	.13	✓	.39	.01	.18	25
26	—	—	.01	—	✓	✓	✓	.08	✓	.06	.14	.33	26
27	.02	—	—	—	—	✓	✓	✓	✓	.14	.01	.24	27
28	—	—	—	—	.06	✓	✓	✓	✓	.40	.08	1.05	8 28
29	—	—	.10	—	.02	✓	✓	✓	✓	.04	.04	✓	29
30	—	—	—	—	—	✓	✓	✓	✓	✓	.15	.27	30
31	—	.03	—	—	.03	✓	.13	✓	✓	✓		.04	31
Total	1.13	1.12	2.46	.85	1.09	2.42	1.78	1.44	.78	2.35	2.27	4.87	YEAR'S TOTAL 22.54
Rain Days.	12	13	20	9	13	9	14	10	7	12	19	23	161 ✓
					1·09	2·41		1·47				4·83	22·54

W.7,000, XI. 13

1242

98

FORM A. BRITISH RAINFALL.
4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Gretton
in the County of Northampton 5
by John Rogers

Lat. 52½ n Long. 1° west
Time of Observation 9 oclock
Nearest Railway Station Gretton
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.21	.07	✓	.25	✓	✓	✓	.25	✓	.03	.10 .11	1
2	.04	.12	.13	.16	✓	.06	✓	.54	.03	.06	.01	.06	2
3	.28	✓	.07	.16	✓	✓	.65	.03	.10	✓	✓	.17	3
4	.05	✓	✓	✓	✓	✓	.09	✓	✓	✓	✓	.58	4
5	.01	.32	✓	✓	.10	✓	✓	.02	✓	✓	.03	.33	5
6	.08	.04	✓	.20	✓	✓	.81	✓	✓	✓	✓	.03	6
7	.06	.29	.10	.03	✓	✓	.21	.24	✓	✓	✓	.17	7
8	.01	.13	✓	.07	✓	✓	✓	✓	✓	✓	.03	.50	8
9	.02	✓	✓	✓	✓	.12	✓	✓	✓	.04	.20	.01	9
10	.31	✓	✓	✓	✓	✓	✓	.09	✓	✓	.16	✓	10
11	.03	✓	.04	.02	.12	✓	.02	✓	✓	✓	.60	.16	11
12	.01	✓	✓	.21	.33	✓	✓	.22	✓	✓	1.35	✓	12
13	.01	.52	✓	✓	.91	✓	.04	✓	.01	✓	✓	✓	13
14	✓	.09	✓	✓	.02	✓	✓	.27	.04	✓	✓	.21	14
15	.22	.✓	✓	✓	.07	✓	✓	.05	✓	.04	.14	.15	15
16	✓	.38	✓	✓	✓	✓	1.10	.04	✓	✓	✓	.05	16
17	✓	.18	✓	✓	✓	✓	.18	✓	✓	✓	✓	.01	17
18	✓	.07	.34	✓	✓	✓	✓	✓	✓	✓	.65	✓	18
19	✓	.06	.02	✓	✓	✓	.08	✓	✓	✓	✓	✓	19
20	.48	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	.30	~~.30~~ 20
21	.07	.07	✓	✓	.17	✓	.12	✓	✓	✓	✓	~~.30~~	.07 21
22	.09	.02	.16	✓	✓	✓	.15	✓	✓	✓	✓	~~.07~~	.11 22
23	.07	.02	.01	✓	✓	✓	.20	✓	.06	.35	✓	~~.11~~	.32 23
24	.01	✓	.04	✓	✓	✓	.17	✓	.68	.07	✓	~~.32~~	.09 24
25	✓	✓	.03	✓	✓	.25	.12	✓	✓	.07	✓	.26	25
26	✓	.12	✓	✓	✓	✓	.08	✓	✓	✓	✓	.32	26
27	✓	✓	✓	✓	✓	.03	.09	✓	✓	.54	✓	.04	27
28	✓	.07	.05	✓	✓	.27	✓	✓	.09	.18	✓	✓	28
29	✓	✓	✓	✓	✓	.09	✓	.11	✓	✓	.17	.22	29
30	.06	✓	✓	✓	✓	.26	✓	.01	✓	✓	.01	.04	30
31	.04	✓	✓	✓	✓		✓	.10	✓	.35	—	.06	31
Total	2.18	2.71	1.06	.85	1.97	1.08	4.11	1.72	1.26	1.70	2.80	4.39	YEAR'S TOTAL 25.83✓
Rain Days.	21	17	12	7	8	7	16	12	8	9	12	25	154

W.7,000, XI. 13

~~W~~ Ely [illegible]

1719

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Gretton House
in the County of Northampton
by John Rogers

Lat. 52½ N Long. 1° W
Time of Observation 9 oclock
Nearest Railway Station Gretton
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May:	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	✓	.19	✓	.05	.09	.16	✓	✓	✓	.38	✓	1
2	.41	.02	.11	✓	.36	✓	.07	✓	.08	.29	.10	✓	2
3	.42	.39	.03	✓	✓	✓	.46	✓	.62	.29	.04	✓	3
4	✓	.19	✓	✓	.16	.25	✓	✓	.02	.02	.20	✓	4
5	.01	✓	✓	✓	.02	.22	✓	✓	✓	.18	.31	✓	5
6	.01	.12	.12	.03	.01	.03	.27	✓	✓	.02	.38	✓	6
7	.13	✓	.10	✓	.08	✓	.49	✓	✓	.06	.20	.08	7
8	.01	.02	.14	✓	✓	✓	✓	✓	✓	✓	✓	.22	8
9	✓	✓	.04	✓	.26	.17	✓	✓	✓	.05	✓	.06	9
10	✓	.06	.08	.06	✓	.07	.05	✓	.07	✓	✓	.05	10
11	.01	.24	.17	.08	.09	.09	✓	✓	✓	✓	✓	.06	11
12	.06	.02	.18	.02	.50	.03	.03	✓	✓	.05	✓	✓	12
13	✓	.20	.17	.03	.09	✓	✓	✓	✓	✓	✓	✓	13
14	✓	.48	✓	.16	.02	✓	✓	.30	✓	.05	✓	✓	14
15	✓	.30	.41	✓	.02	✓	.16	.05	✓	✓	✓	✓	15
16	✓	.07	.09	.13	.01	✓	.09	.09	✓	.06	✓	✓	16
17	.03	.06	✓	.12	✓	✓	.05	.79	.19	.35	✓	✓	17
18	✓	.11	.03	.05	✓	✓	✓	.20	.11	✓	1.05	✓	18
19	.10	.06	.24	.15	✓	✓	✓	.05	.15	✓	.28	.03	19
20	.09	✓	.14	.06	✓	✓	✓	.11	✓	✓	.25	.36	20
21	.01	✓	.31	✓	✓	✓	.02	✓	✓	✓	✓	.60	21
22	✓	.02	.01	✓	.06	✓	✓	✓	✓	.07	✓	.61	22
23	.06	.06	✓	✓	✓	.12	✓	.03	✓	✓	.06	.25	23
24	✓	.75	✓	.05	✓	.07	✓	.03	✓	.04	✓	.16	24
25	✓	.08	✓	✓	✓	✓	✓	.21	✓	.06	.09	✓	25
26	✓	.15	.13	✓	✓	.01	✓	.12	.01	.01	✓	✓	26
27	.04	.29	.64	✓	✓	.20	✓	.22	✓	.50	✓	✓	27
28	✓	.32	.60	✓	✓	.26	✓	✓	✓	✓	✓	.16	28
29	✓	.08	✓	✓	✓	.07	✓	1.12	✓	.33	✓	.03	29
30	✓	X	✓	✓	✓	.08	✓	.09	✓	.10	✓	✓	30
31	✓	X	✓	X	✓	X	✓	.04	X	.06	X	✓	31
Total	1.41	4.09	3.93	.94	1.73	1.86	1.85	3.45	1.25	2.60	3.34 2.44	2.67	YEAR'S TOTAL 28.22 29.12
Rain Days.	15	23	21	12	14	15	11	15	8	19	12	13	178

W. 8,000. X. 15.

✓ cnd fr auth ~~W~~ YW 1174

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

8. JAN 191

Kept at Gretton House

in the County of Northampton

by John Rogers

Lat. 52½ N Long. 10 W

Time of Observation 9 a.m.

Nearest Railway Station Greton

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	✓	✓	✓	.04	✓	.18	✓	.98	.22	✓	.02	✓	1
2	.05	✓	✓	.19	✓	✓	✓	.09	✓	.04	.02	✓	2
3	✓	✓	✓	.18	✓	✓	✓	.50	✓	.22	.02	✓	3
4	✓	.16	✓	✓	✓	✓	✓	.50	✓	.36	[illegible]	✓	4
5	.16	✓	.13	.08	✓	✓	✓	.03	.23	.02	.011	✓	5
6	✓	✓	✓	✓	✓	✓	✓	✓	✓	.16	.12	✓	6
7	.50	✓	✓	✓	✓	✓	✓	✓	✓	.17	✓	.04	7
8	.41	✓	✓	.04	✓	.16	.22	1.45	✓	.29	.06	✓	8
9	.03	✓	.03	.10	✓	✓	✓	.20	✓	✓	.09	✓	9
10	.40	✓	.36	.16	.04	✓	✓	.15	✓	.06	✓	✓	10
11	.06	✓	.06	.18	✓	✓	✓	.20	.04	.18	✓	✓	11
12	.07	.04	✓	.04	.18	✓	✓	.03	✓	.36	✓	.04	12
13	.04	✓	.13	.01	✓	✓	✓	.23	.04	✓	✓	✓	13
14	.19	✓	✓	.07	✓	✓	✓	.20	✓	✓	.02	✓	14
15	✓	✓	✓	✓	✓	✓	.15	.20	✓	.01	✓	.06	15
16	.07	.12	✓	.12	✓	✓	.07	✓	✓	.10	✓	.08	16
17	.06	✓	✓	.17	.64	[.67]	.12	.03	.02	.09	✓	✓	17
18	.03	✓	✓	.08	.06	✓	.19	.05	.80	✓	✓	✓	18
19	✓	.13	.26	✓	.12	✓	✓	✓	.06	✓	✓	✓	19
20	✓	.18	.07	✓	.59	✓	✓	✓	✓	✓	.20	✓	20
21	✓	.02	.02	✓	✓	.05	✓	✓	✓	.02	✓	✓	21
22	✓	✓	.05	✓	✓	✓	✓	.18	.02	✓	✓	✓	22
23	✓	.03	✓	✓	.08	✓	✓	.15	.06	.04	✓	✓	23
24	✓	.03	✓	✓	✓	.67	✓	.02	✓	.24	✓	✓	24
25	✓	✓	.09	✓	✓	✓	✓	✓	✓	✓	.10	✓	25
26	✓	✓	.01	✓	✓	✓	✓	.75	.14	✓	.15	.07	26
27	✓	✓	.07	✓	✓	.15	✓	.58	✓	✓	✓	[illegible]	27
28		✓	✓	✓	✓	.65	✓	.06	✓	.01	✓	.08	28
29		✓	✓	✓	✓	.05	.08	.02	✓	.43	✓	.29	29
30		X	✓	✓	✓	✓	.20	.31	✓	✓	✓	.02	30
31	✓	X	.05	X	✓	X	.06	.25	X	✓	X	.06	31
Total	~~1.11~~	.71	1.33	~~1.45~~	1.71	3.58	1.09	7.16	1.63	2.80	.81	.74	YEAR'S TOTAL 25·09
Rain Days	2·07 13	8	13	1·46 14	7	8	8	24	10	18	11	9	143

1·91

W. 8,000, VIII. 16

W EFE [illegible] 66

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Cretton
in the County of Northampton
by J. Rogers

Lat. 52½ 0 Long. 1° West
Time of Observation 9
Nearest Railway Station Cretton ¼ mile
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	✓	.18	.44	.25	✓	✓	✓	✓	✓	✓	.20	.02	1
2	✓	.02	✓	.06	✓	✓	✓	.15	.01	✓	.09	.09	2
3	✓	[redacted]	✓	✓	.47	✓	✓	.19	.07	✓	.48	.02	3
4	✓	.21	(.08) .08	✓	✓	✓	.19	.04	.72	✓	.67	(.03) .03	4
5	✓	.02	.07	✓	.22	✓	✓	.11	.25	.06	✓	.04	5
6	✓	.08	.01	.12	✓	✓	✓	✓	✓	.18	✓	✓	6
7	.02	.06	✓	.27	✓	.08	✓	✓	✓	✓	.09	✓	7
8	.03	.13	.05	✓	✓	✓	✓	✓	.06	.03	✓	.08	8
9	.04	✓	✓	.02	✓	✓	.19	✓	.40	.21	✓	.05	9
10	.06	.18	✓	.04	✓	✓	.33	✓	.11	.20	✓	.03	10
11	.02	✓	✓	.03	.13	✓	.22	✓	[redacted]	.20	✓	.11	11
12	.02	.01	✓	✓	.12	✓	.04	✓	.04	✓	✓	.05	12
13	✓	.13	✓	.01	.15	✓	.02	✓	.10	.02	✓	.03	13
14	.34	.01	✓	.02	✓	.03	.30	✓	.22	.03	✓	.01	14
15	1.85	✓	✓	.61	✓	✓	.07	✓	.17	✓	✓	.17	15
16	[redacted]	✓	✓	.32	✓	.09	✓	✓	.28	.02	✓	✓	16
17	.28	✓	✓	.09	.44	.06	.66	✓	✓	.02	✓	.13	17
18	.24	✓	✓	✓	✓	✓	.03	✓	.42	✓	✓	.27	18
19	.02	✓	.06	.08	✓	.01	.07	✓	.03	✓	✓	.07	19
20	.02	.01	✓	.43	✓	.08	✓	✓	✓	.26	✓	[redacted]	20
21	.04	.06	✓	.19	✓	✓	.06	✓	.23	.13	✓	.03	21
22	.15	✓	✓	✓	✓	✓	.05	✓	.02	✓	✓	.34	22
23	.09	✓	✓	✓	.49	.01	.11	✓	.02	✓	✓	✓	23
24	✓	✓	✓	✓	✓	✓	.20	✓	.08	.02	.15	✓	24
25	✓	.17	✓	✓	✓		.06	.22	✓	.03	.04	✓	25
26	✓	✓	✓	✓	✓		.04	✓	.03	✓	.01	.10	26
27	✓	✓	✓	✓	✓		.07	.21	.14	✓	.16	.03	27
28	✓	.03	.14	✓	✓		✓	✓	✓	✓	.26	✓	28
29	✓	✓	✓	✓	✓		✓	✓	.87	✓	.01	.16	29
30	✓	X	.24	✓	✓		✓	.01	.05	✓	.12	.11	30
31	✓	X	.16	X	✓	X	✓	✓	X	.02	X	[redacted]	31 24.83
Total	3.22	1.30	.95	2.54	2.02	.36	2.71	.93	4.32 ~~4.42~~	1.43	2.28 ~~2.23~~	1.97 ~~2.07~~	YEAR'S TOTAL 24.83 ~~24.28~~
Rain Days.	15	15	9	15	7	7	18	7	22	15	12	22	164

W 8,000, IX. 17.

cod fr avid.

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

8 JAN 20

Kept at Gretton

in the County of Northampton

by John Rogers

Lat. 52½ Long. 1° W

Time of Observation 9 Am

Nearest Railway Station Gretton ¼ mile

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·06	·02	✓	·19	✓	·04	✓	✓	·05	·11	·56	1
2	·13	✓	✓	✓	✓	✓	·12	✓	·14	✓	·40	·11	2
3	·94	✓	·06	✓	·04	✓	·26	✓	·15	✓	·22	·02	3
4	·08	✓	·43	✓	✓	·10	·13	·09	·04	✓	·01	·18	4
5	·03	✓	·04	·01	✓	✓	·03	✓	·58	✓	✓	·09	5
6	✓	✓	·04	✓	·78	✓	✓	✓	✓	✓	·06	·05	6
7	·04	✓	·20	✓	✓	✓	✓	✓	✓	✓	·01	✓	7
8	·11	✓	·05	·17	✓	✓	✓	✓	✓	·11	·08	✓	8
9	✓	✓		·03	✓	✓	✓	✓	✓	✓	·02	✓	9
10	✓	✓	·24	·03	✓	✓	✓	✓	✓	✓	·08	·09	10
11	✓	✓	·33	·04	·09	✓	·68	✓	✓	✓	·02	·01	11
12	·04	✓	✓	·02	✓	·24	✓	✓	✓	·09	·01	✓	12
13	·16	✓	✓	·14	✓	✓	✓	✓	·03	·04	✓	·01	13
14	·25	✓	✓	·15	✓	✓	✓	✓	·11	✓	✓		14
15	·24	✓	·09	·15	✓	✓	✓	✓	✓	✓	·24	·57	15
16	·07	1·03	✓	·01	✓	✓	✓	✓	✓	✓	·16		16
17	·02	·45	·02	✓	✓	✓	✓	✓	✓	·04	·23	·02	17
18	✓	✓	·03	✓	✓	✓	✓	·20	·02	✓	✓	·20	18
19	·04	·17	1·12	✓	✓	·14	·95	·15	·11	✓	·07	·08	19
20	·58	·03	·31	✓	✓	·15	·31	·34	·02	✓	·09	·02	20
21	·37	·44	[illegible]		✓	✓	·34	✓	✓	✓	·01	·43	21
22	✓	·18	·02		✓	✓	✓	✓	·30	✓	✓	·46	22
23	✓	✓	✓	·04	✓	✓	·05	✓	·04	·69	✓	·02	23
24	✓	✓	✓	·21	✓	✓	·03	·06	✓	·19	✓	·07	24
25	✓	✓	✓	·04	·14	·03	✓	·30	✓	✓	✓	·03	25
26	·08	✓	·18	·08	✓	·01	✓	✓	·09	✓	✓	·39	26
27	·02	·06	·03	·46	✓	✓	✓	·10	✓	✓	·04	·04	27
28	·32	✓	✓	·03	✓	✓	✓	·95	✓	·03	·11	·37	28
29	·09	✓	✓	·02	✓	·02	✓	·18	✓	·23	·12	·18	29
30	✓	×	·04	·26	✓	·24	✓	·02	✓	·11	·10	·35	30
31	·05	×	✓	×	✓	×	·04	✓	×	·09	×	·03	31
Total	3·92 ~~2·92~~	2·42	3·50	1·89	1·24	·93	2·98	2·39	1·63	1·67	2·19	4·38 ~~4·48~~	29·14 ~~28·24~~
Rain Days.	21	8	19	18	5	8	12	10	12	11	21	25	170

W. 8,000, IX. 17.

W 8L cwd / prauth 1052

JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Gretton
in the County of Northampton
by John Rogers

Lat. 52½ N Long. 1° West
Time of Observation 9 AM
Nearest Railway Station Gretton
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following: ☒

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	✓	✓	·04	·13	·23	✓	·18	✓		·27	✓	·16	1
2	✓	✓	✓	·26	✓	✓	·06	·49	·07	·08	✓	·09	2
3	✓	✓	✓	·76	·02	✓	·31	✓	·09	·09	✓	·03	3
4	✓	✓	·02	·15		✓	·04	·37	·01	·28	✓	·11	4
5	✓	✓	·08	✓	·35	✓	·93	·09	·05	✓	✓	·02	5
6	✓	✓	·08	✓	·06	✓	·24	·01	✓	✓	✓	✓	6
7	✓	✓	·09	·22	✓	·09	·19	·11	✓	✓	✓	✓	7
8	·21	·07	✓	·55	·11	✓	·12	✓	✓	✓	✓	✓	8
9	·55	·01	✓	1·03	✓	✓	✓	·25	✓	✓	✓	✓	9
10	·14	·04	·05	·49	✓	✓	·01	✓	✓	✓	·05	✓	10
11	·14	·09	·04	·25	✓	·05	·01	·07	✓	✓	✓	·13 SNOW	11
12	·03	✓		·22	✓	·19	✓	·09	✓	✓	✓	·24	12
13	·01	·06	·08	·10	✓	·05	✓	✓	·22	✓	·04	✓	13
14	·01	·04	·48	·18	✓	✓	✓	✓	·15	·13	·18	✓	14
15	✓	·07	SNOW 1·43	·04	✓	✓	·01	✓	·41	·07	·07	✓	15
16	✓	✓	✓	·01	·18	✓	✓	✓	·10	·03	✓	✓	16
17	✓	✓	✓	✓	·12	✓	✓	✓	·26	·02	✓	·07	17
18	·11	✓	✓	·01	✓	·12	·04	·19	✓	✓	✓	✓	18
19	·08	·16	✓	·15	✓	·10	✓	·04	✓	✓	✓	·04	19
20	·05	·28	✓	·35	✓	·43	✓	✓	✓	✓	✓	✓	20
21	·03	✓	✓	✓	✓	✓	✓	·11	·08	✓	✓	·02	21
22	·01	✓	✓	·27	✓	✓	·07	✓	·28	✓	✓	✓	22
23	✓	·01	✓	✓	✓	✓	·18	✓	✓	✓	✓	·33	23
24	✓	·01	·18	✓	✓	✓	✓	✓	✓	✓	✓	·03	24
25	✓	·07	✓	·06	·08	·02	·70	✓	✓	✓	·06	✓	25
26	·18	✓	·09	·02	·01	✓	·02	✓	✓	✓	✓	·03	26
27	·14	✓	✓	·09		·67	✓	✓	✓	·02	·58	·33	27
28	·47	✓	·21	✓	·08	✓	·02	✓	✓	·02	·03	·13	28
29	·10	✓	·07	✓	·25	✓	·02	✓	·02	✓	·07	·42	29
30	·02		[illegible]	·04	·01	·05	·04	✓	·12	✓	·09	·13	30
31	·05		·01		·02		·06	✓		·28		·07	31
TOTAL	2·33	·91	Snow 15th 2·95	5·38	1·52	1·77	3·25 ~~2·95~~	1·69	1·86	1·29	1·17	2·38 ~~2·37~~	26·50 in. ~~26·19~~
Days with ·01 in. or more	18	12	15	22	13	10	20	10	13	11	9	18	171
	12	9	13	14	9	9	14	9	11	7	8	13	133

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S. made

REGIST

GRETTON

COUNCIL SCHOOL
NORTHAMPTONSHIRE
1913, 1914-1920

FORM A.
BRITISH RAINFALL.
8 JAN 1914

1' W
4 M
retton M.R

Kept at Gretton Schoo
in the County of Northam
by W Leeson

5 in.
e Ground — ft. 6 in.
Sea Level 363 ft.

IMPORTANT NOTE.—I the result entered to the previous day. If an Observer versal rule, he is earnestly requested to add the reading a r in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·14	·02					·80		·10		1
2		·08	·02	·07			·10		·03	·02			2
3			·14		·50		·01		·03	·01		·07	3
4	·42				·13	·02	·06			·68	·08	·20	4
5	·02	·01				·01	·02		·08	·67	·05		5
6		·02	·04		·21	·24	·27			·08	·01		6
7		·05			·07	·08				·79	·05	·02	7
8		·04			·19	·07				·09	·14		8
9		·22	·04	·01	·01	·23	·03		·01		·07	·02	9
10	·03	·01		·10	·01		·13	·12			·50		10
11	·46	·02		·39		·03		·50		·02	·25		11
12					·10						·50		12
13		·02	·04	·06					·02		·23		13
14	·11		·26	·03			·21				·03		14
15	·13	·03	·46	·37		·02	·10		·22	·10	·01		15
16	·04	·01	·18	·26					·02				16
17	·09	·06	·66	·07		·10	·05				·08	·02	17
18			·22	·15		·01	·02				·02	·03	18
19	·11		·04				·02				·01	·02	19
20	·26		·10	·03					·06	·33	·03		20
21			·10	·02	·12		·02		·22		·28		21
22	·30		·22					·08	·03				22
23	·01		·03			·08		·02		·01	·02		23
24	·05			·09		·03		·03			·01		24
25	·01	·04		·06									25
26		·05	·24	·12						·28	·02	·19	26
27		·02	·05	·08						·03			27
28	·35		·37	·12					·02	·07		·10	28
29	·05		·12	·56	·02			·25		·03		·08	29
30	·24			·01				·02		·10	·12		30
31					·12			·95					31
Total	2·68	·69	3·47	2·62	1·48	·92	1·04	1·97	1·54	3·31	2·61	·75	YEAR'S TOTAL 23·08
Rain Days.	17	16	20	20	11	12	13	8	12	16	22	10	177

W.7,000, XI. 13

S. made

REGIST OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 JAN 1914

Kept at Gretton School Garden
in the County of Northamptons
by W Leeson

Lat. 52½° N Long. 1° W
Time of Observation 9 AM
Nearest Railway Station Gretton M.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 363 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·14	·02					·80		·10		1
2		·08	·02	·07			·10		·03	·02			2
3			·14		·50		·01		·03	·01		·07	3
4	·42				·13	·02	·06			·68	·08	·20	4
5	·02	·01				·01	·02		·08	·67	·05		5
6		·02	·04		·21	·24	·27			·08	·01		6
7		·05			·07	·08				·79	·05	·02	7
8		·04			·19	·07				·09	·14		8
9		·22	·04	·01	·01	·23	·03		·01		·07	·02	9
10	·03	·01		·10	·01		·13	·12			·50		10
11	·46	·02		·39		·03		·50		·02	·25		11
12					·10						·50		12
13		·02	·04	·06					·02		·23		13
14	·11		·26	·03			·21				·03		14
15	·13	·03	·46	·37		·02	·10		·22	·10	·01		15
16	·04	·01	·18	·26					·02				16
17	·09	·06	·66	·07		·10	·05				·08	·02	17
18			·22	·15		·01	·02				·02	·03	18
19	·11		·04				·62				·01	·02	19
20	·26		·10	·03					·06	·33	·03		20
21			·10	·02	·12		·02		·22		·28		21
22	·30		·22					·08	·03				22
23	·01		·03			·08		·02		·01	·02		23
24	·05			·09		·03		·03			·01		24
25	·01	·04		·06									25
26		·05	·24	·12						·28	·02	·19	26
27		·02	·05	·08						·03			27
28	·35		·37	·12					·02	·07		·10	28
29	·05		·12	·56	·02			·25		·03		·08	29
30	·24			·01				·02		·10	·12		30
31					·12			·95					31
Total	2·68	·69	3·47	2·62	1·48	·92	1·04	1·97	1·54	3·31	2·61	·75	YEAR'S TOTAL 23·08
Rain Days.	17	16	20	20	11	12	13	8	12	16	22	10	177

W.7,000, XI. 13

esd 15

1243

FORM A.
BRITISH RAINFALL
7. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Gretton Council School

in the County of Northampton 5

by W Leeson

Lat. 52½ N Long. 1 W

Time of Observation 9 AM

Nearest Railway Station Gretton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	·20	·07		·25				·25		·03	·11	1
2	·04	·15	·12	·16		·06		·54	·03	·06	·02	·05	2
3	·28	—	·03	·16			·66	·03	·10			·17	3
4	·05	—					·07					·52	4
5	·01	·31			·11		·02	·02			·04	·31	5
6	·08	·04	·03	·20			·84			·04		·02	6
7	·06	·29	·04	·03		·07	·14	·24				·17	7
8	·01	·12		·07							·05		8
9	·02	—				·06					·18	·45	9
10	·31	—						·09			·14		10
11	·03	—	·04	·02	·12		·02				·50	·08(S)	11
12	·02	—		·21	·37			·22	·01	·01	1·34		12
13	—	·57			1·08		·07				·16(S)		13
14	—	·01			·08		·02	·27	·04			·20	14
15	·20	—						·05			·16(S)	·13	15
16	—	·34					1·07	·04		·04		·04	16
17	—	·17					·12				·01		17
18	—	·09	·34								·06		18
19	—	·05	·02				·07						19
20	·46	—										·30	20
21	·09	·07			·20		·12					·07	21
22	·09	·01	·16	·02			·17					·11	22
23	·02	—	·01			·04	·20		·06	·35		·38	23
24	—	—	·04			·03	·17		·69	·04		+	24
25	—	—	·03			·17	·05			·07		+	25
26	—	·13					·08					+ 1·28	26
27	—	—				·05	·09			·53		+	27
28	—	·03	·05			·34			·08	·18		+	28
29	—					·12		·11			·16	+	29
30	·09	╳		·25		·21		·01				+	30
31	·03	╳		╳		╳		·10	╳	·28	╳	+	31
Total	2·11	2·58	·98	1·12	2·21	1·15	3·98	1·72	1·26	1·60	2·69	4·39	YEAR'S TOTAL 25·79
Rain Days.	19	16	13	9	7	10.	18	12	8	10	12	23	157

W. 8,000. X. 14.

Aug 29 [illegible] from Gretton Ho

Aug 18 – Sep 20 from Gretton House

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Gretton Council School
in the County of Northampton
by W Leeson

Lat. 52½ N Long. 1° W
Time of Observation 9 AM
Nearest Railway Station Gretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·19		·05	·07	·16		—		·37		1
2	·41	—	·08		·36		·09		(·08)	·31	·07		2
3	·42	·42	·08				·25		(·62)	·23	·05		3
4	/	·18			·15	·22			(·02)	·01	·02		4
5	·01				·03	·21			—	·16	·44		5
6	·01	·14	·04	·04	·01	·02	·25		/	·02	·37		6
7	·13		·13		·12		·53		/	·07	·19	·09	7
8	·01		·20		—				/		·01	·23	8
9	/		·06		·25	·11			—	·04		·01	9
10	~~·02~~	·05	·08	·05		·08	·05		(·07)			·09	10
11	/		·25	·08	·07	·08			—			·06	11
12	·06	·14	·14	·01	·50	·10	·04		/	·03	·01		12
13	/	·20	·12	·02	·10	·02		·04	/	·07			13
14	/	·45		·15	·02		·17	·29	/				14
15	/	·28	·38	/	·02			·05	/				15
16	/	·05	·21	·11	·02		·08	·05	/	·07			16
17	·03	·04	—	·11			·06	·80	(·19)	·23			17
18	/	·15	·03	·06				(·20)	(·11)		1·01		18
19	·07	·05	·24	·15				(·05)	(·15)		·28	·07 (S)	19
20	·09		·13					(·11)	/		·23	·36	20
21			·36	·05				/	/		·02	·49	21
22		·01			·04	·03		/	/	·07		·51	22
23	·06	·06(S)				·11	·01	(·03)	/		·03	·27	23
24		·04		·05		·06		(·03)	/	·02		·17	24
25		}	·15		·03			(·21)	/	·06	·10		25
26		·57 } S						(·12)	·01	·04			26
27	·03	}	·72 } S				·03	(·22)		·39		·16	27
28		·41	}			·16		—			·01		28
29		·16				·25		(1·12)		·32		·07	29
30		X				·11		(·09)		·10			30
31	·01	X		X		X		(·04)	X	·04	X		31
Total	1·38	3·40	3·59	·88	1·77	1·63	1·72	(3·45)	(1·25)	2·28	3·21	2·58	YEAR'S TOTAL (27·14)
Rain Days.	15	20	20	12	15	15	12	16	8	19	16	13	(181)

,000. X. 15.

3 - MAR 1917

Northamptonshire Education Committee.

Gretton Council SCHOOL, No.
REFERENCE
Kettering March 2 1917.

Dear Sir

I am afraid a mistake must have been made by me. I was away for holidays & the work of my deputy was so unsatisfactory I obtained the record of the period Aug 18. – Sept 20th from Gretton House.

No other period's records have been copied from Gretton House. I am

Yours faithfully

W Leeson

1175

FORM A.
BRITISH RAINFALL
8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Gretton
in the County of Northampton
by W Leeson (School Garden)

Lat. 52½ N Long. 1° W
Time of Observation 9 A M
Nearest Railway Station Gretton. M·R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 365. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02		·28				·95	·25				1
2	·07	·01		~~·02~~		·19		·10	·01	·02	·02		2
3				·06				·55		·20	·02		3
4		·12	·09	01 ~~·08~~				·47		·42	·02		4
5			·03	·08				·02	·20	·02	·10		5
6	·20					·09				·09	·02	·01	6
7	·50			~~·05~~		·09				·35		·02	7
8	·44			·05 ~~·12~~			·23	1·30		·25	·06		8
9	·02		·03	·12 ~~·19~~				·23			·02		9
10	·45		·31	·19 ~~·14~~	·04			·15		·06	·08		10
11	·04	·01	·04	·14 ~~·04~~				·22	·04	·20	·01		11
12	·10	·03		·04	·17			·05		·34	·01	·03	12
13			·13	~~·06~~				·2	·04		·01	·01	13
14	·23			·06			·01	·19				·02	14
15	·03			~~·09~~			·08	·14				·06	15
16	·07	·12		·09			·08			·09		·08	16
17	·03		·02	·15	·60	1·51	·11	·02		·08		·02	17
18	·03	·02		·07	·06		·19	·09	·74				18
19		·11	·15		·11				·05				19
20		·17	·06		·60						·16		20
21	·05		·02			·06							21
22	·04		·02					·15	·04	·65			22
23	·01	·03			·08			·19	·02				23
24		·02				·68		·03		·25			24
25			·12								·09		25
26								·64	·16		·12	·04	26
27						·11		·51				·10	27
28			·08			·66		·07		·02		·30	28
29			·01			·10	·09	·02		·38		·02	29
30	·01	×					·21	·28					30
31		×		×		×	·05	·15	×		×	·09	31
Total	2·32	·66	1·16	1·34	1·66	3·49	1·05	6·72	1·55	2·82	·74	·80	YEAR'S TOTAL 24·31
Rain Days.	17	11	14	13	7	9	9	24	10	16	14	13	157

W. 8,000, IX. 17.

67

FORM A.
BRITISH RAINFALL.

6.1.19

REGISTER OF RAINFALL IN 1918

Kept at Gretton Council School

in the County of Northampton

by W Leeson

Lat. 52½ N Long. 1 W

Time of Observation 9 A M

Nearest Railway Station Gretton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·31							·19	·05	1
2		·17	·01					·14	·01		·09	·08	2
3		·02	·07	·04	·44			·20	·05		·46	·01	3
4		·01	·07				·21	·04	·70		·52	·02	4
5		·06	·01	·01	·20			·11	·25	·05		·01	5
6	·02	·04		·10		·01				·01			6
7	·07	·10		·25		·07				·17	·09	·01	7
8	·01		·05	·01					·06	·04		·07	8
9	·04	·15		·02			·17		·38	·19		·04	9
10	·06	·01		·03	·10		·31			·18		·03	10
11				·03			·20		·13	·20		·11	11
12		·11	·02		·17		·04		·05			·04	12
13		·01		·01	·19	·02			·08	·02		·03	13
14	·28			·02		·01	·30		·20	·05	·01	·01	14
15	·40			·64			·08		·17			·15	15
16	·02			·35		·06			·29			·	16
17	·23			·10	·40		·13			·03		·01	17
18	·19			·08		·05	·03		·36			·25	18
19	·01	·01	·05							·13		·07	19
20	·01	·03		·41		·08			·06	·15	·02		20
21	·03			·19			·13		·25	·13		·03	21
22	·13				·03		·05		·02	·01		·34	22
23	·06				·45	·01	·07		·04	·01			23
24		(·14)		·01		·02	·15		·67	·01	·11		24
25					·02			·20			·03		25
26							·08		·04	·01	·05	·14	26
27		·02					·03	·21	·11		·09	·02	27
28		·12	·12					~~·20~~			·23		28
29									·18			·16	29
30		X	·21					·01	·04		·05	·11	30
31		X	·11	X		X			X		X		31
Total	1·56	1·00	·72	2·61	2·00	·33	2·48	·91	4·14	1·39	1·94	1·79	YEAR'S TOTAL 20·87
Rain Days.	15	~~14~~ 15	10	18	9	9	15	7	22	17	13	23	172

W. 8,000, IX. 17.

1109

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Gretton

in the County of Northampton

by W Leeson (Council School

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26	·07	·02		·15		·05			·05	·13	·51	1
2	·13		·02				·12		·14		·35	·10	2
3	·80		·06		·04		·26		·15		·17	·03	3
4	·08		·37			·10	·15	·09	·04		·01	·17	4
5	·02	·12	·64	·01			·03		·58	·01		·03	5
6	·01		·04		·67					·01	·06	·10	6
7	·04		·20								·01	·02	7
8	·14		·05	·16							·08		8
9	·01		·03	·04							·02		9
10			·26	·03	·01					·01	·06	·06	10
11	·08		·27	·02	·07		·66					·01	11
12			·36	·02			·01			·09	·06		12
13	·13			·09		·24	·01		·03	·03	·03		13
14	·21	·61				·04			·11			·01	14
15	·22	·67	·10	·18					·01	·02	·18	·50	15
16	·07	·79									·17		16
17		·42	·02			·02					·21	·02	17
18	·01						·01	·20	·03		·01	·13	18
19	·63	·14	·92			·13	·82	·15	·09		·05		19
20	·49	·63	·23			·14	·33	·34	·02		·07	·08	20
21	·33	·38	·09				·38		·01			·33	21
22	·01	·18	·01				·01		·29		·02	·46	22
23	·04								·05	·65		·02	23
24				·20		·03	·07	·06		·15		·05	24
25	·08			·04	·02	·03		·30			·01	·02	25
26			·16	·10		·01			·08	·01		·33	26
27	·06	·06		·40				·10		·02	·02	·17	27
28	·06			·03				·95		·01	·02		28
29	·07					·02	·01	·18		·22	·10	·17	29
30			·02			·24		·02		·11	·11	·36	30
31	·01						·03			·04		·03	31
TOTAL	3·39	2·27	3·27	1·32	·96	1·00	2·95	2·39	1·63	1·43	1·95	3·71	YEAR'S TOTAL 26·27
Days with ·01 in. or more	25	11	20	13	6	11	16	10	14	15	23	24	188

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1053

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

14 JAN 1921

Kept at Gretton
in the County of Northampton
by W Leeson & Scholars

Lat. 52½ N Long 14 W
Time of Observation 9 am.
Nearest Railway Station Gretton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·08	·22		·17			·25	·03	·15	1
2				·37	·01		·06	·35		·10		·06	2
3				·73	·01	·02	·31	·02	(·06)	·07			3
4			·02	·14			·04	·34		·25		·14	4
5			·08		·32		·89	·09	·07			·02	5
6			·05	·01	·06		·24					·07	6
7			·09	·18	·02		·17				·01	·07	7
8	·16	·04		·49	·09			·24		·01			8
9	·49	·02	·02	·91			·01						9
10	·14	·02	·04	·43		·04	·01				·02		10
11	·09	·09	·04	·25	·14	·28	·02	·13			·01	·11	11
12	·03			·17		·05					·01	·18	12
13	·01	·06	·07	·10		·11			·21		·02	·04	13
14		·03	·68	·16					·12	·12	·20		14
15		·06	·34	·04			·01		·26	·07	·05		15
16		·01	·01	·01	·13				·11	·02	~~·05~~		16
17		·01			·14				·25	·01		·07	17
18	·09					·17	·03	·17	·22			·02	18
19	·08	·13		·13		·11		·03	·02			·02	19
20	·64	·29		·27		·43	·01					·07	20
21				·01			·06	·08	·08			·07	21
22	·03	·01		·23			·02		·29				22
23		·02					·16		·01	·01		·30	23
24			·15							·01	·05	·03	24
25	·01	·06	·02	·05		·02	·67			·01	·01		25
26	·16		·06	·02			·03		·01	·02	~~·53~~	·03	26
27	·68			·08		·60	·01			·01	·53 ~~·02~~	·30	27
28	·34		·20						·02	·01	·02	·13	28
29	·07	·02	·06				·04		·01		·05	·38	29
30	·01	X		·04	·02	·05			·11		·06		30
31	·03	X	·05	X	·02	X	·06		X	·21	X	·03	31
Total	1·86	·87	2·00	4·90	1·18	1·88	3·02	1·45	1·85	1·18	1·07	2·05	Year's Total 23·31
Days with ·01 in. or more	17	15	18	23	12	11	21	9	16	16	14	21	193
Days with ·04 in. or more	11	7	13	19	7	9	12	7	10	7	6	11	~~119~~ 120

(44.283). 10/19. (52.638). Wt.10.000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

REGI 14

FORM A.
BRITISH RAINFALL.

18 ~~Dr~~ 1915

NORTHANTS.
GWELL RES'VR.
1914 ONLY

Kept at Gwell Rese

in the County of North

by William Spoo

ong. ——

Miaunght

ion Billing Lok. w. R.

ge 11 in.

e above Ground 1 ft. 6 in.

„ Sea Level 267 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							09	20				04	1
2				03				25		02	04	24	2
3			06		14		21				36	02	3
4	04		01					18			08	17	4
5				·21	02	02	27	47			36		5
6	02				02	07	09	03			03	04	6
7		03	05	10	03	01					03	02	7
8	08	82	44	06	03	36	87	15				06	8
9	13		27	04	02	1·06			05				9
10	~~34~~ 31	08	01	03	08	24			02				10
11	05	04		04	14	30			12			38	11
12			19			04	04		27		25	24	12
13		05	14						02	10	01	27	13
14			21							63	1,	28	14
15	05		16				43		04		08	10	15
16			02				04		03		03		16
17		08					03		04			16	17
18		21					21		10			34	18
19		02	31				02				07	02	19
20		14	16				09		08			14	20
21		04	07			09				03		23	21
22		05	02			03	09	07		20			22
23			02		32			02		05		02	23
24							21			21 added in 16	·20		24
25							06	19		38		09	25
26			02					05		05		34	26
27			02							01	17	07	27
28		04								15	02	1·12	28
29			08		04					29	14	03	29
30		X	02			04				03	35	23	30
31		X		X	04	X			X		X	10	31
Total	·68"	·80"	2·28"	·51	·88	2·26	2·75	1·61	·74	2·15	2·23	6·75	YEAR'S TOTAL 21·67
Rain Days.	7	12	20	7	11	11	15	10	10	13	~~16~~ 17	25	~~159~~ 158

W. 8,000. X. 14.

P.T.O.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

18 JAN 1915

Kept at Sywell Reservoir
in the County of Northampton 4
by William Sprott

Lat. — Long. —
Time of Observation Midnight
Nearest Railway Station Billing L.N.W.Ry
Diameter of Rain Gauge 11 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 267 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							09	20				04	1
2				03				25		02	04	24	2
3			06		14		21				36	02	3
4	04		01					18			08	17	4
5				·21	02	02	27	47			36		5
6	02				02	07	09	03			03	04	6
7		03	05	10	03	01					03	02	7
8	08	02	44	06	03	36	87	15				06	8
9	13		27	04	02	1·06			05				9
10	~~34~~ 31	08	01	03	08	24			02				10
11	05	04		04	14	30			12			38	11
12			19			04	04		27		25	24	12
13		05	14						02	10	01	27	13
14			21							63	11	28	14
15	05		16				43		04		08	10	15
16			02				04		03		03		16
17		08					03		04			16	17
18		21					21		10			34	18
19		02	31				02				07	02	19
20		14	16				09		08			14	20
21		04	07			09				03		23	21
22		05	02			03	09	07		20			22
23			02		32			02		05		02	23
24							21			21	added as 10 ·10		24
25							06	19		38		09	25
26			02					05		05		34	26
27			02							01	17	07	27
28		04								15	02	1·12	28
29			08		04					29	14	03	29
30		✗	02			04				03	35	23	30
31		✗		✗	04	✗			✗		✗	10	31
Total	·68"	·80"	2·28"	·51	·88	2·26	2·75	1·61	·74	2·15	2·23	6·75	YEAR'S TOTAL 21·67
Rain Days.	7	12	20	7	11	11	15	10	10	13	17	25	158 ~~159~~

W. 8,000. X. 14.

P.T.O.

8L

198

HARGRAVE HALL
NORTHAMPTONSHIRE
1911-1920

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

R

Kept at Hargrav
in the County of No
by C. H. Mur

d ft. 6 in.
evel 275 ft.

ce Direction

IMPORTANT NC … result entered to the previous day. If an … rule, he is earnestly requested to add the r… the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·03	1
2													2
3								·25			·23		3
4	·35			·13						·58			4
5								·06	·03			·99	5
6			·37										6
7													7
8		·16									·37		8
9													9
10										·03			10
11	·52			·02				·09			·53		11
12					·97							1·05	12
13													13
14		·05	·68										14
15											·60		15
16													16
17	·03								·86	·15			17
18				·02		·15					·15		18
19								·01				1·14	19
20								·42					20
21		·36	·39										21
22						·54		·39		·64	·13		22
23							·04						23
24						·31						·22	24
25	·03			·40	·19	·04							25
26		·30						·26		·27			26
27													27
28			·15			·19	·08		·31	·25	·19		28
29					·03		·08					·21	29
30				·02						·10			30
31													31
Total	·93	·87	1·59	·59	1·19	1·23	·20	1·48	1·20	2·02	2·20	3·64	TOTAL for year 17·14
No. of Rain Days													

3

9,000, IX. '10.

8L

198

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Hargrave

in the County of Northamptonshire 3

by C. K. Murchison

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 275 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·03	1
2													2
3								·25			·23		3
4	·35			·13						·58			4
5								·06	·03			·99	5
6			·37										6
7													7
8		·16									·37		8
9													9
10										·03			10
11	·52			·02				·09			·53		11
12					·97							1·05	12
13													13
14		·05	·68										14
15											·60		15
16													16
17	·03								·86	·15			17
18				·02		·15					·15		18
19								·01				1·14	19
20								·42					20
21		·36	·39										21
22						·54		·39		·64	·13		22
23							·04						23
24						·31						·22	24
25	·03			·40	·19	·04							25
26		·30						·26		·27			26
27													27
28			·15			·19	·08		·31	·25	·19		28
29					·03		·08					·21	29
30				·02						·10			30
31													31
Total	·93	·87	1·59	·59	1·19	1·23	·20	1·48	1·20	2·02	2·20	3·64	TOTAL for year 17·14
No. of Rain Days													

9,000, IX. '10.

82 ✓

REGISTER OF RAINFALL IN 1912

4M

FORM A2. BRITISH RAINFALL.

24 JAN 1913

Kept at Hargrave House

in the County of Northamptonshire 3

by C. K. Murchison

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2						·70							2
3	·27				·02		·55						3
4						·89		·38					4
5			1·00									·27	5
6				·05			·17	·43					6
7					·10	·81					·37		7
8						·25		·56	·22				8
9						·45	·21						9
10													10
11								·06				·30	11
12	1·60					·44					·35		12
13													13
14					·46								14
15			·53			·23							15
16		1·23					·25			·07			16
17								1·86				·38	17
18													18
19													19
20											·19		20
21					·58		·55						21
22						·53		·64					22
23	·59									·56			23
24			·67									·71	24
25							·78						25
26								2·08					26
27										·85	·53	1·11	27
28					·27			1·15					28
29		·02				·03	·74		·68				29
30			·17					·21	·24	·70			30
31													31
Total	2·46	1·25	2·37	·05	1·43	4·33	3·25	7·37	1·14	2·18	1·44	2·77	TOTAL for year 30·04
No. of Rain Days.													

W. 8,000, X. '11.

81 169

FORM A.
BRITISH RAINFALL.

27 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at *Hargrave House* Ex Bl

in the County of *Northamptonshire* 3

by *C. K. Murchison*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2					·70					·36			2
3				·11			·27		1·43				3
4	·30					·26				·49	·31		4
5		·26	·28										5
6										·86			6
7					·34							·15	7
8							·41						8
9	·01					·25			·04	·19			9
10													10
11		·25			·26			·17			1·12		11
12	·63												12
13													13
14										·10			14
15	·32		1·40				·21						15
16				1·98					·28				16
17												·09	17
18											·20		18
19							·08			·79			19
20													20
21	·65	·06				·13							21
22					·05			·61					22
23							·05		·18			·04	23
24													24
25			·81							·45			25
26												·15	26
27											·13	·005	27
28	·49				·27				·01			·02	28
29												·05	29
30			·01							·08		·02	30
31					·07								31
Total	2·40	·57	2·50	2·09	1·69	·64	1·02	·78	1·94	3·32	1·76	·525	YEAR'S TOTAL 19·235
Rain Days.													

DL Enter 6.III.15

Ex. M.G.

183

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hargrave

in the County of Northamptonshire 3

by C. K. Murchison

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·29					1
2							1·05	·18					2
3		–		·30				·07					3
4			·06					·35			·80		4
5	·72					·08	·22	·09					5
6	~~·04~~	·04			·39			·02					6
7			·37			·05		·02		·01		·83	7
8	~~·12~~	·12				·81		·15					8
9			·38	·46		·68	·43	·02					9
10					·06				·23		·44		10
11	~~·26~~					·34							11
12			·57				·01		·36			·36	12
13		·26			·11			·01				·21	13
14	·75		·28						·01	1·08	·11		14
15			·18				·49	·07					15
16									·13			1·00	16
17						·08							17
18	~~·55~~		·85				·06				·15		18
19								·05	·06				19
20													20
21	·01	·55										·25	21
22			·15		·12		·15			·27			22
23					·10						·25		23
24					·01							·15	24
25	~~·07~~		·06	·02				·20		·53			25
26						·01						·34	26
27			·04		·13		·08					·11	27
28	·08	·07								·63		1·29	28
29											·41		29
30			·16		·06							·25	30
31												·01	31
Total	1·56 ~~1·04~~	1·04	3·10	·78	·98	2·05	2·49	1·52	·79	2·52	2·16	4·80	YEAR'S TOTAL 23·79
Rain Days.													

W.7,000, XI. 13

82/

1180
+77

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
1 APR 1916

Kept at Hargrave
in the County of Northamptonshire 3 Exc Df
by C. K. Murchison

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·14								1
2	·64												2
3		·53				·03	·15		·17		·12		3
4				·41			·41					1·10	4
5					·15								5
6		·35						·84					6
7						·04	·73						7
8												·59	8
9						·04				·08			9
10	·85	·16		·04				1·28			·81		10
11													11
12			·44	·26	1·43						·80	·52	12
13		·39					·15	·42					13
14		·03											14
15					·05								15
16							·58				·31		16
17		·50										·12	17
18													18
19			·17		·09								19
20				·05			·84	·42					20
21	·62											·46	21
22				·01									22
23		·25		·02					·74			·33	23
24										·19		·31	24
25				·01									25
26				·01								·22	26
27	·10	·06				·46				·55			27
28												·22	28
29											·15		29
30										·21			30
31			·40				·41	·20	~~·31~~			·14	31
Total	2·21	2·27	1·01	·81	1·86	·57	3·27	3·16	1·22	1·03	2·19	4·01	YEAR'S TOTAL 23·61
Rain Days.													

W. 8,000. X. 14.

DL ✓ [illegible] [illegible]

1158
~~175~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Hargrave Hall

in the County of Northamptonshire

by C. K. Murchison

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·01					·80		1
2		·41	·20		·38				·32				2
3							·26						3
4	·87	·19				·15				·59	·77		4
5			·40		·26							·37	5
6				·16							·43		6
7							·50						7
8		·36			·36	·29							8
9			·09	·15		·02					·06		9
10							·37	·02	·05				10
11	·13				·64	·25							11
12		·30											12
13			·73	·07	·18	·31		·04		·41		·06	13
14		·25 ~~·50~~			·03				·21		·01		14
15		·34			·05		·21	·11					15
16			·23	·28				·49			—		16
17		·28					·05						17
18			·31					·31	·11		1·49		18
19	·28						·02	·09					19
20			·67	·18								1·85	20
21		·37 ~~·66~~				—							21
22					·09			·26			·14		22
23			·02	·01		·52				·34			23
24													24
25	·06	·70			·02	·12							25
26		·20	·70 ~~+·05~~				·01	·44					26
27				·01		·11					·16	·42	27
28		·32	·53 ~~+·06~~					—	·07				28
29						·30		1·63		·43			29
30	·02	X						·16					30
31		X		X		X		·01	X		X		31
Total	1·36	3·68 ~~4·26~~	3·88 ~~4·86~~	·86	2·01	2·08	1·42	3·56	·76	1·77	3·86	2·70	YEAR'S TOTAL 27·94
Rain Days.													

W. 8,000. X. 15.

82

1118

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

√ Kept at Hargrave Hall;

in the County of Northamptonshire

by C. H. L. Murchison

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06		-					·38				1
2						·23		·92					2
3	·09									·70			3
4		·20											4
5							·39		·42				5
6								·92		·41	·50		6
7	1·00		·38									·08	7
8													8
9						·01		·19	·08				9
10	·07									·80			10
11				1·49			·41	·25					11
12													12
13	·82												13
14													14
15									1·13	·55	·02		15
16						·17							16
17		·56				·55	·38	·90					17
18			·53		·86								18
19													19
20									·29				20
21												·52	21
22	·16												22
23						1·15							23
24							·01	·09		·56	·48		24
25					1·05								25
26		·03						·85	·10				26
27													27
28			·34					·08					28
29	·06						1·31	·02					29
30		✕						·09					30
31		✕		✕		✕		·10	✕		✕		31
Total	2·20	·85	1·25	1·49	1·91	2·11	2·50	4·41	2·40	3·02	1·00	·60	YEAR'S TOTAL 33·74
Rain Days.													

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
30. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Hargrave Hall
in the County of Northamptonshire
by C. K. Murchison

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			–			–							1
2					1·10								2
3													3
4				·38									4
5		·60			·24	·07			1·18		1·35		5
6							–			·85			6
7													7
8	·19												8
9			·15					·23					9
10							·49						10
11													11
12				1·73	·39		·25		1·01				12
13							·43				·04		13
14												1·25	14
15													15
16	1·23					·24			·50	·28			16
17		·34											17
18							1·28						18
19									·20				19
20													20
21												·33	21
22	·22				·52								22
23			·09	–						·31			23
24									·40		·80		24
25							·54	·42					25
26		·01											26
27						·04						·40	27
28													28
29	–				–		–	·02	1·21				29
30		✕							·04	·07			30
31		✕	·42	✕		✕			✕		✕		31
Total	1·64	·95	·66	2·11	2·25	·35	2·99	·67	4·54	1·51	2·19	1·98	YEAR'S TOTAL 21·84
Rain Days.													

W. 8,000, IX. 17.

DL

17. 3. 20

1048

FORM A.
BRITISH RAINFALL.

16 MAR 20

REGISTER OF RAINFALL IN 1919

Kept at Hargrave Hall

in the County of Northamptonshire

by C. H. Murchison

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		-				-							1
2	1·25				·10					·07			2
3							·85		1·07			1·45	3
4			·91								·64		4
5						·06		11					5
6					·77								6
7		·23											7
8				·62			·58						8
9	·67											·08	9
10													10
11			·83						·08		·13		11
12													12
13						·10				·23			13
14													14
15							·38						15
16								·05					16
17		1·87										·59	17
18	1·04		1·27					·79					18
19						·27							19
20					·09	·07			·16				20
21							·95				·89		21
22		·36											22
23	·27									·39		·90	23
24						·08							24
25		·17	·25					1·32	·40				25
26													26
27				1·45			·07						27
28										·53		·45	28
29	·66												29
30		X										·24	30
31		X		X		X			X		X		31
Total	3·89	2·63	3·26	2·07	·96	·58	2·83	2·27	1·71	1·22	1·66	3·71	YEAR'S TOTAL 26·79
Rain Days.													

W, 6,500, VII. 18. W W C

178

996

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Hargrave Hall
in the County of Northamptonshire
by C. K. Murchison

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·36					·17	1
2										·32			2
3			·12			·02	·42	·57					3
4		·04			·35		·06			·37			4
5				1·74			·64						5
6	·73						·43					·14	6
7							·09		30				7
8						·12	·04						8
9			·34										9
10				·34				·04		·15			10
11		·12			17						·06		11
12						·11							12
13							·21						13
14				·55								·27	14
15						12			·91		·25		15
16		·44	·67	·06				·16					16
17							·11						17
18					·25		·08						18
19	·49							·08		·02			19
20				·66		·41		12				·56	20
21							·33		·32				21
22									·28		·04		22
23		·19				·02							23
24			·45				·53						24
25													25
26					·11	·42			·14	·06			26
27							·14				·53	·63	27
28				·16	·30								28
29	·73				·23	·02					·17		29
30												·24	30
31					·01					·37			31
Total	1·95	·79	1·58	3·51	1·42	1·24	3·44	·97	1·95	1·29	1·05	2·01	Year's total 21·20
Days with ·01 in. or more													

4·04

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex DL

REC 913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

—

NORTHANTS.

HARTWELL VICARAGE

1913 – 1920

Kept at Hartwell

in the County of North

by Rev. C. Ryd
per C.

Long.

ation

auge in.

ge above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOT . and the result entered to the previous day. If an O t universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.18	13	.11	.04				1.81		.15		1
2		.17	.03	.03			.20		.20	3.07	.05		2
3	.16	.02	.30	.03	.71				.01	.02		.08	3
4	.36				.03		.07			.22	.08	.30	4
5			.04		.01		.05		.04	.43	.05	.04	5
6		.11	.04		.25	.24	.12			.55	.02	.10	6
7	.03	.35			.15	.11	.23			.13	.14	.09	7
8		.22			.10	.01	.05			.06		.05	8
9			.05	.01		.15	.03				.12	.02	9
10	.04			.10			.04	.01	.11		.63	.05	10
11	1.00			.52	.15		.01	.41		.26	.35		11
12					.20		.04		.01		.40		12
13	.04		.03				.01		.03	.03	.27		13
14	.12		.15	.05				.13		.12		.01	14
15	.14		.30	.39			.51		.06		.05		15
16			.78	.26					.02	.03	.02		16
17	.16			.14	.02		.08				.03		17
18			.21	.23	.02		.14			.02			18
19	.21		.13		.06	.05	.10		.11		.03		19
20	.15		.15	.04	.03	.18	.02			.42	.09		20
21			.54	.07	.08		.09	.01		.03	.22		21
22	.61		.28	.03	.02		.03	.19	.24	.02			22
23			.03			.07	.03	.04					23
24	.02		.02	.09		.05	.01				.02		24
25			.02	.16			.02					.14	25
26		.05	.19	.16		.02		.09		.37	.06	.16	26
27			.15	.04			.02			.03	.03		27
28	.38		.25	.25						.15	.02		28
29	.02		.17	.51	.13			.05		.07		.13	29
30	.24		.02	.02	.01					.35	.18		30
31			.04		.19			.40	.03 ?	.03			31
Total	3.73	1.10	4.05	3.24	2.20	.88	1.90	1.33	2.67	6.41	3.01	1.17	YEAR'S TOTAL 31.69
Rain Days.	17	7	24	21	18	9	22	9	12	21	22	14	196

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFA 913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Hartwell Vicarage Ex RV

~~in the~~ County of Northampton

by Rev. C. Ryder-Macnally.
per C. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.18	13	.11	.04				1.81		.15		1
2		.17	.03	.03			.20		.20	3.07	.05		2
3	.16	.02	.30	.03	.71				.01	.02		.08	3
4	.36				.03		.07			.22	.08	.30	4
5			.04		.01		.05		.04	.43	.05	.04	5
6		.11	.04		.25	.24	.12			.55	.02	.10	6
7	.03	.35			.15	.11	.23			.13	.14	.09	7
8		.22			.10	.01	.05			.06		.05	8
9			.05	.01		.15	.03				.12	.02	9
10	.04			.10			.04	.01	.11		.63	.05	10
11	1.00			.52	.15		.01	.41		.26	.35		11
12					.20		.04		.01		.40		12
13	.04		.03				.01		.03	.03	.27		13
14	.12		.15	.05				.13		.12		.01	14
15	.14		.30	.39			.51		.06		.05		15
16			.78	.26					.02	.03	.02		16
17	.16			.14	.02		.08				.03		17
18			.21	.23	.02		.14			.02			18
19	.21		.13		.06	.05	.10		.11		.03		19
20	.15		.15	.04	.03	.18	.02			.42	.09		20
21			.54	.07	.08		.09	.01		.03	.22		21
22	.61		.28	.03	.02		.03	.19	.24	.02			22
23			.03			.07	.03	.04					23
24	.02		.02	.09		.05	.01				.02		24
25			.02	.16			.02					.14	25
26		.05	.19	.16		.02		.09		.37	.06	.16	26
27			.15	.04			.02			.03	.03		27
28	.38		.25	.25						.15	.02		28
29	.02		.17	.51	.13			.05		.07		.13	29
30	.24		.02	.02	.01					.35	.18		30
31			.04		.19			.40	? .03	.03			31
Total	3.73	1.10	4.05	3.24	2.20	.88	1.90	1.33	2.67	6.41	3.01	1.17	YEAR'S TOTAL 31.69
Rain Days.	17	7	24	21	18	9	22	9	12	21	22	14	196

Ckd month by month [illegible] 5.III.15 EXLMcC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 6 JAN 1915

Kept at The Vicarage, Hartwell

in the County of Northampton

by Rev. C. Ryder-Macnally

Lat. 52°9′ Long. 0°51′ W.

Time of Observation 9. a.m

Nearest Railway Station Roade L.N.W

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 10 in.

" " " " Sea Level 403 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·04			·04	·32			·13	·04	1
2			·01			·01	·14	·24		·04	·36	·19	2
3				·01	·20		·28	·27			·03	·03	3
4	·19		·02	·30			·01	·70			·29	·15	4
5	·02			·16	·06	·13	·37	·03			·07		5
6		·05	·03	·02	·04	·01	·02	·03			·09	·09	6
7		·30	·43	·03	·10		·13	·12				·06	7
8	·14	·04	·31	·10	·07	1·10	·03	·05				·04	8
9	·33	·02	·39	·22	·01	·76		·05	·05		·02		9
10	·09	·21	·07	·12	·10		·01	·02	·19		[illegible]	·03	10
11		·07	·37	·03	·04	·40					·35	·45	11
12		·02	·15	·01					·50		·07	·40	12
13		·18	·23					·03	·08	·18	·07	·34	13
14	·02	·06	·26				·14			1·08	·11	·35	14
15	·05		·28			·02	·10	·04	·08		·04	·03	15
16	·04	·05	·05						·19	·02	·02	·01	16
17	·02	·49	·05						·15			·24	17
18			·03				·22		·01			·40	18
19	·02		·19				·03		·03		·10		19
20	·02	03	·31					·04				·24	20
21		·36	·04							·18	·03	·15	21
22		·02	·02	·01	·07	·03	·12	·09		·04	·04	·	22
23		06	·06		·07					·35		·02	23
24				·02	·01		·08	·02		·37	·07		24
25	·09		·07				·03	·16		·38	·05	·25	25
26	·02		·06				·01	·03		·06	·14	·32	26
27			·04								·11	·12	27
28		·09	·08		·02					·05	·05	·85	28
29	·07		·12		·04					·27	·23	·30	29
30		╳	·03	·01		·03				·05	·25	·27	30
31	·05	╳	·01	╳	·06	╳	·12		╳	·01	╳	·09	31
Total	1·17	2·05	3·~~6~~75	1·08	·89	2·49	1·88	2·24	1·28	3·08	2·72	5·46	YEARS TOTAL ~~27·99~~ 28·09
Rain Days.	15	16	28	14	14	9	18	17	9	14	23	26	203

3.75

W. 8,000. X. 14.

Ed t N.

1182

FORM A.
BRITISH RAINFALL.

10 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Vicarage, Hartwell.

in the County of Northampton 4

by The Reverend C. Ryder-Macnally.

Lat. 52" 9' Long. 0" 51' W.

Time of Observation 9 a.m.

Nearest Railway Station Roade L.N.W.Ry

Diameter of Funnel of Rain Gauge Five in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 405 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·08	Snow ·06		·10			·01	·19	·12	·02	·03	1
2	·05	·21	·22	·18	·01	·03		·27	·21	·13	·02	·10	2
3	·52	·01	·01	·06			·18	·33	·16	·01		·22	3
4	·06				·01		1·09	·02	·02			·54	4
5	·04	·23		·03	·08			·05			·03	·25	5
6	·23	·01	·03	·20	·02		·93	·01	·01	·01		·04	6
7	·05	·37	Snow ·12	·02	·02	·05	·10	·03			·02	·16	7
8	·03	·15	Snow ·01	·04			·02	·03	·01		·05		8
9		·02		·02		·01		·01		·01	·15	·44	9
10	·25	·03	·05					·05			·02	·01	10
11	·03		·02	·04	·13			·02			1·10		11
12	·06	·08		·28	·48		·02	·04			·63	Snow ·07	12
13	·01	·34		·01	1·08			·01	·01	·03			13
14	·01	·03			·01			·10	·07			·48	14
15	·19				·04		·03	·08	·01	·03	Snow ·26	·10	15
16	·06	·40		·02	·03		·74	·13				·12	16
17	·01	·30			·15		·12	·05					17
18		·08	Snow ·15		·01		·02	·01			·05	·02	18
19	·02	·03	·02		·01		·09						19
20	·37	·02		·02	·02		·02	·01				·26	20
21	·14				·08		·13					·08	21
22	·19		·32	·01			·65		·03			·17	22
23	·02	Snow. ·09	·09			·07	·37		·07	·46		·48	23
24			·07	·02		·15	·25		1·05	·11		·12	24
25			·02	·02		·02	·06		·02	·04		·23	25
26		·11	·01				·16	·01	·08			·32	26
27		·14				·59	·06	·01	·02	·44		·03	27
28		·18				·01		·08	·38	·04		·02	28
29					·02		·03	·09		·03	·15	·10	29
30	·04	X		·01		·28	·01	·01	·02	·13	·15	·09	30
31	·08	X		X		X	·02	·04	X	·42	X	·16	31
Total	2·94	2·91	1·20	·98	2·30	1·21	5·10	1·50	2·36	2·01	2·65	4·63	YEAR'S TOTAL 29·79
Rain Days.	23	21	15	16	18	9	22	25	17	15	13	26	220

W. 8,000. X. 15.

✓ Exd EM

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Hartwell Vicarage
in the County of Northampton.
by The Reverend C Ryder-Macnally

Lat. 52" 9' Long. 0" 51" W.
Time of Observation 9 am.
Nearest Railway Station Roade L.N.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 405 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·02			·06	·02	·43			·10	·98		1
2	·29	·09	·08		·28	·14	·02		·02	·43	·03		2
3	·03	·54			·06	·01	·01		·06	·24	·05		3
4	·27	·11		·02	·04	·31	·02		·01	·03	·19		4
5	·07	·01		·02	·06	·43	·03			·08	·47		5
6	·03	·16	Snow	·29	·05	·04	·46		·01	·08	·37		6
7	·04	·01	Snow		·07	·07	·12			·03	·16	·04	7
8	·02		Snow		·36	·50				·03	·01	·21	8
9	·01		·50		·12	·18				·02	·01		9
10	·01	·22	·14	·09	·02	·07	·02		·04		·01	·03	10
11	·04	·06	·15	·15	·04	·15			·01			·11	11
12	·05	·04	·01	·03	·37	·10	·11	·02	·03	·20			12
13	·04	·30	·07	·05	·02	·05	·19	·09		·01	·01		13
14		·57		·13	·02	·01							14
15	·01	·19	·60	·01	·08		·06	·15			·01		15
16	·05	·02	·38	·30	·05		·29	·19		·05	·01		16
17	·08	·06	·01	·16			·06	·53	·23	·25			17
18		·11	·03	·07				·07	·12	·02	1·19		18
19	·20	·03	·26	·08				·05	·14		1·03	·05	19
20	·06	·	·54	·06		·01					·07	Snow ·75	20
21	·25		·70	·13			·15						21
22		Snow ·15	·02	·01	·20	·02				·07		Snow ·86	22
23	·04		·01			·07		·08	·01	·13	·06	Snow ·64	23
24			·03	03	·08	·23		·05				Snow ·30	24
25		1·13	·11		·05	·02		·26		·03	·07	·03	25
26	·02		·10			·05				·05	·06	Keen frost	26
27	·06	Snow	·96			·31	·02	·94	·07	·36		Frost	27
28				·04		·12		·02	·03	·03		·18	28
29	·02	·13			·02	·17		1·34		·29	·02	·04	29
30		X				·04		·04		·23		·02	30
31	·02	X		X		X		·03	X	·13	X	·02	31
Total	1·80	3·95	4·70	1·67	2·05	3·12	1·99	3·86	·78	2·89	4·81	3·28	YEAR'S TOTAL 34·90
Rain Days.	24	24	22	18	20	24	15	15	13	23	20	14	232

W. 8,000, VIII. 16

1117

REGISTER OF RAINFALL IN 1917

NW

FORM A.
BRITISH RAINFALL.

12 Jan

Kept at Hartwell Vicarage.
in the County of Northampton
by The Reverend C. Ryder-Macnally

Lat. 52° 9' N Long. 0° 51' W.
Time of Observation 9 am.
Nearest Railway Station Roade L.N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 405 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		Gauge Frozen		Snow ·06				1·55	·32		·10		1
2	·04		·02	·01		·17		·11			·04		2
3				·09				·43		·53	·11		3
4	·02	·40	Snow ·19					·13		·19			4
5	·14	Severe Frost		Snow ·12				·02	·10	·10	·06	·07	5
6			·05			·11			·03	·22	·03		6
7	·34								·03	·24			7
8	·39			Sleet ·12			·73	·63		·31	·18	·04	8
9	·09		Snow ·19	·11	·08		·02	·40	·04		·14		9
10			·30	·22	·08			·31			·03		10
11	·41		·26	Snow ·19	·01			·13	·06	·23	·01		11
12	·07		·02	·03	·05	·07		·08		·22		·02	12
13	·02		·02	·04			·07	·21	·08				13
14	·12			·11				·39		·02			14
15				Snow ·07	·03		·01	·29	·02	·06		·04	15
16				·19	·01		·42	·06	·01	·38			16
17		·08		·15	·64	·05	·30	·01	·22	·17		Snow ·14	17
18	·12			·09	·12	·14	·16		1·04	·06			18
19	·02	·25	Snow ·12		·11	·02			·07				19
20	Rain - Gauge - Frozen	·14	·11		·92	·01	·02				·11		20
21		·02	Snow ·10	·03	·04	·10			·01	·03	Violent Gale		21
22			·08		·07			·08		·29	·02		22
23		·13	·02		·08			·30	·01	·05	Violent Gale		23
24		·08				·19		·15		Gale ·19			24
25		·04	·05				·22	·02			·10		25
26			·02				·02	·38	·11		·13		26
27			·18			·25		·69					27
28			·02		·01	·63		·09				·02	28
29			·02		·02	·44	·31	·03		Gale ·35		·32	29
30						·02	·58	·27				·03	30
31			Snow ·11				·10	·06		·02		Snow ·15	31
Total	1·78	1·14	1·88	1·63	2·27	2·20	2·96	6·82	2·15	3·66	1·06	·83	YEAR'S TOTAL 28·38
Rain Days.	12	8	19	16	15	13	13	24	15	19	13	9	175

W. 8,000, IX. 17.

3·08

Cor. for arith. by Markham.

6

FORM A.
BRITISH RAINFALL
4
9.19

REGISTER OF RAINFALL IN 1918

Kept at Hartwell Vicarage

in the County of Northampton

by The Reverend C. Ryder-Macnally.

Lat. 52" 9' N Long. 0" 51 W.

Time of Observation 9 AM

Nearest Railway Station Roude L.N.W.Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 405 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	~~Sept.~~	Oct.	Nov.	Dec.	Date.
1		.09		.09						.01	.21	.03	1
2		.10		.21				.03		.01	.10	.14	2
3		.03	.04		.30			.12	.35	.01	.43	.02	3
4		.02	.06				.14	.01	.22	.02	.56	.05	4
5		.08		.02	.34			.16	.16	.13	.02	.02	5
6		.20	.03	.14	.01	.04			.03	.09		.01	6
7	.14	.09		.15	.02				.11	.17	.15		7
8		.03		.02			.01		.12	.11	.01	.09	8
9		.03		.06		.12	.14		.52	.18		.11	9
10		.01		.08			.67		.12	.14		.09	10
11				.02	.11		.16		.09	.30	.02	.06	11
12		.05	.08	.02	.20		.12		.04	.02		.01	12
13		.03		.04			.11		.14	.05		.13	13
14	.30	.01		.05		.07	.32		.29	.20	.01	.08	14
15	.78			.97		.01	.13		.02	.01	.01	.15	15
16				.71		.05		.03	.28			.02	16
17				.04	.02	.04	.79	.02	.04	.01		.16	17
18	.48			.01		.15	.06		.45			.40	18
19	.06	.05		.07					.03	.10		.45	19
20	.02	.10		.71		.10			.20	.25	.02	.03	20
21	.07			.34		.04	.02		.35	.05		.04	21
22	.11				.35		.07		.02			.30	22
23	.07			.01	.53	.05	.14		.09	.03		.04	23
24		.17			.02		.02		.07	.05	.16		24
25					.03	.03	.01	.30	.01	.04	.01		25
26							.22	.02	.01	.07	.06	.13	26
27		.02	.03	.02			.14	.26	.06		.09	.05	27
28		.11	.17			.04		.07	.01	.04	.26	.07	28
29			.02						1.93		.02	.06	29
30			.24					.02	.08		.09	.33	30
31			.04					.05		.10		.02	31
Total	2.03	1.22	.71	3.78	~~1.91~~ 1.93	.74	3.27	1.09	5.84	~~2.29~~ 2.19	2.23	3.09	YEAR'S TOTAL ~~28.20~~
Rain Days.	9	18	9	21	11	12	18	12	28	~~24~~ 25	18	28	~~208~~

28.12
209

W. 8,000, IX. 17.

~~+~~ R.L. corrly C. 1047

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

13 JAN 20

Kept at Hartwell Vicarage
in the County of Northampton
by C. Ryder-Macnally

Lat. 52° 9' N Long. 51' W
Time of Observation 9 a.m.
Nearest Railway Station Roade L.N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 405 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38		·02		·04	·08	·30			·04		·84	1
2	·16				·05	·	·28		·13	·14	·29	·10	2
3	·80		·08		·02		·04		·18	·	·14	·18	3
4	·07		·12		~~·06~~	·15	·20	·13	·16		·01	·10	4
5	·05	·57	·40				·10	·	·85		·01	·15	5
6	·01		·19		1·20						·06	·07	6
7	·06		·14		·02						·	·	7
8	·13		·20	·18							·02		8
9	·		·08	·07					·02		·04		9
10			·03	·03						·05	·	·09	10
11	·09		·45	·06			·53			·01			11
12			·26	·03	·02	·05			·03	·07		·07	12
13			·80	·25		·04	·06			·08	·10	·02	13
14	·42		·02	·25			·08		·16				14
15	·14	·08	·13	·15					·	·03		·53	15
16	·12	·83		·01							·10	·	16
17		·53		·02		·					·36		17
18		·01	·26					·27	·09		·04	·15	18
19	·05	·28	1·21			·21	·42	·35	·11		·03	·03	19
20	·50	·08	·16			·14	·45	·33	·03		·05	·	20
21	·14	·45	·08				·59	·	·		·03	·11	21
22		·28					·02		·34		·	·30	22
23		·01		·07		·09	·	·04	·01	·43		·04	23
24				·06	·07		·22	·01	·	·34		·05	24
25	·19	·02		·08	·04			·21		·01		·03	25
26			·12	·				·05	·13	·		·38	26
27	·55	·04	·04	·72		·02		·53				·03	27
28	·07	·01	·02	·02			·02	·51		·03		·30	28
29			·01	·17		·02	·07	·15		·35	·38	·19	29
30			·06	·25		·33	·	·05		·10	·	·27	30
31			·01				·05	·		·04		·02	31
TOTAL	3·93	3·19	4·89	2·25	1·46	1·13	3·43	2·63	2·24	1·72	1·65	2·03	YEAR'S TOTAL 32·75
Days with ·01 in. or more	18	13	24	17	8	10	16	12	13	14	15	23	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Hartwell Vicarage

in the County of Northampton

by The Reverend C Ryder-Macnally

Lat. 52" 9' N Long. 0" 51' W

Time of Observation 9·am

Nearest Railway Station Roade L.N.W. Railway.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 405 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19	·25		·24			·14	·03	·13	1
2				·09	·02		·06	·16	·12	·09		·09	2
3	·01	·05		·10	·02	·04	·16	·02	·08	·08		·02	3
4			·09	·11	·03	·02	·23	·31	·03	·30		·04	4
5			·10		·14		·34	·11	·08	·01		·01	5
6			·32		·12		·40	·01					6
7			·04	·06	·03		·10						7
8	·16	·04		·48	·03		·13						8
9	·31	·02		·74			·02	·12					9
10	·13	·04	·05	·17		·04	·13						10
11	·25		·05	·52	23	05	·04						11
12	·03	·03	·05	·15		·66	·03				·04	snow ·20	12
13	·03		·12	·09		·01			·04		·01	·10	13
14	·02	·02	·34	·23		·20	·12		·23	·13	·32		14
15	·01	·07	snow ·37	·23		·02			·13	·04	·04		15
16				·08	·03	·30			·17	·18	·09		16
17	·01		·03	·02	·15				·22	·03		·02	17
18	·17			·12	·14			·17	·34				18
19	·01			·24			·07	·12				·04	19
20	·08	snow ·54		·27		·15						·04	20
21	·01			·02			·05	·11	·05				21
22	·03			·20			·02	·01	·38			·13	22
23	·01			·01			·41					·43	23
24		·02	·18	·01			·01						24
25		·08	·07	·05	·03	·01	·42					·05	25
26	·18		·09		·35		·37				·05	·04	26
27	·27	·01	·01	·22		·37	·02				·70	·18	27
28	·14		·12	·01	·08	·01	·05				·02		28
29	·05	·01	·10		·39		·10				·11	·54	29
30	·47		·01	·10		·13	·07		·26		·09	·19	30
31	·04		·01		·07		·05			·33		·03	31
TOTAL	2·42	·93	2·15	4·51	2·11	2·01	3·64	1·14	2·13	1·33	1·50	2·28	YEAR'S TOTAL 26·15
Days with ·01 in. or more	22	12	19	26	17	14	25	10	13	10	11	18	197
Days with ·04 in. or more	12	6	15	21	10	9	20	7	12	8	8	14	142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L

part interpolated from Astrop. III.'15 Sx h.g. 151a

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at King's Sutton School

in the County of Northamptonshire 2

by A. H. Tilbury

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·005						·49				·07	·04	1
2				·05			·14				·44	·31	2
3			·01	·01	·24		·26				·01	·03	3
4	·21		·01	·20	·005						·33	·29	4
5	·01		·06	·11	·02	·10	·12		(–)		·16		5
6		·06	·01	·04	·07	·03					·18	·16	6
7		·27	·35	·03	·15	·01	·07					·06	7
8	·05	·02	·22	·05		·75	·005				·01	·04	8
9	·16	·36	·23	·14		·94			·03			·005	9
10	·01	·14	·005	·04	·09				·30				10
11		·02	·35	·10	·07	·49	·02		·005		·30	·40	11
12			·10				·35		·34		·04	·38	12
13		·25	·23						·10	·04	·14	·30	13
14		·07	·20				·17			·84	·03	·60	14
15	·05	·01	·17				·02		·09			·01	15
16			·04				·005		·16				16
17		·26	·06						·14			·34	17
18			·01				·37					·27	18
19			·23				·02				·05	·01	19
20		·24	·19				·10					·27	20
21		·31	·04				·005			·17		·10	21
22		·005	·03	·02	·19	·04	·07					·01	22
23		·04	·09		·08		·04			·14		·05	23
24			·005		·005		·02			·15			24
25	·07		·05				·005			·35		·20	25
26	·005		·07				·03			·09		·36	26
27	·05									·02	·21	·15	27
28		·08	·05		·09					·31	·07	1·05	28
29	·01		·09							·07	·31		29
30			·05								·28	·44	30
31					·005		(·11)						31
Total	·63	2·135	2·95	·79	1·015	2·36	(2·42) ~~2·31~~	(1·63)	1·165	2·18	2·63	5·875	YEAR'S TOTAL 25·780
Rain Days.	10 ~~11~~	15	26 ~~27~~	11	10 ~~12~~	7	19 ~~20~~	(14)	8	10	16	24	(170)

W.7,000, XI. 13

1058

FORM A. 2. METEOR 1094 NIZATION.

BATCHSLIP

STD JOB: MET-ARCH

BATCH : METZ001E

ENTRY 110 VERIFY X

Kept at Hazelb w

in the County of

by H. Gullis

Gauge in.

Ground ft in.

Sea Level 241 ft.

IMPORTANT N red to the previous day.

If an Observer prefers d to add the reading at 9 a.m. the end of this paragraph. Full in gauges, and particulars as to the British Rainfall Organization are given in "Rules for Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.6		.7	.2	.8	7.7	3.7			2.9		17.0	1
2	3.8	2.4	.3		.8		2.8	.8	2.7	6.6	6.2	9.0	2
3	13.9		2.4		.7	.2	.7		6.4		3.1	2.5	3
4	7.7		8.2		.2	.7	2.1	2.1	4.9		.2	2.6	4
5	1.1	7.3	5.9				.9		12.5			5.8	5
6	.2	1.4	1.1		12.4		.2			.6	.6	2.3	6
7	1.0		5.7		.6				.3		1.0		7
8	2.4		1.3	4.1						.2	.1		8
9	.3		0.7	2.2									9
10			8.5	.9							1.1	2.6	10
11			5.7	1.4	.3		10.8					.2	11
12			3.2	.4		1.7			.4	4.1	.5	.2	12
13	2.8			7.3			.6		.4	2.6		1.5	13
14	8.7			4.2			2.9		.8	.6			14
15	5.3	.9	1.9	4.4						.4	1.4	15.1	15
16	1.4	19.0		1.1							5.1		16
17		9.2		.2							4.3	.5	17
18		5.8	5.9					6.1			1.5	2.4	18
19	2.8	7.0	26.2			4.5	14.5	8.7	.7		1.1	.3	19
20	9.5	.9	8.7			2.9	4.5	6.7	.8		1.2	.8	20
21	1.2	11.3	1.4			.4	8.4				.9	3.5	21
22		5.1					.4	.2	4.8			9.2	22
23						1.6	.3	.3	.2	14.1	.6	.7	23
24				2.2			.6			13.4		1.4	24
25	2.9			3.3	.7	.2		5.7				2.4	25
26	1.5		3.4	1.4				.9	3.8			7.5	26
27	3.8	.7	5.0	20.6		.2		11.2		.3		2.4	27
28	5.1		1.2	.6			.2	14.7		.2		6.9	28
29	2.1			.4		.3	.5	2.9		4.2	6.1	7.0	29
30			5.3	5.7		5.6		2.5		1.9	4.8	9.2	30
31							.9			.8		.4	31
TOTAL	85.1	71.0	102.7	60.6	16.5	26.0	55.0	62.8	38.7	52.9	39.8	113.4	YEAR'S TOTAL 724.5
Days with 0·2 mm. or more	21	12	21	18	8	12	18	13	13	15	17	26	194

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1058

—

1094

HAZELBOROUGH WOOD'S
NORTHAMPTONSHIRE
1919 – 1920

2

FORM A. 2. METEO… NIZATION.

Kept at Hazel… w

in the County of N…

by H. Gulli…

Gauge……in.

Ground……ft.……in.

Sea Level 241 ft.

IMPORTANT … ered to the previous day.
If an Observer prefe… ed to add the reading at 9 a.m. … the end of this paragraph. Full instructions for the … ain gauges, and particulars as to the British Rainfall Organization are given in … Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.6		.7	.2	.8	7.7	3.7			2.9		17.0	1
2	3.8	2.4	.3		.8		2.8	.8	2.7	6.6	6.2	9.0	2
3	13.9		2.4		.7	.2	.7		6.4		3.1	2.5	3
4	7.7		8.2		.2	.7	2.1	2.1	4.9		.2	2.6	4
5	1.1	7.3	5.9				.9		12.5			5.8	5
6	.2	1.4	1.1		12.4		.2			.6	.6	2.3	6
7	1.0		5.7		.6				.3		1.0		7
8	2.4		1.3	4.1						.2	.1		8
9	.3		0.7	2.2									9
10			8.5	.9							1.1	2.6	10
11			5.7	1.4	.3		10.8					.2	11
12			3.2	.4		1.7			.4	4.1	.5	.2	12
13	2.8			7.3			.6		.4	2.6		1.5	13
14	8.7			4.2			2.9		.8	.6			14
15	5.3	.9	1.9	4.4						.4	1.4	15.1	15
16	1.4	19.0		1.1							5.1		16
17		9.2		.2							4.3	.5	17
18		5.8	5.9					6.1			1.5	2.4	18
19	2.8	7.0	26.2			4.5	14.5	8.7	.7		1.1	.3	19
20	9.5	.9	8.7			2.9	4.5	6.7	.8		1.2	.8	20
21	1.2	11.3	1.4			.4	8.4				.9	3.5	21
22		5.1					.4	.2	4.8			9.2	22
23						1.6	.3	.3	.2	14.1	.6	.7	23
24				2.2			.6			13.4		1.4	24
25	2.9			3.3	.7	.2		5.7				2.4	25
26	1.5		3.4	1.4				.9	3.8			7.5	26
27	3.8	.7	5.0	20.6		.2		11.2		.3		2.4	27
28	5.1		1.2	.6			.2	14.7		.2		6.9	28
29	2.1			.4		.3	.5	2.9		4.2	6.1	7.0	29
30			5.3	5.7		5.6		2.5		1.9	4.8	9.2	30
31							.9			.8		.4	31
TOTAL	85.1	71.0	102.7	60.6	16.5	26.0	55.0	62.8	38.7	52.9	39.8	113.4	YEAR'S TOTAL 724.5
Days with 0·2 mm. or more	21	12	21	18	8	12	18	13	13	15	17	26	194

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1058

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hazelborough

in the County of Northamptonshire

by H. Gulliver

Lat. 52·5 W Long. 1·3 W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7·6		·7	·2	·8	7·7	3·7			2·9		17·0	1
2	3·8	2·4	·3		·8		2·8	·8	2·7	6·6	6·2	9·0	2
3	13·9		2·4		·7	·2	·7		6·4		3·1	2·5	3
4	7·7		8·2		·2	·7	2·1	2·1	4·9		·2	2·6	4
5	1·1	7·3	5·9				·9		12·5			5·8	5
6	·2	1·4	1·1		12·4		·2			·6	·6	2·3	6
7	1·0		5·7		·6				·3		1·0		7
8	2·4		1·3	4·1						·2	·1		8
9	·3		0·7	2·2									9
10			8·5	·9							1·1	2·6	10
11			5·7	1·4	·3		10·8					·2	11
12			3·2	·4		1·7			·4	4·1	·5	·2	12
13	2·8			7·3			·6		·4	2·6		1·5	13
14	8·7			4·2			2·9		·8	·6			14
15	5·3	·9	1·9	4·4						·4	1·4	15·1	15
16	1·4	19·0		1·1							5·1		16
17		9·2		·2							4·3	·5	17
18		5·8	5·9					6·1			1·5	2·4	18
19	2·8	7·0	26·2			4·5	14·5	8·7	·7		1·1	·3	19
20	9·5	·9	8·7			2·9	4·5	6·7	·8		1·2	·8	20
21	1·2	11·3	1·4			·4	8·4				·9	3·5	21
22		5·1					·4	·2	4·8			9·2	22
23						1·6	·3	·3	·2	14·1	·6	·7	23
24				2·2			·6			13·4		1·4	24
25	2·9			3·3	·7	·2		5·7				2·4	25
26	1·5		3·4	1·4				·9	3·8			7·5	26
27	3·8	·7	5·0	20·6		·2		11·2		·3		2·4	27
28	5·1		1·2	·6			·2	14·7		·2		6·9	28
29	2·1			·4		·3	·5	2·9		4·2	6·1	7·0	29
30			5·3	5·7		5·6		2·5		1·9	4·8	9·2	30
31							·9			·8		·4	31
TOTAL	85·1	71·0	102·7	60·6	16·5	26·0	55·0	62·8	38·7	52·9	39·8	113·4	YEAR'S TOTAL 724·5
Days with 0·2 mm. or more	21	12	21	18	8	12	18	13	13	15	17	26	194

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

182 1007

9 APL 1921

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920..

Kept at Hazelborough Woods

in the County of Northamptonshire

by H. Gulliver

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 241 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			·2	4.8	5·7		8·7		·7	4·5		5·7	1
2		·2	·5	·7	·1		3·8	4.8	2·1	1·2		2·6	2
3	1.1	1·2		1·5	·4		4·5	·3	2·1	2·3			3
4			1·9	3·7			3·7	7·3	·4	5·9		·9	4
5		·2	1·4	1·1	5·7		8·5	2·1	2·3	·9		·4	5
6			4·1		4·2		6·8	·2				·8	6
7	·3		·9	1·7	·3		1·7						7
8	3·9	1·1		10·5	·5		5·1	·1					8
9	7·1	·2		20·7			·2	2·3					9
10	5·3	·9	1·1	6·9		1·6							10
11	4·6	·1	1·2	6·4	6·9	2·3	4·3					1·2	11
12	·6	·7	3·2	2·3	·3	15·1	·8	·2			0.7		12
13		·4	2·4	·6			·3		2·6				13
14	1·6	·2	8·3	6·4		6·7			5·2	4·3	7.7	·8	14
15	·2	·9	12·9	7·5			2·3		3·3	1·2	0.5		15
16		·1	·2	1·5	·9	24·3	·6		6·3	3·4	0.8		16
17	·5		·2	3·1	3·3				4·3	·4		·8	17
18	3·8			·9	1·5			5·4	4·8			·8	18
19	1·0	1·6		4·8		3·9	·2	·6	·4			·2	19
20	1·5	12·1		4·9		5·8	·1					·7	20
21	·3			·4			·4	1·1	1·3			·8	21
22	·1			3·6			·4	2·4	6·6			3·4	22
23	·2						10·4	1·4	·2			10·3	23
24	·1		5·3	·3				·2			0.9	1·4	24
25	·1	2·3	1·2	·3		·2	12·8	·1				·2	25
26	5·2	·2	3·2	·8	1·4		1·7				0.3	1·4	26
27	10·0	·9	·2	9·1		9·1					17.1	4·7	27
28	12·5	·1	1·0	·4	5·2		2·3				2.7	·2	28
29	4·6		4·6		5·7	2·3	1·6				2.8	11·4	29
30	·3	╳	1·9	2·3	·2	3·9	2·2		5·5		2.8	3·4	30
31	·8	╳	1·0	╳	·4	╳			╳	8·1	╳	1·9	31
TOTAL	65·7	23·4	56·9	107·2	42·7	75·2	83·4	28·5	48·1	32·2	36.3	54·0	YEAR'S TOTAL 653.6
Days with 0·2 mm. or more	21	15	22	27	16	11	23	13	16	10	10	22	206
1.0	13	5	16	19	9	10	16	8	12	8	5	11	132

(44,204). Wt. 24958—218—500. 10/19. Gp.132 [illegible] &E.W.

FORM A2.
BRITISH RAINFALL.

2 - FEB 1912

REG 11

NORTHANTS.
KETTERING
1911- 1914

Kept at Ketteri 5 in.

ove Ground ft. in. ~~by Gore~~

in the County of No Sea Level 288 ft.

by C. W. Lan

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily a nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·01	·01	–	–	–	·01	–	·01	·03	·03	1
2	·03	–	–	–	·17	–	–	·01	·01	·03	·06	·07	2
3	–	·01	–	–	·13	–	–	·05	–	–	·02	·03	3
4	·03	·01	·08	·03	–	–	–	–	·06	·24	·17	·31	4
5	·03	–	–	·01	–	–	–	·10	–	·06	·01	–	5
6	·28	–	·02	·02	–	–	–	–	–	–	·03	·31	6
7	·01	–	–	·02	–	–	–	–	–	·06	·10	·11	7
8	·11	–	·12	–	–	–	–	–	–	–	·04	·11	8
9	·05	–	–	·02	–	–	–	–	–	–	·11	·06	9
10	–	·07	·21	–	–	–	–	–	–	–	·06	·30	10
11	·19	–	–	–	–	–	–	·38	–	–	·37	–	11
12	·05	–	·41	–	–	–	–	–	·05	–	·12	·01	12
13	–	–	·03	–	·31	–	–	–	·30	–	–	·37	13
14	–	·04	·04	–	·18	–	–	–	–	·06	–	·36	14
15	–	·06	·18		–	–	–	–	–	·04	·08	·03	15
16	–	–	·01	–	–	·02	–	–	–	·01	·32	·10	16
17	–	–	·01	–	–	·03	–	–	–	–	·02	·16	17
18	–	·11	–	–	–	·02	–	–	–	–	·11	·06	18
19	–	·03	–	–	–	·15	–	–	·12	·12	·32	·09	19
20	–	·07	–	·01	–	–	–	·23	·15	·09	–	·37	20
21	–	·07	·04	–	–	–	–	1·04	–	·09	–	·11	21
22	·03	–	·11	·02	–	·14	–	·02	–	·11	·02	·40	22
23	–	·05	·14	–	–	·50	·01	–	·39	–	–	·15	23
24	–	·10	·01	–	–	·30	–	–	–	·43	–	·08	24
25	–	·04	·03	·03	1·43	·04	–	·04	–	–	·01	–	25
26	–	·05	–	·28	–	·02	·08	–	–	·25	·15	·18	26
27	–	·19	·15	·05	·66	–	·09	·14	·11	·02	·06	·06	27
28	–	·13	·01	·13	–	–	–	·17	–	–	–	–	28
29	–	——	·02	·02	–	·14	·02	·01	–	·22	·01	–	29
30	–	——	·01	·02	–	·04	–	·02	·16	·05	–	–	30
31	–	——	–	——	·10	——	·01	–	——	–	——	–	31
Total	·82	1·03	1·64	·67	2·98	1·40	·21	2·22	1·35	1·89	2·22	3·86	TOTAL for year 20·29
No. of Rain Days.	11	15	20	14	7	11	5	13	9	17	22	24	168

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

Kept at Kettering

in the County of Northampton 4

by C. W. Lane

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground as before ft. in.
„ „ „ Sea Level 288 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

FORM A2.
BRITISH RAINFALL.
2 - FEB 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	·01	·01	-	-	-	·01	-	·01	·03	·03	1
2	·03	-	-	-	·17	-	-	·01	·01	·03	·06	·07	2
3	-	·01	-	-	·13	-	-	·05	-	-	·02	·03	3
4	·03	·01	·08	·03	-	-	-	-	·06	·24	·17	·31	4
5	·03	-	-	·01	-	-	-	·10	-	·06	·01	-	5
6	·28	-	·02	·02	-	-	-	-	-	-	·03	·31	6
7	·01	-	-	·02	-	-	-	-	-	·06	·10	·11	7
8	·11	-	·12	-	-	-	-	-	-	-	·04	·11	8
9	·05	-	-	·02	-	-	-	-	-	-	·11	·06	9
10	-	·07	·21	-	-	-	-	-	-	-	·06	·30	10
11	·19	-	-	-	-	-	-	·38	-	-	·37	-	11
12	·05	-	·41	-	-	-	-	-	·05	-	·12	·01	12
13	-	-	·03	-	·31	-	-	-	·30	-	-	·37	13
14	-	·04	·04	-	·18	-	-	-	-	·06	-	·36	14
15	-	·06	·18	-	-	-	-	-	-	·04	·08	·03	15
16	-	-	·01	-	-	·02	-	-	-	·01	·32	·10	16
17	-	-	·01	-	-	·03	-	-	-	-	·02	·16	17
18	-	·11	-	-	-	·02	-	-	-	-	·11	·06	18
19	-	·03	-	-	-	·15	-	-	·12	·12	·32	·09	19
20	-	·07	-	·01	-	-	-	·23	·15	·09	-	·37	20
21	-	·07	·04	-	-	-	-	1·04	-	·09	-	·11	21
22	·03	-	·11	·02	-	·14	-	·02	-	·11	·02	·40	22
23	-	·05	·14	-	-	·50	·01	-	·39	-	-	·15	23
24	-	·10	·01	-	-	·30	-	-	-	·43	-	·08	24
25	-	·04	·03	·03	1·43	·04	-	·04	-	-	·01	-	25
26	-	·05	-	·28	-	·02	·08	-	-	·25	·15	·18	26
27	-	·19	·15	·05	·66	-	·09	·14	·11	·02	·06	·06	27
28	-	·13	·01	·13	-	-	-	·17	-	-	-	-	28
29	-		·02	·02	-	·14	·02	·01	-	·22	·01	-	29
30	-		·01	·02	-	·04	-	·02	·16	·05	-	-	30
31	-		-		·10		·01	-		-		-	31
~~Total~~	·82	1·03	1·64	·67	2·98	1·40	·21	2·22	1·35	1·89	2·22	3·86	TOTAL for year 20·29
No. of Rain Days.	11	15	20	14	7	11	5	13	9	17	22	24	168

W. 8,000, X. '11.

Ex JL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

1 FEB 1913

Kept at Kettering

in the County of Northampton 4

by C.W. Lane

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 288 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Kettering
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	.	.01	.05	.	.11	.03	.	.08	.	.	.10	1
2	.	.03	.06	.01	.02	.45	.70	.	.	.	.	.02	2
3	.07	.	.08	.	.05	.11	.08	.61	.	.	.	.08	3
4	.04	.	.45	.	.08	.34	.	.05	.04	.	.30	.	4
5	.11	.06	.13	.	.	.17	.	.16	.	.	.05	.03	5
6	.34	.11	.	.	.	.32	.15	.81	.	.	.	.02	6
7	.	.05	.	.	.03	.54	.01	.06	.01	.	.	.02	7
8	.30	.34	.19	.	.	.12	.15	.	.09	.	.	.03	8
9	.	.06	.06	.04	.	.40	.03	.12	.	.	.	.14	9
10	.	.01	.	.	.	.10	.	.12		.	.25	.	10
11	.05	.08	.	.	.01	.07	.	.	.	.	.02	.23	11
12	.09	.57	.06	.	.08	.05	.12	.	.	.	.05	.	12
13	.02	.06	.	.	.	.05	.	.11	.	.	.04	.01	13
14	.08	.	.11	.	.11	.28	.	.03	.	.	.	.	14
15	.01	.02	.11	.	.18	.19		.03	.	.	.	.12	15
16	.58	.	.10	.	.08	.	.	.05	.	.07	.	.	16
17	.45	.	.22		.	.12	.	.18		.	.04	.23	17
18	.12	.	.08	.	.	.	.	.01	.	.	.	.07	18
19	.26	.	.03	.	.	.	.08	.30	.	.03	.02	.	19
20	.03	.	.14	.	.14	.	.40	.40	.	.19	.	.	20
21	.	.08	.16	.	.37	.	.	.90	.	.16	.04	.	21
22	.06	.08	.	.	.33	.	.84	.29	.	.03	.	.	22
23	.11	.27	.29	.	.01	.	.81	.37	.	.	.05	.33	23
24	.10	.04	.	.	.	.10	.04	.19	.	.	.04	.07	24
25	.	.	.	.	.	.18	.03	.53	.	.	.13	.32	25
26	.	.03	.02	.	.	.08	.27	1.42 *	.	.57	.20	.30	26
27	.	.	.	.	.	.07	.18	.05	.	.31	.	.23	27
28	.	.03	.		.	.	.28	.50	.05	.20	.18	.51	28
29	.	.01	.	.	.	.11	.25	.	.52	.34	.	.	29
30	.03	—	.	.	.13	.02	.05	.	.26	.22	.	.	30
31		—	.04	—	.39	—	.40	.16	—	.03	—	.02	31
Total	2.85	1.93	2.34	.10	2.01	3.98	~~4.90~~ 5.00	7.45	1.05	2.15	1.41	2.88	TOTAL for year 33.15
No. of Rain Days.	19	18	19	3	15	22	20	24	7	11	14	20	192

W. 8,000, X. '11.

~~* Between 5.30 a.m. and 7.30 p.m. 26th.~~

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 FEB 1914

Kept at Kettering
in the County of Northampton
by C. W. Lane

4

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Kettering
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·02	.	·09	.	.	.	.	·65	.	·10	.	1
2	-	·10	.	.	·07	.	·11	.	·20	.	·11	.	2
3	·02	.	·13	.	·58	.	.	.	·08	.	-	·08	3
4	·37	.	·01	.	·04	·01	·03	.	.	·66	·03	·11	4
5	-	-	.	.	-	·01	·03	.	·06	·75	·03	.	5
6	.	·03	·02	.	·11	·13	·37	.	.	·15	.	·01	6
7	.	·06	.	.	·02	·12	·01	.	.	·51	·09	.	7
8	.	-		.	·14	·05	.	.	.	·08	·08	.	8
9	.	·27	·06	·01	-	·10	.	·01	.	.	·07	.	9
10	·02	.	·01	·06	·06	.	·42	·02	·02	.	·64	.	10
11	·68	.	.	·45	·01	.	.	·02	.	·11	·26	.	11
12	.	.	.	.	·29	.	.	.	.	.	·26	.	12
13	·04	.	.	·02	. .	.	.	·04	.	.	·20	.	13
14	·10	·02	·18	·02	.	.	·16	·02	.	·06	·03	.	14
15	·21	·02	·13	·34	:	.	·07	.	.	.	.	.	15
16	·04	.	·73	·11	.	.	.	.	·08	.	.	.	16
17	·13	·05	·10	·15	.	·30	·01	.	.	.	·03	·04	17
18	·01	.	·13	·05	.	·01	·04	.	.	.	.	·01	18
19	·09	.	·04	.	.	.	·05	.	·03	.	.	·03	19
20	·10	.	·10	·02	.	·01	.	.	·06	.	·03	.	20
21	·03	.	·18	·04	·13	.	·07	.	.	·37	·22	.	21
22	·27	.	·20	·01	.	.	·01	.	.	.	.	.	22
23	.	.	.	.	.	·09	·01	·05	·18	.	·01	·02	23
24	·03	.	.	·10	.	.	.	·04	·02	.	.	.	24
25	.	·03	.	·06	.	·05	.	.	.	.	.	.	25
26	.	·04	·31	·14	.	.	.	·02	.	·37	·02	·12	26
27	.	·03	·01	·07	·02	.	.	.	.	.	.	.	27
28	·56	.	·28	·11	.	.	.	.	.	·09	.	·04	28
29	.	.	·16	·51	·09	.	.	·35	.	·05	.	·05	29
30	.	.	.	·01	.	.	.	·02	.	·13	·12	.	30
31	.	.	.	.	·15	.	.	·33	.	.	.	.	31
Total	2·71	·67	2·78	2·37	1·71	·88	1·39	·92	1·38	3·33	2·33	·51	YEAR'S TOTAL 20·98
Rain Days.	17	11	18	20	13	11	14	11	10	12	18	10	165

and for pr-W.D. 5.III.15

ExLMcC

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 1 - JAN 1915

Kept at Kettering
in the County of Northampton. 4
by (the late) Charles W. Lane.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly
f the following year in the space provided
s for the measurement of rain,
rs as to the British Rainfall
sent post-free on application to

Jan. 1, following. ·07

ExLMcC

GEORGE STREET, KETTERING.

1 - JAN 1915

Northants 4

1 Jany 1915.

Dear Sir,

I enclose my Father's Record of Rainfall for 1914. His figures ceased on November 14th, & for all that follows I am responsible but hope it will be in order.

From what I can make out, my Father was

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1								·28	-	-	·08	·18	1
2								·23	-	-	·19	·04	2
3								·04	-	-	·04	-	3
4								·35	-	-	·46	-	4
5								·11	-	-	·01	·17	5
6								-	-	-	·03	·03	6
7								·05	-	-	-	·02	7
8								·14	·01	-	-	·04	8
9								·03	·02	-	-	-	9
10								-	·10	·01	-	-	10
11								-	-	-	·20	-	11
12								-	·26	-	·03	·43	12
13								-	·05	·41	·10	·32	13
14								-	-	·62	·14	·27	14
15								·01	·05	-	·04	·38	15
16								-	·04	-	·01	·10	16
17								-	·13	-	-	-	17
18								-	-	-	-	·17	18
19								-	·02	-	·06	·48	19
20	-	[illegible]	[illegible]	-	-	-	·02	-	·02	-	-	·02	20
21	-	·12	·08	-	-	·07	-	·09	-	·07	-	·06	21
22	-	-	-	-	·20	·01	-	·10	-	·14	-	·30	22
23	-	·01	·07	-	·10	·03	·02	-	-	·06	-	·04	23
24	-	-	-	-	-	-	·16	-	-	·13	·11	·04	24
25	-	-	-	-	-	-	·02	·20	-	·40	·01	-	25
26	-	-	·02	-	-	-	-	·04	-	·05	·16	·29	26
27	-	-	-	-	-	-	-	-	-	-	·03	·31	27
28	·03	·06	·02	-	·04	-	-	-	-	·10	·06	·19	28
29	·02	✕	·10	-	·04	-	-	-	-	·30	·15 ·09	·86	29
30	·02	✕	·02	-	-	·05	-	-	-	·04	·06	-	30
31	·01	✕	-	✕	·04	✕	·13	-	✕	-	✕ ·18	·23	31
Total	·90	·98	2·24	·68	·93	3·00	1·92	1·67	·70	2·33	2·09 7·91	·07 4·97 4·86	YEAR'S TOTAL 22·23 22·30
Rain Days.	15	14	20	9	12	10	16	13	10	12	20	23	174

W. 8,000. X. 14.

apparently in the habit of putting the Rainfall down on the day he measured it - so this I have done since Nov. 14th, & I have therefore added this morning's record in the space provided.

Yours faithfully,

E. Margaret Lane.

and for M.W.D. 5.III.15 Ex LMCC

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.
1 - JAN 1915

Kept at Kettering
in the County of Northampton. 4
by (the late) Charles W. Lane.

Lat. .... Long. ....
Time of Observation 9 am.
Nearest Railway Station Kettering.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 288 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	-	·04	-	-	·15	·28	-	-	·08	·18	1
2	-	-	·02	·02	-	-	-	·23	-	-	·19	·04	2
3	-	-	-	·01	·15	-	·40	·04	-	-	·04	-	3
4	·13	-	-	·20	-	-	-	·35	-	-	·46	-	4
5	·02	-	·03	·15	·01	-	·30	·11	-	-	·01	·17	5
6	-	·02	-	-	·06	-	-	-	-	-	·03	·03	6
7	-	·05	·39	-	·03	·07	·06	·05	-	-	-	·02	7
8	·03	·02	·04	·07	·05	-	·04	·14	·01	-	-	·04	8
9	·39	-	·21	·05	-	-	-	·03	·02	-	-	-	9
10	·11	·07	-	·11	·06	1·11	-	-	·10	·01	-	-	10
11	-	·10	·33	·03	·15	1·41	-	-	-	-	·20	-	11
12	-	·01	·11	-	-	·03	·02	-	·26	-	·03	·43	12
13	·03 s,	·12	·12	-	-	·21	-	-	·05	·41	·10	·32	13
14	·02	·04	·16	-	-	·01	·19	-	-	·62	·14	·27	14
15	·04	-	·19	-	-	-	·04	·01	·05	-	·04	·38	15
16	·01	-	·03	-	-	-	·08	-	·04	-	·01	·10	16
17	·02	·17	·02	-	-	-	·01	-	·13	-	-	-	17
18	-	-	-	-	-	-	·28	-	-	-	-	·17	18
19	-	·03	·08	-	-	-	-	-	·02	-	·06	·48	19
20	-	·16	·20	-	-	-	·02	-	·02	-	-	·02	20
21	-	·12	·08	-	-	·07	-	·09	-	·07	-	·06	21
22	-	-	-	-	·20	·01	-	·10	-	·14	-	·30	22
23	-	·01	·07	-	·10	·03	·02	-	-	·06	-	·04	23
24	-	-	-	-	-	-	·16	-	-	·13	·11	·04	24
25	-	-	-	-	-	-	·02	·20	-	·40	·01	-	25
26	-	-	·02	-	-	-	-	·04	-	·05	·16	·29	26
27	-	-	-	-	-	-	-	-	-	-	·03	·31	27
28	·03	·06	·02	-	·04	-	-	-	-	·10	·06 ·15	·19	28
29	·02	×	·10	-	·04	-	-	-	-	·30	·09	·86	29
30	·02	×	·02	-	-	·05	-	-	-	·04	·06	-	30
31	·01	×	-	×	·04	×	·13	-	×	-	× ~~·18~~	·23	31
Total	·90	·98	2·24	·68	·93	3·00	1·92	1·67	·70	2·33	2·09 7·91	·07 4·97 4·86	YEAR'S TOTAL 22·23 22·30
Rain Days.	15	14	20	9	12	10	16	13	10	12	20	23	174

W. 8,000. X. 14.

KETTERING
WATER WORKS
CLOVER HILL
NORTHANTS
1911 – 1920.

R

Kept at Kettering W

in the County of Nort

by Thos R Smith
Urban Distri

ll.
sher.
5 in.
ve Ground -- ft. 7 in.
, Sea Level 344 ft.
0.a.m.

112

Name Kettering.
Distance 1¼m Direction S.S.W. of gauge.

FORM A2.
BRITISH RAINFALL.

21 MAR 1912

IMPORTANT NO … nd the result entered to the previous day. If an C … niversal rule, he is earnestly requested to add the re … year in the space provided for it at the end of t … rement of rain, the selection and plac … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·02								·03	·04	1
2	·02				·19				·01		·06	·05	2
3		·02			·18			·05		·01	·03	·02	3
4	·02	·01	·04	·02					·04	·24	·24	·35	4
5								·11		·05	·01	·01	5
6	·30		·01								·03	·24	6
7				·02						·04	·15	·16	7
8	·11		·11								·03	·09	8
9	·08			·02							·10	·03	9
10	·01	·06	·24								·04	·33	10
11	·13							·63			·38		11
12	·01		·41						·03		·12	·02	12
13			·02		·44				·28			·36	13
14		·04	·01		·13					·09		·40	14
15		·06	·11							·04	·04	·02	15
16										·01	·34	·11	16
17	·01					·04					·02	·18	17
18		·15				·04				·01	·09	·06	18
19		·03				·13			·18	·04	·38	·04	19
20		·03				·01		·24	·16	·03		·44	20
21		·10	·02					1·02		·08		·13	21
22	·02		·03	·02		·31		·12		·09	·02	·42	22
23		·04	·19			·49			·39			·12	23
24		·10	·01			·31				·45		·10	24
25		·06		·04	1·32	·04		·04		·02			25
26				·29	·81	·02	·04			·26	·12	·19	26
27		·21	·15	·11			·04	·11	·10	·02	·01	·05	27
28		·14		·14		·01		·18			·06		28
29				·02		·13	·03	·03	·14	·23			29
30				·02		·03				·08			30
31					·26								31
Total	·42	1·11	1·43	·40	3·33	1·59	·14	2·53	1·39	1·85	2·33	3·99	TOTAL for year 21·11.
No. of Rain Days.	11	14	14	10	4	12	3.	10	9	18	21	25	154

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.

21 MAR 1912

Kept at Kettering Waterworks(Clover Hill)

in the County of Northampton. 4

by Thos R Smith., Surveyor to the Urban District Council.

RAIN GAUGE
Pattern Glaisher.
Diameter of top 5 in.
Height of top above Ground -- ft. 7 in.
„ „ „ Sea Level 344 ft. 112

Time of Observation 9.0.a.m.

Nearest Railway Station
Name Kettering.
Distance 1¼m Direction S.S.W. of gauge.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·02								·03	·04	1
2	·02				·19				·01		·06	·05	2
3		·02			·18			·05		·01	·03	·02	3
4	·02	·01	·07	·02					·07	·27	·24	·35	4
5								·11		·05	·01	·01	5
6	·30		·01								·03	·24	6
7				·02						·04	·15	·16	7
8	·11		·11								·03	·09	8
9	·08			·02							·10	·03	9
10	·01	·06	·24								·04	·33	10
11	·13							·63			·38		11
12	·01		·41						·03		·12	·02	12
13			·02		·44				·28			·36	13
14		·04	·01		·13					·09		·40	14
15		·06	·11							·04	·07	·02	15
16										·01	·34	·11	16
17	·01					·04					·02	·18	17
18		·15				·07				·01	·09	·06	18
19		·03				·13			·18	·07	·38	·04	19
20		·03				·01		·24	·16	·03		·47	20
21		·10	·02					1·02		·08		·13	21
22	·02		·03	·02		·31		·12		·09	·02	·42	22
23		·07	·19			·49			·39			·12	23
24		·10	·01			·31				·45		·10	24
25		·06		·04	1·32	·04		·04		·02			25
26				·29	·81	·02	·04			·26	·12	·19	26
27		·21	·15	·11			·07	·11	·10	·02	·01	·05	27
28		·17		·14		·01		·18			·06		28
29				·02		·13	·03	·03	·17	·23			29
30				·02		·03				·08			30
31					·26								31
Total	·72	1·11	1·43	·70	3·33	1·59	·14	2·53	1·39	1·85	2·33	3·99	TOTAL for year 21·11
No. of Rain Days.	11	14	14	10	7	12	3	10	9	18	21	25	154

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL.

29 APR 1913

112

REGISTER OF RAINFALL IN 1912.

Kept at Kettering Waterworks. Clover Hill.

in the County of Northampton. 4

by Thos F Smith, Surveyor to the Urban District Council.

Lat. 52°24'36" N. Long. 0°43'20" W.

Time of Observation 9.0.a.m.

Nearest Railway Station Kettering.

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground -- ft. 7 in.

" " " " Sea Level 344 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	.02	.01	.	.09	.04	.03	.06	.	.	.11	1
2		.	.06	.02	.	.58	.42	.	.01			.02	2
3	.09	.	.		.06	.16	.06	.64	.06	.	.	.10	3
4	.05	.	.54	.	.04	.29		.05			.28	.	4
5	.04		.15		.	.14		.16	.01	.	.10	.	5
6	.40	.14	.	.	.	.34	.12	.29	.	.	.02	.05	6
7	.	.06	.		.02	.44	.02	.01		.	.	.02	7
8	.34	.30	.18	.		.13	.13	.23	.08	.		.02	8
9	.01	.04	.05	.05		.38	.03	.		.	.	.12	9
10	.	.	.		.	.08	.	.15	.	.	.39	.	10
11	.05	.08	.	.	.	.06	.	.03		.	.02	.28	11
12	.04	.51	.07	.	.04	.05	.36	.	.	.	.04	.	12
13	.02	.06	.	.		.03		.05		.	.04	.02	13
14	.08	.	.09	.	.10	.14	.	.02	.	.04	.	.	14
15	.	.02	.13	.	.20	.23	.	.02	.		.	.14	15
16	.45	.	.09	.	.09			.05	.	.09	.	.	16
17	.05	.	.20	.	.	.12	.	.18	.	.	.03	.27	17
18	.35	.01	.04		.	.	.	.07	.	.	.02	.06	18
19	.62	.08	.03	.	.	.	.06	.32		.03	.04	.	19
20	.05	.	.13	.	.14	.	.56	.42	.	.25	.	.	20
21	.	.	.16	.	.35	.	.	.83		.16	.04		21
22	.21	.04	.	.	.34		.89	.28	.	.	.		22
23	.20	.24	.29	.	.01	.	.59	.49	.	.	.04	.32	23
24	.09	.03		.	.	.04	.03	.22		.	.	.11	24
25	.	.	.		.	.21		.08	.		.20	.30	25
26	.	.05	.02		.	.04	.23	1.63		.61	.25	.32	26
27	.	.	.	.	.	.04	.16	.09	.	.35		.22	27
28	.	.03	.		.	.	.18	.55	.04	.29	.14	.45	28
29	.	.02	.		.	.14	.24		.48	.36	.		29
30	.03	.		.	.11	.02	.		.31	.24		.	30
31	.	.	.03	.	.60	.	.44	.15	.	.02	.	.02	31
Total	3.20	1.83	2.31	.08.	2.16	3.84	4.89	6.98	1.05	2.44	1.41	2.95	YEAR'S TOTAL 33.44.
Rain Days.	19.	16.	18	3	13	22	18	26	8	11	15	19.	188

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

17 JUL 1914

1127

REGISTER OF RAINFALL IN 1913.

Ex. hig.

Kept at Kettering waterworks (Clover Hill).

in the County of Northampton. 4

by Thos R Smith., Surveyor to the Urban District council.

Lat. 52°24'36"N Long. 0°43'20"W.

Time of Observation 9.0.a.m.

Nearest Railway Station Kettering.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground -- ft. 7 in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.02	.12	.09					.40		.15		1
2	.01	.10			.06		.10		.14		.02		2
3			.11		.54				.06			.13	3
4	.39		.02		.08	.02	.03		.07	.43	.03	.13	4
5							.03		.06	.92	.02	.02	5
6		.03	.06		.12	.15	.26			.09		.01	6
7		.09			.01	.09	.03			.63	.04		7
8			.01		.12	.05				.22	.11		8
9		.26	.05			.14					.04		9
10	.02			.04	.08		.23				.65		10
11	.45			.44				.03		.11	.23		11
12					.28						.24		12
13								.04	.03		.18		13
14	.04		.24	.02			.09			.04	.05		14
15	.11	.03	.22	.40			.04		.01				15
16	.03		.66	.24									16
17	.04	.05	.21	.16		.24					.05	.02	17
18			.13	.06		.01	.03						18
19	.10		.10	.01			.04		.04			.03	19
20	.09		.13	.02		.11			.02	.35	.02		20
21	.02		.16	.03	.14		.05				.22		21
22	.45		.22	.01				.05	.19				22
23						.10	.01	.05	.03				23
24	.04			.10		.02		.03					24
25		.02		.04		.03				.02			25
26		.05	.23	.15				.02		.26	.02	.16	26
27		.03	.02	.08	.04								27
28	.41		.28	.18						.12			28
29	.02		.16	.52	.12			.19		.05		.05	29
30	.19									.14	.12	.03	30
31					.13			.23					31
Total	2.48	.68	3.13	2.68	1.45	.96	1.00	.64	1.35	3.41	2.25	.58	YEAR'S TOTAL 21.51
Rain Days.	14.	10.	19.	18.	12.	11	12.	8.	11.	13.	14.	9.	154.

W.7,000, XI. 13

EX ML

FORM A.
BRITISH RAINFALL.

28 APR 1915

112

REGISTER OF RAINFALL IN 19 14.

Kept at Kettering Waterworks (Clover Hill)

in the County of Northampton. 4

by Thos R Smith, Surveyor to the Urban District Counci.

Lat. 52° 24' 36" N. Long. 0° 43' 20" W.

Time of Observation 9.0.a.m.

Nearest Railway Station Kettering.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground -- ft. 7 in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	⟩	.04	-	-	.09	.22	-	-	.06	.04	1
2	-	-	.02	-	-	-	-	.16	-	.01	.18	.34	2
3	-	-	-	.04	.14	-	.41	.02	-	-	.05	-	3
4	.18	-	-	.20	-	-	-	.20	-	-	.45	.17	4
5	.05	-	.06	.24	.06	.07	.24	.21	-	-	.01	-	5
6	-	.02	-	-	.05	-	-	.01	-	-	.03	.04	6
7	-	.06	.40	-	.03	-	.04	-	-	-	-	.03	7
8	.04	.03	.06	.11	.05	1.13	.08	.16	-	-	-	.04	8
9	.37	-	.19	.08	-	1.21	-	-	.03	-	-	-	9
10	.13	.07	-	.21	.04	-	-	-	.08	-	-	-	10
11	-	.09	.32	.07	.11	.14	-	-	.03	-	.26	.42	11
12	-	-	.08	-	-	-	.02	-	.25	-	.01	.35	12
13	.02	.16	.17	-	-	-	-	-	.03	.37	.21	.23	13
14	-	.02	.20	-	-	-	.18	-	-	.68	.12	.30	14
15	.05	.01	.14	-	-	-	-	.02	.03	-	.04.	.12	15
16	-	-	.09	-	-	-	.09	-	.04	-	.01	-	16
17	.03	.20	.02	-	-	-	-	-	.19	-	-	.19	17
18	-	-	-	-	-	.02	.26	-	-	-	-	.52	18
19	-	.03	.09	-	-	-	-	-	.02	-	.06	.02	19
20	-	.19	.16	-	-	-	.02	-	-	-	-	.03	20
21	-	.13	.07	-	-	.08	-	.02	-	.05	-	.33	21
22	-	-	-	-	.19	.02	.06	.09	-	.13	-	.05	22
23	-	.01	.06	-	.08	.03	-	-	-	.05	-	.04	23
24	-	-	-	-	-	-	.19	-	-	.15	.11	-	24
25	.02	-	-	-	-	-	.02	.14	-	.46	.01	.21	25
26	-	-	-	-	-	-	-	.08	-	.04	.16	.39	26
27	.03	-	-	-	-	-	-	-	=	-	.03	.19.	27
28	-	.10	-	-	.04	-	-	-	-	.11	.06	.94	28
29	.03	-	.10	-	.04	-	-	-	-	.28	.09	.05	29
30	-	×	.02	-	-	.02	-	-	-	.05	.22	.21	30
31	.02	×	-	×	.04	×	.12	-	×	-	×	.08	31
Total	.97	1.12	2.25	.99	.87	2.72	1.82	1.33	.70	2.38	2.17	5.33	YEAR'S TOTAL 22.65 ✓
Rain Days.	12.	14.	18.	8.	12.	9.	14.	12.	9.	12.	20.	25.	165. ✓

W. 8,000. X. 14.

1217

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
8 JUN 1916

1127

Kept at Kettering Waterworks (Clover Hill)

in the County of Northampton

by Thos. R. Smith, Surveyor to the Urban District Council

Lat. 52°24′36″ Long. 0°43′20″

Time of Observation 9 A.M.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·26	·14	·10	—	·13	—	—	—	·12	—	·08	·10	1
2	·04	·12	·15	·17	—	03	—	·29	·05	·10	·02	·06	2
3	·31	—	·05	·15	—	—	·15	·30	·06	—	—	·15	3
4	·07	—	—	—	—	—	·07	—	—	—	—	·58	4
5	·03	·34	—	—	·31	—	—	·03	—	—	·01	·31	5
6	·13	·02	—	·17	—	—	·78	·03	—	—	—	·07	6
7	·05	·33	·05	—	·02	·16	·08	·14	—	—	—	·15	7
8	·02	·12	·03	·06	—	—	—	·04	—	—	·04	—	8
9	—	—	—	—	—	·14	—	—	—	·02	·19	·58	9
10	·39	—	·02	—	—	—	—	·16	—	—	02	·02	10
11	·02	—	—	·02	·08	—	·10	—	—	—	·65	·03	11
12	·03	—	—	·20	·33	—	—	·15	—	—	1·15	—	12
13	—	·45	—	—	·91	—	—	—	—	—	—	—	13
14	—	·03	—	—	—	—	·09	·02	·08	—	—	·44	14
15	·29	—	—	—	·10	—	·04	·17	—	—	·08	·15	15
16	—	·26	—	—	—	—	·95	·06	—	—	—	·06	16
17	—	·15	—	—	·03	—	·26	—	—	—	—	·01	17
18	—	·06	·08	—	—	—	—	—	—	—	·05	—	18
19	—	·03	·07	—	—	—	·07	—	—	—	—	—	19
20	·25	—	—	—	—	—	—	—	—	—	—	·23	20
21	·09	·04	—	—	·08	—	·10	—	—	—	—	·06	21
22	·10	—	·21	—	—	—	·26	—	·01	—	—	·12	22
23	·01	·04	·04	—	—	·06	·35	—	·06	·30	—	·32	23
24	—	—	·01	—	—	·02	·64	—	·70	·02	—	·11	24
25	—	—	—	—	—	·33	·15	—	—	·06	—	·25	25
26	—	·15	—	—	—	—	·11	—	—	—	—	·31	26
27	—	—	—	—	—	—	·08	—	—	·45	—	·06	27
28	—	·10	·01	—	—	—	—	·06	·09	·16	—	—	28
29	—	—	—	—	—	·02	·05	·08	—	—	·14	·19	29
30	·09	X	—	—	—	·18	—	—	—	—	—	·07	30
31	·01	X	—	X	—	X	—	·05	X	·28	X	·07	31
Total	2·19	2·38	·82	·77	1·99	·94	4·33	1·58	1·17	1·39	2·43	4·50	YEAR'S TOTAL 24·49
Rain Days.	18	16	12	6	9	8	18	14	8	8	11	25	153

W. 8,000. X. 15.

Evd CSE

1191

FORM A. BRITISH RAINFALL.
2 MAY 1917
112

REGISTER OF RAINFALL IN 1916

Kept at Clover Hill Waterworks Kettering
in the County of Northampton
by Kettering Urban District Council

Lat. 52° 24' 36" Long. 0° 43' 20"
Time of Observation 9 a.m.
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 7 in.
" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	·	·17	·	·	·04	·16	·	·	·	·40	·	1
2	·59	·	·07	·	·28	·	·05	·	·03	·39	·05	·	2
3	·	·49	·09	·	·	·	·11	·	·42	·34	·06	·	3
4	·48	·14	·	·	·12	·26	·09	·	·	·02	·17	·	4
5	·03	·	·	·	·05	·06	·	·	·	·15	·19	·	5
6	·	·12	·05	·05	·02	·04	·27	·	·	·11	·31	·	6
7	·07	·	·29	·	·08	·	·32	·	·	·08	·17	·07	7
8	·	·	·11	·	·01	·	·	·	·	·	·05	·19	8
9	·02	·	·02	·	·30	·02	·	·	·	·04	·	·04	9
10	·	·07	·05	·09	·	·05	·	·	·04	·05	·02	·05	10
11	·02	·19	·12	·07	·05	·11	·	·	·	·	·	·08	11
12	·02	·03	·18	·01	·50	·09	·04	·	·	·03	·	·	12
13	·	·20	·13	·05	·03	·06	·03	·05	·	·	·	·	13
14	·	·53	·	·08	·01	·	·	·05	·	·03	·	·	14
15	·	·21	·47	·	·	·	·03	·06	·	·02	·	·	15
16	·	·08	·24	·16	·07	·	·08	·04	·	·02	·	·	16
17	·04	·02	·	·19	·	·	·09	·53	·12	·23	·	·	17
18	·01	·23	·04	·06	·	·	·	·67	·07	·	·90	·	18
19	·11	·04	·27	·08	·	·	·	·	·12	·	·42	·12	19
20	·08	·	·08	·06	·	·	·	·07	·	·	·25	·30	20
21	·02	·	·30	·05	·	·	·	·	·	·	·02	·73	21
22	·	·05	·05	·	·05	·02	·	·	·	·04	·02	·60	22
23	·04	·38	·	·	·	·08	·	·03	·	·	·05	·22	23
24	·	·35	·09	·02	·	·19	·	·04	·	·02	·	·20	24
25	·	·15	·10	·	·05	·	·	·26	·	·12	·10	·	25
26	·	·06	·	·	·	·	·	·10	·	·04	·02	·	26
27	·03	·16	1·32	·	·	·01	·28	·03	·06	·22	·	·	27
28	·	·27	1·46	·	·	·07	·	·	·	·02	·	·21	28
29	·	·10	·	·	·04	·17	·	1·73	·	·34	·	·03	29
30	·	×	·	·	·	·03	·	·08	·	·14	·	·	30
31	·	×	·	×	·	×	·	·03	×	·04	×	·	31
Total	1·68	3·89	5·70	·97	1·61	1·30	1·55	3·77	·86	2·49	3·20	2·84	YEAR'S TOTAL 29·84
Rain Days.	15	21	22	13	15	16	12	15	7	22	17	13	188

W. 8,000, VIII. 16

Ex DL

1149

1127

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Clover Hill Pumping Station, Kettering
in the County of Northamptonshire
by C. A. Markham, T. R. Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·17				1·19	·17		·03	·03	1
2	·03	·01		·10		·10		·08			·03		2
3				·05				·44		·14	·12		3
4		·13	·13					·09		·45			4
5	·09		·06	·08					·18	·04	·13		5
6						·07				·11	·02		6
7	·46									·27			7
8	·33			·12			·24	1·68		·37	·13		8
9	·06		·30	·10			·02	·40		·02	·14	·02	9
10	·68		·29	·16	·08			·25		·05	·03		10
11	·05	·02	·13	·22				·37	·03	·29			11
12	·11	·02		·02	·16			·02		·37	·02		12
13	·02		·08					·22	·06			·02	13
14	·08			·06				·29					14
15	·07				·02		·15	·02		·04		·06	15
16	·05	·10		·13			·07			·13		·07	16
17	·03	·04	·02	·12	·46	·58	·20	·04	·10	·08			17
18	·02			·07	·09		·11	·02	1·06	·03			18
19		·12	·18		·17				·06				19
20		·23	·06		·90						·14		20
21		·02	·05	·04	·02					·02			21
22			·08					·11	·03	·13			22
23		·06			·08			·28	·04			·03	23
24		·03				·45		·04		·23	·07		24
25			·05								·11		25
26			·03					·70	·16		·14	·03	26
27						·34		·67					27
28						·53		·11			·10	·09	28
29					·03	·12	·15	·03		·35		·28	29
30	·02	X					·41	·14					30
31		X	·15	X		X	·05	·09	X		X	·15	31
Total	2·10	·78	1·61	1·44	2·01	2·19	1·40	7·28	1·89	3·12	1·21	·78	YEAR'S TOTAL 25·81
Rain Days.	15	11	14	14	10	7	9	23	10	18	14	10	155

W. 8,000, VIII. 16

41

FORM A.
BRITISH RAINFALL.

31 7 19

112

REGISTER OF RAINFALL IN 1918

Kept at Kettering Waterworks Clover Hill
in the County of Northampton
by Thos R Smith Surveyor to the Kettering Urban District Council

Lat. 52° 24' 36" Long. 0° 43' 20"
Time of Observation 9 0 AM
Nearest Railway Station Kettering
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 4 in.
" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.03	.22							.23	.03	1
2		.22		.04				.08			.12	.16	2
3		.03	.05		.44			1.04	.26		.43		3
4		.02	.06				.18	.06	.24		.45	.03	4
5		.06			.20			.08	.35	.06			5
6		.14	.02	.16									6
7	.02	.04		.14		.09			.01	.06	.11		7
8		.02	.03						.04	.04		.09	8
9		.24		.06		.10	.14		.31	.18		.10	9
10	.06			.19			.33		.05	.12		.04	10
11				.02	.10		.35		.14	.22		.04	11
12		.10	.03		.12		.08		.04				12
13	.05				.15				.14	.01		.02	13
14	.33			.03		.03	.51		.36	.16		.03	14
15	.96			.64		.03	.10		.06			.34	15
16	.05			.34					.28				16
17	.24			.06		.02	.62					.12	17
18	.34					.08	.34		.18			.24	18
19	.03		.06	.14		.03				.04		.11	19
20	.03	.09		.63		.06			.04	.14			20
21	.05			.14		.02			.22	.11		.03	21
22	.16				.06	.01			.04			.33	22
23	.04				.34		.14		.02			.02	23
24		.15					.12		.02	.01	.14		24
25					.11	.04	.03	.26		.05			25
26							.09		.05		.08	.21	26
27			.02	.02			.06	.11	.06		.10	.02	27
28	.01	.04	.10					.04			.24	.11	28
29									1.00		.20		29
30		X	.24						.06			.04	30
31		X	.13	X		X			X	.02	X		31
Total	2.40	1.24	.80	2.89	1.52	.51	3.12	1.40	4.06	1.28	2.13	2.20	YEAR'S TOTAL 23.88.
Rain Days.	14.	13.	11.	15.	8.	11.	14.	7.	23.	14.	10.	20.	160.

W. 8,000, IX. 17.

E X M L

1081

1127

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Kettering Waterworks (Clover Hill)

in the County of Northampton

by Kettering Urban District Council (Thos K Smith Surveyor)

Lat. 52° 24' 36" Long. 0° 43' 20" W

Time of Observation 9 A.M.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 7 in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·06	·02	·	·14	·	·02	·	·	·05	·03	·52	1
2	·14	·	·02	·	·	·	·21	·	·11	·06	·41	·17	2
3	·93	·	·07	·	·06	·	·22	·	·23	·	·19	·06	3
4	·09	·	·37	·	·	·10	·03	·25	·06	·	·02	·16	4
5	·05	·22	·15	·	·	·	·03	·	·64	·	·	·13	5
6	·	·	·02	·	1·28	·	·	·	·	·	·	·02	6
7	·03	·	·29	·	·	·	·	·	·	·	·01	·	7
8	·15	·	·07	·16	·	·	·	·	·	·	·	·	8
9	·	·	·	·16	·	·	·	·	·	·	·	·	9
10	·	·	·30	·05	·	·	·	·	·	·02	·04	·08	10
11	·09	·	·37	·06	·16	·	·66	·	·	·	·04	·	11
12	·	·	·33	·06	·	·17	·04	·	·	·07	·02	·	12
13	·14	·	·	·10	·	·	·	·	·04	·04	·	·02	13
14	·37	·02	·	·29	·	·	·	·	·05	·	·	·	14
15	·32	·04	·15	·10	·	·	·	·	·	·11	·10	·49	15
16	·08	·94	·	·	·	·	·	·05	·	·	·27	·	16
17	·	·33	·	·	·	·	·	·	·	·	·20	·02	17
18	·	·03	·10	·	·	·	·	·12	·	·	·02	·13	18
19	·04	·22	1·11	·	·	·11	·47	·11	·13	·	·10	·06	19
20	[illegible]7	·05	·23	·	·	·16	·23	·30	·	·	·07	·05	20
21	·26	·45	·10	·	·	·	·26	·	·	·	·03	·08	21
22	·	·33	·	·	·	·	·05	·	·47	·	·	·40	22
23	·	·	·	·	·	·03	·05	·09	·03	·66	·	·04	23
24	·	·	·	·15	·03	·	·03	·03	·	·18	·	·02	24
25	·12	·	·	·10	·08	·	·	·16	·	·	·	·03	25
26	·09	·07	·23	·06	·	·01	·	·03	·06	·	·	·40	26
27	·45	·02	·	·42	·	·02	·	·06	·	·	·	·08	27
28	·15	·	·	·09	·	·	·	·88	·	·	·05	·27	28
29	·05	·	·	·04	·	·	·	·10	·	·20	·19	·23	29
30	·	X	·07	·23	·	·22	·	·06	·	·13	·09	·36	30
31	·	X	·01	X	·	X	·06		X	·03	X	·03	31
TOTAL	4·46	2·78	4·01	2·07	1·75	·82	2·36	2·24	1·82	1·55	1·88	3·85	YEAR'S TOTAL 29·59
Days with ·01 in. or more	20	13	19	15	6	8	14	13	10	11	18	24	171

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1029

1127

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Clover Hill, Kettering

in the County of Northamptonshire

by per C. A. Markham, T. R. Smith

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·16	·24		·22			·18	·03	·18	1
2				·06			·01	13	·07	·06		·08	2
3		·03		·58		·02	69		·05	·08		·01	3
4			05	·09			·01	·39		·27		·03	4
5			·06		·22		·53	·11	·05			·02	5
6			·10		·07		·37	·01				·02	6
7			·04	·11			·09					·01	7
8	·18	·06		·52	·03		·07						8
9	·42			·97			·05	·13					9
10	·25	·02	·05	43		·01	·05				·02		10
11	·21		·06	·15	·17	·12	·02	·06				·10	11
12	·05		·03	19		·20					·01	·12	12
13	·02	·06	·08	·13		·02			·03		·04		13
14	·01	·02	·53	·17		·29	·05		·12	·40	·19		14
15		·05	·39	·06					·16	·03	·11	·02	15
16				·02	·05				13	·07			16
17				·03	·15				·40	·02		·18	17
18	·16				·04			·16	·31			·03	18
19	·07	·07		·22		·09		·19			·01	·02	19
20	·06	·29		·32		·39							20
21							·03	09	·02			·03	21
22	·02			·17			·02		·25				22
23							·25					·38	23
24			·15					01		·02	·02	·08	24
25		·09	·03	·04	·02	·01	·63						25
26	·13		·13	·02	·04		·01					·01	26
27	·11	·03		·09		·58					·67	·26	27
28	·51		·14		·08		·02				·04	·05	28
29	·12		·03		·26	·02	·03				·08	·55	29
30	·04			·09	·03	·03	·02		·12		·07	·16	30
31	·10		·03		·03		·03			·29		·11	31
TOTAL	2·46	·72	1·90	4·62	1·43	1·78	3·20	1·28	1·71	1·42	1·29	2·45	YEAR'S TOTAL 24·26
Days with ·01 in. or more	17	10	16	22	14	12	21	10	12	10	12	22	178
Days with ·04 in. or more	14	6	12	19	10	6	11	8	10	7	7	12	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Examined C. W. B.

1029

1127

FORM A./1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Kettering Waterworks (Clover Hill)

in the County of Northampton

by Kettering Urban District Council (Mr. J. K. Smith, Surveyor.)

Lat. 52°24'36" Long. 0°43'20"

Time of Observation 9 A.M.

Nearest Railway Station Kettering

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 7 in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	-	·16	·24	·	·22	·	·	·18	·03	·18	1
2	·	·	-	·06	-	·	·01	·13	·07	·06	·	·08	2
3	·	·03	-	·58	-	·02	·69	·	·05	·08	·	·01	3
4	·	·	·05	·09	-	·	·01	·39	·	·27	·	·03	4
5	·	·	·06	-	·22	·	·53	·11	·05	·	·	·02	5
6	·	·	·10	-	·07	·	·37	·01	·	-	·	·02	6
7	·	·	·04	·11	-	·	·09	·	·	-	·	·01	7
8	·18	·06	-	·52	·03	·	·07	·	·	-	·	·	8
9	·42	·	·	·97	-	·	·05	·13	·	-	·	·	9
10	·25	·02	·05	·43	·	·01	·05	·	·	·	·02	·	10
11	·21	·	·06	·15	·17	·12	·02	·06	·	-	·	·10	11
12	·05	·	·03	·19	·	·20	·	·	·	·	·01	·12	12
13	·02	·06	·08	·13	·	·02	·	·	·03	-	·04	·	13
14	·01	·02	·53	·17	·	·29	·05	·	·12	·40	·19	·	14
15	·	·05	·39	·06	·	·	·	·	·16	·03	·11	·02	15
16	·	·	·	·02	·05	·	·	·	·13	·07	·	·	16
17	·	·	·	·03	·15	·	·	·	·40	·02	·	·18	17
18	·16	-	·	-	·04	·	·	·16	·31	-	·	·03	18
19	·07	·07	·	·22	·	·09	·	·19	-	-	·01	·02	19
20	·06	·29	·	·32	·	·39	·	·	-	·	·	·	20
21	·	-	·	·	·	·	·03	·09	·02	-	·	·03	21
22	·02	-	·	·17	·	·	·02	·	·25	·	·	-	22
23	·	-	·	·	·	·	·25	·	·	-	·	·38	23
24	·	·	15	-	·	·	-	·01	-	·02	·02	·08	24
25	·	·09	·03	·04	·02	·01	·63	·	·	·	·	-	25
26	·13	-	·13	·02	·04	·	·01	·	·	·	·	·01	26
27	·11	·03	·	·09	·	·58	·	·	-	·	·67	·26	27
28	·51	-	·14	-	·08	·	·02	·	-	·	·04	·05	28
29	·12	-	·03	-	·26	·02	·03	·	·	·	·08	·55	29
30	·04		·	·09	·03	·03	·02	·	·12	·	·07	·16	30
31	·10		·03		·03		·03	·		·29		·11	31
TOTAL	2·46	·72	1·90	4·62	1·43	1·78	3·20	1·28	1·71	1·42	1·29	2·45	YEAR'S TOTAL 24·26
Days with ·01 in. or more	17	10	16	22	14	12	21	10	12	10	12	22	178
Days with ·04 in. or more	14	6	12	19	10	6	11	8	10	7	7	12	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1138

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

PETER BOROUGH.
WESTBOURNE HOUSE
NORTHANTS.
1911–1920

RI 1911

Kept at Westbourne H

in the County of Northa

by E H Colman

laisher (N.2)

top 8 in.

p above Ground 1 ft. — in.

„ Sea Level 30 ft.

8-40am

tion Name Peterboro G.S.
Distance 3/8 mile Direction NNE

IMPORTANT NOT a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	—	—	—	—	—	—	—	·01	·03	1
2	·13	—	—	—	·07	—	—	·02	—	—	·06	·04	2
3	·02	·01	—	—	·08	—	—	·04	—	·01	—	·04	3
4	·04	·05	·10	·12	—	—	—	·01	·13	·38	·12	·17	4
5	—	—	—	·02	—	—	—	·02	—	·01	—	·09	5
6	·28	—	—	—	—	—	—	—	—	·02	—	·18	6
7	—	—	—	—	—	—	—	—	—	—	·18	·31	7
8	·19	—	·09	—	—	—	—	—	·21	·01	·03	·08	8
9	·09	—	—	·03	—	—	—	—	—	·03	·02	·01	9
10	·02	·10	·10	·01	—	—	—	—	—	—	·02	·18	10
11	·14	—	—	—	—	—	—	—	—	—	·34	—	11
12	·06	—	·34	—	—	·07	—	—	·05	—	·09	·01	12
13	—	—	·07	—	—	·03	—	—	·25	—	—	·34	13
14	·02	·03	·03	—	·39	·01	—	—	—	·01	—	·46	14
15	—	·04	·10	—	—	—	—	—	—	·02	·09	—	15
16	—	—	·03	—	—	·05	—	—	—	·01	·36	·04	16
17	—	—	—	—	—	—	—	—	—	—	·09	·10	17
18	—	·19	—	—	—	·17	—	—	—	—	·13	·02	18
19	—	·02	—	—	·04	·08	—	—	·02	·03	·23	·02	19
20	—	—	—	—	—	—	—	·33	·12	·07	—	·39	20
21	—	·10	—	·01	—	—	—	·50	—	·08	—	·17	21
22	·03	·09	·13	·02	—	—	—	·08	—	·10	—	·37	22
23	—	·03	·11	—	·01	·92	—	·01	·43	—	—	·08	23
24	—	·04	·02	—	—	·42	—	—	—	·29	—	·11	24
25	—	·02	·05	·07	—	·02	—	—	—	·01	·03	·02	25
26	—	—	—	·21	—	—	—	—	—	·24	·19	·26	26
27	—	·16	·10	·18	—	·02	—	—	·16	·04	—	·02	27
28	—	·12	—	·10	—	—	—	20.[illegible]	—	—	·05	·03	28
29	—	X	—	·02	—	·15	·06	—	·17	·19	·01	—	29
30	—	X	—	·03	·02	—	—	—	·03	·08	—	—	30
31	—	X	·01	X	—	X	—	—	X	·02	X	·01	31
Total	1·04	1·00	1·28	·82	·61	1·94	·06	1·21	1·57	1·65	2·05	3·58	TOTAL for year 16·81
No. of Rain Days	12	14	14	12	6	11	1	9	10	20	18	27	156

9,000, IX. '10.

1138

FORM A2.
BRITISH RAINFALL.
5-JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Westbourne House, Peterborough

in the County of Northamptonshire

by E H Colman

RAIN GAUGE
Pattern Glaisher (N.2)
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 30 ft.

Time of Observation 8-40 am

Nearest Railway Station
Name Peterboro G.E.
Distance 3/8 mile Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	—	—	—	—	—	—	—	—	·01	·03	1
2	·13	—	—	—	·07	—	—	·02	—	—	·06	·04	2
3	·02	·01	—	—	·08	—	—	·04	—	·01	—	·04	3
4	·04	·05	·10	·12	—	—	—	·01	·13	·38	·12	·17	4
5	—	—	—	·02	—	—	—	·02	—	·01	—	·09	5
6	·28	—	—	—	—	—	—	—	—	·02	—	·18	6
7	—	—	—	—	—	—	—	—	—	—	·18	·31	7
8	·19	—	·09	—	—	—	—	—	·21	·01	·03	·08	8
9	·09	—	—	·03	—	—	—	—	—	·03	·02	·01	9
10	·02	·10	·10	·01	—	—	—	—	—	—	·02	·18	10
11	·14	—	—	—	—	—	—	—	—	—	·34	—	11
12	·06	—	·34	—	—	·07	—	—	·05	—	·09	·01	12
13	—	—	·07	—	—	·03	—	—	·25	—	—	·34	13
14	·02	·03	·03	—	·39	·01	—	—	—	·01	—	·46	14
15	—	·04	·10	—	—	—	—	—	—	·02	·09	—	15
16	—	—	·03	—	—	·05	—	—	—	·01	·36	·04	16
17	—	—	—	—	—	—	—	—	—	—	·09	·10	17
18	—	·19	—	—	—	·17	—	—	—	—	·13	·02	18
19	—	·02	—	—	·04	·08	—	—	·02	·03	·23	·02	19
20	—	—	—	—	—	—	—	·33	·12	·07	—	·39	20
21	—	·10	—	·01	—	—	—	·50	—	·08	—	·17	21
22	·03	·09	·13	·02	—	—	—	·08	—	·10	—	·37	22
23	—	·03	·11	—	·01	·92	—	·01	·43	—	—	·08	23
24	—	·04	·02	—	—	·42	—	—	—	·29	—	·11	24
25	—	·02	·05	·07	—	·02	—	—	—	·01	·03	·02	25
26	—	—	—	·21	—	—	—	—	—	·24	·19	·26	26
27	—	·16	·10	·18	—	·02	—	—	·16	·04	—	·02	27
28	—	·12	—	·10	—	—	—	20.[illegible]	—	—	·05	·03	28
29	—	X	—	·02	—	·15	·06	—	·17	·19	·01	—	29
30	—	X	—	·03	·02	—	—	—	·03	·08	—	—	30
31	—	X	·01	X	—	X	—	—	X	·02	X	·01	31
Total	1·04	1·00	1·28	·82	·61	1·94	·06	1·21	1·57	1·65	2·05	3·58	TOTAL for year 16·81
No. of Rain Days	12	14	14	12	6	11	1	9	10	20	18	27	154

9,000, IX. '10.

Exe DL

REGISTER OF RAINFALL IN 1912

Form A2. BRITISH RAINFALL. 11 JAN 1913 1138

Kept at Westbourne House, Peterborough

in the County of Northamptonshire 4

by E H Colman

RAIN GAUGE
Pattern Glaisher (N. Z)
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 30 ft.

Time of Observation 8-40 am

Nearest Railway Station
Name Peterboro' G&R
Distance 3/8 mile Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	–	–	·12	–	–	·05	–	–	17 [illegible]	1
2	–	·04	·02	·04	·01	·13	·48	–	–	–	–	·01	2
3	·12	·01	·08	–	·01	·45	–	·35	·02	–	–	·09	3
4	·04	–	·35	–	·06	·26	–	·06	–	–	·31	–	4
5	·06	·08	·40	–	–	·01	–	·04	–	–	·04	–	5
6	·47	·14	–	–	–	·22	·76	·27	–	–	–	·01	6
7	–	–	–	–	–	·86	–	–	–	–	–	–	7
8	·26	·15	·08	–	–	·16	·12	–	·10	–	–	·01	8
9	·01	·13	·01	–	–	·88	–	·02	–	·01	–	·09	9
10	–	–	·04	–	–	–	–	·04	·08	–	·04	–	10
11	·14	·05	–	–	·01	·01	–	–	·02	–	–	·21	11
12	·10	07·[illegible]	·05	–	07·[illegible]	·05	–	–	–	–	·09	–	12
13	·02	–	–	–	[illegible]	·07	·02	–	–	–	·31	·03	13
14	·02	–	·02	–	·06	·01	–	–	–	·05	–	–	14
15	–	·01	·06	–	·54	·20	–	·04	–	–	–	·03	15
16	·39	–	·04	–	·06	·08	–	·06	–	·03	–	–	16
17	·31	–	·11	–	–	·18	–	07·[illegible]	–	–	–	·19	17
18	·10	–	·05	–	–	–	–	·06	–	·01	·01	–	18
19	·24	·09	·03	–	–	–	·11	·38	–	·01	·01	–	19
20	·09	–	·04	–	·02	–	07·[illegible]	·45	–	·28	–	–	20
21	–	–	·11	–	·51	–	–	51·[illegible]	–	·10	·04	–	21
22	·15	·03	–	–	·13	–	·88	·21	–	–	–	–	22
23	·11	·20	·24	–	–	–	1·39	·59	·01	–	·06	·31	23
24	·18	–	–	–	–	·02	·04	·19	–	–	–	·10	24
25	·01	–	–	–	–	·11	·04	·56	–	·01	·16	·30	25
26	–	·02	–	–	–	·09	·30	1·58	–	·56	·24	·29	26
27	–	–	–	–	–	·07	·17	–	–	·30	–	·12	27
28	–	·02	–	–	–	–	·02	·39	·01	·21	·19	·61	28
29	–	–	–	–	–	·08	·28	·10	·51	·31	·12	–	29
30	·01	X	–	–	·46	–	–	–	·31	·16	–	–	30
31	–	X	·09	X	·20	X	·54	·13	X	–	X	–	31
Total	2·83	1·04	1·82	·04	2·14	4·06	5·22	6·10	1·11	2·04	1·62	2·57	TOTAL for year 30·59
No. of Rain Days.	20	14	18	1	13	21	15	21	9	13	13	16	174

W. 8,000, X. '11.

Exo 8.2

REGISTER OF RAINFALL IN 1913

FOR BRITISH RAINFALL 12 JAN 1914

1138

Kept at Westbourne House, Peterborough

in the County of Northants 4

by E H Colman

RAIN GAUGE	Pattern	Glaisher (N.Z)
	Diameter of top	8 in.
	Height of top above Ground	1 ft. — in.
	" " " Sea Level	30 ft.

Time of Observation 8·40 am

Nearest Railway Station: Name Peterboro' G.E.; Distance 3/8 mile; Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·02	·08	·01	—	—	—	—	·40	—	·09	—	1
2	·01	·06	·02	—	·01	—	·14	—	07	—	—	—	2
3	—	—	·10	—	·53	—	—	—	·01	·06	—	—	3
4	·23	—	—	—	·09	·02	·01	—	—	17	·15	·25	4
5	·02	—	—	—	—	·01	—	—	—	47	·01	·06	5
6	—	·01	·04	—	·49	·02	·18	—	—	·02	—	—	6
7	—	·03	—	—	·04	·05	·04	—	—	·49	—	·01	7
8	—	—	—	—	·28	·06	—	—	—	·12	·12	—	8
9	—	·20	·03	·01	·01	·07	·02	—	—	—	·07	—	9
10	·01	—	—	·02	·22	—	·24	·13	—	—	·46	—	10
11	·88	—	—	·36	—	—	—	·20	—	—	·03	—	11
12	—	·01	—	—	·02	—	—	—	—	—	17	—	12
13	·01	—	—	—	—	—	—	—	·01	—	·36	—	13
14	·03	·01	·23	—	—	—	·26	—	—	·09	·01	—	14
15	·14	·02	·17	·12	—	—	—	—	·06	—	—	—	15
16	·01	—	·67	·12	—	—	—	—	·05	—	—	—	16
17	·09	·03	·14	·10	—	·64	—	—	—	—	·02	·05	17
18	—	—	·09	·12	—	—	·10	—	·90	—	—	·01	18
19	·09	—	07	—	—	—	·01	—	·04	—	—	·01	19
20	·06	—	·10	·04	—	—	—	—	·06	·44	—	—	20
21	—	—	·12	·01	·02	—	·05	—	—	—	·21	—	21
22	·18	—	·11	—	—	—	—	·04	·14	—	—	—	22
23	—	—	·08	—	—	·01	·01	·01	·02	—	·01	—	23
24	·02	—	—	·04	—	·02	—	—	—	—	—	—	24
25	—	—	—	·09	—	·01	—	—	—	—	—	·02	25
26	—	·03	·18	·04	—	—	—	—	—	·53	·04	·12	26
27	—	·01	·01	—	—	·02	—	—	—	·01	—	—	27
28	·23	—	·04	·07	—	—	—	—	—	·06	—	—	28
29	·06	×	·14	·49	·12	—	—	·10	—	·04	—	·08	29
30	·13	×	—	·02	—	—	—	·01	—	·04	·08	·05	30
31	—	×	—	×	·06	×	—	·77	×	—	×	—	31
Total	2·22	·43	2·42	1·66	1·89	·93	1·06	1·26	1·76	2·54	1·83	·66	TOTAL for Year 18·66
No. of Rain Days.	18	11	19	16	12	11	11	9	11	13	13	10	154

W. 8,000, X. '11.

Ex L McC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1138
2 - JAN 1915

Kept at Westbourne House, Peterborough
in the County of Northants 4
by G H Colman

Lat. 52°34′ N Long. 0°14′ W
Time of Observation 8·40 am
Nearest Railway Station Peterborough G.E.R
Diameter of Rain Gauge 8 in. Glaisher
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 38. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·02	—	—	·02	·24	—	—	·08	·03	1
2	—	—	—	·04	—	—	·03	·10	—	—	·07	·12	2
3	—	—	·02	—	·12	—	·14	—	—	—	·05	—	3
4	·12	—	—	·18	—	—	—	·06	—	—	·39	·09	4
5	—	—	·05	·09	·05	—	·09	·18	—	—	—	—	5
6	—	·03	—	—	·02	·03	·24	·01	—	—	·19	—	6
7	—	·01	·38	—	—	·04	—	—	—	—	—	—	7
8	07	·04	·05	·01	·12	·73	·04	·11	—	—	—	·04	8
9	·53	—	·19	·08	—	·97	—	·01	·02	—	—	·03	9
10	·39	·05	—	·04	·01	—	—	—	·06	—	—	—	10
11	—	·02	·27	—	·15	·02	—	—	·05	—	·27	·20	11
12	—	·01	·05	—	—	—	·08	—	·24	—	—	·19	12
13	·02	·09	·13	—	—	—	—	—	—	·25	·06	·23	13
14	—	—	·16	—	—	—	—	—	—	·78	·10	·33	14
15	·02	·03	·20	—	—	—	—	·01	—	—	·11	·18	15
16	—	—	·01	—	—	—	·06	—	·01	—	·02	—	16
17	—	·20	—	—	—	—	—	—	·19	—	—	·06	17
18	—	—	·01	—	—	—	·08	—	—	—	—	·38	18
19	—	·03	·25	—	—	·44	·31	—	·02	—	·09	—	19
20	—	·03	27	—	—	—	—	—	—	—	—	·02	20
21	—	·15	·15	—	—	·05	—	·01	—	·04	—	·17	21
22	—	—	—	—	·13	·02	·12	·16	—	·11	—	—	22
23	—	·01	·03	—	·03	—	—	—	—	·02	—	·02	23
24	—	—	·03	·04	—	—	·03	·03	—	·19	·12	—	24
25	—	·01	—	—	—	—	—	·04	—	·38	—	·10	25
26	—	—	·08	—	—	—	·01	·12	—	·03	·11	·28	26
27	·02	—	·03	—	—	—	—	—	—	—	·02	·18	27
28	—	·03	— ~~·09~~	—	—	—	—	—	—	·18	·07	1·28	28
29	·01	X	·09	—	·03	—	—	—	—	·29	·04	—	29
30	—	X	—	—	—	·05	—	—	—	·03	·20	·23	30
31	—	X	—	X	·03	X	·10	—	X	—	X	·08	31
Total	1·18	·74	2·45	·50	·69	2·35	1·35	1·08	·59	2·30	1·99	4·24	YEAR'S TOTAL 19·46
Rain Days.	8	15	20	8	10	9	14	13	7	11	17	21	153

[illegible]

1231

1130

FORM A.
BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Westbourne House, Peterborough

in the County of Northants 4

by E H Colman

Lat. 52° 34' N Long. 0° 14' W

Time of Observation 8·40 am

Nearest Railway Station Peterborough G E R

Diameter of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·23	—	—	·19	—	—	—	·08	—	·13	·10	1
2	·06	·12	·14	·08	—	·01	—	·75	·05	·01	·03	·02	2
3	·26	—	·04	·15	—	—	·17	·69	·14	—	—	·13	3
4	·28	—	—	—	—	—	·37	·49	—	—	—	·49	4
5	·01	·07	—	—	·07	—	—	·03	—	—	·02	·21	5
6	·09	·04	·03	·14	—	—	·46	·10	—	·01	—	·13	6
7	·03	·27	·29	—	—	·16	·03	·12	—	—	—	·13	7
8	·01	·07	·02	—	—	—	·02	·02	—	—	·02	—	8
9	—	·06	—	—	—	·05	—	—	—	·01	·11	·46	9
10	·26	—	·02	—	—	—	—	·04	—	—	·04	—	10
11	·01	—	·02	—	·10	—	·19	—	—	—	·43	·05	11
12	·03	—	·01	·25	·34	—	—	·22	—	·01	1·35	—	12
13	·03	·34	—	—	·96	—	—	—	—	—	—	—	13
14	—	—	—	—	—	—	—	—	—	·01	—	·19	14
15	·24	—	—	—	·04	—	—	·14	—	—	·19	·08	15
16	—	·14	—	—	—	—	·61	—	—	·01	—	·09	16
17	—	·21	—	—	—	—	·06	—	—	—	·01	·01	17
18	—	·01	·32	—	—	—	—	—	—	—	·06	—	18
19	—	·01	—	—	—	—	·04	—	—	·04	—	—	19
20	·26	—	—	—	—	—	—	—	—	—	—	·28	20
21	·07	·03	—	—	·14	—	·08	—	—	—	—	·03	21
22	·25	·01	·13	·01	—	—	·26	—	·01	—	—	·17	22
23	—	·14	·01	—	—	·01	·06	—	·09	·12	·01	·27	23
24	—	—	·31	—	—	—	·04	—	·34	·01	—	·11	24
25	—	—	·04	—	—	·33	·01	—	—	·03	—	·29	25
26	—	·08	—	·01	—	·01	·22	—	—	—	—	·23	26
27	—	—	·01	—	—	·60	·01	—	—	·41	—	·01	27
28	—	·04	—	—	—	·08	·01	·03	·04	·23	—	—	28
29	—	✕	—	—	—	·09	—	·09	—	—	·15	·20	29
30	·06	✕	—	—	—	·51	—	—	—	—	·01	—	30
31	·02	✕	·02	✕	—	✕	—	·05	✕	·11	✕	·09	31
Total	2·26	1·87	1·41	·64	1·84	1·85	2·64	2·77	·75	1·01	2·56	3·77	YEAR'S TOTAL 23·37
Rain Days.	18	17	15	6	7	10	17	13	7	13	14	23	160

W. 8,000. X. 14.

FORM A. BRITISH RAINFALL.

1138

6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Westbourne House, Peterborough

in the County of Northants

by E H Colman

Lat. 52°34'N Long. 0°14'W

Time of Observation 8:40 am

Nearest Railway Station Peterborough GER

Diameter of Funnel of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	·04	—	—	·05	17	—	—	—	·51	—	1
2	·32	·02	·07	—	·53	—	·29	—	—	·16	05	—	2
3	—	·19	—	—	—	—	—	—	·44	·18	·03	—	3
4	·37	·14	—	—	07	·09	—	—	·12	·02	·20	—	4
5	—	—	—	·01	·01	·20	—	—	—	·08	·23	—	5
6	—	·10	·17	·18	—	·01	·18	—	—	·02	·23	—	6
7	·05	—	·22	—	·10	—	·42	—	—	·07	·10	·06	7
8	—	·01	·02	—	·03	—	—	—	—	—	—	·24	8
9	—	—	·01	—	·56	·13	—	—	—	·06	—	·09	9
10	—	·01	·09	·02	—	·03	·02	—	—	·01	—	·06	10
11	·05	39	·11	·08	·13	·08	—	—	—	—	—	·02	11
12	·02	·01	·09	—	·46	·25	·01	—	—	·07	—	—	12
13	—	·18	·06	·01	·17	·22	—	·01	—	—	·01	—	13
14	—	·39	·03	—	·12	—	·04	·02	—	·03	—	—	14
15	—	·18	·42	—	—	—	·09	·01	—	—	—	—	15
16	—	·05	·09	·10	·01	—	·06	—	—	—	—	—	16
17	·03	·03	—	·07	—	—	·34	·44	·22	·24	—	—	17
18	—	·17	·02	·03	—	—	—	·38	·02	·01	·83	—	18
19	·06	·02	·06	·07	—	·04	—	·04	·02	—	·25	·14	19
20	·06	—	·13	·04	—	—	—	·20	—	—	·06	·45	20
21	—	—	·21	·01	—	—	·09	—	—	—	—	·68	21
22	—	·11	·01	—	·06	—	—	—	—	·04	·03	·52	22
23	·03	·26	—	—	—	·10	·01	·03	—	·05	·05	·26	23
24	—	·42	·01	—	—	·03	—	·04	—	—	—	·18	24
25	—	·07	·09	—	·01	—	—	·21	—	02	·04	·02	25
26	—	·05	—	—	—	·01	—	·26	—	01	·04	—	26
27	·02	·40	·93	·01	—	—	—	·08	—	13	—	—	27
28	—	·26	1·11	—	—	·01	—	—	·02	—	—	·16	28
29	—	·05	—	—	—	·11	—	1·99	—	·26	—	·01	29
30	—	X	—	—	—	·12	—	·19	—	·16	—	·01	30
31	—	X	—	X	—	X	—	·04	X	·05	X	—	31
Total	1·13	3·51	3·99	·63	2·26	1·48	1·72	3·94	·84	1·67	2·66	2·93	YEAR'S TOTAL 26·76
Rain Days.	11	23	22	12	13	16	12	15	6	20	15	15	180

W. 8,000. X. 15. Note. Summer Time from May 21 – Sept 30.

✓ End HW 1165 1138

2 JAN 1918 BRITISH RAINFALL.

REGISTER OF ~~RAINFALL~~ IN 1917

Kept at Westbourne House Peterborough

in the County of Northants

by E H Coleman

Lat. 52°34′ N Long. 0°14 W

Time of Observation 8.40 am

Nearest Railway Station Peterborough G.N.R.

Diameter of Funnel of Rain Gauge 8 in. Glaisher

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.05	—	—	—	1.12	.31	—	—	—	1
2	.01	.03	—	.05	—	.09	—	.10	—	—	.02	—	2
3	—	—	—	.04	—	—	—	.50	—	.03	—	—	3
4	—	.09	.03	—	—	—	—	.10	—	.47	—	—	4
5	.10	—	.01	.07	—	—	—	.02	.05	—	.15	—	5
6	—	—	—	—	—	—	—	—	—	.02	—	.01	6
7	.33	—	.04	—	—	.04	—	—	—	.37	—	.03	7
8	.44	—	—	.11	—	—	.28	.51	—	.22	.08	—	8
9	.12	—	.15	—	—	—	.02	.14	—	.01	.04	.01	9
10	.21	—	.26	.13	—	—	—	.10	—	.15	.01	—	10
11	.05	.02	.11	.28	—	—	—	.08	.02	.16	—	—	11
12	.03	—	—	—	.06	—	—	.06	—	.36	—	.01	12
13	.05	—	.03	—	—	—	.02	.19	.01	.01	—	—	13
14	.08	—	.01	.01	—	—	.50	.10	—	—	.01	.03	14
15	—	—	—	—	—	—	.18	.21	—	.01	—	.02	15
16	.07	.06	—	.08	—	.41	.02	—	—	.18	—	.10	16
17	.01	—	.03	.15	.42	.57	.06	—	.08	.08	—	—	17
18	.02	—	—	.05	.05	.02	.23	—	.91	.01	—	—	18
19	—	.07	.12	—	.20	—	—	—	.07	—	.01	—	19
20	.01	.23	.18	—	.27	—	—	—	—	—	.13	—	20
21	—	.02	.02	—	.04	—	—	—	—	—	—	—	21
22	—	—	.07	—	—	—	—	.01	—	.15	—	—	22
23	—	.01	—	—	.09	—	—	.16	.08	—	—	.02	23
24	—	.02	—	—	—	.55	—	—	—	.18	.02	—	24
25	—	.01	.01	—	—	—	—	—	—	—	.02	—	25
26	—	—	.03	—	—	—	—	.44	.06	—	.28	.06	26
27	—	—	.01	—	—	.09	—	.48	—	—	—	.05	27
28	—	.03	.04	—	—	.63	—	.05	—	.01	—	.03	28
29	—	X	.02	—	.05	.13	.21	—	—	.38	—	.07	29
30	.04	X	—	—	—	—	.27	.13	—	.01	—	—	30
31	—	X	.01	X	—	X	.13	.16	X	—	X	.18	31
Total	1.57 ✓	.59 ✓	1.18 ✓	1.02 ✓	1.18 ✓	2.53 ✓	1.92 ✓	4.66 ✓	1.59 ✓	2.81 ✓	.77 ✓	.62 ✓	YEAR'S TOTAL 20.44
Rain Days.	15 ✓	11 ✓	19 ✓	11 ✓	8 ✓	9 ✓	11 ✓	20 ✓	9 ✓	19 ✓	11 ✓	13 ✓	156 ✓

W. 8,000, VIII. 16

Exd. E.F.E.

56
1138

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
4.1.

Kept at 74 London Rd Peterborough
in the County of Northants
by Ernest H Coleman

Lat. 52°34′ N Long. 0°14′ W
Time of Observation 8.30 am
Nearest Railway Station Peterborough G.E.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.01	—	.16	—	—	—	—	—	—	·10	·06	1
2	—	.12	—	.17	—	—	—	·44	—	—	·04	·11	2
3	—	.04	.08	—	·63	—	—	·07	·03	—	·77	—	3
4	.01	.02	.08	—	—	—	—	·01	·74	·01	·21	·01	4
5	—	.02	—	—	·14	—	—	·17	·56	·01	—	—	5
6	.01	.05	—	.09	—	—	—	·01	—	·01	—	·01	6
7	.12	.04	—	.02	—	·02	—	—	·05	·16	·08	·01	7
8	—	.01	—	—	—	—	—	—	—	·01	·08	·01	8
9	.03	.10	—	.02	—	—	·07	—	·22	·17	·01	·01	9
10	.02	—	—	.03	—	—	·43	—	·03	·06	—	·07	10
11	—	—	—	.03	·16	—	·08	—	·11	·50	—	·06	11
12	—	.11	.02	—	·17	—	·06	—	·03	—	—	·02	12
13	—	—	—	.03	·22	—	—	—	·06	—	—	·01	13
14	.25	—	—	—	—	—	·36	—	·14	·20	—	·02	14
15	.74	—	—	.89	—	·01	·51	—	·13	—	—	·17	15
16	.02	—	—	.35	—	·02	—	—	·58	—	—	—	16
17	.22	—	—	.26	·18	—	·73	—	—	—	—	·10	17
18	.27	—	—	—	—	·05	·03	—	·46	·02	—	·24	18
19	.03	.04	.03	.01	—	—	—	—	—	·09	—	·07	19
20	.02	.03	—	.15	—	·03	·02	—	·09	·19	·01	—	20
21	.03	—	—	.01	—	—	—	—	·16	·16	—	·02	21
22	.05	—	—	—	·04	·01	—	—	·01	—	·01	·21	22
23	.09	—	—	—	·28	—	·09	—	·06	—	—	—	23
24	—	.17	—	—	—	—	·12	—	·02	—	·02	—	24
25	—	—	—	—	—	·06	·02	·18	—	·02	·12	—	25
26	—	—	—	—	—	—	·16	—	·03	—	·11	·07	26
27	—	—	—	.01	—	·09	·19	·16	·02	—	·16	·01	27
28	.01	.07	.09	—	—	·01	—	·10	—	—	·23	·13	28
29	—		—	—	—	—	—	—	·83	—	·02	—	29
30	.01		.23	—	—	—	—	—	·01	·01	·05	·03	30
31	—		.03		—		—	—		·05		·09	31
Total	1.93	·83	.56	2.23	1·82	·30	2·87	1·14	4·37	1·67	2·02	1·54	YEAR'S TOTAL 21·28
Rain Days.	17	14	7	15	8	9	14	8	22	16	16	23	169

W. 8,000, IX. 17.

~~1067~~ 1138

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
JAN 20

Kept at Westbourne House, 74 London Rd Peterborough

in the County of Northants

by E H Colman

Lat. 52°34'N Long. 0°14'W

Time of Observation 8·40 am

Nearest Railway Station P'boro' GER

Diameter of Funnel of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·04	·01	—	·04	—	·04	—	—	·02	·02	·55	1
2	·13	—	·01	—	·02	—	·23	·04	·02	·04	37[illegible]	·34	2
3	·57	—	·10	—	·01	—	·17	—	·05	—	·14	—	3
4	·05	—	·38	—	—	·05	—	·08	—	—	·02	17[illegible]	4
5	07·[illegible]	·10	·04	—	—	—	—	·04	·83	—	—	·04	5
6	·01	—	·01	—	·17	—	—	—	—	—	·03	·03	6
7	·01	—	·22	—	—	—	—	—	—	—	·03	·02	7
8	·07	—	·02	·05	—	—	—	—	—	—	·04	—	8
9	—	—	·01	·01	—	—	—	—	—	—	·01	—	9
10	—	—	·23	·06	—	—	—	—	—	—	07·[illegible]	·05	10
11	·11	—	·32	·03	·01	—	·88	—	—	—	03·[illegible]S	·01	11
12	·04	—	·33	·01	—	·14	·07	—	—	·04	·02S	—	12
13	·10	—	—	·16	—	—	—	—	·01	·03	—	—	13
14	·25	—	—	·13	—	—	—	—	·04	—	·01	·01	14
15	·17	·05	·06	·04	—	—	—	—	—	—	·13S	·28	15
16	·06	·85	—	·02	—	—	—	—	—	—	·06	—	16
17	—	·63S	—	·01	—	—	—	—	—	—	·21	·01	17
18	—	—	—	—	—	—	—	·09	—	—	—	·13	18
19	·01	·15	57[illegible]	—	—	·04	·40	·15	·18	—	·06	·01	19
20	·43	·01	·10	—	—	·21	·57	·33	·08	—	·08	·01	20
21	·36	·49	·08	—	—	·03	·38	—	—	—	—	·12	21
22	—	17[illegible]	·02	—	—	—	·04	—	·24	—	·01	·32	22
23	—	—	—	·05	—	·03	·05	—	·04	·15	—	·01	23
24	—	—	—	·11	·02	·08	—	—	—	·08	—	·03	24
25	·05	—	—	—	·13	·04	—	·20	—	—	—	·06	25
26	·05	—	·14	·05	—	—	—	·08	·07	—	—	·34	26
27	·54S	·12	—	·76S	—	—	—	—	—	·04	—	—	27
28	—	—	—	·04	—	—	—	·89	—	·06	03·[illegible]S	·35	28
29	—	✕	—	·02	—	—	—	·16	—	·25	·19	·22	29
30	·02S	✕	·01	·30	—	·25	—	—	—	·09	·08	·17	30
31	·04S	✕	—	✕	—	✕	—	—	✕	·07	✕	·02	31
Total	3·43	2·61	2·66	1·85	·40	·87	2·83	2·06	1·56	·87	1·64	3·30	YEAR'S TOTAL 24·08
Rain Days.	22	10	19	17	7	9	10	10	10	11	21	24	170

S = snow melted

W. 6,500, VII. 18. W W C

Exd WMD

1040
1138

17 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Westbourne House 76 Lincoln Road Peterborough
in the County of Northants
by E H Colman

Lat. 52°34'N Long. 0°14'W
Time of Observation 8-40 am.
Nearest Railway Station Peterborough GER
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 38 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·01	·16	—	·26	—	—	·58	·03	·09	1
2	—	—	·01	·17	—	—	—	·18	·12	·03	—	·04	2
3	—	·02	—	·03	—	·03	·49	—	·07	·03	—	—	3
4	—	—	·06	·08	·01	—	·09	·30	·05	·06	—	·02	4
5	—	—	·05	·01	·16	—	·49	·03	·02	—	—	·01	5
6	—	—	·07	—	·05	—	·43	—	—	—	—	—	6
7	—	·02	·05	·12	·01	—	·06	—	—	—	—	·02	7
8	·19	·02	—	·42	·06	—	—	—	—	—	—	—	8
9	·36	·01	—	·69	—	—	—	·22	—	—	—	—	9
10	·04	·01	·04	·33	—	—	·01	·08	—	—	·03	·03	10
11	·15	—	·03	·36	·15	—	·02	—	—	—	—	·15	11
12	06	—	—	·19	·09	·06	—	·04	—	—	·01	·12	12
13	·02	·02	·02	·07	—	·16	—	—	·12	—	·02	—	13
14	—	·05	·44	·09	—	·02	·07	—	·16	·01	·13	—	14
15	·01	·02	·51	·05	—	—	—	—	·22	·04	·11	·01	15
16	—	—	—	—	·01	—	—	—	·21	·01	—	·03	16
17	—	—	—	·11	·09	—	·02	—	·14	·01	—	·04	17
18	·08	—	—	·02	·03	·08	·12	·15	·44	—	·01	·01	18
19	·11	·08	—	·21	—	—	—	—	—	—	·01	·04	19
20	·04	·43	—	·26	—	·53	—	—	—	—	—	—	20
21	—	—	—	·10	—	—	·03	·07	·11	—	·02	·01	21
22	01	—	—	·18	—	—	·01	—	·39	—	—	—	22
23	—	—	—	—	—	—	·06	—	—	·01	—	·32	23
24	—	—	·14	—	—	—	—	—	—	·01	—	·06	24
25	—	·11	·02	·02	·11	·01	·47	—	—	—	·01	—	25
26	·10	—	·06	·01	·07	—	—	—	—	·01	—	·01	26
27	·08	·05	·01	·10	·01	·62	—	—	—	—	·15	·18	27
28	·41	—	·05	—	·21	—	·04	—	—	—	·02	·07	28
29	03	—	·16	—	·21	—	·01	—	—	—	·08	·38	29
30	—	×	·02	·01	—	—	·01	—	·09	—	·08	·14	30
31	·04	×	—	×	·01	×	—	—	×	·08	×	·07	31
TOTAL	1·73	·84	1·74	3·64	1·44	1·51	2·69	1·07	2·14	·88	·71	1·85	YEAR'S TOTAL 20·24
Days with ·01 in. or more	16	12	17	24	17	8	18	8	13	12	14	22	181
+·04	12	5	11	17	11	5	11	7	12	4	5	13	113

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

82)

[9]

REGISTE

NEWBOROUGH
NORTHAMPTONSHIRE
1911 - 1920.

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Newborough

in the County of Northampton

by R. Williams

ft. in.

vel ft.

Direction

IMPORTANT NOTE.—Rain s … esult entered to the previous day. If an Observer prefers not to conform … rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01							·01			·02	·03	1
2	·18				·10				·01		·03	·05	2
3	·02	·03		·01	·07			·03		·03	·02	·02	3
4	·05	·05	·11	·11				·02	·06	·20	·17	·21	4
5	·01			·04				·01		·01		·09	5
6	·29		·02	·02				·01		·02		·22	6
7	·02										·15	·36	7
8	·29		·09						·41	·01	·04	·11	8
9	·05		·02	·03							·03		9
10	·01	·06	·09								·01	·17	10
11	·13										·31		11
12	·12		·33						·04		·12		12
13			·09			·02			·20			·33	13
14	·01	·03	·04		·30	·07					·01	·55	14
15		·03	·08							·02	·04		15
16			·07			·03					·37	·05	16
17			·03			·07					·04	·09	17
18		·11				·09					·24	·02	18
19					·05	·02		·01	·06	·03	·13	·02	19
20		·02		·01		·02		·29	·14	·03		·45	20
21		·22						·43		·08		·15	21
22	·03	·13	·07	·02		·02		·10		·12	·02	·38	22
23		·02	·22		·04	·96	·02		·41			·09	23
24	·01	·03	·02			·28				·28		·09	24
25		·03	·06	·06	·10	·04		·02			·02	·01	25
26				·16		·01		·02		·28	·22	·35	26
27		·17	·09	·08					·16	·02		·03	27
28		·11		·13		·03		·22			·06	·06	28
29				·03		·11	·12		·21	·18			29
30			·01	·03	·06				·03	·08			30
31												·01	31
Total	1·23	1·04	1·44	·73	·72	1·77	·14	1·17	1·73	1·39	2·05	3·94	TOTAL for year 17·35
No. of Rain Days	15	14	17	13	7	14	2	12	11	15	20	25	165

9,000, IX. '10.

8L

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Newborough Eye
in the County of Northamptonshire 4
by R. Williams

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01							·01			·02	·03	1
2	·18				·10				·01		·03	·05	2
3	·02	·03		·01	·07			·03		·03	·02	·02	3
4	·05	·05	·11	·11				·02	·06	·20	·17	·21	4
5	·01			·04				·01		·01		·09	5
6	·29		·02	·02				·01		·02		·22	6
7	·02										·15	·36	7
8	·29		·09						·41	·01	·04	·11	8
9	·05		·02	·03							·03		9
10	·01	·06	·09								·01	·17	10
11	·13										·31		11
12	·12		·33						·04		·12		12
13			·09			·02			·20			·33	13
14	·01	·03	·04		·30	·07					·01	·55	14
15		·03	·08							·02	·04		15
16			·07			·03					·37	·05	16
17			·03			·07					·04	·09	17
18		·11				·09					·24	·02	18
19					·05	·02		·01	·06	·03	·13	·02	19
20		·02		·01		·02		·29	·14	·03		·45	20
21		·22						·43		·08		·15	21
22	·03	·13	·07	·02		·02		·10		·12	·02	·38	22
23		·02	·22		·04	·96	·02		·41			·09	23
24	·01	·03	·02			·28				·28		·09	24
25		·03	·06	·06	·10	·04		·02			·02	·01	25
26				·16		·01		·02		·28	·22	·35	26
27		·17	·09	·08					·16	·02		·03	27
28		·11		·13		·03		·22			·06	·06	28
29				·03		·11	·12		·21	·18			29
30			·01	·03	·06				·03	·08			30
31												·01	31
Total	1·23	1·04	1·44	·73	·72	1·77	·14	1·17	1·73	1·39	2·05	3·94	TOTAL for year 17·35
No. of Rain Days	15	14	17	13	7	14	2	12	11	15	20	25	165

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

Eye D.S.

FORM A.
BRITISH RAINFALL.
18 FEB 1913

Kept at Newborough

in the County of Northampton 4

by Robert Williams

Lat. 52° 38′ Long. 0° 11′

Time of Observation 9 a.m

Nearest Railway Station Eye Green

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	.12	—	trace	.11	.01	—	.23	1
2	—	.02	.03	.01	.03	.01	.44	—	trace	—	—	.01	2
3	.11	—	—	—	.02	.51	.06	.28	.04	trace	.01	.09	3
4	.03	—	.37	—	.06	.33	—	.06	—	—	.33	trace	4
5	.07	.11	.37	—	trace	.01	—	.05	—	—	.03	trace	5
6	.56	.10	—	—	—	.25	.81	.19	—	—	—	.01	6
7	—	.01	—	—	.01	.60	trace	.05	—	—	trace	.01	7
8	.31	.18	.10	—	—	.02	.13	.01	.06	—	trace	—	8
9	—	.11	.03	.08	.07	.37	.01	.04	trace	—	—	.11	9
10	trace	—	trace	—	—	.02	—	.19	.08	—	.06	trace	10
11	.15	13	—	—	—	.06	—	trace	.04	—	trace	.20	11
12	.08	.07	.08	—	.09	.06	—	—	—	—	.10	—	12
13	.02	.01	.01	—	—	.03	.03	.02	—	—	.30	.02	13
14	.03	—	.04	—	.07	.06	—	.02	trace	—	.01	trace	14
15	—	.02	.03	—	.55	.16	—	.01	—	—	trace	.08	15
16	.38	—	.07	—	.12	.05	—	.10	—	.05	.01	—	16
17	.32	—	.14	—	—	.15	—	.11	—	—	.04	.17	17
18	.07	—	.07	—	—	—	.01	.03	—	.02	.01	trace	18
19	.25	.14	.01	—	—	—	.09	.43	trace	.01	.02	trace	19
20	.11	—	.06	—	.03	—	.07	.44	—	.26	—	—	20
21	—	—	.13	—	.41	—	.01	.47	—	.09	.05	.01	21
22	.11	.04	—	—	.60	—	.73	.30	—	.02	.01	trace	22
23	13	.26	19	—	—	—	.67	.57	—	—	.06	.38	23
24	.12	.02	trace	—	—	.28	.19	.11	—	.01	trace	.18	24
25	.02	—	trace	—	—	.10	.02	.65	—	.01	.20	.25	25
26	.01	.02	.01	—	—	.10	.14	1.60	—	.60	.24	.23	26
27	—	trace	trace	—	.02	.4	.31	—	—	.29	—	.12	27
28	—	.03	—	—	trace	trace	.05	45	.01	.26	.24	.59	28
29	—	—	.01	.02	—	.06	.20	.05	.64	.31	.07	—	29
30	01		—	—	.45	.01	—	.01	.20	.13	—	—	30
31	—		17		.02		.53	.18		—		—	31
Total	2.89	1.27	1.92	0.11	2.55	3.40	4.53	6.42	1.21	2.07	1.49	2.69	YEAR'S TOTAL 30.85
Rain Days.	20	16	19	3	15	23	19	26	8	14	18	17	198

W. 7,500, XI. 12

Ex DL

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Newborough

in the County of Northampton 4

by Robert Williams

Lat. 52° 38' Long. 0° 11'
Time of Observation 9 a.m.
Nearest Railway Station Eye Green
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03	.01	.07	.02	—	—	—	—	.56	—	.10	—	1
2	.02	.09	.03	—	—	—	.10	—	.05	—	.01	—	2
3	Trace	.01	.08	—	.60	—	—	—	.01	.05	—	.04	3
4	.27	—	Trace	—	.06	Trace	.01	—	—	.14	.12	.13	4
5	.01	Trace	—	—	—	.01	.02	—	.03	1.09	.02	—	5
6	.01	.03	.01	—	.51	.06	Trace	.03	Trace	.03	—	Trace	6
7	Trace	.03	—	—	.08	.10	.02	—	—	.47	.01	.01	7
8	—	Trace	—	.01	.35	.13	—	—	—	.28	.09	Trace	8
9	Trace	.19	.03	.02	Trace	.08	.02	—	.01	Trace	.09	—	9
10	.02	—	Trace	.04	.22	—	.09	.24	—	—	.54	—	10
11	.91	—	—	.39	—	—	—	.21	—	—	.02	—	11
12	—	.01	—	Trace	.04	Trace	—	Trace	—	Trace	.20	—	12
13	.02	—	.01	Trace	—	—	—	.06	.03	—	.36	—	13
14	.03	.02	.23	.01	—	—	.09	Trace	—	.13	.01	—	14
15	.13	.01	.15	.12	—	—	—	—	.16	—	.02	—	15
16	.05	—	.78	.11	—	—	—	—	.11	—	Trace	—	16
17	.06	.02	.12	.05	—	.69	.03	—	—	—	.04	.07	17
18	Trace	.01	.14	.06	—	—	.05	—	.43	—	—	.03	18
19	.09	—	.02	—	—	—	.01	—	.15	—	—	.02	19
20	.05	—	.13	.03	—	—	—	—	.24	.50	—	—	20
21	Trace	—	.14	.01	.02	—	.08	—	—	—	.16	—	21
22	.18	—	.12	—	—	—	.01	.05	.14	—	.01	.01	22
23	Trace	—	.03	—	—	.02	.01	.01	.02	—	—	—	23
24	.03	—	—	.06	—	.05	—	.06	—	—	—	—	24
25	—	—	—	.11	—	—	—	—	—	—	—	.02	25
26	—	.06	.15	.04	—	—	—	—	—	.58	.04	.14	26
27	.01	.03	.01	.01	—	.05	—	Trace	—	Trace	.01	—	27
28	.20	—	.06	.08	—	—	—	—	Trace	.10	—	—	28
29	.05		.16	.58	.05	—	—	.10	Trace	.05	—	.13	29
30	.17		—	.02	.02	—	—	—	—	.04	.10	.05	30
31	—		—		.05		—	.62		—		—	31
Total	2.34	0.52	2.47	1.77	2.00	1.19	0.54	1.38	1.93	3.46	1.95	0.65	YEAR'S TOTAL 20.20
Rain Days.	20	13	20	19	11	9	13	9	13	12	19	11	169

W.7,000, XI. 13

82 ✓ Exe. W9 190

REGISTER OF RAINFALL IN 1914

28 JAN 1915

FORM A. BRITISH RAINFALL.

Kept at Newborough

in the County of Northamptonshire 4

by R. Williams

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02			·03			·23	·28			·08	·09	1
2				·02			·04	·11			·07	·11	2
3			·05		·12		·04				·03		3
4	·08		·02	·18				·07			·39	·08	4
5	·02		·04	·07	·20	·01	·11	·09					5
6		·04		·04	·03	·02	·11				·16	·02	6
7		·02	·39		·01	·36						·01	7
8		·05	·05	·02	·09	·82	·02	·14		·02			8
9	·66		·22	·07		·90		·01	·36	·01		·02	9
10	·42	·04	·01	·04	·02				·07				10
11		·02	·32	·02	·13	·07			·04		·34	·24	11
12		·01	·04			·01	·18		·30		·02	·21	12
13	·03	·09	·12							·22	·04	·21	13
14		·06	·16				·02			·64	·15	·38	14
15	·03		·13					·06	·01		·03	·18	15
16			·03				·02		·01		·04		16
17	·02	·20					·02		·15			·05	17
18			·03				·06				·01	·54	18
19		·04	·20			·35	·16		·03		·09	·01	19
20		·03	·27									·01	20
21	·03	·15	·15			·12		·23		·05		·11	21
22				·05	·20		·15	·10		·07			22
23		·02	·02		·03	·01	·01			·03		·04	23
24		·01	·05	·06		·01	·02	·04		·27	·13		24
25	·01	·06					·06	·08		·46	·01	·09	25
26			·20				·03	·10		·05	·16	·29	26
27	·02										·01	·18	27
28		·03			·02					·10	·16	1·23	28
29	·01		·10		·04					·28	·05		29
30			·01	·01		·06				·03	·17	·28	30
31					·02		·14			·01		·06	31
Total	1·35	·87	2·61	·61	·91	2·74	1·42	1·31	·97	2·24	2·14	4·44	YEAR'S TOTAL 21·61
Rain Days.	12	16	22	12	12	12	18	12	8	14	20	23	181 ~~177~~

W.7,000, XI. 13

Esew F.W.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4-FEB 1916

Kept ~~at~~ Newborough
in the County of Northampton
by Robert Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.20	.02	—	.23	—	—	—	.16	—	.11	.08	1
2	.11	.05	.20	.05	—	.02	trace	.52	.07	—	.06	.03	2
3	.28	trace	.07	.11	—	—	.12	.22	.13	—	.01	.14	3
4	.32	—	trace	—	—	—	.44	.40	—	trace	trace	.53	4
5	.02	.08	trace	trace	.29	—	—	.03	—	—	.04	.20	5
6	.08	.05	.08	.13	.04	—	.50	.01	—	trace	trace	.05	6
7	.03	.24	.29	trace	—	.16	.07	.09	—	—	trace	.09	7
8	.02	.11	trace	trace	—	—	.08	.02	—	—	.08	—	8
9	.03	.03	—	—	—	.04	—	—	trace	trace	.10	.45	9
10	.29	—	.04	—	—	trace	.01	.01	—	—	.03	trace	10
11	.01	—	.01	—	.10	—	.08	—	—	—	.41	.10	11
12	.04	.01	—	.23	.26	—	.01	.55	—	—	1.40	—	12
13	.01	.43	—	—	.92	—	.02	—	—	—	—	trace	13
14	trace	.02	—	—	—	—	—	.10	.01	.02	—	.74	14
15	.26	—	—	—	.04	—	trace	.01	—	—	.19	.08	15
16	—	.17	—	—	trace	—	.57	trace	—	.02	—	.08	16
17	.01	.12	—	—	—	—	.03	—	—	—	.03	.01	17
18	trace	.02	.18	—	—	—	—	—	—	—	.06	—	18
19	—	.10	.01	—	—	—	.05	—	—	—	trace	—	19
20	.17	.01	—	—	—	—	—	—	—	—	—	.36	20
21	.06	trace	—	—	.61	—	.06	—	—	—	—	.02	21
22	.31	trace	.16	.03	—	—	.52	—	trace	—	—	.18	22
23	trace	.14	.02	—	—	—	trace	—	.09	.10	.01	.20	23
24	.01	.01	.23	—	—	—	.03	—	.36	.04	—	.12	24
25	.01	trace	.02	—	—	.20	.08	—	—	.08	trace	.25	25
26	—	.09	—	—	—	trace	.17	—	—	trace	—	.27	26
27	trace	.03	.01	—	—	.31	.05	—	—	.49	—	.03	27
28	.01	.10	.02	—	—	.04	—	.06	.03	.22	—	—	28
29	trace		.02	—	—	.08	—	.17	trace	—	.18	.19	29
30	.06		trace	—	—	.35	—	—	—	—	trace	trace	30
31	trace		—		—		—	.08		.11		.10	31
Total	2.42	2.01	1.38	0.55	2.49	1.20	2.89	2.27	0.85	1.08	2.71	3.73	YEAR'S TOTAL 23.58
Rain Days.	22	20	16	5	8	8	18	14	7	8	14	23	163

W. 8,000. X. 15.

1214

FORM A.
BRITISH RAINFALL.

9 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Newborough

in the County of Northampton

by Robert Williams

Lat. 52° 38′ Long. 0° 11′
Time of Observation 9 a.m
Nearest Railway Station Eye Green
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10	—	.03	—	Trace	.09	.24	—	—	—	.44	—	1
2	.34	.02	.06	—	.65	—	.18	—	Trace	.14	.03	—	2
3	—	.17	Trace	—	—	.02	—	—	.29	.20	.04	—	3
4	.42	.15	Trace	—	.08	.12	—	—	.46	.01	.21	—	4
5	.01	Trace	Trace	—	.02	.16	—	—	—	.13	.26	Trace	5
6	.04	.11	.22	.19	.10	Trace	.19	—	—	—	.24	—	6
7	.02	—	.22	Trace	.03	—	.28	—	—	.02	.06	.06	7
8	—	Trace	.01	—	.11	—	—	—	—	—	—	.25	8
9	—	—	.01	—	.51	.34	—	—	—	.06	Trace	.08	9
10	—	.02	.11	.03	—	.03	Trace	—	.01	.05	Trace	.09	10
11	.08	.39	.12	.11	.08	.14	—	—	.01	—	—	.01	11
12	.04	Trace	.02	.01	.42	.22	.02	—	—	.04	—	—	12
13	—	.17	.05	.03	.28	.21	.03	Trace	—	Trace	Trace	—	13
14	—	.37	.04	—	.09	Trace	—	.08	Trace	.04	—	—	14
15	—	.16	.34	Trace	Trace	—	.06	—	.02	—	—	Trace	15
16	—	.08	.08	.11	.02	—	.04	.03	—	—	—	Trace	16
17	.02	.04	Trace	.10	—	—	.08	2.12	.25	.23	—	—	17
18	Trace	.11	.01	.01	—	—	—	.10	.03	.03	.77	—	18
19	.09	.01	.06	.42	—	Trace	—	.02	.03	Trace	.28	.11	19
20	.07	—	.17	.06	—	—	—	Trace	Trace	—	.10	.45	20
21	.01	Trace	.20	.14	—	—	.03	—	—	—	Trace	.65	21
22	—	.13	.06	—	.09	—	—	—	—	.04	Trace	.50	22
23	.03	.23	Trace	—	—	.14	Trace	.07	—	.07	.06	.23	23
24	—	.35	.07	.03	—	Trace	—	.02	—	.01	—	.19	24
25	—	.08	.13	—	.01	—	—	.18	—	.04	.02	—	25
26	Trace	.02	—	—	—	.03	—	.11	—	.02	.04	—	26
27	.03	.51	.92	—	—	.14	—	.07	Trace	.15	—	—	27
28	—	.29	.65	—	—	Trace	—	Trace	.01	—	Trace	.10	28
29	—	.08	—	—	—	.18	—	2.25	Trace	.28	—	.02	29
30	—	✕	Trace	—	—	.18	—	.24	—	.15	—	.03	30
31	—	✕	—	✕	—	✕	—	.03	✕	.01	✕	Trace	31
Total	1.30	3.49	3.58	1.24	2.49	2.00	1.15	5.32	1.11	1.72	2.58	2.77	YEAR'S TOTAL 28.75
Rain Days.	14	21	22	12	14	14	10	13	9	20	13	14	176

W. 8,000, VIII. 16

St 1170

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Newborough Eye

in the County of Northamptonshire

by R. Williams

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06				1·03	·26		·01		1
2		02		·05		·10		·12		·04			2
3				·03				·53		·09			3
4		·09	·05					·29		·46			4
5	·13		·01	·11				·04			·11		5
6										·06			6
7	·36		·03			·05				·32		·01	7
8	·44			·12			·27	·13		·24	·08		8
9	·10		·10	·02			·01	·10			·03		9
10	·23		·25	·15				·11		·15			10
11	·02	·03	·10	33				·17		·17			11
12	·03	·01			·10			·43		·32		·04	12
13	·06		·01				·23	·15					13
14	·03			·09			·15	·04				·01	14
15	·02						·07	·14		·01		·03	15
16	·08	·07		·09		·60				·16		·07	16
17		·02	·08	·18	·52	·33	·10		·05	·04			17
18	·02			·05	·02		·16	·06	·69				18
19		·06	·13		·01				·07				19
20		·25	·19		·53						·14	·01	20
21		·01	·04		·02								21
22			·10					·01	·01	·14			22
23					·10			·21	·07				23
24						·75				·16	·02		24
25											·06		25
26			·08			·01		·41	·07		·35	·08	26
27						·08		·44				·05	27
28		·03	·03			·58		·03				·03	28
29			·01		·17	·03	·16	·01		·34		·05	29
30	·05	X					·22	·24					30
31	·02	X	·10	X		X	·12	·15	X		X	·15	31
Total	1·59	·59	1·31	1·28	1·47	2·53	1·49	4·84	1·22	2·70	·80	·53	YEAR'S TOTAL 20·35
Rain Days.	14	10	16	12	8	9	10	22	7	15	8	11	142

W. 8,000, VIII. 16

8L 167 62

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Newborough Eye
in the County of Northamptonshire
by R. Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.07							.08	.08	1
2		.13		.18				.24		.01	.05	.16	2
3		.03	.08		.61			.33	.03		.74		3
4		.02	.06					.01	.77		.25	.02	4
5		.02			.29			.18	.38	.02			5
6	.01	.02		.09				.02					6
7	.12	.05		.10		.08			.06	.20	.06		7
8				.01							.03	.03	8
9	.03	.18		.01			.12		.23	.24		.01	9
10	.16						.55		.02	.08		.06	10
11				.01	.27		.11		.07	.47		.09	11
12		.17	.01		.07		.05		.02				12
13				.02	.29				.09			.01	13
14	.29			.01			.28		.16	.23		.01	14
15	.78			.82			.65		.09			.10	15
16	.03			.25					.67				16
17	.26			.16	.32		.86	.01				.13	17
18	.18					.04	.04		.30			.15	18
19	.05	.05	.04	.04						.09		.12	19
20	.01	.02		.06		.04	.26		.05	.10	.01		20
21	.03			.02					.16	.20		.01	21
22	.06				.07	.01	.01					.21	22
23	.08				.25		.13		.04			.02	23
24		.18		.02	.01		.04		.01		.04		24
25							.08	.19			.05		25
26							.92		.03		.11	.07	26
27						.10	.20	.21	.05		.18	.01	27
28		.07	.10	.01				.07			.19	.22	28
29								.02	.81		.02		29
30		X	.21						.04	.02	.11	.06	30
31		X	.04	X		X			X	.07	X	.04	31
Total	2.09	.94	.54	1.88	2.18	.27	4.30	1.28	4.08	1.73	1.92	1.61	YEAR'S TOTAL 22.82
Rain Days.	14	12	7	17	9	5	15	10	21	12	14	21	157

W. 8,000, IX. 17.

1103
~~159~~

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Newborough, Eye
in the County of Northamptonshire
by R. Williams

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·05	·01		·07		·09		-	·04	·10	·52	1
2	·12		·01				·27	·05	·03		·36	·26	2
3	·57		·08		·01		·30		·05		·14		3
4	·08		·41			·04	·01	·09			·01	·22	4
5	·09	·07	·02					·02	·83			·04	5
6			·01		·03						·02		6
7	·02		·13								·04	·02	7
8			·02	·03							·03		8
9						·01							9
10			·22	·03							·06	·07	10
11	·15		·29	·03			·77				·03	·01	11
12			·45			·09	·05			·01			12
13	·15			·17					·02	·02			13
14	·28	·01		·13					·04		·01	·01	14
15	·12	·05	·05	·08							·14	·25	15
16	·04	·88		·02							·06		16
17		·39		·01							·18	·01	17
18			·02					·16				·10	18
19		·13	·62			·07	·77	·20	·15		·05	·02	19
20	·47		·30			·17	·62	·38	·03			·05	20
21	·33	·50	·05				·46				·01	·07	21
22		·14	·04				·02		·20		·01	·35	22
23				·07		·06	·06		·01	·16		·01	23
24				·09	·03	·10				·06			24
25	·06				·15	·08		·40				·01	25
26	·05		·13	·02				·06	·04			·37	26
27	·46	·07	·01	·83				·03		·04	·02		27
28				·05				·82		·10	·02	·32	28
29	·04			·03		·06	·01	·08		·25	·19	·23	29
30		X	·02	·27		·17				·07	·07	·19	30
31	·06	X		X		X			X	·04	X	·04	31
Total	3·41	2·29	2·89	1·86	·29	·85	3·43	2·29	1·40	·79	1·55	3·17	YEAR'S TOTAL 24·22
Rain Days	18	10	20	15	5	10	12	11	10	10	20	22	163

W. 6,500, VII. 18. W W C

89 [illegible] 1046

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Eye, Newborough
in the County of Northamptonshire
by R. Williams

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01	·15		·50			·69	·01	·09	1
2				·12				·32	·12	·09		·04	2
3		·01		·12		·04	·28		·04	·04		·01	3
4			·06	·10	·06		·10	·35	·07	·07		·02	4
5			·06	·04	·18		·50	·08	·05			·01	5
6			·11		·02		·39	·02				·05	6
7		·01	·03	·07	·03		·07					·03	7
8	·11	·01		·43	·05		·02						8
9	·36	·01		·66				·02					9
10	·07	·01	·04	·25			·02				·03	·04	10
11	·20			·31	·14		·02	·01				·20	11
12	·08			·20	·01	·29		·02			·01	·09	12
13	·02	·01	·03	·06		·51			·07		·03	·01	13
14		·09	·50	·13		·05	·05		·20	·02	·17		14
15		·01	·61	·06					·23	·04	·07	·01	15
16									·27	·01		·02	16
17				·05	·18		·03		·14			·07	17
18	·19			·01	·07	·26	·03	·17	·30			·03	18
19	·09	·06		·08		·07		·06	·				19
20	·05	·35		·31		·46		·09					20
21	·01			·02			·09		·15				21
22				·17			·02		·34				22
23							·13					·31	23
24			·14									·02	24
25		·10	·03	·03	·31	·08	·34						25
26	·08		·09	·02	·10		·02						26
27	·09	·03		·08	·02	·78	·07				·15	·15	27
28	·46	·01	·10		·32		·04				·02	·03	28
29	·04		·12		·43		·02				·05	·35	29
30	·01	×	·04	·02		·01	·02		·10		·08	·16	30
31	·06	×	·01	×		×	·14		×	·15	×	·07	31
TOTAL	1·92	·71	1·97	3·34	2·07	2·55	2·90	1·14	2·08	1·11	·62	1·81	YEAR'S TOTAL 22·22
Days with ·01 in. or more	16	13	15	24	15	10	22	10	13	8	10	22	178
·04	13	4	11	18	11	9	13	6	13	6	5	12	121

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

NORTHAMPTON

CHEYNE WALK
NORTHAMPTONSHIRE
1919-1920.

FORM A. 1. METEOROLOGICAL O ATION.

REGISTER

23 MAR 20

Kept at Northampton, Chey

in the County of Northants

by R. H. Primavesi
Per Major C. A. Markha

in.
nd ft. in.
Level ft.

IMPORTANT NOTE.—Rain should be meas the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·05*	·02	·01*	·03	-	·34	-	-	·05	-	·53	1
2	·20	·04*	·01	-	·02	-	·19	-	·08	·09	·32	·15	2
3	·83	-	·10	-	-	-	·10	-	·25	-	·15	·17	3
4	·05	·05*	·35	-	.	·04	·02	·10	·07	.	·01	·07	4
5	·04	·30*	·27	.	.	.	·09	.	·53	.	-	·15	5
6	-	-	·03	·02	·95	.	.	.	.	.	·02	·02	6
7	·03	-	·20	-	·01	.	.	.	.	.	·01	-	7
8	·13	-	·05	·15	.	.	.	.	.	.	·02	-	8
9	-	-	·01	·18	.	.	.	.	.	.	·04	.	9
10	-	-	·39	·03	.	.	-	.	.	·01	·06×	·05	10
11	·03	-	·26	·04	.	.	·49	.	.	.	·04×	·01	11
12	.	-	·45	·05	.	·06	·03	.	.	·06	·10×	·01	12
13	·06	-	-	·19	.	.	.	.	·06	·02	-	·01	13
14	·38	-	.	·15	.	.	·04	.	·02	.	·02×	-	14
15	·18	·10	·08	·12	.	.	-	.	.	·02	·10×	·54	15
16	·05	·74	-	-	.	.	.	·06	-	.	·19×	-	16
17	·01	·40	.	-	.	.	·01	-	-	.	·16	·01	17
18	-	·02	·16	-	.	.	-	·23	.	.	·03	·09	18
19	·07	·23	·78	.	.	.	·25	·26	·10	.	·02	·02	19
20	·38	·03	·30	.	.	·25	·31	·32	-	.	·09	·03	20
21	·10	·38	·08	.	-	.	·54	-	.	.	·03	·07	21
22	-	·56	·01	.	.	.	·03	-	·21	.	-	·43	22
23	-	-	-	.	.	·05	-	·02	·03	·42	·01	·02	23
24	.	.	.	·10	.	.	·27	.	-	·36	·01	·18	24
25	·13	.	.	·05	·02	.	.	·16	-	.	-	-	25
26	·10	.	·10	·10	-	.	·03	.	·06	-	.	·20	26
27	·71*	·02	·05*	·75*	-	·01	-	·29	-	.	-	-	27
28	·09*	·03	-	·01	-	-	-	·48	.	·02	·21	·22	28
29	·05*	-	-	·06	.	·02	·02	·12	.	·25	-	·13	29
30	~~·02~~*		12*	·20	-	·22	-	-		·07	·18	·25	30
31	·02*				-		·05	.		·01		·02	31
TOTAL	3·89	2·95	3·82	2·21	1·03	·65	2·81	2·04	1·41	1·38	1·82	3·38	YEAR'S TOTAL 27·39
Days with ·01 in. or more	22	14	21	17	5	7	17	10	10	12	22	24	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

29 MAR 20

Kept at Northampton Cheyne Walk

in the County of Northants.

by R.H. Primavesi
Per Major C.A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·05*	·02	·01*	·03	.	·34	-	-	·05	-	·53	1
2	·20	·04*	·01	-	·02	-	·19	-	·08	·09	·32	·15	2
3	·83	-	·10	-	-	.	·10	-	·25	-	·15	·17	3
4	·05	·05*	·35	-	.	·04	·02	·10	·07	.	·01	·07	4
5	·04	·30*	·27	.	.	.	·09	.	·53	.	-	·15	5
6	-	-	·03	·02	·95	.	.	.	.	.	·02	·02	6
7	·03	-	·20	-	·01	.	.	.	.	.	·01	-	7
8	·13	-	·05	·15	.	.	.	-	.	.	·02	-	8
9	-	-	·01	·18	.	.	.	.	.	.	·04	.	9
10	-	-	·39	·03	.	.	-	.	.	·01	·06×	·05	10
11	·03	-	·26	·04	.	.	·49	.	.	.	·04×	·01	11
12	.	-	·45	·05	.	·06	·03	.	.	·06	·10×	·01	12
13	·06	.	-	·19	.	.	.	.	·06	·02	-	·01	13
14	·38	.	.	·15	.	.	·04	.	·02	.	·02×	-	14
15	·18	·10	·08	·12	.	.	.	.	.	·02	·10×	·54	15
16	·05	·74	-	-	.	.	.	·06	-	.	·19×	-	16
17	·01	·40	.	-	.	.	·01	-	-	.	·16	·01	17
18	-	·02	·16	-	.	.	-	·23	.	.	·03	·09	18
19	·07	·23	·78	.	.	.	·25	·26	·10	-	·02	·02	19
20	·38	·03	·30	.	.	·25	·31	·32	-	.	·09	·03	20
21	·10	·38	·08	-	-	.	·54	-	-	.	·03	·07	21
22	.	·56	·01	.	.	.	·03	-	·21	.	-	·43	22
23	-	-	-	.	.	·05	-	·02	·03	·42	·01	·02	23
24	.	.	.	·10	.	.	·27	.	-	·36	·01	·18	24
25	·13	.	.	·05	·02	.	.	·16	-	.	-	-	25
26	·10	.	·10	·10	-	.	·03	.	·06	-	.	·20	26
27	·71*	·02	·05*	·75*	-	·01	-	·29	-	.	-	-	27
28	·09*	·03	-	·01	-	.	.	·48	.	·02	·21	·22	28
29	·05*	-	-	·06	.	·02	·02	·12	.	·25	-	·13	29
30	~~·02~~*		·12*	·20	-	·22	.	-		·07	·18	·25	30
31	·02*		.		-		·05	.		·01		·02	31
Total	3·89	2·95	3·82	2·21	1·03	·65	2·81	2·04	1·41	1·38	1·82	3·38	Year's total 27·39
Days with ·01 in. or more	22	14	21	17	5	7	17	10	10	12	22	24	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1006

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Copy by B.R.O.

Kept at Cheyne Walk
in the County of Northampton
by R. H. Primavesi per C A Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·19	·19		·23		·02	·13	·03	·13	1
2				·13			·07	·07	·08	·02		·06	2
3	·02	·04		·14	·01		·24	·01	·05	·07			3
4			·07	·15			·11	·25	·02	·31		·01	4
5			·03	·02	·13		·35	·02	·05				5
6			·16		·07		·45	·01				·01	6
7			·06	·07	·01		·07				·01		7
8	·43	·03		·45			·08						8
9	·37			1.08			·01	·08		·01			9
10	·13	·02	·02	·50		·03	·06				·01		10
11	·24		·05	·66	·23	·05	·02					·13	11
12	·02	·02	·05	·10		·39	·01				·01	·31	12
13	·01	·02	·08	·14		·01			·02			·01	13
14	·02	·01	·89	·25		·22	·08		·20	·02	·17	·02	14
15		·04	·20	·17		·02			·30	·04	·14	·01	15
16				·04	·10	·30			·22	·12	08	·01	16
17				·02	·09				·17	·03		·05	17
18	·12			·02	·02		·04	·11	·23				18
19	·03	·10		·16		·13		·13	·02		·01	·02	19
20	·07	·30		·27		·28					·01	·03	20
21				·01	·01			·11	·03			·02	21
22				·20	·02		·01		·16			·05	22
23		·01					·27					·33	23
24			·16	·02							·03	·06	24
25		·09	·03	·02			·45						25
26	·18		·13	·02			·02				·01		26
27	·20	·01		·15	·03	·58	·02			·01	·82	·23	27
28	·43		·10		·08		·02				·04	·01	28
29	·12		·11		·09		·05				·04	·49	29
30	·02	✕		·02	·12	·07	·03		·20		·09	·20	30
31	·04	✕		✕	·02	✕			✕	·32	✕	·02	31
													YEAR'S TOTAL
TOTAL	2.45	·69	2.14	5.00	1.22	2.08	2.69	·79	1.77	1.08	1.50	2.21	23·62
Days with ·01 in. or more	17	12	15	26	16	11	22	9	15	11	15	22	191
Days with ·04 in. or more	11	5	12	18	9	8	14	6	10	6	7	11	117

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

THE GARTH NORTHAMPTON DARLINGTON
NORTHAMPTONSHIRE
1911– 1920

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at The Garth ... in.

... nd 1 ft. -

in the County of Borro ... Level 265 ft.

by Christopher A ... Castle Station

...ce ... Direction ...

IMPORTANT NO ... result entered to the previous day. If an ... rule, he is earnestly requested to add the re ... the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·05	—	·01	—	—	—	—	·02	·02	1
2	·02	—	—	·06	·18	—	—	·01	—	·03	·04	·03	2
3	—	·03	·07	—	·19	—	—	·08	—	·02	·03	·02	3
4	·04	·01	·01	·05 s	—	—	—	—	·08	·26	·42	·29	4
5	—	—	—	·02 s	—	—	—	·11	—	·01	·03	—	5
6	·26	—	·02	—	—	—	—	—	—	—	·02	·32	6
7	·01	—	—	—	—	—	—	—	—	—	·15	—	7
8	·14	—	·12	—	—	—	—	—	—	—	·03	·19	8
9	·06	—	—	·04	—	—	—	—	—	—	·01	·05	9
10	·01	·05	·23	—	—	—	—	—	—	—	—	·34	10
11	·13	—	·01	—	—	—	—	·06	—	—	·48	·01	11
12	·01 s	—	·42	—	—	—	—	—	·03	—	·27	—	12
13	—	—	·05	—	·18	—	—	—	·33	·01	·01	·45	13
14	—	·04	·03 s	—	·01	—	—	—	—	—	·01	·34	14
15	—	·08	·10 s	—	—	—	—	—	·01	·04	·09	—	15
16	—	—	·03	—	—	—	—	—	—	—	·29	·09	16
17	—	—	·07	—	—	·14	—	—	—	·02	·04	·23	17
18	·01	·22	·01	—	—	·02	—	—	—	—	·03	·09	18
19	—	·01	—	·02	—	·12	·06	—	·08	·10	·25	·08	19
20	·02	·05	—	·01	—	—	—	·32	·07	·03	·01	·62	20
21	·01	·13	—	—	—	—	—	·22	—	·11	—	·07	21
22	·01	·01	·11	·01	—	·15	—	—	—	·12	·01	·34	22
23	—	·14	·29	—	—	·23	—	—	·25	—	—	·11	23
24	—	·05	·01	—	—	·42	—	·06	—	·44	—	·10	24
25	—	·04	·05 s	·03	·75	·05	—	·01	·01	—	—	·03	25
26	—	·02	·17	·22	1·20	·04	·04	·09	—	·18	·08 s	·14	26
27	—	·16	—	·11	—	—	·10	·19	·11	—	·02 s	·06	27
28	—	·24	·01	·41	—	—	—	—	—	—	—	·03	28
29	—		—	·02	—	·13	·18	—	·15	·20	·07	—	29
30	—		·01	·06	—	·07	—	—	—	·11	·01	·01	30
31			·01	—	·02		—	·01		·09		—	31
Total	·73	1·28	1·85	·81	2·53	1·38	·38	1·16	1·12	1·77	2·42	4·06	TOTAL for year 19·49
No. of Rain Days	13	16	22	14	7	11	4	11	10	16	24	25	173

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at The Garth, Dallington,

in the County of Borough of Northampton 4

by Christopher A. Markham F.S.A

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. –
" " " Sea Level 265 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Castle Station
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·05	—	·01	—	—	—	—	·02	·02	1
2	·02	—	—	·06	·18	—	—	·01	—	·03	·04	·03	2
3	—	·03	·07	—	·19	—	—	·08	—	·02	·03	·02	3
4	·04	·01	·01	·05s	—	—	—	—	·08	·26	·42	·29	4
5	—	—	—	·02s	—	—	—	·11	—	·01	·03	—	5
6	·26	—	·02	—	—	—	—	—	—	—	·02	·32	6
7	·01	—	—	—	—	—	—	—	—	—	·15	—	7
8	·14	—	·12	—	—	—	—	—	—	—	·03	·19	8
9	·06	—	—	·04	—	—	—	—	—	—	·01	·05	9
10	·01	·05	·23	—	—	—	—	—	—	—	—	·34	10
11	·13	—	·01	—	—	—	—	·06	—	—	·48	·01	11
12	·01s	—	·42	—	—	—	—	—	·03	—	·27	—	12
13	—	—	·05	—	·18	—	—	—	·33	·01	·01	·45	13
14	—	·04	·03s	—	·01	—	—	—	—	—	·01	·34	14
15	—	·08	·10s	—	—	—	—	—	·01	·04	·09	—	15
16	—	—	·03	—	—	—	—	—	—	—	·29	·09	16
17	—	—	·07	—	—	·14	—	—	—	·02	·04	·23	17
18	·01	·22	·01	—	—	·02	—	—	—	—	·03	·09	18
19	—	·01	—	·02	—	·12	·06	—	·08	·10	·25	·08	19
20	·02	·05	—	·01	—	—	—	·32	·07	·03	·01	·62	20
21	·01	·13	—	—	—	—	—	·22	—	·11	—	·07	21
22	·01	·01	·11	·0[illegible]	—	·15	—	—	—	·12	·01	·34	22
23	—	·14	·29	—	—	·23	—	—	·25	—	—	·11	23
24	—	·05	·01	—	—	·42	—	·06	—	·44	—	·10	24
25	—	·04	·05s	·03	·75	·05	—	·01	·01	—	—	·03	25
26	—	·02	·17	·22	1·20	·04	·04	·09	—	·18	·08s	·14	26
27	—	·16	—	·11	—	—	·10	·19	·11	—	·02s	·06	27
28	—	·24	·01	·41	—	—	—	—	—	—	—	·03	28
29	—		—	·02	—	·13	·18	—	·15	·20	·07	—	29
30	—		·01	·06	—	·07	—	—	—	·11	·01	·01	30
31			·01	—	·02		—	·01		·09		—	31
Total	·73	1·28	1·85	·81	2·53	1·38	·38	1·16	1·12	1·77	2·42	4·06	TOTAL for year 19·49
No. of Rain Days	13	16	22	14	7	11	4	11	10	16	24	25	173

9,000, IX. '10.

EX 41Z

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at The Garth, Dallington

in the County Borough of Northampton 4

by Christopher A. Markham F.S.A

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 265 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Castle Station
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	·05	·06	—	·02	·17	—	·09 s	1
2	—	·03 s	·08	—	—	·11	·41	—	—	—	—	—	2
3	·03	—	·09	—	·10	·06	·03	·47	·01	—	·01	·04	3
4	·09	—	·53	·02	·17	·35	—	·01	—	—	·24	—	4
5	·20	·06 s	·20	—	—	·24	—	·36	·03	—	·12	·01	5
6	·25	·12	—	—	—	·01	·01	·34	·02	—	—	·04	6
7	—	·08	—	—	·06	·60	—	·20	—	—	—	·03	7
8	·32	·23	·30	·01	—	·31	·10	·09	·08	—	—	·01	8
9	·01	·08	·06	·04	—	·20	·01	·06	—	—	—	·19	9
10	—	·01	—	—	—	—	—	·21	—	—	·17	—	10
11	·01	·10	·02	—	·01	·06	—	·17	—	—	·10	·24	11
12	·05	·36	·09	—	·03	·03	·33	—	—	·01	·11	·01	12
13	—	·08	·01	—	—	·04	—	·13	—	—	—	—	13
14	·02	—	·09	—	·07	·08	—	·05	—	—	—	·02	14
15	·03	·03	·07	—	·19	·28	—	·01	—	—	—	·15	15
16	·42	—	·05	—	·05	·12	—	·06	—	·04	—	—	16
17	·34 s	—	·16	—	—	—	—	·19	—	—	·09	·21	17
18	·24 s	—	·09	—	—	—	—	·01	—	—	·03	·02	18
19	·30	·08	·01	—	—	—	·05	—	—	·03	—	—	19
20	·05	·01	·15	—	·05	—	·37	·50	—	·22	—	—	20
21	·02	—	·12	—	·39	—	—	·70	—	·16	·04	—	21
22	·43	·08	—	—	·07	—	·46	·68	—	·07	—	—	22
23	·16	·36	·30	—	—	—	·34	·19	—	—	·11	·30	23
24	·13	·01	—	—	—	·14	·04	·23	—	·01	—	·14	24
25	·01	—	—	—	—	·13	—	·54	—	—	·20	·37	25
26	—	·02	·01	—	—	—	·13	1·08	—	·51	·25	·22	26
27	—	—	—	—	—	·08	·14	·43	—	·35	—	·24	27
28	—	·03	—	—	—	·01	·04	·01	·04	·10	·24	·65	28
29	—	·01	—	—	—	·03	·22	·01	·63	·44	·08	·01	29
30	·03		—	—	·27	·03	·01	—	·13	15	—	—	30
31	—		·12		·15		·41	·20				—	31
Total	3·14	1·78	2·55	·07	1·61	2·96	3·16	6·93	·96	2·26	1·79	2·99	TOTAL for year 30·20
No. of Rain Days.	21	19	20	3	13	21	18	26	8	13	14	20	196

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
7 - JAN 1914

Kept at The Garth, Dallington
in the County ~~of~~ Borough of Northampton
by Christopher A. Markham F.S.A.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Castle Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·07	·10	·05	—	—	—	—	·79	—	·11	·02	1
2	—	·15	·01	—	—	—	·06	—	·12	·65	·03	—	2
3	·04	—	·12	—	·66	—	—	—	—	·05	—	·01	3
4	·36	—	—	·02	—	—	·04	—	·04	·38	—	·39	4
5	·01	—	—	—	—	·01	·05	—	·05	·43	—	—	5
6	—	—	·03	—	·20	·22	·24	—	—	·23	·04	·08	6
7	—	·12	—	—	·07	·05	·23	—	—	·44	·11	—	7
8	—	·01	·03	—	·14	·06	—	—	—	·03	—	—	8
9	·03	·22	·01	—	·02	·12	·02	·03	·10	—	·22	·05	9
10	·03	—	—	·04	·03	—	·04	·04	—	—	·42	—	10
11	·77s	—	—	·51s	·09	—	—	·01	—	·20	·36	—	11
12	—	—	—	—	·10	—	—	—	—	—	·22	—	12
13	·02	·01	·02	·02	—	—	—	—	·03	·01	·24	—	13
14	·11	·02	·17	·01	—	—	·06	·08	—	·09	—	—	14
15	·09	—	·19	·34	—	—	·09	—	·04	—	·02	—	15
16	·03	·01	·51	·16	—	—	—	—	·02	—	—	—	16
17	·16	·02	·14s	·09	—	·63	·04	—	—	—	—	·03	17
18	·02	—	·20	·10	—	—	·07	—	—	—	—	—	18
19	·27	—	·06	·01	—	—	·09	—	·06	—	—	—	19
20	·16	—	·30	·01	·20	—	—	—	—	·50	·05	—	20
21	—	—	·24	—	·16	—	·04	—	—	—	·22	·02	21
22	·46	—	·26	—	—	—	—	·02	—	—	—	—	22
23	·01	—	·02	—	—	·05	—	·04	·04	—	—	·03	23
24	·02	—	—	·07	—	—	—	—	—	—	—	·02	24
25	—	·01	—	·13	—	—	·01	—	—	·01	·02	·02	25
26	—	·07	·15	·15	—	·02	—	·07	—	·28	·02	·20	26
27	·01	—	·02	·05	—	—	—	—	—	—	—	—	27
28	·45	—	·11	·31	—	—	—	—	—	·09	—	·02s	28
29	·01		·14	·45	—	—	—	·05	—	·10	—	·05s	29
30	·23		—	—	—	—	—	—	—	·08	·21	—	30
31	—		·02		·18		—	·18		—		—	31
Total	3·29	·71	2·85	2·52	1·85	1·16	1·08	·52	1·29	3·57	2·29	·94	YEAR'S TOTAL. 22·07
Rain Days.	21	11	22	18	11	8	14	9	10	16	15	13	168

W. 7,500, XI. 12

Ex LMCC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL

5 - JAN 1915

Kept at The Garth, Dallington
in the County ~~of~~ Borough of Northampton
by Christopher A. Markham F.S.A

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Castle Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·04	—	—	·40	·26	—	—	·08	·05	1
2	—	—	—	—	·02	—	—	·14	—	—	·32	·27	2
3	·03	—	—	—	·16	—	·03	·01	—	—	·03	—	3
4	·17	—	·05	·11	—	—	—	·44	—	—	·33	·26	4
5	·03s	—	·01	·12	·03	·12	·40	·06	—	—	·09	—	5
6	—	·03	·01	·12	·02	·01	—	·02	—	—	·05	·05	6
7	—	·10	·41	·02	·03	·02	·07	·03	—	—	·01	·03	7
8	·06	·03	·13	·07	·08	·96	·10	·14	·08	—	—	·05	8
9	·33	—	·26	·05	·01	1·05	—	·05	·06	—	—	—	9
10	·11	·08	·01	·08	·09	·50	—	—	·14	—	—	·01	10
11	—	·06	·26	·04	·15	·01	—	—	—	—	·40	·34	11
12	—	—	·09	—	·01	—	·09	—	·33	—	·05	·27	12
13	—	·10	·16	—	—	—	—	—	·05	·18	·07	·33	13
14	·02	—	·13	—	—	—	·18	—	—	·51	·07	·28	14
15	·04	·01	·17	—	—	—	·07	—	·03	·01	·02	—	15
16	—	—	·05	—	—	—	·03	—	·04	—	·02	—	16
17	—	·33	·03	—	—	—	—	—	·12	—	—	·19	17
18	—	·01	·01	—	—	—	·31	—	—	—	—	·38	18
19	—	—	·14s	—	—	—	·03	—	—	—	·06	·02	19
20	—	·24	·23s	—	—	—	—	—	—	—	—	·23	20
21	—	·15	·09	—	—	·08	·02	—	—	·10	·02	·20	21
22	—	·03	·04	·01	·12	—	·08	·07	—	·15	—	—	22
23	—	—	·05	—	·06	—	—	·01	—	—	—	—	23
24	—	—	·01	—	·02	—	·15	—	—	·40	·06	—	24
25	·05	—	—	—	·03	—	·01	·13	—	·32	—	·26	25
26	·02	—	·03	—	—	—	—	·07	—	·04	·18	·25	26
27	—	—	—	—	—	—	—	—	—	·01	·06	·08	27
28	—	·07	·01	—	·01	—	—	—	—	·04	·12	1·17	28
29	·01		·05	—	—	—	—	—	—	·01	·10	—	29
30	—		·03	—	—	—	—	—	—	·30	·23	·82	30
31	·02		—		·03		·11	—		·01		·05	31
Total	·89	1·24	2·47	·66	·87	2·75	2·08	1·43	·85	2·08	2·37	5·59	YEAR'S TOTAL 23·28
Rain Days.	12	13	26	10	16	8	16	13	8	13	21	22	178

W.7,000, XI. 13

1190

BRITISH RAINFALL
6 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at The Garth Dallington
in the County Borough of Northampton
by Christopher A. Markham F.S.A.

4

Lat. ...... Long. —
Time of Observation 9 a.m.
Nearest Railway Station Castle Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·06	·04	—	·17	—	—	·04	·09	·06	·05	·11	1
2	·04	·17	—	·20	—	·01	—	·28	·01	·15	—	·03	2
3	·41	·01	·22	·11	—	—	·23	·26	·07	—	—	·18	3
4	·05	—	·05	·01	—	—	·12	—	—	—	·01	·52	4
5	·02	·24	—	·03	·01	—	—	·04	—	—	·02	·24	5
6	·18	·01	·02	—	—	·03	·93	·02	—	—	—	·22	6
7	·03	·26	·04	—	—	—	·04	·05	—	—	—	·11	7
8	·02	·14	—	—	—	—	·01	·03	—	—	·02	—	8
9	·01	·01	—	—	—	·02	—	—	—	—	·16	·15	9
10	·28	·01	·02	—	—	—	—	·01	—	·01	·05	·01	10
11	·01	—	·01	·20	·07	—	·08	—	—	—	·65	—	11
12	·02	—	—	·17	·38	—	·03	·33	—	·01	1·03	·11	12
13	—	·38	—	—	·85	—	—	—	—	—	—	—	13
14	·01	·01	—	—	—	—	—	·01	·05	—	—	·32	14
15	·22	·06	—	—	·03	—	·07	·15	—	—	·15	·17	15
16	·03	·36	—	—	·05	—	·75	·14	—	—	—	·04	16
17	—	·05	—	—	·10	—	·16	—	—	—	—	—	17
18	—	·05	—	—	—	—	—	—	—	—	·07	—	18
19	—	—	—	—	·03	—	·06	—	—	—	—	—	19
20	·31	·01	—	—	—	—	—	—	—	—	—	·27	20
21	·15	·02	—	·02	·02	—	·10	—	~~·01~~	—	—	·05	21
22	·09	—	·45	—	—	—	·41	—	·04	—	—	·13	22
23	—	·01	·03	—	—	·03	·08	—	·01	·21	—	·32	23
24	·01	—	—	—	—	·08	·21	—	1·08	·16	—	·11	24
25	—	—	·06	—	—	·02	·14	—	—	—	—	·26	25
26	—	·12	—	—	—	—	·05	—	·01	—	—	·27	26
27	—	·04	—	—	—	·02	·06	—	—	·35	—	·06	27
28	—	·11	—	—	·01	·04	·04	·05	·08	·09	—	—	28
29	—	✕	—	—	—	—	·02	·07	—	—	·15	·09	29
30	·07	✕	—	—	—	—	—	·01	—	·10	·05	·10	30
31	·10	✕	—	✕	—	✕	—	—	✕	·41	✕	·07	31
Total	2·29	2·13	·94	·74	1·72	·25	3·59	1·49	1·44	1·55	2·41	3·94	YEAR'S TOTAL 22·49
Rain Days.	21	21	10	7	11	8	20	15	9	10	12	24	168

W. 8,000. X. 14.

1167

FORM A. BRITISH RAINFALL.
8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Garth, Wellington
in the County ~~of~~ Borough of Northampton
by Major C. A. Markham F.S.A

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Castle Station L.&N.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	—	·07s	—	·01	·04	·26	—	—	—	·49	·02	1
2	·48	—	·08s	—	·26	—	·10	—	·01	·37	·05	—	2
3	—	·45	—	—	—	—	—	—	·08	—	·04	—	3
4	·33	·08	—	—	·15	·21	·41	—	·01	·05	·14	—	4
5	·05	·61	—	—	·03	·22	·07	—	—	·14	·13	—	5
6	·01	·19	·16s	·08	·06	·05	·54	—	—	·06	·36	—	6
7	·05	—	·34s	—	·05	·06	·16	—	—	—	·16	—	7
8	—	—	·11s	—	—	—	—	—	—	—	—	·21	8
9	—	—	·02s	—	·26	·03	—	—	·01	—	—	—	9
10	—	·06	·08s	·10	—	·13	—	—	·02	—	·04	·04	10
11	·03	·21	·18s	·13	·06	·07	—	—	—	—	·02	·10s	11
12	·02	·07	·04s	·02	·30	·02	·12	—	·02	·05	—	·01	12
13	·05	·26	·05	·06	·03	—	·03	·14	—	—	—	—	13
14	—	·36s	·01	·08	·01	—	—	—	—	—	—	—	14
15	—	·28	·42	—	·02	—	·07	·09	·01	—	—	—	15
16	—	·02	·39	·20	·08	—	·30	·06	—	—	—	·01	16
17	·05	·05	—	·10	—	—	·03	·21	·13	·24	—	—	17
18	·01	·27	·04	·07	—	—	—	·11	·12	—	·98s	—	18
19	·09	·04	·24	·08	—	—	—	—	·27	—	·49s	·14s	19
20	·05	—	·30	·01	—	—	—	—	—	—	·22	·22	20
21	·02	—	·54	—	—	—	·26	—	—	—	—	·68s	21
22	·03	·06s	·03s	—	·18	—	—	—	—	·05	·02	·64	22
23	·02	·30	—	—	—	—	—	·09	—	·02	·03	·27	23
24	—	·36	·04s	·02	—	·21	—	·03	—	·03	·01	·19	24
25	—	·23s	·10s	—	·06	—	—	·33	—	·08	—	—	25
26	—	·21s	·02s	—	—	·03	—	·01	·02	·04	·09	—	26
27	·04	·16s	1·28s	—	—	·02	·31	·34	·06	·31	—	—	27
28	·03	·39	·40s	—	—	·11	—	—	·03	·02	—	·25	28
29	—	·11	—	—	·32	·03	—	1·37	—	·28	—	·01	29
30	—	✕	—	—	—	—	—	·04	—	·16	—	—	30
31	·02	✕	—	✕	—	✕	—	·02	✕	·04	✕	—	31
Total	1·50	4·17	4·94	·95	1·88	1·23	2·66	2·84	·79	1·94	3·27	2·79	YEAR'S TOTAL 28·96
Rain Days.	19	22	23	12	16	14	13	13	13	16	16	14	191

W. 8,000. X. 15.

Ex. D.f.

1126

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
7. JAN 1918

Kept at The Garth Dallington

in the County ~~of~~ Borough of Northampton

by Major C. A. Markham FSA

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Castle Station L&NW Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·08s	—	·01	-	1·06	·19	—	·03	·01s	1
2	·02	—	—	·04s	—	·12	-	·06	—	·03	·02	—	2
3	—	—	—	·11s	—	—	—	·34	—	·06	·13	—	3
4	—	·16s	·15s	—	—	—	—	·05	—	·81	—	—	4
5	·10	—	·05s	·12s	—	—	—	—	·06	·06	·10	—	5
6	—	—	·01	—	—	·07	—	—	·01	·05	·03	·04	6
7	·31	—	—	—	—	—	·04	—	—	·27	—	·01	7
8	·59s	—	—	·10	—	—	·44	·41	—	·28	·18	·14	8
9	·02	—	·14s	·12s	·07	—	·08	·19	—	·01	·11	—	9
10	·22	—	·26	·16s	—	—	—	·08	—	·01	·04	—	10
11	·12	·04s	·22	·19s	·18	—	—	·52	·13	·21	·01	—	11
12	·30s	—	—	·08s	·17	—	—	·01	·05	·19	—	·02	12
13	·01s	—	·13	·04s	·01	—	—	·24	—	·01	—	·01	13
14	·06s	—	—	·09	—	—	—	·62	—	—	—	—	14
15	·02s	—	—	·05	—	—	·16	·03	—	·04	—	·02	15
16	·05s	·13	—	·17	—	—	·08	—	—	·15	—	·09s	16
17	·03s	·11	—	·10	·48	·02	·18	·01	—	·05	—	—	17
18	·02s	·01	—	·08	·10	·04	·20	·19	·18	·01	—	—	18
19	·01	·15	·21	—	—	—	—	—	·06	—	—	—	19
20	·01	·19	·04s	—	·78	—	—	—	·14	—	·12	—	20
21	—	—	·05s	·01	—	·03	—	—	·01	·02	·01	—	21
22	—	—	·03s	—	·01	—	—	·01	·01	·19	—	—	22
23	—	·12	—	—	·06	—	—	·38	·03	·07	—	—	23
24	·01s	·03	—	—	—	·16	—	·06	—	·16	·08	—	24
25	—	—	·06	—	—	—	·14	—	·02	·02	·03s	—	25
26	—	—	·02s	—	—	—	—	·31	·10	·01	·13	·03s	26
27	—	—	—	—	—	·56	·01	·55	—	—	—	—	27
28	—	—	·18	—	—	·37	—	·21	—	—	·01	·09	28
29	—	—	—	—	—	·24	·15	·06	—	·32	—	·25	29
30	·02s	X	—	—	—	·01	·31	·19	—	·01	—	·01	30
31	—	X	·10s	X	—	X	·12	·01	X	—	X	·08s	31
Total	1·92	·94	1·65	1·54	1·86	1·63	1·91	5·59	·99	3·04	1·03	·80	YEAR'S TOTAL 22·90
Rain Days.	18	9	15	16	9	11	12	23	13	24	15	13	178

W. 8,000, VIII. 16

Exd. E.F.F.

15

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

6

Kept at The Garth, Dallington Avenue

in the County ~~of~~ Borough of Northampton

by Major C. A. Markham F.S.A

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Castle Station Railway

Diameter of Funnel of Rain Gauge 5 in. 18

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01s	·11	—	—	—	—	·01	·02	·22	·05	1
2	—	·02	·01	·19	—	—	—	·12	—	—	·10	·12	2
3	—	·13	·02	—	·36	—	—	·17	·24	—	·08	—	3
4	—	·03	·01	·02	·01	—	—	·04	·36	—	·30	·02	4
5	—	·10	—	·01	·28	—	—	·09	·15	·04	·01	·01	5
6	·03s	·16	·01	·15	—	·02	—	—	·01	·01	—	·02	6
7	·02s	·11	—	·14	—	·03	—	—	·02	·14	·12	—	7
8	—	—	—	·02	—	—	—	—	·05	·04	—	·09	8
9	·01	·04	—	·10	—	·03	·12	—	·37	·18	—	·06	9
10	·05	—	—	·02	—	·02	·26	—	·02	·17	—	·03	10
11	—	—	—	—	·28	—	·15	—	·08	·22	—	·10	11
12	—	·05	·04	—	·11	—	·09	—	·02	—	—	—	12
13	—	·02	—	·01	·10	—	·04	—	·09	·02	—	·04	13
14	·24	—	—	·02	—	·04	·56	—	·39	·13	—	·06	14
15	·90s	—	—	·56	·01	·02	·07	—	·02	—	·02	·13	15
16	·15s	—	—	·62	—	—	·01	·02	·28	—	—	—	16
17	·26	—	—	·02	·01	·03	·65	—	·06	·02	—	·09	17
18	·35	—	—	·01s	—	·10	·21	—	·10	—	—	·34	18
19	·03	·03	·02	·04s	—	—	·03	—	—	·04	—	·20	19
20	·01	·10	·01	·58s	—	·05	—	—	·21	·14	·03	·09	20
21	·06	—	—	·33s	—	·01	·01	—	·23	·01	—	·02	21
22	·15	—	—	·01	·38	—	·02	—	·03	·03	—	·32	22
23	·05	—	—	—	·51	—	·07	—	·06	—	·02	—	23
24	—	·14	—	—	—	·02	·04	—	·04	—	·16	—	24
25	—	—	—	—	·07	·06	·13	·20	—	·02	·01	·01s	25
26	—	·01	—	—	—	—	·22	·09	·02	·01	·08	·15	26
27	—	·02	·01	·01	—	—	·02	·24	·05	—	·10	·05	27
28	—	·08s	·18	—	—	·02	—	·02	—	—	·25	·09	28
29	—	—	·01	—	—	—	—	—	1·25	—	·04	·01	29
30	—	×	·17	—	—	—	—	·03	·07	—	·03	·21	30
31	—	×	·05	×	—	×	—	·04	×	·02	×	—	31
Total	2·31	1·04	·55	2·97	2·12	·45	2·70	1·06	4·23	1·26	1·57	2·31	YEAR'S TOTAL 22·57
Rain Days.	14	15	13	20	11	13	18	11	26	18	16	24	199

W. 8,000, IX. 17.

1055

FORM A.
BRITISH RAINFALL

5 JAN

REGISTER OF RAINFALL IN 1919

Kept at The Garth, Dallington Avenue
in the County Borough of Northampton
by Major C. A. Markham F.S.A.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Castle Station 2 fur. L&NW Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31	·05s	·02	·04s	·03	—	·24	·01	—	·10	—	·54	1
2	·11	—	—	—	·04	—	·11	—	·06	·10	·32	·10	2
3	·72	—	·10	—	·02	—	·14	—	·21	—	·15	·13	3
4	·05	—	·33	—	—	·02	·02	·11	·03	—	—	·09	4
5	·01	·24	·27	—	—	—	·07	—	·62	—	—	·01	5
6	—	—	·03	—	·97	—	—	—	—	—	·02	·03	6
7	·03	—	·26	—	—	—	—	—	—	—	·01	·01	7
8	·10	—	·04	·14	—	—	—	—	—	—	·04	·01	8
9	·01	—	·02	·13	—	—	—	—	—	—	·02	—	9
10	—	—	·35	·05	—	—	—	—	—	—	·01	·02	10
11	·02	—	·23	·04	·02	—	·44	—	—	—	—	—	11
12	·01	—	·41	·06	—	·09	·04	—	—	·09	·03s	·02	12
13	·06	—	—	·14s	—	·01	—	—	·04	—	·01s	·01	13
14	·35	—	—	·11	—	—	·05	—	·01	·04	—	—	14
15	·21	·11	·07	·13	—	—	—	—	—	—	·10s	·55	15
16	·06	·75	—	·01	—	—	—	·10	—	·01	·22s	—	16
17	—	·28s	—	·01	—	—	·01	—	—	—	·19	·02	17
18	—	·13	·29s	—	—	—	—	·24	—	—	·03	·12	18
19	—	·24	·82s	—	—	·10	·29	·22	·15	—	·02	·01	19
20	·38	·05	·28s	—	—	·11	·33	·35	—	—	·10	·02	20
21	·12	·35	·05s	—	—	—	·60	—	—	—	·04	·10	21
22	—	·41	·01s	—	—	—	·02	—	·16	—	·02	·43	22
23	—	—	—	—	—	·05	—	·02	·12	·53	·01	—	23
24	—	—	—	·09	—	—	·22	—	—	·35	—	·08	24
25	·19	—	—	·05	·03	—	—	·17	—	—	—	·02	25
26	·02	—	·11	·11	—	—	·03	·02	·09	—	—	·26	26
27	·50s	·02	·09s	·58s	—	·01	—	·15	—	·03	—	·07	27
28	·18s	—	—	·06	—	—	—	·68	—	—	·18s	·05	28
29	·07s		—	·05s	—	·02	—	—	—	·22	·14s	·30	29
30	—		·12s	·19	—	·25	—	·10	—	·07	·10	·23	30
31	·03s		·01s		—		·04	—		·04		·02	31
Total	3·54	2·63	3·91	1·99	1·11	·66	2·65	2.17 2·19	1·49	1·58	1·76	3·25	YEAR'S TOTAL 26·74
Rain Days.	22	11	21	18	6	9	16	12	10	11	21	26	183

W, 6,500 VII. 18. w w c

1002

14 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Garth, Wellington Avenue
in the County Borough of Northampton
by Major C. A. Markham F.S.A.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Castle Station L. & N.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·20	·21	—	·30	—	·03	·11	·06	·15	1
2	—	—	—	·12	·01	—	·10	·11	·12	·05	—	·07	2
3	·02	·04	—	·28	—	·05	·79	·05	·06	·08	—	·02	3
4	—	—	·10	·11	·03	—	·04	·28	·03	·32	—	·02	4
5	—	—	·06	·01	·18	—	·73	·06	·08	·02	—	·01	5
6	—	—	·16	—	·11	—	·18	·02	·02	—	—	·01	6
7	—	·01	·02	·09	·04	—	·11	—	—	—	—	—	7
8	·51s	·05	—	·43	·02	—	·26	—	—	·01	—	—	8
9	·36	—	—	1·30	—	—	·04	·07	—	—	—	—	9
10	·21	·04	·04	·35	—	·05	·09	—	—	—	·01	—	10
11	·24	·01	·07	·58	·27	·06	·04	—	—	—	—	·06s	11
12	·03	·02	·09	·12	—	·39	·03	—	—	—	·01	·17s	12
13	·01	·04	·10	·10	—	—	—	—	·01	—	·02	·02	13
14	·02	·01	·72s	·22	—	·24	·11	—	·20	·04	·18	·02	14
15	—	·05	·45s	·14	—	·02	·02	—	·31	·03	·11	—	15
16	—	—	·02	·06	·15	·41	—	—	·21	·14	·06	—	16
17	·01	·02	—	·04	·14	—	—	—	·26	·05	—	·07	17
18	·15	·08	—	·01	—	—	·11	·14	·27	—	·01	·02	18
19	·04	·35	—	·18	·01	·08	·01	·08	·03	—	·01	·01	19
20	·07	—	—	·28	—	·39	—	—	—	—	·01	·03	20
21	—	—	—	—	—	—	—	·12	·04	—	·03	—	21
22	—	—	—	·20	—	—	·02	·02	·15	—	—	·05	22
23	—	·02	—	—	—	—	·25	—	—	·01	—	·35	23
24	—	—	·15	·05	—	—	—	—	·02	—	—	·11	24
25	—	·11	·05	·06	—	—	·37	—	—	—	—	·01	25
26	·17	—	·17	·02	—	—	·02	—	—	—	·01	·03	26
27	·13	—	·02	·18	—	·56	·07	—	—	—	·92	·21	27
28	·47	—	·11	·01	·17	·01	·04	—	—	—	·03	·01	28
29	·08	—	·17	—	·21	·02	·08	—	—	—	·07	·45	29
30	·02		—	·02	·05	·08	·06	—	·19	—	·06	·17	30
31	·08		—		·03		—	—		·30		·06	31
TOTAL	2·62	·85	2·50	5·16	1·63	2·36	3·78	·95	2·03	1·16	1·60	2·13	YEAR'S TOTAL 26·77
Days with ·01 in. or more	18	14	17	26	15	13	24	10	17	12	16	24	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4 ·04 15 8 14 21 10 10 19 8 11 8 9 12 142

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

from
REGIS

NORTHANTS.

NORTHAMPTON - { HAZLEWOOD RD.
KINGSLEY RD

1911 - 1917

Kept at Northampton 36

in the County of Northam

by R.H. Primavesi

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.— the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.08			.01	.01			.02	.02	1
2	.05			.09	.16		.04	.01		.03	03	.03	2
3					.20			.07	.03	.03	04	.04	3
4	.02		.08	.07					.06	.45	.33	.28	4
5	.01			.01				.13		.03	.04		5
6	.26		.03								.03	.39	6
7	.01										.21	.10	7
8	.15		.13								.03	.10	8
9	.07			.01							.02	.06	9
10	.01	.09	.22								.02	.32	10
11	.09							.02			.42	.01	11
12	.03		.45						.01		.26		12
13			.05		.10				.37			.42	13
14		.01	.03		.02						.01	.30	14
15		06	.08							.04	.10	.03	15
16			.04			.01				.01	.31	.07	16
17			.03								.03	.25	17
18		.22				.06				.01	.05	.08	18
19		.02				.23	.07		.06	.06	.28	.09	19
20		.07						.28	.10	.03		.67	20
21		08	.01					.14		.12		.10	21
22		.01	.15			.10		.02		.11		.31	22
23		.06	.25			.20			.20			.11	23
24	.04	.07	.01			.36				.36		.10	24
25		.06	.03	.04	1.25	.18							25
26		.03		.25	1.02	.05	.02			.19	.08	.17	26
27		.16	.16	.12			.13	.08	.11		.01	.07	27
28		.21		.12				.22			.06		28
29				.02		.15	.21		.16	.23	.01		29
30			.01	.02		.06				.10		.01	30
31					.08					.10			31
Total	.74	1.15	1.78	.83	2.83	1.40	.48	.98	1.10	1.90	2.37	4.13	TOTAL for year 19.69
No. of Rain Days.	11	14	18	11	7	10	6	10	9	16	22	25	159

W. 8,000, X. '11.

from

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Northampton 36 Hazelwood Road 5+R.R.

in the County of Northamptonshire 4

by R.H. Primavesi   C A Markham

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.08			.01	.01			.02	.02	1
2	.05			.09	.16		.04	.01		.03	03	.03	2
3					.20			.07	.03	.03	04	.04	3
4	.02		.08	.07					.06	.45	.33	.28	4
5	.01			.01				.13		.03	.02		5
6	.26		.03								.03	.39	6
7	.01										.21	.10	7
8	.15		.13								.03	.10	8
9	.07			.01							.02	.06	9
10	.01	.09	.22								.02	.32	10
11	.09							.02			.42	.01	11
12	.03		.45						.01		.26		12
13			.05		.10				.37			.42	13
14		.01	.03		.02						.01	.30	14
15		06	.08							.04	.10	.03	15
16			.04			.01				.01	.31	.07	16
17			.03								.03	.25	17
18		.22				.06				.01	.05	.08	18
19		.02				.23	.07		.06	.06	.28	.09	19
20		.07						.28	.10	.03		.67	20
21		08	.01					.14		.12		.10	21
22		.01	.15			.10		.02		.11		.31	22
23		.06	.25			.20			.20			.11	23
24	.04	.07	.01			.36				.36		.10	24
25		.06	.03	.04	1.25	.18							25
26		.03		.25	1.02	.05	.02			.19	.08	.17	26
27		.16	.16	.12			.13	.08	.11		.01	.07	27
28		.21		.12				.22			.06		28
29				.02		.15	.21		.16	.23	.01		29
30			.01	.02		.06				.10		.01	30
31					.08					.10			31
Total	.74	1.15	1.78	.83	2.83	1.40	.48	.98	1.10	1.90	2.37	4.13	TOTAL for year 19.69
No. of Rain Days.	11	14	18	11	7	10	6	10	9	16	22	25	159

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

25 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Northampton, Hazlewood Road
in the County of Northants 4
by C. A. Markham, R. H. Primavesi

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·02			·05	·08		·03	·19		·09	1
2		·04	·07	·01		·14	·49					·01	2
3	·05		·07		·18	·04	·04	·42			·01	·05	3
4	·15		·55		·16	·39		·02			·28		4
5	·20	·06	·23		·01	·24		·36	·06		·14	·01	5
6	·23	·14	·01			·01	·02	·34	·03			·06	6
7		·05			·06	·62	·01	·17				·04	7
8	·30	·23	·27	·07		·25	·03	·07	·11			·02	8
9		·08	·13	·01		·27	·02	·06				·15	9
10		·02				·01		·18			·19	·01	10
11	·02	·10				·06		·26			·09	·25	11
12	·05	·38	·11		·04	·07	·34				·12	·01	12
13		·06				·04		·04			·07	·01	13
14	·02		·12		·08	·06		·06		·02		·01	14
15	·02	·04	·07		·20	·22		·02				·07	15
16	·42		·04		·09	·06		·06		·05	·01		16
17	·42		·26					·19			·03	·20	17
18	·14		·08					·01		·03	·04	·01	18
19	·23	·06					·10	·08		·01	·02		19
20	·04		·16		·04		·30	·25		·22			20
21			·13		·50			·75		·13	·03		21
22	·58	·10			·05		·50	·50		·04		·01	22
23	·08	·42	·30			·01	·37	·45			·11	·30	23
24	·16					·07	·04	·32	·03		·01		24
25						·13		·51			·25	·45	25
26		·02				·04	·11	1·33		·49	·40	·23	26
27						·07	·02			·39		·32	27
28		·04					·31	·40	·10	·16	·26	·81	28
29		·02				·05	·25		·55	·43	·03	·01	29
30	·02		·01		·28	·03	·01		·20	·24			30
31			·10		·27		·41	·22				·01	31
Total	3·13	1·86	2·73	·09	1·96	2·93	3·45	7·07	1·11	2·40	2·09	3·14	YEAR'S TOTAL 31·96
Rain Days.	18	17	19	3	13	23	19	25	8	13	18	24	200

W. 7,500, XI. ·12

Exe Bd
Written to
25-3-14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at 36. Hazelwood Road (Jan-June)
38 Kingsley Road (July-Dec)
in the County of Northamptonshire
by R. H. Primavesi From July 38 Kingsley Rd

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·08	·12	·06					·83		·11	·01	1
2		·17	·01	·01			·07		·13	·68	·02	·01	2
3	·02		·16		·71				·03	·90		·02	3
4	·37					·01	·03			·80	·04	·33	4
5							·06		·06	·57	·01	·02	5
6		·01	·03		·02	·20	·29			·24		·05	6
7		·16			·06	·05	·21			·41	·07	·02	7
8		·01	·04		·11	·09				·02			8
9		·22	·01	·01	·02	·13		·02	·07		·15	·02	9
10	·02		·02	·07	·06		·01	·05			·59		10
11	·93			·51	·02					·18	·29		11
12					·08					·01	·19		12
13	·04			·03				·01	·03		·20		13
14	·16		·17	·01			·03	·08		·08	·02		14
15	·10	·01	·22	·38			·25		·07				15
16	·04		·60	·19					·02	·01			16
17	·15	·02	·08	·11		·06					·01	·02	17
18	·01		·16	·12			·02						18
19	·27		·07		·02		·12		·07			·03	19
20	·25		·21	·01		·02	·05			·56	·02		20
21	·03		·27	·02	·13		·0			·01	·26		21
22	·40		·25					·03	·18				22
23						·08	·01	·04	·03		·01	·02	23
24	·02			·06				·01					24
25				·17		·05	·01			·02			25
26		·07	·17	·16				·03		·28	·03	·20	26
27			·02	·07			·01					·03	27
28	·45		·12	·15						·08			28
29			·14	·49	·01			·06		·11		·02	29
30	·26							·02		·09	·16		30
31			·02		·11			·25					31
Total	3·55	·75	2·89	2·63	1·35	·69	1·17	·60	1·52	5·05	2·18	·80	YEAR'S TOTAL 23·18
Rain Days.	18	9	21	19	12	9	14	11	11	18	17	14	173

W. 7,500, XI. 12

copied from ~~C~~C Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - MAR 1915

Kept at Northampton (Kingsley Rd)

in the County of Northampton .4.

by R H Primavesi C.A Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	-	-	·04	-	-	·70	·33	-	-	·08	·04	1
2	-	-	·02	-	-	-	·01	·12	-	·02	·40	·22	2
3	-	-	-	-	·14	-	·23	·03	-	-	·04	·02	3
4	·17	-	-	·11	-	-	-	·27	-	-	·39	·20	4
5	·03	-	·02	·10	·02	·13	·41	·11	-	-	·05	-	5
6	-	·02	-	·17	·01	·02	-	·02	-	-	·05	·05	6
7	-	·11	·40	·01	·03	·01	·05	·01	-	-	-	·02	7
8	·09	·02	·15	·11	·05	·94	·15	·14	·01	-	-	·06	8
9	·33	-	·21	·06	-	·92	-	·04	·04	-	-	-	9
10	·12	·08	·01	·06	·09	-	-	-	·14	-	-	·02	10
11	-	·12	·24	·03	1·14	·50	-	-	·01	-	·44	·41	11
12	-	·02	·11	-	-	·01	·03	-	·35	-	·06	·28	12
13	·01	·15	·16	-	-	-	-	-	·04	·13	·08	·30	13
14	-	·04	·10	-	-	-	·19	-	-	·52	·08	·26	14
15	·05	·01	·19	-	-	-	·35	·01	·05	·01	·02	·08	15
16	-	-	·03	-	-	-	·04	-	·04	-	·02	-	16
17	-	·27	·03	-	-	-	-	-	·10	-	-	·19	17
18	-	·01	·01	-	-	-	·29	-	-	-	-	·39	18
19	-	·03	·08	-	-	-	·01	-	·01	-	·06	·19	19
20	-	·22	·27	-	-	-	·02	-	·01	-	-	·03	20
21	-	·12	·08	-	-	·15	-	-	-	·09	·02	·19	21
22	-	-	·02	·01	·13	·01	·10	·06	-	·10	-	·03	22
23	-	·02	·06	-	·07	-	-	·02	-	·09	-	·04	23
24	-	·01	-	-	·02	·01	·17	-	-	·25	·07	·04	24
25	·04	-	-	-	-	-	·02	·14	-	·37	·01	·18	25
26	-	-	·02	-	-	-	·03	·04	-	·04	·14	·32	26
27	·02	-	·01	-	-	-	-	-	-	·01	·05	·09	27
28	-	·05	-	-	-	-	-	-	-	·03	·11	1·02	28
29	·01	-	·07	-	·02	-	-	-	-	·29	·08	-	29
30	-	×	·04	-	-	-	-	-	-	·05	·20	·32	30
31	·02	×	-	×	-	×	·08	-	×	-	×	·06	31
Total	·90	1·30	2·33	70	1·72	2·70	2·88	1·34	·80	2·00	2·45	5·05	YEAR'S TOTAL 24·17 ✓
Rain Days.	12	17	23	10	11	10	18	14	11	14	21	27	188 ✓

W. 8,000. X. 14.

Synade S+RR 1141

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
27 APR 1916

Kept at 38 Kingsley Rd. Northampton
in the County of Northamptonshire
by R. H. Primavesi

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Northampton
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.28	0.06	0.12	—	0.19	—	—	0.02	0.07	0.07	0.20	0.10	1
2	0.02	0.14	0.29	0.14	—	0.02	—	0.29	0.06	0.14	—	0.07	2
3	0.30	—	0.03	0.10	—	—	0.12	0.41	0.07	—	—	0.15	3
4	0.06	—	—	—	—	—	0.10	—	—	—	0.01	0.49	4
5	0.02	0.27	—	—	—	—	—	0.03	—	—	0.02	0.25	5
6	0.19	0.02	0.02	0.19	—	—	0.85	0.03	—	—	—	0.13	6
7	0.03	0.32	0.05	—	—	—	0.03	—	—	—	—	0.11	7
8	0.03	0.16	0.03	—	—	—	—	0.03	—	—	0.01	—	8
9	—	0.02	—	—	—	—	—	—	—	—	0.15	0.52	9
10	0.25	0.01	0.03	—	—	—	—	—	—	—	0.05	—	10
11	0.01	—	0.02	0.03	0.09	—	0.06	—	—	—	0.73	0.03	11
12	0.03	—	—	0.21	0.40	—	0.02	0.52	—	0.01	0.90	0.18	12
13	—	0.37	—	—	1.07	—	—	—	—	—	—	—	13
14	0.01	0.02	—	—	—	—	—	0.08	0.05	0.01	—	0.28	14
15	0.17	0.01	—	—	0.04	—	0.05	0.52	—	—	0.18	0.11	15
16	0.01	0.28	—	—	0.02	—	0.75	0.10	—	—	—	0.05	16
17	—	0.14	—	—	0.11	—	0.18	—	—	—	—	—	17
18	—	0.06	0.14	—	—	—	—	—	—	—	0.13	—	18
19	—	0.01	0.01	—	0.02	—	0.07	—	—	—	—	—	19
20	0.33	—	—	—	—	—	—	—	—	—	—	0.24	20
21	0.15	0.03	—	—	0.07	—	0.11	—	—	—	—	0.07	21
22	0.13	—	0.30	0.01	—	—	0.32	—	0.02	—	—	0.13	22
23	0.01	0.05	0.03	—	—	0.05	0.12	—	0.04	0.24	0.01	0.33	23
24	—	—	0.07	0.01	—	0.11	0.11	—	1.00	0.10	—	0.14	24
25	—	—	0.02	—	—	0.02	0.18	—	—	0.03	—	0.28	25
26	—	0.09	—	—	—	—	0.09	—	0.02	—	—	0.29	26
27	—	0.03	0.01	—	—	0.02	0.06	—	—	0.40	—	0.03	27
28	—	0.09	—	—	—	0.02	0.02	0.07	0.19	0.07	—	—	28
29	—	X	—	—	—	—	0.01	0.12	—	—	0.17	0.12	29
30	0.06	X	0.02	—	—	—	—	0.02	—	0.06	0.01	0.08	30
31	0.05	X	—	X	—	X	—	0.05	X	0.32	X	0.11	31
Total	2.14	2.18	1.19	0.69	2.01	0.24	3.25	2.29	1.52	1.45	2.57	4.29	YEAR'S TOTAL 23.82
Rain Days.	20	20	16	7	9	6	19	14	9	11	13	24	168

W. 8,000. X. 15.

n68

Smade

For Nat His Soc

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

28 FEB 1917

Kept at Northampton Kingsley Road

in the County of Northamptonshire

by C. A. Markham R. H. Primavesi

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05		.07			.01	.28				.34		1
2	.52	.01	.09		.01		.03		.01	.61	.07		2
3		.49			.21				.24	.23	.06		3
4	.31	.07			.02	.18	.06		.01	.02	.18		4
5	.04				.12	.16	.08			.14	.15		5
6	.01	.10	.12	.15	.05	.02	.38			.05	.37		6
7	.07		.28		.02	.02	.37				.15	.08	7
8	.01		.03		.02						.02	.12	8
9			.03		.01	.04						.04	9
10		.15	.10	.08	.33	.07			.02		.01	.02	10
11	.05	.15	.12	.15	.01	.13						.18	11
12	.04	.05	.08		.06	.07	.04	.03	.01	.03			12
13	.02	.23	.09	.07	.33	.03	.16	.04					13
14		.61		.04	.02			.03					14
15		.13	.51		.01		.14	.08					15
16		.01	.36	.19	.02		.32	.14					16
17	.08	.03	.01	.15	.10		.03	.16	.14	.27			17
18		.11	.03	.06				.08	.13		.97	.14	18
19	.08	.05	.27	.10					.22		.59	.02	19
20	.04		.33	.02							.28	.31	20
21	.02		.52				.06					.72	21
22		.09	.01		.14	.01				.06		.58	22
23	.03	.35				.04		.07			.05	.16	23
24		.31	.07	.02		.07		.05		.06	.01	.26	24
25		.23	.07		.07	.02		.22		.03	.10		25
26		.08	.02			.05		.07		.04	.12		26
27	.04	.17	1.45			.15	.04	.17	.07	.23			27
28		.45	.69			.03		1.43	.04	.02		.14	28
29		.08			.07	.11		.07		.31		.03	29
30		×				.05		.01		.15			30
31	.01	×		×		×			×	.02	×	.02	31
Total	1.42	3.95	5.35	1.03	1.62	1.26	1.99	2.65	.89	2.27	3.47	2.82	YEAR'S TOTAL 28.72
Rain Days.	17	22	23	11	19	19	13	15	10	16	16	15	196

W. 8,000, VIII. 16

1127

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at 38. Kingsley Road
in the County of Northamptonshire
by R. H. Primavesi, C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08				1·09	·14		·02	·02	1
2	·01	·02				·08		·70		·04	·04		2
3				·08				·40		·25	·12		3
4	—	·26	·14					·04		·58			4
5	·12		·03	·09					·11	·04	·08		5
6						·06			·01	·12	·03	·03	6
7	·35		·01							·25		·01	7
8	·56			·11			·52	·58		·26	·11	·10	8
9	·02		·12	·14	·09		·05	·20		·01	·08	·02	9
10	·29	—	·22	·20	·11			·12		·01	·04		10
11	·13	·03	·24	·23	·02			·33	·14	·20	·01		11
12	·12	·01			·07			·03		·18		·01	12
13	·01		·05	·03				·22	·04	·02			13
14	·17			·06				·38					14
15				·08			·03	·18		·04	·01	·02	15
16	·04	·16		·16			·06			·15		·23	16
17	·01	·02		·12	·53		·23	·02	·27	·05			17
18	·02	·02		·05	·15	·03	·12	·11	·71				18
19		·24	·10		·12				·04				19
20	·04	·15	·05		·65	·01	·06		·15		·13		20
21	·01		·06	·01	·02	·03					·01		21
22			·09	·02	·01			·04	·02	·18			22
23		·11			·07			·44	·02				23
24	·02	·03				·16		·05		·23	·07	·01	24
25			·05				·30		·02	·03	·04		25
26			·02					·28	·08		·12	·03	26
27						·41	·13	·57				·01	27
28			·15			·52		·22				·04	28
29						·19	·13	·05		·36		·25	29
30	·02	×					·44	·18				·01	30
31		×	·11	×		×	·12	·04	×	·01	×	·15	31
Total	1·94	1·05	1·44	1·46	1·84	1·49	2·19	6·27	1·75	3·01	·91	·94	YEAR'S TOTAL 24·29
Rain Days.	17	11	15	15	11	9	12	23	13	20	15	15	176

W. 8,000, VIII. 16

made

REGI … 11

NORTHANTS

ORLINGBURY HALL

1911 - 1912 ONLY

FORM A2. BRITISH RAINFALL.

8 - JAN 1912

Kept at Orlingbury

in the County of Northa

by Rev W. B. Ja

5 in.

…ve Ground 3 ft. -

Sea Level ft.

…. o ain

Name Isham & Burton Latimer

Distance 2 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07												1
2			·01		·20						·03	·05	2
3					·21			·08		·16	·06	·02	3
4	·02		·07						·05		·04	·25	4
5	·20			·05				·11		·26	·17		5
6	·02		·01	·16								·24	6
7	·09									·12	·21	·16	7
8	·08		·13							·01	·04		8
9	·01	·11									·03	·05	9
10	·18		·22									·25	10
11	·06										·45		11
12			·43								·20	·01	12
13			·04		·29				·35			·40	13
14			·03		·15						·03		14
15			·11								·10	·05	15
16		·08								·03	·37	·06	16
17		·01				·04						·17	17
18		·16				·08				·04		·05	18
19		·01				·24			·07		·43	·05	19
20								·18	·10	·06		·49	20
21	·01		·07					·83		·08		·15	21
22			·18			·14		·08		·17		·34	22
23		·12	·28			·48			·35		·03		23
24						·35				·11			24
25					1.46	·05				·40		·03	25
26				·28	·74					·25	·11	·05	26
27		·20		·08			·07	·06	·10				27
28		·19						·20			·05		28
29					·10					·29			29
30										·09		·02	30
31										·06			31
Total	·74	·88	1.58	·57	3.15	1.38	·07	1.54	1.02	2.13	2.35	2.89	TOTAL for year 18.30 ✓
No. of Rain Days	10	8	12	4	7	7	1	7	6	15	16	20	113 ✓

9,000, IX. '10.

made

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

Kept at Orlingbury Hall

in the County of Northants 4

by Rev W. B. Jacques

RAIN GAUGE	Pattern	
	Diameter of top	5 in.
	Height of top above Ground	3 ft. - in.
	" " " Sea Level	ft.

Time of Observation 9. 0 am

Nearest Railway Station	Name	Isham & Burton Latimer
	Distance	2 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07												1
2			·01		·20						·03	·05	2
3					·21			·08		·16	·06	·02	3
4	·02		·07						·05		·04	·25	4
5	·20			·05				·11		·26	·17		5
6	·02		·01	·16								·24	6
7	·09									·12	·21	·16	7
8	·08		·13							·01	·04		8
9	·01	·11									·03	·05	9
10	·18		·22									·25	10
11	·06										·45		11
12			·43								·20	·01	12
13			·04		·29				·35			·40	13
14			·03		·15						·03		14
15			·11								·10	·05	15
16		·08								·03	·37	·06	16
17		·01				·04						·17	17
18		·16				·08				·04		·05	18
19		·01				·24			·07		·43	·05	19
20								·18	·10	·06		·49	20
21	·01		·07					·83		·08		·15	21
22			·18			·14		·08		·17		·34	22
23		·12	·28			·48			·35		·03		23
24						·35				·11			24
25					1.46	·05				·40		·03	25
26				·28	·74					·25	·11	·05	26
27		·20		·08			·07	·06	·10				27
28		·19						·20			·05		28
29					·10					·29			29
30										·09		·02	30
31										·06			31
Total	·74	·88	1.58	·57	3.15	1.38	·07	1.54	1.02	2.13	2.35	2.89	TOTAL for year 18.30 ✓
No. of Rain Days	10	8	12	4	7	7	1	7	6	15	16	20	113 ✓

9,000, IX. '10.

cond fr auth 17·11·13

W. 7.1.

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
9 - JAN 1913

Kept at Orlingbury Hall

in the County of Northants 4

by Rev. W. B. Jacques.

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. - in.
" " " Sea Level 400 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Isham
Distance 2½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01			·04	·01		·04		·13	·09	1
2		·07	·04			·15	·46		·01				2
3	·10				·04	·19		·51	·03			·09	3
4	·06		·46		·09	·50		·06			·26		4
5	·10	·09	·22			·23		·14			·11	·	5
6	·30	·12				·06	·19	·34				·16	6
7		·03	·22			·68	·25	·22				·02	7
8	·30	·27			·01	·09	·18	·50				·02	8
9			·04	·08		·41						·12	9
10							·05	·13					10
11	·06	·08			·06	·04	·28	·01			·18	·24	11
12	·08	·50	·07					·01			·08		12
13	·02	·04				·08					·06	·02	13
14	·08		·09		·09	·03		·05					14
15		·03	·09		·18	·15		·02			·07	·15	15
16	·50		·07		·01	·05		·08		·08			16
17	·48		·22			·14		·18			·05	·29	17
18	·07		·06					·03			·01		18
19	·20	·09					·07	·40		·03	·04		19
20			·13				·28	·17		·17			20
21	·02	·02	·12		·06			·87		·21	·04		21
22	·49	·08			·42		·38	·30		·03	·05	·02	22
23	·11	·33	·31		·23		·50	·33			·06		23
24						·14		·13				·12	24
25						·18		·48			·20	·35	25
26		·02				·01	·23	1.37		·65	·25	·25	26
27			·02			·07	·43	·02		·26	·20	·33	27
28		·02				·06	·18	·48	·05	·18		·61	28
29		·02				·05	·28		·58	·31			29
30					·35	·01			·28	·26			30
31			·03		·57		·50	·25					31
Total	2·97	1·81	2·20	·08	2,11	3·36	4·27	7·08	·99	2·18	1·79	2·88	TOTAL for Year 31·72
No. of Rain Days.	16	16	17	1	12	22	16	25	6	10	16	2·88 16	31·72 173

W. 8,000, X. '11.

NORTHAMATON

TOWER WORKS

STIMPSON AVE

1919 - 1920 NORTHAMPTONSHIRE

Form A. 1. **MET** **RGANIZATION.**

9 19..

JAN 2

Kept at Tower

Bo

in the County o

by Northampton

g.

9 A.M

Northampton

Rain Gauge in.

above Ground ft in.

„ Sea Level ft.

IMPORTAN entered to the previous day.

If an Observer p equested to add the reading at 9 a it at the end of this paragraph. F of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32				·22		·32			·05	·32	·62	1
2	·13				·04		·16		·09	·07	·15	·15	2
3	·71		·15		·04		·15		·22			·13	3
4			·34		·02	·06	·03	·10	·03			·09	4
5	·04	·34	·26				·09		·53			·14	5
6			·02		1·01							·05	6
7	·04		·24		·02								7
8	·13												8
9			·06	·21							·02		9
10			·31	·08								·05	10
11			·19	·05			·42						11
12			·50			·07	·09			·06	·09		12
13	·10			·04						·02		·02	13
14	·35			·21					·05				14
15	·18			·20						·02	·10	·57	15
16	·05	·80	·10	·12				·11			·20		16
17		·24									·21		17
18			·11					·25				·13	18
19	·02	·23	·76					·24	·07		·04		19
20	·41		·24			·24	·70	·31			·09		20
21	·13	·42	·02				·49				·02	·12	21
22		·43					·08		·15		·02	·45	22
23								·02		·46		·05	23
24						·04	·22			·38			24
25				·12	·03			·16					25
26	·21		·12	·06			·05		·20				26
27	·47		·06										27
28				·58				·82					28
29						·02		·11		·27		·70	29
30		X	·12	·09		·24				·06	·29	·24	30
31		X		X		X	·05		X	·02	X	·02	31
Total	3·29	2·46	3·60	1·76	1·38	·67	2·85	2·12	1·34	1·41	1·55	3·53	YEAR'S TOTAL 25·96
Days with ·01 in. or more	15.	6	17	11	7	6	13	9	8	10	13	16	~~131~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tower Works Stimpson Avenue

in the County Borough of Northampton

by Northampton Corporation Water Dept.

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Northampton

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32				·22		·32			·05	·32	·62	1
2	·13				·04		·16		·09	·07	·15	·16	2
3	·71		·15		·04		·15		·22			·13	3
4			·34		·02	·06	·03	·10	·03			·09	4
5	·04	·34	·26				·09		·53			·14	5
6			·02		1·01							·05	6
7	·04		·24		·02								7
8	·13												8
9			·06	·21							·02		9
10			·31	·08								·05	10
11			·19	·05			·42						11
12			·50			·07	·09			·06	·09		12
13	·10			·04						·02		·02	13
14	·35			·21					·05				14
15	·18			·20						·02	·10	·57	15
16	·05	·80	·10	·12				·11			·20		16
17		·24									·21		17
18			·11					·25				·13	18
19	·02	·23	·76					·24	·07		·04		19
20	·41		·24			·24	·70	·31			·09		20
21	·13	·42	·02				·49				·02	·12	21
22		·43					·08		·15		·02	·45	22
23								·02		·46		·05	23
24						·04	·22			·38			24
25				·12	·03			·16					25
26	·21		·12	·06			·05		·20				26
27	·47		·06										27
28				·58				·82					28
29						·02		·11		·27		·70	29
30			·12	·09		·24				·06	·29	·24	30
31							·05			·02		·02	31
TOTAL	3·29	2·46	3·60	1·76	1·38	·67	2·85	2·12	1·34	1·41	1·55	3·53	YEAR'S TOTAL 25.96
Days with ·01 in. or more	15.	6	17	11	7	6	13	9	8	10	13	16	~~131~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1005

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

MAR 1921

Kept at Tower Works, Stimpson Avenue Northampton

in the County of Northampton

by Northampton Corporation Water Department

Lat. .... Long. ....

Time of Observation 9 AM.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge ....in.

Height of top of Gauge above Ground ....ft. ....in.

" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		[illegible]			·19		·22			·13		·13	1
2				·31			·08		·09			·05	2
3	·01	·05			·02	·02	·21		·06	·09			3
4			·08					·26		·30			4
5			·03	·34	·16		·45	·02	·06				5
6					·08		·41						6
7			·13	·07	·03		·10						7
8	·45	·05		·40			·07						8
9	·33			1·09			·01	·07					9
10		·03	·06			·03	·07				·03		10
11	·37		·04	1·02	·22	·04							11
12	·02		·06	·12		·39						·28	12
13	·01	·03		·12					·02				13
14			·62	·26		·19	·09		·19	·03	·18		14
15		·05	·35	·14					·33	·03	·14		15
16				·05		·45			·22	·09	·06		16
17					·13				·18	·03		·06	17
18	·12			·04	·05			·11					18
19	·07	·04		·16				·11	·25				19
20	·07	·36		·28		·40							20
21								·11	·02			·05	21
22				·19					·16			·03	22
23							·27					·34	23
24			·16								·04		24
25		·11	·03	·04			·44						25
26	·19		·14	·02			·05						26
27	·19			·15		·61						·28	27
28	·41		·11		·15		·01				·74		28
29	·09		·11		·23		·06				·04	·48	29
30				·02	·03		·05		·20		·09	·13	30
31	·07				·03		·03			·33		·08	31
TOTAL	2·40	·72	1·92	4·82	1·32	2·13	2·62	·68	1·78	1·03	1·32	1·91	YEAR'S TOTAL 22·65
Days with ·01 in. or more	14	8	13	19	12	8	17	6	12	8	8	11	136
Days with ·04 in. or more	11	6	11	17	8	6	14	5	10	5	7	10	[illegible]

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

OUNDLE
OUNDLE SCHOOL
NORTHANTS
1914-1915, 1918-1920.

REGIST

FORM A.
BRITISH RAINFALL
27 FEB 1915

Kept at Oundle
in the County of Northam
by N. E. Dix

.28W
Oundle 1 mile
.7 in.
e Ground 1 ft. in.
Sea Level 147 0 BM ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.04			.38	.26			.07	.04	1
2				.02			.01				.08	.20	2
3			.03		.16		.34	.03			.04		3
4	.14			.20			.16	.42			.41	.15	4
5	.02		.07	.16	.09	.07		.10					5
6		.04			.04	.02	.07						6
7		.03	.37		.01	.03	.03	.01				.03	7
8	.09	.05	.10		.14	1.18	.12	.18			.03	.05	8
9	.45	.01		.10	.02	.90			.12				9
10	.23	.05	.22	.05	.03			.02	.10				10
11		.06	.28	.05	.10	.04			.37		.39	.31	11
12			.11			.01	.03		.02		.03	.35	12
13	.02	.11	.16							.54	.05	.19	13
14		.05	.43				.03			.68	.10	.30	14
15	.03	.01	.12					.04 ~~.04~~	~~.01~~		.07	.12	15
16			.06				.07		.01		.02		16
17		.19					.01		.20		.18	.13	17
18	.04		.10			.15	.16					.45	18
19		.03	.08				.01		.02			.01	19
20		.07	.25				.01					.07	20
21	.03	.14	.07			.02		.02		.06		.20	21
22	.01		.03		.15	.01		.21		.10		.08	22
23			.06		.04	.01				.04			23
24		.02	.03	.04			.03	.04		.07	.14		24
25							.08	.08		.48	.01	.67	25
26			.12				.01	.13		.07	.14	28	26
27	.02									.02	.03		27
28		.06			.07					.02	.10	1.43	28
29			.08		.03					.18	.08		29
30		✕				.09				.04	.19	.20	30
31	.02	✕		✕	.04	✕	.07		✕		✕	.09	31
Total	1.13	.92	2.77	.66	.95	2.53	1.62	1.54	.84	2.30	2.16	5.35	YEAR'S TOTAL 22.77 ✓
Rain Days.	12	15	20	8	13	12	18	13	7	12	19	21	170 ✓

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
27 FEB 1915

Kept at *Oundle*
in the County of *Northampton* 4
by *N. E. Dixon.*

Lat. 52° 29′ Long. 0. 28 W
Time of Observation 9 AM
Nearest Railway Station Oundle 1 mile
Diameter of Rain Gauge 4. 7 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 147 0 BM ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04			·38	·26			·07	·04	1
2				·02			·01				08	·20	2
3			·03		·16		·34	·03			·04		3
4	·17			·20			·16	·42			·41	·15	4
5	·02		·07	·16	·09	·07		·10					5
6		·04			·04	·02	·07						6
7		·03	·37		·01	·03	·03	·01				·03	7
8	·09	·05	·10		·14	1·18	·12	·18			·03	·05	8
9	·45	·01		·10	·02	·90			·12				9
10	·23	·05	·22	·05	·03			·02	·10				10
11		·06	·28	·05	·10	·04			·37		·39	·31	11
12			·11			·01	·03		·02		·03	·35	12
13	·02	·11	·16							·54	·05	·19	13
14		·05	·43				·03			·68	·10	·30	14
15	·03	·01	·12					·04 ~~·04~~	~~·01~~		·07	·12	15
16			·06				·07		·01		·02		16
17		·19					·01		·20		·18	·13	17
18	·04		·10			·15	·16					·45	18
19		·03	·08				·01		·02			·01	19
20		·07	·25				·01					·07	20
21	·03	·14	·07			·02		·02		·06		·20	21
22	·01		·03		·15	·01		·21		·10		·08	22
23			·06		·04	·01				·04			23
24		·02	·03	·04			·03	·04		·07	·14		24
25							·08	·08		·48	·01	·67	25
26			·12				·01	·13		·07	·14	28	26
27	·02									·02	·03		27
28		·06			·07					·02	·10	1·43	28
29			·08		·03					·18	·08		29
30		X				·09				·04	·19	·20	30
31	·02	X		X	·04	X	·07		X		X	·09	31
Total	1. 13	·92	2.77	·66	·95	2. 53	1.62	1.54	·84	2.30	2.16	5·35	YEAR'S TOTAL 22. 77
Rain Days.	12	15	20	8	13	12	18	13	7	12	19	21	170

W. 8,000. X. 14.

contd by Milton Rd. 21.III.16 ~~W.~~ F.W.

1229

FORM A.
BRITISH RAINFALL.

5 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Oundle
in the County of Northampton
by N. E. Dixon

Lat. 52·29 Long. 0·28 W.
Time of Observation 9 a.m.
Nearest Railway Station Oundle.
Diameter of Funnel of Rain Gauge 4·7 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·08
Great gale

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·18	·03		·21			·05	·04		·08	·08	1
2	·05	·14	·13			·03		·72	·08	·02	·01	·04	2
3	·23	·01	·03	·30			·19	·16				·14	3
4	·12						·15	·01				·53	4
5		·20			·07			·02			·01	·25	5
6	·12		·03	·15			·62					·06	6
7	·04	·33	·05			·14	·48	·26	·01				7
8		·19	·04	·05				·02			·07		8
9						·02				·02	·20	·62	9
10	·35		·01				·01	·19		—	·12		10
11			·04		·10		·02				·60	·11	11
12	·04			·27	·42			·09	—	·02	1·28		12
13		·54			·94		·07						13
14		·18					·07		·06			·30	14
15	·33	·12			·07		·01	·57		·03	·17	·08	15
16							·80	·09					16
17		·18					·20					·01	17
18		·03	·20								·04	·01	18
19			·03				·07						19
20	·31									·03		·21	20
21	·15				·06		·10					·06	21
22	·13		·18				·47		·01			·08	22
23		·12	·03			·08	·07		·08	·18		·28	23
24			·05				·26		·64			·18	24
25		·15				·65	·08			·07		·23	25
26							·19					·26	26
27			·02			·03	·07			·48		·03	27
28		·16				·23	·08	·10	·06	·17			28
29			·01			·15					·10	·24	29
30	·09	✕				·50						·03	30
31	·05	✕		✕		✕	·05	·07	✕	·14	✕	·09	31
Total	2·35	2·53	·88	·77	1·87	1·86	[illegible]	2·35	·98	1·16	2·68	3·87	YEAR'S TOTAL 25 20
Rain Days.	14	14	15	4	7	9	20	13	8	10	11	23	148

W. 8,000. X. 15.

average at this Station 24·20 ins (9 years) N E Dixon

Excd 9/2

53

REGISTER OF RAINFALL IN 19 18

FORM A.
BRITISH RAINFALL.

10 1 19

Kept at The School, Oundle

in the County of Northamptonshire

by J. W. Sanderson

Lat. 52° 29′ Long. 0° 28′ W.

Time of Observation 9 h. G.T.

Nearest Railway Station Oundle

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	"
1	-	·3	·2	3·0	-	-	-	-	-	-	2·6	1·7	1
2	-	3·4	trace	3·9	-	-	-	2·5	·1	·2	·9	2·4	2
3	-	·4	1·6	·1	10·8	-	-	3·7	2·9	-	19·3	·1	3
4	-	·4	2·1	-	-	-	1·3	·9	12·8	·2	6·0	·7	4
5	-	1·3	·2	·2	5·2	-	-	3·0	10·6	·5	·1	·3	5
6	·4	1·6	-	2·4	-	·2	-	-	·1	·5	-	trace	6
7	·2	1·2	-	2·7	-	1·3	-	-	·3	2·8	2·8	-	7
8	-	·4	·3	·2	-	-	-	-	·2	·6	·6	·8	8
9	1·3	3·9	-	·1	-	1·2	2·3	-	6·7	4·3	-	1·2	9
10	·5	·1	-	·9	-	·4	6·4	-	1·3	4·0	·1	1·9	10
11	·1	-	-	·4	7·2	-	3·2	trace	2·5	9·3	·1	2·1	11
12	-	2·8	·6	·2	3·2	-	1·9	-	3·2	·2	·1	·6	12
13	-	·4	-	·4	4·2	trace	·1	-	2·7	-	-	·5	13
14	7·1	-	-	·4	·1	trace	8·7	-	7·3	4·3	·2	·5	14
15	14·1	-	-	22·9	-	·8	1·2	-	1·2	-	·2	4·6	15
16	·9	-	·1	12·5	-	trace	-	·2	11·1	·2	·1	trace	16
17	4·8	-	-	3·8	1·2	-	17·1	·1	·3	-	·1	2·4	17
18	7·0	-	-	·3	·1	1·4	4·0	-	14·3	-	-	6·5	18
19	·4	·2	·4	1·2	-	1·3	·2	-	·1	1·9	-	2·3	19
20	·4	·9	-	9·1	·1	1·7	·1	-	2·4	4·7	·4	·1	20
21	·4	·1	-	1·9	-	-	1·5	-	4·5	3·4	-	·4	21
22	1·2	-	-	-	3·7	trace	·2	-	·4	·1	-	7·8	22
23	2·1	-	-		8·1	·3	1·5	·1	·1	·2	·2	·2	23
24	-	4·6	-	-	·2	-	4·5	-	1·1	·4	1·4	-	24
25	-	-	-	-	-	trace	1·1	7·1	1·1	·4	·3	-	25
26	-	-	-	-	-	-	·7	·2	·3	·1	2·7	2·4	26
27	-	·3	·1	trace	-	·2	1·3	4·5	·6	-	2·4	·2	27
28	·1	3·1	2·3	trace	-	-	-	·1	-	-	4·9	2·5	28
29	·2		trace	-	-	-	·1	-	21·5	·1	·3	trace	29
30	-	✕	5·2	-	-	-	·1	·1	·3	·4	1·5	1·7	30
31	-	✕	1·9	✕	-	✕	-	trace	✕	1·8	✕	·1	31
Total	41·2	25·4	15·0	66·6	44·1	8·8	57·5	22·5	110·0	40·6	47·3	43·7	YEAR'S TOTAL 522·7
Rain Days.	~~17~~ 15	~~18~~ 16	~~14~~ 10	~~22~~ 18	~~12~~ 9	~~16~~ 10	~~21~~ 17	~~14~~ 8	~~28~~ 24	~~23~~ 20	~~23~~ 17	~~28~~ 22	~~255~~ 186

W, 6,500, VII. 18. w w c

Ex. Ca.B. 4/2/20

1094

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Oundle [M.O] (School)

in the County of Northampton

by The Head Master

Lat. 52°29′N Long. 0° 28′ W.

Time of Observation 9h GMT.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ „ „ „ Sea Level 147 ft.

FEB 2

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	6.5	1.2	0.3	0.2	2.4	-	2.1	-	-	0.5	0.5	15.8	1
2	3.5	-	0.5	0.1	0.2	-	4.8	-	0.7	2.4	10.7	5.1	2
3	21.2	-	1.5	-	0.7	0.2	2.1	-	1.6	0.2	4.0	0.5	3
4	1.0	-	9.0	-	-	0.9	3.3	1.2	0.6	-	0.4	6.1	4
5	0.6	3.9	2.1	-	-	-	0.2	-	18.0	0.1	-	0.2	5
6	0.1	-	0.4	-	13.2	-	-	0.1	-	0.2	1.0	1.6	6
7	0.5	-	4.7	-	0.1	-	-	-	-	-	-	-	7
8	1.9	-	1.0	3.1	-	-	-	-	-	-	1.6	-	8
9	-	-	0.5	1.1	-	-	-	-	0.1	-	0.6	-	9
10	-	-	7.1	0.9	-	-	-	-	-	0.3	1.6	1.6	10
11	2.3	-	6.0	1.1	0.5	-	21.1	-	0.1	-	0.7	0.1	11
12	0.1	-	5.7	0.9	-	4.1	0.3	-	0.2	1.6	0.5	-	12
13	3.7	-	-	3.7	-	-	0.2	-	1.2	0.5	-	0.1	13
14	6.4	-	0.2	2.4	-	-	-	-	1.6	0.2	0.2	-	14
15	6.0	0.5	1.6	2.9	-	-	-	-	-	-	3.3	9.4	15
16	2.0	21.6	-	0.1	-	-	-	0.8	0.2	-	3.9	-	16
17	-	12.9	0.1	0.1	-	-	-	-	0.1	-	4.4	0.6	17
18	-	0.4	0.4	-	-	-	0.1	3.8	0.2	-	0.2	3.4	18
19	-	3.8	19.3	0.1	-	3.9	12.8	6.0	1.8	0.2	1.6	1.4	19
20	12.5	0.8	3.5	-	-	2.6	6.7	6.1	-	-	0.4	0.5	20
21	8.0	8.7	1.6	-	-	-	8.8	-	0.3	0.2	0.2	6.9	21
22	-	3.1	0.3	-	-	-	0.3	-	8.6	0.2	-	9.0	22
23	-	-	0.1	0.6	-	0.6	2.6	0.4	0.1	10.6	-	0.9	23
24	-	-	-	4.6	0.6	0.6	0.7	0.3	-	3.5	-	0.9	24
25	1.5	-	-	3.1	4.9	0.3	-	3.9	-	-	-	1.6	25
26	1.5	-	3.6	0.6	-	0.3	-	2.1	2.2	-	-	9.4	26
27	17.2	3.4	0.5	13.3	-	-	-	6.4	-	0.2	0.7	0.9	27
28	0.1	-	-	2.5	-	-	0.1	12.6	-	1.9	1.7	6.7	28
29	1.2		-	1.1	-	0.3	0.4	3.7	-	7.5	5.0	0.5	29
30	0.2		0.6	5.9	-	6.0	0.1	0.1	-	2.1	2.5	6.2	30
31	0.9		1.5		-		0.5	-		0.6		-	31
TOTAL	98.9	60.3	72.1	48.4	22.6	19.8	67.2	47.5	37.6	33.0	45.7	89.4	YEAR'S TOTAL 642.5 ✓
Days with 0·2 mm. or more	20	11	23	17	7	11	16	12	13	18	22	22	192 ✓

643

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from MO 3203.

1038

FORM A. 2. METEOROLOGICAL OFFICE ~~BRITISH~~ RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oundle

in the County of Northants

by F. W. Sanderson

Lat. 52° 29′ Long. 0° 28′ W.

Time of Observation 9 a.m.

Nearest Railway Station Oundle

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 12 in.

" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	·1	trace	2.2	5.0	-	7.6	-	trace	8.8	·7	3.4	1
2	-	-	·3	14.5	-	-	·3	4.2	2.3	1.1	trace	1.2	2
3	trace	·7	-	3.6	·2	·8	18.3	·1	2.5	1.2	·1	·3	3
4	-	-	1.8	2.7	-	-	6.6	9.3	·7	5.0	·1	·4	4
5	-	·1	·8	trace	5.9	-	11.9	3.0	1.5	·2	·2	·1	5
6	-	-	3.5	trace	1.0	-	9.1	·3	-	trace	trace	·3	6
7	·4	-	2.5	2.5	·2	-	3.4	·1	-	trace	·1	·1	7
8	3.3	1.1	·2	13.0	-	-	·7	-	-	·4	trace	·1	8
9	11.4	-	trace	19.8	-	-	·7	7.4	-	·1	·1	trace	9
10	·2	·2	·6	8.1	-	-	·8	·9	-	trace	·5	·6	10
11	5.8	1.1	1.1	4.0	4.1	2.0	·8	2.3	-	·1	·3	4.6	11
12	1.3	-	·3	3.9	1.0	5.0	trace	·3	-	·2	·3	4.3	12
13	-	·9	·6	4.6	·1	1.8	-	-	1.5	·2	·4	trace	13
14	·1	·2	11.8	3.5	-	3.2	2.2	-	3.8	·4	4.1	·2	14
15	-	1.0	14.6	1.1	·1	-	-	-	5.9	·8	2.3	·1	15
16	-	·1	·1	·1	2.4	-	-	-	6.0	·5	·1	·3	16
17	trace	-	-	·9	2.9	-	·2	-	4.4	·5	·1	1.3	17
18	2.5	·1	-	·6	·9	-	·2	3.2	6.7	-	trace	·5	18
19	1.6	1.9	·1	2.2	-	2.7	-	·7	·1	·1	·3	·6	19
20	1.1	10.3	·2	6.1	-	9.2	-	-	-	·1	·2	trace	20
21	·5	-	-	·2	-	-	-	1.7	2.3	-	·2	·4	21
22	·2	-	-	5.4	-	-	·2	-	7.7	-	·4	trace	22
23	·1	·5	trace	·1	-	-	·8	-	·1	·3	-	8.4	23
24	-	·2	3.2	trace	-	-	-	-	-	·3	·4	1.4	24
25	·1	2.4	·4	·5	·6	·4	14.4	-	-	·3	·1	trace	25
26	2.0	-	2.1	·4	·6	-	2.9	-	·1	·3	·1	·2	26
27	1.5	1.0	·1	2.6	-	16.0	·1	-	·2	·3	11.1	4.0	27
28	11.0	-	3.0	-	4.2	-	1.1	-	-	·1	·2	1.5	28
29	1.2	-	4.0	-	6.5	·4	·9	-	·2	·3	2.4	11.2	29
30	·6		-	·8	-	1.1	·6	-	2.9	·1	1.5	3.4	30
31	1.0		·5		·3		·4	-		5.2		1.9	31
TOTAL	45.9	23.9	151.8	103.4	35.9	42.6	84.2	33.5	48.9 ~~42.2~~	36.9	26.3	50.8	YEAR'S TOTAL 572.1 ~~565.4~~
Days with 0·2 mm. or more	17	13	19	23	14	11	22	11	14	19	17	22	202
Days with 1·0 mm. or more	12	7	10	17	9	8	10	7	11	5	5	12	113

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

~~W.J. Cng~~ cont'd [illegible] 1038

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oundle (School) (MO)
in the County of Northamptonshire
by The Head Master

Lat. 52° 29'N Long. 0°28'W
Time of Observation 9 h G.M.T
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	0.1	-	2.2	5.0	-	7.6	-	-	8.8	0.7	3.4	1
2	-	-	0.3	14.5	-	-	0.3	4.2	2.3	1.1	-	1.2	2
3	-	0.7	-	3.6	0.2	0.8	18.3	0.1	2.5	1.2	0.1	0.3	3
4	-	-	1.8	2.7	-	-	6.6	9.3	0.7	5.0	0.1	0.4	4
5	-	0.1	0.8	-	5.9	-	11.9	3.0	1.5	0.2	0.2	0.1	5
6	-	-	3.5	-	1.0	-	9.1	0.3	-	-	-	0.3	6
7	0.4		2.5	2.5	0.1	-	3.4	0.1	-	-	0.1	0.1	7
8	3.3	1.1	0.2	13.0	-	-	0.7	-	-	0.4	-	0.1	8
9	11.4		-	19.8	-	-	0.7	7.4	-	0.1	0.1	-	9
10	0.2	0.2	0.6	8.1	-	-	0.8	0.9	-	-	0.5	0.6	10
11	5.8	1.1	1.1	4.0	4.1	2.0	0.8	2.3	-	0.1	0.3	4.6	11
12	1.3		0.3	3.9	1.0	5.0	-	0.3	-	0.2	0.3	4.3	12
13	-	0.9	0.6	4.6	0.1	1.8	-	-	1.5	0.2	0.4	-	13
14	0.1	0.2	11.8	3.5	-	3.2	2.2	-	3.8	0.4	4.1	0.2	14
15	-	1.0	14.6	1.1	0.1	-	-	-	5.9	0.8	2.3	0.1	15
16	-	0.1	0.1	0.1	2.4	-	-	-	6.0	0.5	0.1	0.3	16
17	-	-	-	0.9	2.9	-	0.2	-	4.4	0.5	0.1	1.3	17
18	2.5	0.1	-	0.6	0.9	-	0.2	3.2	6.7	-	-	0.5	18
19	1.6	~~10~~1.9	0.1	2.2	-	2.7	-	0.7	0.1	0.1	0.3	0.6	19
20	1.1	10.3	0.2	6.1	-	9.2	-	-	-	0.1	0.2	-	20
21	0.5	-	-	0.2	-	-	-	1.7	2.3	-	0.2	0.4	21
22	0.2		-	5.4	-	-	0.2	-	7.7	-	0.4	-	22
23	0.1	0.5	-	0.1	-	-	0.8	-	0.1	0.3	-	8.4	23
24	-	0.2	3.2	-	-	-	-	-	-	0.3	0.4	1.4	24
25	0.1	2.4	0.4	0.5	0.6	0.4	14.4	-	-	0.3	0.1	-	25
26	2.0		2.1	0.4	0.6	-	2.9	-	0.1	0.3	0.1	0.2	26
27	1.5	1.0	0.1	2.6	-	16.0	0.1	-	0.2	0.3	11.1	4.0	27
28	11.0	-	3.0	-	4.2	-	1.1	-	-	0.1	0.2	1.5	28
29	1.2	-	4.0	-	6.5	0.4	0.9	-	0.2	0.3	~~1~~2.4	11.2	29
30	0.6	X	-	0.8	-	1.1	0.6	-	2.9	0.1	1.5	3.4	30
31	1.0	X	0.5	X	0.3	X	0.4	-	X	5.2	X	1.9	31
TOTAL	45.9 ✓	21.9 ✓	51.8 ✓	103.4 ✓	35.9 ✓	42.6 ✓	84.2 ✓	33.5 ✓	48.9 ✓	26.9 ✓	26.3 ✓	50.8 ✓	YEAR'S TOTAL 572.1
Days with 0·2 mm. or more	17 ✓	13 ✓	19 ✓	23 ✓	14 ✓	11 ✓	22 ✓	11 ✓	15 ✓	19 ✓	17 ✓	22 ✓	203
[illegible]	13	7	10	6	7	8	10	7	12	5	12	12	121

(44,284). Wt.24,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M 3203

PETERBOROUGH
ABBEYFIELDS
NORTHANTS.
1911–1920.

FORM A2.
BRITISH RAINFALL.
31 JAN 1912

REC 11

Kept at Abbeyfie nordon

5 in.

in the County of Nort

ove Ground — ft. 6 in.

, Sea Level 49. ft.

by John Shi 9. a. m

Name Peterborough Cth
Distance 1m Direction S.S.W

IMPORTANT NOTE nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·035	–	–	–	–	–	–	–	–	–	·01	·04	1
2	·15	–	–	–	·325	–	–	·01	–	–	·06	·05	2
3	·01	·025	–	–	·085	–	–	·02	–	·025	–	·045	3
4	·045	·02	·11	·11	–	–	–	–	·13	·28	·13	·21	4
5	–	·03	–	·015	–	–	–	·015	–	·01	·02	·08	5
6	·295	–	·015	–	–	–	–	–	–	–	–	·205	6
7	·01	–	–	–	–	–	–	–	–	–	·17	·30	7
8	·20	–	·085	–	–	–	–	–	·395	–	·035	·095	8
9	·065	–	·025	·03	–	–	–	–	–	·03	·035	·03	9
10	·015	·08	·105	–	–	–	–	–	–	·02	·025	·175	10
11	·11	–	·01	–	–	–	–	–	–	–	·325	–	11
12	·065	–	·36	–	–	–	–	–	·07	–	·095	·01	12
13	–	–	·07	–	–	·045	–	–	·235	·01	–	·35	13
14	–	·055	·03	–	·33	·04	·01	–	–	·01	–	·51	14
15	–	·04	·12	–	–	–	–	–	–	·025	·07	–	15
16	–	–	·045	–	–	·035	–	–	–	·01	·35	·05	16
17	–	–	·01	–	–	·04	–	–	–	–	·055	·115	17
18	–	·165	–	–	–	·11	–	–	–	–	·17	·02	18
19	–	–	–	–	–	·055	–	·01	·03	·05	·16	·035	19
20	–	–	–	–	–	·01	–	·33	·175	·11	–	·415	20
21	–	·27	–	·01	–	–	–	·45	·025	·10	–	·125	21
22	·06	–	·085	·01	–	–	–	·075	–	·135	–	·325	22
23	·01	–	·135	–	·07	·98	·01	–	52	–	–	·10	23
24	–	·07	–	–	–	·27	–	–	–	·29	–	·09	24
25	–	·01	·075	·065	·025	·01	–	–	–	·01	·045	·01	25
26	–	–	–	·17	–	–	–	–	–	·27	·19	·29	26
27	–	·19	·085	·095	–	·02	–	–	·16	·02	–	·025	27
28	–	·11	–	·11	–	–	–	·20	–	–	·05	·035	28
29	–		·01	·02	–	·14	·13	–	·16	·18	·01	–	29
30	–		–	·035	·05	·02	–	–	·02	·06	–	–	30
31	–		–		–		–	–		–		·01	31
Total	1·07	1·065	1·375	·67	·885	1·775	·15	1·11	1·92	1·645	2·005	3·745	TOTAL for year 17·415
No. of Rain Days.	13	12	17	11	6	13	3	8	11	19	19	27	159 days.

W. 8,000, X. '11.

Form A2.
British Rainfall.
31 JAN 1912

REGISTER OF RAINFALL IN 19 11

Kept at Abbeyfields, Peterborough

in the County of Northampton 4

by John Shipley Ellis.

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 49. ft.

Time of Observation 9. a. m

Nearest Railway Station
Name Peterborough Gt. N.
Distance 1 m Direction S.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·035	—	—	—	—	—	—	—	—	—	·01	·04	1
2	·15	—	—	—	·325	—	—	·01	—	—	·06	·05	2
3	·01	·025	—	—	·085	—	—	·02	—	·025	—	·045	3
4	·045	·02	·11	·11	—	—	—	—	·13	·28	·13	·21	4
5	—	·03	—	·015	—	—	—	·015	—	·01	·02	·08	5
6	·295	—	·015	—	—	—	—	—	—	—	—	·205	6
7	·01	—	—	—	—	—	—	—	—	—	·17	·30	7
8	·20	—	·085	—	—	—	—	—	·395	—	·035	·095	8
9	·065	—	·025	·03	—	—	—	—	—	·03	·035	·03	9
10	·015	·08	·105	—	—	—	—	—	—	·02	·025	·175	10
11	·11	—	·01	—	—	—	—	—	—	—	·325	—	11
12	·065	—	·36	—	—	—	—	—	·07	—	·095	·01	12
13	—	—	·07	—	—	·045	—	—	·235	·01	—	·35	13
14	—	·055	·03	—	·33	·04	·01	—	—	·01	—	·51	14
15	—	·04	·12	—	—	—	—	—	—	·025	·07	—	15
16	—	—	·045	—	—	·035	—	—	—	·01	·35	·05	16
17	—	—	·01	—	—	·04	—	—	—	—	·055	·115	17
18	—	·165	—	—	—	·11	—	—	—	—	·17	·02	18
19	—	—	—	—	—	·055	—	·01	·03	·05	·16	·035	19
20	—	—	—	—	—	·01	—	·33	·175	·11	—	·415	20
21	—	·27	—	·01	—	—	—	·45	·025	·10	—	·125	21
22	·06	—	·085	·01	—	—	—	·075	—	·135	—	·325	22
23	·01	—	·135	—	·07	·98	·01	—	·52	—	—	·10	23
24	—	·07	—	—	—	·27	—	—	—	·29	—	·09	24
25	—	·01	·075	·065	·025	·01	—	—	—	·01	·045	·01	25
26	—	—	—	·17	—	—	—	—	—	·27	·19	·29	26
27	—	·19	·085	·095	—	·02	—	—	·16	·02	—	·025	27
28	—	·11	—	·11	—	—	—	·20	—	—	·05	·035	28
29	—		·01	·02	—	·14	·13	—	·16	·18	·01	—	29
30	—		—	·035	·05	·02	—	—	·02	·06	—	—	30
31	—		—		—		—	—		—		·01	31
Total	1·07	1·065	1·375	·67	·885	1·775	·15	1·11	1·92	1·645	2·005	3·745	TOTAL for year 17·415
No. of Rain Days.	13	12	17	11	6	13	3	8	11	19	19	27	159 days.

W. 8,000, X. '11.

6 X 44 X

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
21 JAN 1913

Kept at Abbeyfields, The Park Peterborough

in the County of Northampton 4

by John Shipley Ellis

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 49 ft.

Time of Observation 9 - a. m.

Nearest Railway Station
Name Peterborough G.N.R.
Distance 1 m. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	·10	—	·01	·07	—	—	·19	1
2	—	—	·03	·01	·03	·055	·43	—		—	—	·01	2
3	·11	—	—	—	·04	·46	·01	·43	·03	—	—	·10	3
4	·055	—	·38	—	·05	·37	—	·04	—	—	·35	—	4
5	·055	—	·39	—	—	·01	—	·08	—	—	·02	—	5
6	·525	·24	—	—	—	·33	·72	·34	—	—	—	—	6
7	—	—	—	—	·01	·84	·01	·01	—	—	—	—	7
8	·31	·26	·095	—	—	·12	·06	—	·13	—	—	·01	8
9	—	·06	·03	·07	·10	·72	—	·03	—	—	—	·10	9
10	·01	·01	·035	·01	—	—	—	·04	·12	—	·05	—	10
11	·14	·08	—	—	·01	·02	—	—	·03	—	—	·19	11
12	·10	·08	·055	—	·09	·09	—	—	—	—	·10	—	12
13	·03	·015	—	—	—	·115	·02	·01	—	·02	·30	·03	13
14	·035	—	·02	—	·07	·04	—	·01	—	·01	·01	—	14
15	—	·015	·05	—	·485	·16	—	·03	—	—	—	·07	15
16	·44	—	·05	—	·06	·02	—	·085	—	·05	·01	—	16
17	—	—	·13	—	—	·20	—	·10	—	—	—	·19	17
18	·33	—	·07	—	—	—	—	·01	—	·02	·01	—	18
19	·24	·105	·03	—	—	—	·13	·38	—	—	·01	—	19
20	·10	—	·11	—	·035	—	·06	·53	—	·25	—	—	20
21	—	·01	·045	—	·47	—	·01	·53	—	·09	·05	—	21
22	·12	·04	—	—	·26	—	·69	·26	—	—	—	·01	22
23	·10	·73	·23	—	—	—	1·20	·56	—	—	·07	·30	23
24	·14	·01	—	—	—	·03	·09	·18	·01	—	—	·15	24
25	—	—	—	—	—	·09	·035	·725	—	—	·17	·33	25
26	·01	·03	—	—	—	·09	·22	1·42	—	·59	·155	·22	26
27	—	—	—	—	·01	·07	·32	—	—	·31	—	·13	27
28	—	·03	—	—	—	·01	·03	·43	—	·23	·23	·59	28
29	—	—	—	—	—	·08	·22	·08	·62	·30	·09	—	29
30	·01		—	—	·50	—	—	·08	·18	·13	—	—	30
31	—		·125		·11		·54	·16		—		—	31
Total	2·86	1·715	1·875	·09	2·33	4·02	4·795	6·56	1·19	2·00	1·625	2·62	TOTAL for year 31·65
No. of Rain Days.	19.	15	17	3	16	22	18	26	8	11	15	16	Days 186

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL
26 JAN 1914

REGISTER OF RAINFALL IN 1913

Exd D

Kept at Abbeyfields, Peterborough
in the County of Northampton 4
by John Shipley Ellis

Lat. 52° 35' 6" Long. 0° 14' W
Time of Observation 9. am.
Nearest Railway Station Peterborough G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 6 in.
„ „ „ „ Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·02	·07	·02	—	—	—	—	·44	—	·13	—	1
2	·01	·06	·03	—	—	—	·15	—	·05	·02	—	—	2
3	—	—	·08	—	·57	—	—	—	—	·06	—	·02	3
4	·24	—	—	—	·07	·01	·02	—	—	·15	·13	·28	4
5	·03	·01	—	—	—	·01	—	—	·07	·74	·02	·02	5
6	—	·03	·04	—	·53	·12	·06	—	—	·05	—	—	6
7	—	·03	—	—	·06	·08	·01	—	—	·44	—	—	7
8	—	—	—	—	·33	·04	—	—	—	·40	·12	—	8
9	—	·21	·04	·01	—	·06	·04	—	·01	—	·09	—	9
10	·02	—	—	—	·25	—	·14	·18	—	—	·52	—	10
11	·27	—	—	·37	—	—	—	·20	—	—	·03	—	11
12	·41	—	—	—	·01	—	—	—	—	—	·23	—	12
13	·10	—	·01	—	—	—	—	—	·02	—	·31	—	13
14	·04	·02	·26	·01	—	—	·21	—	—	·11	—	—	14
15	·16	·02	·14	·12	—	—	—	—	·11	—	—	—	15
16	·02	—	·55	·11	—	—	—	—	·11	—	—	—	16
17	·07	·02	·20	·11	—	·28	·01	—	—	—	·04	·07	17
18	·01	—	·13	·16	—	—	·04	—	·64	—	·02	·02	18
19	·09	—	·05	—	—	—	·01	—	·09	—	—	·02	19
20	·06	—	·14	·04	—	—	—	—	·11	·50	—	—	20
21	—	—	·12	—	·03	—	·09	—	—	—	·24	—	21
22	·20	—	·12	—	—	—	—	·06	·15	—	—	—	22
23	—	—	·04	—	—	·02	·01	—	·02	—	—	—	23
24	·03	—	—	·05	—	·04	—	—	—	—	—	—	24
25	—	—	—	·11	—	—	—	—	—	—	—	·02	25
26	—	·04	·17	·04	—	—	—	—	—	·55	·05	·16	26
27	—	·01	·01	—	—	·02	—	—	—	—	—	—	27
28	·21	—	·04	·08	—	—	—	—	—	—	—	—	28
29	·08		·14	·46	·15	—	—	·13	—	·04	—	·06	29
30	·18		—	·03	—	—	—	·01	—	·04	·09	·11	30
31	—		—		·08		—	·82		—		—	31
Total	2·27	·47	2·38	1·72	2·08	·68	·79	1·40	1·82	3·10	2·02	·78	YEAR'S TOTAL 19·51
Rain Days.	20	11	20	15	10	10	12	6	12	12	14	10	152

W. 7,500, XI. ·12

Ex l MCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Abbeyfields, The Park, Peterborough

in the County of Northampton 4

by John Shipley Ellis

Lat. 52°35'6" N Long. 0°14' W.

Time of Observation 9. am.

Nearest Railway Station Peterborough G.N.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	—	—	·02	·02	—	·09	·26	—	—	·11	·06	1
2	—	—	—	·05	—	—	·05	·08	—	—	·04	·09	2
3	—	—	·04	—	·13	—	·13	—	—	—	·09	—	3
4	·12	—	—	·18	—	—	—	—	—	—	·39	·08	4
5	·01	—	·04	·08	·08	·03	·09	·16	—	—	·01	—	5
6	—	·03	—	—	·03	·02	·20	·01	—	—	·17	·01	6
7	—	·02	·40	—	·01	·09	—	—	—	—	·01	·01	7
8	·06	·05	·04	·02	·12	·82	·04	·12	—	—	—	—	8
9	·59	—	·20	·07	—	·90	—	—	·03	—	—	·02	9
10	·38	·05	—	·04	·02	—	—	—	·05	—	—	—	10
11	—	·05	·32	·05	·18	·03	—	—	·06	—	·34	·23	11
12	—	·01	·06	—	—	·01	·05	—	·27	—	—	·22	12
13	·04	·10	·14	—	—	—	—	—	·01	·40	·04	·22	13
14	—	·04	·19	—	—	—	—	—	—	·75	·12	·37	14
15	·02	—	·20	—	—	—	—	·04	—	—	·10	·19	15
16	—	—	·02	—	—	—	·05	—	·01	—	·03	—	16
17	·01	·19	17* ·05	—	—	—	—	—	·10	—	—	·07	17
18	—	—	·27	—	—	—	·08	—	—	—	—	·35	18
19	—	·04	·24	—	—	·75	·25	—	·03	—	·10	·01	19
20	—	·04	·15	—	—	—	—	—	—	—	—	—	20
21	—	·15	—	—	—	·07	—	·03	—	·06	—	·16	21
22	—	—	·03	—	·12	—	·15	·12	—	·09	—	·01	22
23	—	·02	·04	—	·04	·04	—	—	—	·03	—	·02	23
24	·01	—	—	·05	—	—	·04	·03	—	·24	·14	—	24
25	—	·02	·15	—	—	—	—	·05	—	·43	—	·07	25
26	—	—	·02	—	—	—	·02	·13	—	·04	·12	·33	26
27	·02	—	—	—	—	—	—	—	—	—	·02	·17	27
28	—	·03	·10	—	·01	—	—	—	—	·16	·08	1·06	28
29	·01		—	—	·04	—	—	—	—	·26	·06	—	29
30	—		—	—	—	·06	—	—	—	·04	·18	·26	30
31	—		·[illegible]		·04		·12	—		—		·07	31
Total	1·32	·84	2·70	·56	·84	2·82	1·36	1·03	·56	2·50	2·15	4·08	YEAR'S TOTAL 20·76
Rain Days.	12	15	20	9	13	11	14	11	8	11	19	23	166

W. 8,000. X. 14.

Ext list

1233

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Kept at "Abbeyfields," The Park, Peterborough

in the County of Northampton 4

by Major J. Shipley Ellis

Lat. 52°35'6"N. Long. 0° 14' W

Time of Observation 9. a.m.

Nearest Railway Station Peterborough G. N.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·26	·01	—	·21	—	—	—	·05	—	·11	·08	1
2	·11	·09	·17	·09	—	·03	—	·60	·08	—	·04	·04	2
3	·26	—	·05	·11	—	—	·14	·43	·14	—	—	·12	3
4	·31	—	—	—	—	—	·34	·19	—	—	—	·55	4
5	·02	·10	—	—	·11	—	—	·05	—	—	·04	·24	5
6	·09	·02	·06	·15	·01	—	·46	·03	—	·01	—	·07	6
7	·03	·27	·28	—	—	·13	·06	·14	—	—	—	·12	7
8	·02	·11	·06	·02	—	—	·11	·01	—	—	·04	—	8
9	·02	·03	—	—	—	·06	—	—	—	·03	·13	·47	9
10	·28	—	·04	—	—	—	—	·02	—	—	·04	—	10
11	·02	—	·02	—	·11	—	·20	—	—	—	·43	·11	11
12	·05	—	·02	·26	·30	—	·01	·47	—	—	1·22	—	12
13	·01	·38	—	—	·82	—	·01	—	—	—	—	—	13
14	—	·01	—	—	—	—	—	—	·01	·02	—	·16	14
15	·24	—	—	—	·07	—	—	·06	—	—	·22	·08	15
16	—	·17	—	—	—	—	·63	·07	—	·02	—	·09	16
17	—	·18	—	—	—	—	·02	—	—	—	·02	—	17
18	—	·01	·14	—	—	—	—	—	—	—	·06	—	18
19	—	·06	—	—	—	—	·05	—	—	·02	—	—	19
20	·30	—	—	—	—	—	—	—	—	—	—	·30	20
21	·07	·02	—	—	·35	—	·07	—	—	—	—	·08	21
22	·28	—	·12	·02	—	—	·33	—	·01	—	—	·14	22
23	—	·13	·01	—	—	—	·01	—	·09	·11	·02	·27	23
24	—	·03	·37	—	—	—	·22	—	·39	·02	—	·08	24
25	—	—	·02	—	—	·27	·04	—	—	·05	—	·29	25
26	—	·09	—	—	—	—	·25	—	—	—	—	·25	26
27	—	·02	—	—	—	·55	·02	—	—	·50	—	·02	27
28	—	·09	—	—	—	·01	—	·06	·04	·20	—	—	28
29	·01	X	—	—	—	·13	—	·11	—	—	·18	·20	29
30	·05	X	—	—	—	·50	—	—	—	—	·01	—	30
31	·02	X	·02	X	—	X	—	·07	X	·11	X	·10	31
Total	2·48	2·07	1·39	·65	1·98	1·68	2·97	2·31	·81	1·09	2·56	3·86	YEAR'S TOTAL 23·85
Rain Days.	20	19	15	6	8	8	18	14	8	11	14	22	163

W. 8,000. X. 15.

✓ Exd 4/10 1210

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

18 JAN 1917

Kept at Abbeyfields, Peterborough

in the County of Northampton

by Major Shipley Ellis

Lat. 52°35′6″ N. Long. 0°14′ W.

Time of Observation 9-am

Nearest Railway Station Peterborough G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 49′ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·03	—	—	·05	·21	—	—	—	·48	—	1
2	·49	·05	·06	—	·45	—	·11	—	—	·19	·04	—	2
3	—	·19	—	—	—	—	—	—	·43	·24	·03	—	3
4	·39	·14	—	—	·07	·11	—	—	·21	—	·20	—	4
5	—	—	—	—	·01	·12	—	—	—	·12	·33	—	5
6	—	·13	·19	·21	—	·03	·20	—	—	·02	·22	—	6
7	·05	—	·16	—	·11	—	·38	—	—	·04	·08	·06	7
8	—	—	·08	—	·05	—	—	—	—	—	—	·23	8
9	—	—	—	—	·54	·12	—	—	—	·04	—	·10	9
10	—	·05	·12	·03	—	·02	—	—	·01	·02	—	·07	10
11	·04	·37	·14	·09	·15	·11	—	—	—	—	—	·02	11
12	·04	·01	·08	·01	·49	·24	·02	—	—	·05	—	—	12
13	—	·19	·07	·02	·19	·27	·01	—	—	—	—	—	13
14	—	·36	·03	—	·14	—	·01	·03	—	·12	—	—	14
15	—	·20	·41	—	·01	—	·12	—	—	—	—	·01	15
16	—	·05	·10	·10	·01	—	·05	—	—	—	—	·01	16
17	·03	·04	—	·09	—	—	·24	1·19	·21	·24	—	—	17
18	—	·15	·02	·03	—	—	—	·54	·03	·02	·75	—	18
19	·10	·02	·07	·15	—	·02	—	·06	·04	—	·30	·12	19
20	·08	—	·11	·05	—	—	—	·09	—	—	·08	·52	20
21	—	—	·16	—	—	—	·05	—	—	—	·01	·63	21
22	·01	·11	·02	—	·05	—	—	—	—	·05	—	·53	22
23	·03	·23	—	—	—	·13	·01	·04	—	·08	·05	·27	23
24	—	·36	·07	·03	—	·01	—	·08	—	·01	—	·17	24
25	—	·08	·12	—	·02	—	—	·23	—	·04	·05	—	25
26	—	·05	—	—	—	·03	—	·46	—	·01	·02	—	26
27	·02	·36	·74	—	—	—	—	·06	—	·14	—	—	27
28	—	·27	·55	—	—	·02	—	—	·02	—	—	·13	28
29	—	·08	·01	—	—	·15	—	1·90	—	·29	—	·02	29
30	—	╳	—	—	—	·12	—	·20	—	·13	—	·02	30
31	—	╳	—	╳	—	╳	—	·05	╳	·04	╳	—	31
Total	1·34	3·49	3·34?	·81	2·29	1·55	1·41	4·93	·95	1·89	2·64	2·91	YEAR'S TOTAL 27·55?
Rain Days.	12	22	22	11	14	16	12	13	7	20	14	16	179

W. 8,000, VIII. 16

1167

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Abbeyfields, Peterborough

in the County of Northampton

by Major J. Shipley Ellis F.R. Met. Soc.

Lat. 52° 35'·6" N Long. 0° 14' W E8

Time of Observation 9 a.m.

Nearest Railway Station Peterborough G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·11	—	—	—	1·06	·20	—	·01	—	1
2	·01	—	—	·02	—	·08	—	·11	—	·03	·01	—	2
3	—	—	—	·04	—	—	—	·68	—	·08	·01	—	3
4	—	·11	·04	—	—	—	—	·20	—	·45	—	—	4
5	·11	—	·01	·10	—	—	—	·04	·11	—	·14	—	5
6	—	—	—	—	—	—	—	—	—	·09	—	—	6
7	·35	—	·03	—	—	·05	—	—	—	·45	—	·03	7
8	·33	—	—	·09	—	—	·28	·28	—	·24	·10	—	8
9	·13	—	·13	·04	—	—	·01	·12	—	·02	·05	—	9
10	·20	—	·27	·17	—	—	—	·12	—	·12	·01	—	10
11	·03	·02	·11	·30	—	—	—	·18	·02	·16	—	—	11
12	·03	·01	—	—	·11	—	—	·14	—	·46	—	·02	12
13	·07	—	·05	—	—	—	·35	·16	·02	—	—	—	13
14	·05	—	—	·04	—	—	—	·08	—	—	—	·02	14
15	·03	—	—	—	—	—	·19	·11	—	·01	—	·02	15
16	·11	·08	—	·09	—	·47	—	—	—	·17	—	·07	16
17	·01	·03	·03	·19	·43	·51	·08	—	·07	·08	—	·01	17
18	·02	—	—	·05	·02	·01	·25	—	·85	—	—	—	18
19	—	·09	·13	—	·13	—	—	—	·06	—	·01	—	19
20	—	·27	·22	—	·18	—	—	—	—	—	·13	—	20
21	—	·03	·02	—	·03	—	—	—	—	—	·01	—	21
22	—	—	·08	—	—	—	—	·01	·02	·15	—	—	22
23	—	·01	—	—	·11	—	—	·19	·07	—	—	—	23
24	—	·01	—	—	—	·65	—	·01	—	·32	·03	·01	24
25	—	—	·02	—	—	—	—	—	—	—	·02	—	25
26	—	—	·03	—	—	·01	—	·52	·09	—	·30	·09	26
27	—	—	·01	—	—	·05	—	·47	—	—	—	·05	27
28	—	·03	·07	—	—	·48	—	·05	—	—	—	·03	28
29	—	X	—	—	·06	·07	·18	—	—	·41	—	·06	29
30	·05	X	—	—	—	—	·28	·15	—	—	—	—	30
31	·03	X	·03	X	—	X	·14	·14	X	—	X	·17	31
Total	1·56	·69	1·28	1·24	1·07	2·38	1·76	4·82	1·51	3·24	·83	·58	YEAR'S TOTAL 20·96
Rain Days	16	11	17	12	8	10	9	21	10	16	13	12	155

W. 8,000, IX. 17.

Exd. E.F.E

58

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 2.1.19

Kept at Abbeyfields The Park Peterborough

in the County of Northamptonshire

by J. Shipley Ellis F.R. Met. Soc.

Lat. 52·35·6 N. Long. 0°14' W.

Time of Observation 9-am.

Nearest Railway Station Peterborough G.N.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·09	·01	—	—	—	·01	—	·10	08	1
2	—	·16	—	20	—	—	—	·69	—	—	·05	13	2
3	—	03	·07	—	·66	—	—	·11	·03	—	·81	01	3
4	—	—	·07	—	—	—	·01	·01	·76	·01	·24	01	4
5	—	02	—	—	·18	—	—	·20	·43	·01	—	—	5
6	—	04	—	09	—	—	—	·01	—	—	—	—	6
7	·08	06	—	03	—	·03	—	—	·05	·19	·12	—	7
8	—	—	—	01	—	—	—	—	—	·01	·02	01	8
9	·04	·12	—	06	—	01	·08	—	24	·20	—	02	9
10	·07	—	—	02	—	—	·42	—	—	·09	—	06	10
11	—	—	—	03	·20	—	·16	—	·05	·50	·01	07	11
12	—	·13	·03	—	·14	—	·10	—	·01	—	—	01	12
13	—	—	—	02	·19	—	—	—	·09	—	—	01	13
14	·25	—	—	·01	—	—	·34	—	·21	·23	—	02	14
15	·57	—	—	·85	—	·01	·60	—	·11	—	—	14	15
16	·03	—	—	·27	—	·09	—	—	·64	—	—	—	16
17	23	—	—	·18	·11	—	·80	·01	—	—	—	11	17
18	23	—	—	—	—	·05	·08	—	·38	·07	—	21	18
19	04	·04	·04	02	—	—	—	—	—	·08	—	·09	19
20	02	·03	—	16	—	·04	·07	—	·07	·13	·02	—	20
21	03	—	—	02	—	—	·03	—	·15	·23	—	·02	21
22	05	—	—	—	·07	·02	—	—	·02	—	—	22	22
23	09	—	—	—	·26	—	·12	—	·01	—	·03	·02	23
24	—	·19	—	·01	—	—	·08	—	·01	—	·03	—	24
25	—	—	—	—	—	·03	—	·18	—	·01	·12	—	25
26	—	—	—	—	—	—	·33	—	·05	—	·14	05	26
27	—	—	—	01	—	·08	·14	·18	·03	—	·18	01	27
28	01	·06	·11	—	—	·01	—	·11	—	—	·23	18	28
29	01	X	—	—	—	—	—	—	·80	—	·02	—	29
30	—	X	·23	—	—	—	—	—	·03	·01	·08	07	30
31	·01	X	·06	X	—	X	—	—	X	·06	X	08	31
Total	1·76	·88	·61	2·08	1·82	·37	3·36	1·60	4·18	1·83	2·20	1·63	YEAR'S TOTAL 22·22
Rain Days.	16	11	7	18	9	10	15	9	22	15	16	23	171

W, 6,500. VII. 18. W W C

1099

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

12 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Abbeyfields, Peterborough
in the County of Northampton
by John Shipley Ellis

Lat. 52° 35' 6" N Long. 0° 14' W
Time of Observation 9 a.m
Nearest Railway Station Peterborough G.N.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	1 in. ·01	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·04	2 ·02	—	·06	—	·09	—	—	·03	·04	·53	1
2	·13	—	3 ·10	—	·01	—	·22	·03	·03	·05	·36	·29	2
3	·58	—	4 ·38	—	·01	·05	·28	—	·07	—	·14	—	3
4	·08	—	5 ·04	—	—	—	—	·08	—	—	·01	·17	4
5	·09	·12	6 ·02	—	—	—	—	·03	·89	—	—	·04	5
6	—	—	7 ·16	—	·18	—	—	—	·01	—	·03	·04	6
7	·02	—	8 ·03	—	—	—	—	—	—	—	·05	·03	7
8	·08	—	9 ·01	·07	—	—	—	—	—	—	·03	—	8
9	—	—	10 ·23	·01	—	—	—	—	—	·01	·01	—	9
10	—	—	11 ·30	·06	—	—	—	—	—	—	·09	·06	10
11	·13	—	12 ·49	·04	·04	—	·88	—	—	—	·02	—	11
12	·01	—	13 —	·01	—	·11	·04	—	—	·03	·02	—	12
13	·13	—	14 —	·16	—	—	·01	—	·17	·03	—	·01	13
14	·25	—	15 ·02	·13	—	—	—	—	·04	—	—	·01	14
15	·14	·06	16 —	·07	—	—	—	—	—	—	·15	·29	15
16	·07	·83		·02	—	—	—	—	—	—	·08	—	16
17	—	·46	—	·01	—	—	—	—	—	—	·16	·02	17
18	—	·01	—	—	—	—	—	·14	—	—	—	·13	18
19	—	·15	·60	—	—	·08	·57	·27	·15	—	·06	·02	19
20	·51	·01	·09	—	—	·21	·54	·30	·08	—	·07	·03	20
21	·31	·50	·08	—	—	·01	·40	—	—	—	—	·14	21
22	—	·17	·03	—	—	—	·01	—	·24	·01	·02	·36	22
23	—	—	—	·07	—	·05	·09	—	·02	·17	—	·01	23
24	—	—	—	·10	·04	·13	—	—	—	·08	—	·04	24
25	·06	—	—	·01	·35	·06	—	·27	—	—	—	·04	25
26	·06	—	·21	·09	—	—	—	·11	·10	—	—	·33	26
27	·70	·12	·01	·65	—	—	—	·04	—	·05	—	·01	27
28	—	—	—	·07	—	—	—	·85	—	·11	—	·35	28
29	·04	✕	—	·01	—	·04	·02	·14	—	·21	·24	·27	29
30	—	✕	·01	·31	—	·20	—	—	—	·11	·08	·19	30
31	·04	✕	—	✕	—	✕	—	—	✕	·06	✕	·05	31
TOTAL	3·71 ✓	2·47 ✓	2·84 ✓	1·89 ✓	·69 ✓	·94 ✓	3·15 ✓	2·26 ✓	1·80 ✓	·95 ✓	1·66 ✓	3·46 ✓	YEAR'S TOTAL 25·62 ✓
Days with ·01 in. or more	20 ✓	11 ✓	20 ✓	18 ✓	7 ✓	10 ✓	12 ✓	11 ✓	11 ✓	13 ✓	19 ✓	25 ✓	177 ✓

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

max daily fall 0·89 in on Sept 5.

S+R 1042

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

18 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Abbeyfields, Peterborough.

in the County of Northampton

by John Shipley Ellis, F.R. Met. Soc.

Lat. 52°·35′·6″N Long. 0°·14′ W

Time of Observation 9 a.m.

Nearest Railway Station Peterborough GNR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 49 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·01	—	·17	—	·40	—	—	·74	·02	·09	1
2	—	—	—	·21	—	—	—	·43	·12	·06	—	·04	2
3	—	—	—	·01	—	·04	·65	—	·06	·04	—	·01	3
4	·01	—	·06	·10	—	—	·12	·33	·05	·06	—	·03	4
5	—	·01	·06	·05	·17	—	·49	·08	·03	—	—	—	5
6	—	—	·12	—	·03	—	·37	·02	—	—	—	·01	6
7	—	—	·05	·15	·02	—	·07	—	—	—	—	·02	7
8	·15	·03	—	·42	·06	—	·01	—	—	—	—	—	8
9	·37	—	—	·60	—	—	—	·16	—	·01	—	—	9
10	·07	·02	·05	·33	—	—	—	·17	—	—	·04	·03	10
11	·17	—	·04	·45	·15	—	·03	·03	—	—	—	·26	11
12	·07	—	·01	·20	·05	·06	—	·04	—	—	·01	·10	12
13	·03	·03	·03	·07	—	·26	—	—	·09	—	·02	—	13
14	·01	·05	·45	·12	—	·03	·06	—	·14	·02	·15	·02	14
15	—	·02	·59	·05	—	—	·01	—	·17	·03	·15	—	15
16	—	—	—	—	—	—	—	—	·27	·03	—	·04	16
17	·01	—	—	·08	·11	—	·04	[illegible]	·12	—	—	·05	17
18	·08	·01	—	·02	·01	·07	·21	·18	·37	—	—	·02	18
19	·09	·11	—	·10	—	·04	—	—	—	—	·01	·02	19
20	·05	·43	—	·27	—	·55	—	—	—	—	·01	—	20
21	·03	—	—	·07	—	—	·10	·08	·12	—	—	·01	21
22	—	—	—	·18	—	—	·01	—	·31	—	—	—	22
23	—	·01	—	—	—	—	—	—	—	·01	—	·34	23
24	—	—	·13	—	—	—	—	—	—	—	·02	·05	24
25	—	·11	·02	·04	·20	·02	·32	—	—	·02	—	—	25
26	·09	—	·08	·02	·11	—	·01	—	—	·01	—	—	26
27	·08	·06	—	·08	·01	·70	·06	—	—	·01	·15	·17	27
28	·44	—	·16	—	·26	—	·03	—	—	—	·02	·09	28
29	·03	—	·11	—	·21	—	·02	—	·01	—	·08	·37	29
30	·02		·02	·01	—	·01	·03	—	·10	·01	·08	·15	30
31	·05		·01		—		·06	—		·11		·06	31
Total	1·85	·89	2·00	3·63	1·56	1·78	3·10	1·52	1·96	1·16	·76	1·98	Year's Total 22·19
Days with ·01 in. or more	19	12	18	23	14	10	21	10	14	14	13	22	190
Days with ·04 in. or more	12	5	12	19	10	7	13	8	12	5	6	13	122

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTHANTS
PETERBOROUGH - ASHFIELD
1911 - 1920

REG 11

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

Kept at ashfield in
ve Ground ft. in.
same as last year.
in the County of North „ Sea Level ft.
by John. A Pe
Name
Distance Direction

IMPORTANT NOTE.— nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.01	0.03	1
2	0.13	0.00	0.00	0.00	0.06	0.00	0.00	0.01	0.01	0.00	0.06	0.03	2
3	0.02	0.02	0.00	0.00	0.08	0.00	0.00	0.02	0.00	0.03	0.01	0.03	3
4	0.05	0.04	0.11	0.11	0.00	0.00	0.00	0.01	0.12	0.27	0.08	0.15	4
5	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.02	0.00	0.01	0.01	0.07	5
6	0.20	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.11	6
7	0.03	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.26	7
8	0.19	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.24	0.01	0.04	0.06	8
9	0.08	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.01	9
10	0.01	0.08	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.12	10
11	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	11
12	0.08	0.00	0.32	0.00	0.00	0.01	0.00	0.00	0.05	0.00	0.08	0.01	12
13	0.00	0.00	0.07	0.00	0.38	0.02	0.00	0.00	0.23	0.00	0.00	0.33	13
14	0.01	0.04	0.04	0.00	0.00	0.02	0.01	0.00	0.00	0.01	0.00	0.36	14
15	0.00	0.05	0.08	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.05	0.00	15
16	0.00	0.00	0.02	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.30	0.03	16
17	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.07	0.07	17
18	0.00	0.08	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.10	0.01	18
19	0.00	0.02	0.00	0.00	0.00	0.06	0.00	0.01	0.03	0.03	0.22	0.02	19
20	0.00	0.01	0.00	0.01	0.04	0.00	0.00	0.32	0.16	0.05	0.00	0.34	20
21	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.07	0.00	0.14	21
22	0.02	0.05	0.14	0.01	0.00	0.00	0.00	0.07	0.00	0.15	0.01	0.33	22
23	0.00	0.03	0.10	0.00	0.01	0.89	0.01	0.00	0.35	0.00	0.00	0.06	23
24	0.00	0.03	0.04	0.00	0.00	0.20	0.00	0.00	0.00	0.26	0.00	0.09	24
25	0.01	0.02	0.07	0.05	0.00	0.04	0.00	0.00	0.00	0.01	0.04	0.03	25
26	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.26	0.20	0.21	26
27	0.00	0.11	0.10	0.06	0.00	0.00	0.01	0.00	0.14	0.03	0.01	0.03	27
28	0.00	0.10	0.00	0.10	0.00	0.02	0.00	0.20	0.00	0.00	0.05	0.04	28
29	0.00		0.01	0.01	0.00	0.13	0.06	0.00	0.14	0.12	0.00	0.00	29
30	0.00		0.00	0.03	0.04	0.00	0.00	0.00	0.02	0.08	0.01	0.01	30
31	0.00		0.00		0.00		0.00	0.00		0.00		0.01	31
Total	0.97	0.82	1.28	0.61	0.61	1.53	0.09	1.15	1.51	1.46	1.79	2.99	TOTAL for year 14.81
No. of Rain Days	13	16	15	13	6	12	4	10	12	18	22	28	169

7,000. X. '09.

FORM A2.
BRITISH RAINFALL.
8 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at ashfield Peterborough
in the County of Northampton 4
by John. A Percival

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " Sea Level ...... ft.
Gauge same as last year.
Time of Observation
Nearest Railway Station Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.01	0.03	1
2	0.13	0.00	0.00	0.00	0.06	0.00	0.00	0.01	0.01	0.00	0.06	0.03	2
3	0.02	0.02	0.00	0.00	0.08	0.00	0.00	0.02	0.00	0.03	0.01	0.03	3
4	0.05	0.04	0.11	0.11	0.00	0.00	0.00	0.01	0.12	0.27	0.08	0.15	4
5	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.02	0.00	0.01	0.01	0.07	5
6	0.20	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.11	6
7	0.03	0.01	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.26	7
8	0.19	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.24	0.01	0.04	0.06	8
9	0.08	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.03	0.02	0.01	9
10	0.01	0.08	0.09	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.12	10
11	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	11
12	0.08	0.00	0.32	0.00	0.00	0.01	0.00	0.00	0.05	0.00	0.08	0.01	12
13	0.00	0.00	0.07	0.00	0.38	0.02	0.00	0.00	0.23	0.00	0.00	0.33	13
14	0.01	0.04	0.04	0.00	0.00	0.02	0.01	0.00	0.00	0.01	0.00	0.36	14
15	0.00	0.05	0.08	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.05	0.00	15
16	0.00	0.00	0.02	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.30	0.03	16
17	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.07	0.07	17
18	0.00	0.08	0.00	0.00	0.00	0.10	0.00	0.00	0.00	0.00	0.10	0.01	18
19	0.00	0.02	0.00	0.00	0.00	0.06	0.00	0.01	0.03	0.03	0.22	0.02	19
20	0.00	0.01	0.00	0.01	0.04	0.00	0.00	0.32	0.16	0.05	0.00	0.34	20
21	0.00	0.13	0.00	0.00	0.00	0.00	0.00	0.47	0.00	0.07	0.00	0.14	21
22	0.02	0.05	0.14	0.01	0.00	0.00	0.00	0.07	0.00	0.15	0.01	0.33	22
23	0.00	0.03	0.10	0.00	0.01	0.89	0.01	0.00	0.35	0.00	0.00	0.06	23
24	0.00	0.03	0.04	0.00	0.00	0.20	0.00	0.00	0.00	0.26	0.00	0.09	24
25	0.01	0.02	0.07	0.05	0.00	0.04	0.00	0.00	0.00	0.01	0.04	0.03	25
26	0.00	0.00	0.00	0.18	0.00	0.00	0.00	0.00	0.00	0.26	0.20	0.21	26
27	0.00	0.11	0.10	0.06	0.00	0.00	0.01	0.00	0.14	0.03	0.01	0.03	27
28	0.00	0.10	0.00	0.10	0.00	0.02	0.00	0.20	0.00	0.00	0.05	0.04	28
29	0.00		0.01	0.01	0.00	0.13	0.06	0.00	0.14	0.12	0.00	0.00	29
30	0.00		0.00	0.03	0.04	0.00	0.00	0.00	0.02	0.08	0.01	0.01	30
31	0.00		0.00		0.00		0.00	0.00		0.00		0.01	31
Total	0.97	0.82	1.28	0.61	0.61	1.53	0.09	1.15	1.51	1.46	1.79	2.99	TOTAL for year 14.81
No. of Rain Days	13	16	15	13	6	12	4	10	12	18	22	28	169

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

11 APR 1913

Kept at ashfield. Peterborough
in the County of Northampton 4
by John. a Percival

Lat. .... Long. ....
Time of Observation 9. a. m
Nearest Railway Station G. N. R. Station Peterboro
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ..... ft. 7 in.
ea Level 30 ft.

IMPORTANT ... e result entered to the previous day. If ... al rule, he is earnestly requested to add th... in the space provided for it at the end c... nt of rain, the selection and p... h Rainfall Organization are gi... plication to Dr. H. R. Mill, 62

Jan. 1, following.
~~0.00~~

TEL. Nº 145.

ASHFIELD,
PETERBOROUGH.

11 APR 1913

10th. april 1913

Dear Sir

I had not sent you my rainfall for last year as I had written to you the previous year that I had found that my measurements owing to the growth of a tree were not to be depended on. I have changed the position of the gauge & I think they are now very fairly accurate but there may still be some deficiency when the wind is in a particular quarter.

However I send these for

Date.	Jan.	Feb.	M								Nov.	Dec.	Date.
1	0.00	0.00									0.00	0.17	1
2	0.00	0.05									0.00	0.00	2
3	0.10	0.60									0.00	0.10	3
4	0.04	0.00									0.33	0.00	4
5	0.05	0.04									0.62	0.00	5
6	0.36	0.11									0.00	0.00	6
7	0.00	0.00									0.00	0.00	7
8	0.22	0.16									0.00	0.00	8
9	0.01	0.08									0.00	0.10	9
10	0.00	0.60									0.04	0.00	10
11	0.11	0.06									0.00	0.19	11
12	0.68	0.07									0.09	0.00	12
13	0.03	0.01									0.24	0.03	13
14	0.62	0.00									0.00	0.00	14
15	0.00	0.62									0.00	0.66	15
16	0.60	0.60									0.01	0.00	16
17	0.24	0.60									0.06	0.20	17
18	0.09	0.60									0.01	0.00	18
19	0.22	0.09	0.01	0.00	0.00	0.00	0.12	0.27	0.00	0.01	0.01	0.00	19
20	0.09	0.60	0.65	0.00	0.02	0.60	0.06	0.44	0.00	0.26	0.00	0.00	20
21	0.00	0.60	0.69	0.00	0.48	0.00	0.60	0.51	0.00	0.09	0.05	0.60	21
22	0.14	0.04	0.00	0.00	0.14	0.00	0.88	0.25	0.00	0.00	0.00	0.01	22
23	0.11	0.18	0.23	0.00	0.00	0.06	1.75	0.53	0.01	0.00	0.06	0.26	23
24	0.13	0.01	0.60	0.00	0.00	0.01	0.05	0.16	0.00	0.00	0.00	0.13	24
25	0.01	0.00	0.60	0.00	0.00	0.68	0.63	0.59	0.00	0.00	0.14	0.31	25
26	0.01	0.03	0.01	0.00	0.00	0.12	0.28	1.38	0.00	0.54	0.16	0.30	26
27	0.00	0.00	0.00	0.06	0.60	0.09	0.26	0.60	0.00	0.31	0.00	0.12	27
28	0.00	0.02	0.60	0.00	0.00	0.01	0.05	0.43	0.01	0.21	0.18	0.61	28
29	0.00	0.00	0.01	0.00	0.00	0.19	0.21	0.06	0.65	0.36	0.10	0.00	29
30	0.60		0.00	0.00	0.45	0.01	0.00	0.01	0.16	0.16	0.00	0.00	30
31	0.00		0.13		0.25		0.49	0.13		0.00		0.00	31
Total	2.06	0.97	1.74	0.06	2.68	4.04	5.41	5.64	1.15	2.63	1.44	2.59	YEAR'S TOTAL 29·21
Rain Days.	19	15	20	2	15	24	16	23	11	12	14	14	185

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

11 APR 1913

F

Kept at ashp ... m
in the County of W ... n. Stations Pilbino
by John. ... 5 in.
... round ______ ft. 7 in.
... ea Level 30 ft.

IMPORTANT ... e result entered to the previous day. If ... al rule, he is earnestly requested to add th ... in the space provided for it at the end c ... it of rain, the selection and p ... h Rainfall Organization are giv ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.61	0.05	0.00	0.00	0.17	1
2	0.00	0.05	0.03	0.01	0.02	0.11	0.48	0.00	0.00	0.00	0.00	0.00	2
3	0.10	0.00	0.01	0.00	0.01	0.39	0.01	0.30	0.03	0.00	0.00	0.10	3
4	0.04	0.00	0.35	0.00	0.06	0.36	0.00	0.07	0.00	0.00	0.33	0.00	4
5	0.05	0.04	0.38	0.00	0.01	0.01	0.00	0.06	0.01	0.00	0.02	0.00	5
6	0.36	0.11	0.00	0.00	0.00	0.25	0.00	0.20	0.00	0.00	0.00	0.00	6
7	0.00	0.00	0.00	0.00	0.00	0.83	0.66	0.00	0.00	0.00	0.00	0.00	7
8	0.22	0.16	0.08	0.00	0.00	0.09	0.06	0.00	0.11	0.00	0.00	0.00	8
9	0.01	0.08	0.02	0.05	0.04	0.73	0.00	0.02	0.01	0.01	0.00	0.10	9
10	0.00	0.00	0.03	0.00	0.00	0.64	0.00	0.03	0.10	0.00	0.04	0.00	10
11	0.11	0.06	0.00	0.00	0.01	0.02	0.00	0.00	0.01	0.00	0.00	0.19	11
12	0.08	0.07	0.05	0.00	0.07	0.65	0.00	0.00	0.00	0.00	0.09	0.00	12
13	0.03	0.01	0.00	0.00	0.00	0.13	0.02	0.00	0.00	0.00	0.24	0.03	13
14	0.02	0.00	0.02	0.00	0.07	0.02	0.00	0.01	0.00	0.06	0.00	0.00	14
15	0.00	0.02	0.04	0.00	0.41	0.17	0.00	0.02	0.00	0.00	0.00	0.06	15
16	0.00	0.00	0.04	0.00	0.04	0.04	0.00	0.08	0.00	0.05	0.01	0.00	16
17	0.24	0.00	0.11	0.00	0.00	0.18	0.00	0.08	0.00	0.00	0.00	0.20	17
18	0.09	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.01	0.00	18
19	0.22	0.09	0.01	0.00	0.00	0.00	0.12	0.27	0.00	0.01	0.01	0.00	19
20	0.09	0.00	0.05	0.00	0.02	0.00	0.06	0.44	0.00	0.26	0.00	0.00	20
21	0.00	0.00	0.09	0.00	0.48	0.00	0.00	0.51	0.00	0.09	0.05	0.00	21
22	0.14	0.04	0.00	0.00	0.14	0.00	0.88	0.25	0.00	0.00	0.00	0.01	22
23	0.11	0.18	0.23	0.00	0.00	0.00	1.75	0.53	0.01	0.00	0.06	0.26	23
24	0.13	0.01	0.00	0.00	0.00	0.01	0.05	0.16	0.00	0.00	0.00	0.13	24
25	0.01	0.00	0.00	0.00	0.00	0.68	0.03	0.59	0.00	0.00	0.14	0.31	25
26	0.01	0.03	0.01	0.00	0.00	0.12	0.28	1.38	0.00	0.54	0.16	0.30	26
27	0.00	0.00	0.00	0.00	0.00	0.09	0.26	0.00	0.00	0.31	0.00	0.12	27
28	0.00	0.02	0.00	0.00	0.00	0.01	0.05	0.43	0.01	0.21	0.18	0.61	28
29	0.00	0.00	0.01	0.00	0.00	0.19	0.21	0.06	0.65	0.30	0.10	0.00	29
30	0.00		0.00	0.00	0.45	0.01	0.00	0.01	0.16	0.16	0.00	0.00	30
31	0.00		0.13		0.25		0.49	0.13		0.00		0.00	31
Total	2.06	0.97	1.74	0.06	2.08	4.04	5.41	5.64	1.15	2.03	1.44	2.59	YEAR'S TOTAL 29·21
Rain Days.	19	15	20	2	15	24	16	23	11	12	14	14	185

W. 7,500, XI. ·12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
-2 FEB 1914

Kept at Ashfield Peterborough
in the County of Northamptonshire 4
by John A. Percival

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.00	0.01	0.07	0.01	0.00	0.00	0.00	0.00	0.37	0.00	0.14	0.00	1
2	0.03	0.06	0.02	0.00	0.02	0.00	0.16	0.00	0.10	0.00	0.00	0.00	2
3	0.04	0.00	0.06	0.00	0.53	0.00	0.00	0.00	0.01	0.01	0.00	0.01	3
4	0.23	0.00	0.00	0.00	0.10	0.03	0.01	0.00	0.00	0.17	0.10	0.30	4
5	0.02	0.00	0.00	0.00	0.00	0.02	0.01	0.00	0.03	0.55	0.01	0.00	5
6	0.00	0.03	0.03	0.00	0.57	0.11	0.13	0.00	0.00	0.03	0.00	0.02	6
7	0.00	0.03	0.00	0.00	0.06	0.06	0.03	0.00	0.00	0.48	0.03	0.00	7
8	0.00	0.00	0.00	0.01	0.25	0.05	0.00	0.00	0.00	0.13	0.12	0.00	8
9	0.00	0.20	0.05	0.01	0.01	0.06	0.03	0.18	0.00	0.00	0.08	0.00	9
10	0.01	0.00	0.00	0.03	0.11	0.00	0.13	0.22	0.00	0.00	0.55	0.00	10
11	0.81	0.00	0.00	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.00	11
12	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.22	0.00	12
13	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.00	0.32	0.00	13
14	0.04	0.01	0.24	0.00	0.00	0.00	0.19	0.00	0.00	0.09	0.00	0.00	14
15	0.16	0.01	0.16	0.11	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.00	15
16	0.01	0.00	0.72	0.09	0.00	0.00	0.00	0.00	0.08	0.00	0.00	0.00	16
17	0.08	0.03	0.08	0.11	0.00	0.45	0.05	0.00	0.00	0.00	0.03	0.06	17
18	0.00	0.00	0.12	0.10	0.00	0.00	0.03	0.00	0.66	0.00	0.01	0.01	18
19	0.09	0.00	0.04	0.00	0.00	0.00	0.01	0.00	0.03	0.00	0.00	0.02	19
20	0.05	0.00	0.13	0.04	0.00	0.00	0.00	0.00	0.05	0.52	0.00	0.00	20
21	0.00	0.00	0.12	0.00	0.03	0.00	0.08	0.00	0.00	0.00	0.21	0.00	21
22	0.19	0.00	0.11	0.00	0.00	0.00	0.01	0.05	0.14	0.00	0.00	0.00	22
23	0.00	0.00	0.06	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.00	0.00	23
24	0.02	0.00	0.00	0.05	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	24
25	0.00	0.00	0.00	0.09	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.01	25
26	0.00	0.03	0.17	0.04	0.00	0.00	0.00	0.00	0.00	0.47	0.04	0.14	26
27	0.00	0.02	0.01	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.01	0.00	27
28	0.20	0.00	0.03	0.07	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	28
29	0.06		0.14	0.46	0.09	0.00	0.00	0.10	0.00	0.03	0.00	0.08	29
30	0.14		0.00	0.02	0.01	0.00	0.00	0.01	0.00	0.03	0.08	0.06	30
31	0.00		0.00		0.05		0.00	0.60		0.00		0.00	31
Total	2.20	0.43	2.36	1.59	1.84	0.85	0.87	1.17	1.62	2.57	1.98	0.71	YEAR'S TOTAL 18.19
Rain Days.	18	10	19	16	13	11	13	7	12	12	16	10	157

W. 7,500, XI. ·12

Cordly own-stats 5.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
23 JAN 1915

Kept at Ashfield Peterborough

in the County of Northampton ~~W~~ 4 ½

by John A. Percival

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	0.00	0.00	0.02	0.01	0.00	0.04	0.24	0.00	0.00	0.08	0.04	1
2	0.00	0.00	0.00	0.06	0.00	0.00	0.04	0.08	0.00	0.00	0.06	0.08	2
3	0.10	0.00	0.03	0.01	0.13	0.00	0.17	0.01	0.00	0.00	0.09	0.00	3
4	0.00	0.00	0.01	0.16	0.00	0.00	0.00	0.07	0.00	0.00	0.40	0.08	4
5	0.00	0.00	0.05	0.08	0.08	0.01	0.09	0.17	0.00	0.00	0.01	0.00	5
6	0.00	0.02	0.00	0.00	0.02	0.02	0.22	0.01	0.00	0.00	0.15	0.00	6
7	0.00	0.02	0.38	0.00	0.01	0.03	0.00	0.00	0.00	0.00	0.00	0.02	7
8	0.07	0.05	0.04	0.02	0.13	0.80	0.05	0.11	0.00	0.00	0.00	0.01	8
9	0.55	0.05	0.20	0.07	0.00	0.87	0.00	0.01	0.02	0.01	0.00	0.01	9
10	0.37	0.00	0.00	0.05	0.01	0.00	0.00	0.00	0.07	0.00	0.00	0.00	10
11	0.00	0.04	0.27	0.02	0.15	0.03	0.00	0.00	0.04	0.00	028	0.17	11
12	0.00	0.01	0.06	0.00	~~0.10~~	0.00	0.10	0.00	0.24	0.00	0.01	0.18	12
13	0.03	0.09	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.06	0.21	13
14	0.00	0.01	0.17	0.00	0.00	0.00	0.00	0.00	0.00	0.82	0.10	0.43	14
15	0.02	0.02	0.19	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.07	0.17	15
16	0.00	0.00	0.01	0.00	0.00	0.00	0.08	0.00	0.01	0.00	0.02	0.00	16
17	0.01	0.18	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.05	17
18	0.00	0.00	0.05	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.36	18
19	0.00	0.04	0.28	0.00	0.00	0.53	0.30	0.00	0.03	0.00	0.08	0.00	19
20	0.00	0.03	0.24	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	20
21	0.00	0.14	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.06	0.00	0.14	21
22	0.00	0.01	0.15	0.00	0.12	0.00	0.13	0.13	0.00	0.08	0.00	0.01	22
23	0.00	0.01	0.02	0.00	0.04	0.02	0.00	0.03	0.00	0.03	0.00	0.02	23
24	0.00	0.00	0.04	0.05	0.00	0.00	0.04	0.00	0.00	0.21	0.13	0.00	24
25	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.41	0.00	0.11	25
26	0.00	0.00	0.10	0.00	0.00	0.00	0.01	0.09	0.00	0.04	0.11	0.28	26
27	0.02	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.16	27
28	0.00	0.02	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.19	0.06	1.17	28
29	0.01		0.09	0.00	0.05	0.00	0.00	0.00	0.00	0.26	0.05	0.00	29
30	0.00	✕	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.03	0.17	0.22	30
31	0.00	✕	0.00	✕	0.04	✕	0.10	0.00	✕	0.00	✕	0.07	31
Total	1.20 ✓	0.74 ✓	2.53	0.54 ✓	0.80 ✓	2.44 ✓	1.43 ✓	1.03 ✓	0.55 ✓	2.44 ✓	1.95	3.99	YEAR'S TOTAL 19.64 ✓
Rain Days.	11	16	21	10	13 ✓	10	14	13	8	12	19	22	169 ✓

W. 8,000. X. 14.

cnd by B thy mus stats 21.III.16 1232

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
21 FEB 1916

Kept at Ashfield Peterborough

in the County of Northampton

by John A Nedal

Lat. .... Long. Same as

Time of Observation ....

Nearest Railway Station before

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.27	0.20	0.00	0.00	0.20	0.00	0.00	0.00	0.06	0.00	0.09	0.14	1
2	0.08	0(09)	0.13	0.09		0.02	0.01	0.92	0.06	0.01	0.03	0.04	2
3	0.25		0.04	0.14			0.14	0.65	0.18			0.11	3
4	0.31						0.25	0.19				0.54	4
5	0.02	0.07			0.07			0.04			0.03	0.22	5
6	0.09	0.04	0.03	0.14	0.01		0.46	0.06		0.01		0.07	6
7	0.03	0.26	0.31	0.00		0.07	0.05	0.10				0.11	7
8	0.01	0.10	0.02	0.02			0.02	0.01			0.04	0.00	8
9	0.00	0.03	0.00			0.05				0.02	0.08	0.44	9
10	0.26		0.02					0.02			0.05		10
11	0.01				0.11		0.20				0.41	0.11	11
12	0.03			0.22	0.32		0.03	0.18			1.26		12
13	0.03	0.34			0.90								13
14	0.00				0.00					0.02		0.14	14
15	0.22				0.05			0.05		0.01	0.24	0.07	15
16		0.15					0.65			0.01		0.09	16
17		0.16					0.04				0.01	0.01	17
18		0.01	0.20								0.05		18
19		0.04					0.05			0.01			19
20	0.26	0.00										0.27	20
21	0.07	0.03			0.12		0.08					0.03	21
22	0.19	0.00	0.12				0.28		0.01		0.01	0.16	22
23	0.00	0.13	0.01			0.01	0.04		0.08	0.11		0.24	23
24	0.01		0.27				0.06		0.34	0.01		0.09	24
25						0.25	0.03			0.05		0.28	25
26		0.08		0.01		0.01	0.22					0.23	26
27		0.01				0.44				0.44		0.01	27
28		0.05				0.02		0.03	0.04	0.21			28
29			0.03			0.04		0.09			0.16	0.20	29
30	0.06	X				0.32					0.01	0.01	30
31	0.03	X		X		X		0.05	X	0.09	X	0.09	31
Total	2.23	1.79	1.18	0.62	1.78	1.23	2.61	2.39	0.77	1.00	2.47	3.70	YEAR'S TOTAL 21.77
Rain Days.	19	17	11	6	8	10	17	13	7	13	14	24	159

W. 8,000. X. 15.

1209

FORM A.
BRITISH RAINFALL.

30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at ashfield Peterborough

in the County of Northampton

by John ashfield

Lat. Long.

Time of Observation as before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.7	—	0.04	—	0.01	0.05	0.19	—	—	—	0.49	—	1
2	0.36	0.02	0.06	—	0.52	—	0.18	—	—	0.18	0.04	—	2
3	....	0.18	—	—	—	—	—	—	0.46	0.20	0.03	—	3
4	0.36	0.12	—	—	0.07	0.08	—	—	—	—	0.20	—	4
5	—	—	—	0.02	0.01	0.12	—	—	—	0.08	0.27	—	5
6	—	0.09	0.14	0.17	—	—	0.17	—	—	—	0.25	—	6
7	0.06	—	0.25	—	0.09	—	0.43	—	—	0.05	0.07	0.04	7
8	—	0.01	0.03	—	0.04	—	—	—	—	—	—	0.24	8
9	—	—	—	—	0.54	0.15	—	—	—	0.06	—	0.09	9
10	—	0.02	0.09	0.02	—	0.03	—	—	0.01	0.01	—	0.05	10
11	0.08	0.36	0.12	0.07	0.17	0.12	—	—	—	—	—	0.02	11
12	—	0.01	0.08	—	0.52	0.44	0.03	0.03	—	0.06	—	—	12
13	—	0.19	0.07	0.01	0.17		—	—	—	—	—	—	13
14	—	0.33	0.04	—	0.11	—	0.04	—	—	0.08	—	—	14
15	—	0.18	0.39	—	—	—	0.11	—	0.01	—	—	0.01	15
16	—	0.05	0.10	0.09	0.01	—	0.05	0.01	—	0.01	—	0.02	16
17	0.03	0.04	—	0.08	—	—	0.27	0.98	0.28	0.22	—	—	17
18	0.01	0.17	0.03	0.03	—	—	0.01	0.77	0.03	0.01	0.85	—	18
19	0.06	0.04	0.07	0.09	—	0.04	—	0.04	0.02	—	0.26	0.13	19
20	0.06	—	0.11	0.05	—	—	—	0.12	—	—	0.11	0.36	20
21	0.01	—	0.18	—	—	—	0.07	—	—	—	—	0.63	21
22	—	0.12	0.02	—	0.05	—	—	—	—	0.04	—	0.49	22
23	0.03	0.25	—	—	—	0.12	—	0.03	—	0.04	0.05	0.23	23
24	—	0.37	0.02	0.02	0.03	0.01	—	0.07	—	0.01	—	0.17	24
25	—	0.14	0.11	—	—	—	—	0.23	—	0.01	0.04	—	25
26	—	0.03	—	—	—	0.01	—	0.40	—	0.01	0.02	—	26
27	0.01	0.41	0.80	—	—	—	—	0.07	—	0.11	—	—	27
28	—	0.24	0.86	—	—	0.01	—	—	0.01	—	—	0.13	28
29	—	0.06	—	—	—	0.11	—	1.77	—	0.27	—	0.01	29
30	—	X	—	—	—	0.05	—	0.15	—	0.13	—	0.01	30
31	—	X	—	X	—	X	—	0.04	X	0.03	X	—	31
Total	1.14	3.43	3.61	0.65	2.34	1.37	1.55	4.71	·82	1.61	2.68	2.63	YEAR'S TOTAL 26·54
Rain Days.	12	23	21	11	14	15	11	14	7	20	13	16	177

W. 8,000, VIII. 16

Encd

1166

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at ashfield Peterborough

in the County of Northampton

by John. a [illegible].

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

} same as before

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	—	—	0.03	—	—	—	1.05	0.28	[illegible]	—	—	1
2	—	0.01	—	0.07	—	0.08	—	0.10	—	0.01	0.01	—	2
3	—	—	—	0.05	—	—	—	0.55	—	0.07	—	—	3
4	—	0.08	0.03	—	—	—	—	0.10	—	0.42	—	—	4
5	0.10	—	—	0.07	—	—	—	0.02	0.03	—	0.09	—	5
6		—	—	—	—	—	—	—	—	0.07 ~~0.02~~	—	—	6
7	0.34	—	0.03	—	—	0.06	—	—	—	0.41	—	0.03	7
8	0.41	—	—	0.09	—	—	0.22	0.54	—	0.22		—	8
9	0.12	—	0.14	0.01	—	—	0.01	0.11	—	0.01	} 0.10	—	9
10	0.20	—	0.29	0.14	—	—	—	0.09	—	0.12	—	—	10
11	0.05	0.02	0.10	0.21	—	—	—	0.15	0.01	0.17	—	—	11
12	0.03	0.01	—	—	0.09	—	—	0.08	—	0.34	—	0.01	12
13	0.06	—	0.04	—	—	—	0.05	0.14	—	0.01	—	—	13
14	0.04	—	—	0.03	—	—	0.12	0.08	—	—	—	0.02	14
15	0.01	—	—	—	—	—	0.15	0.19	—	—	—	0.03	15
16	0.09	0.07	—	0.07	—	0.71 x	—	—	—	0.16	—	0.08	16
17	—	0.01	0.03	0.15	0.42	0.61	0.08	—	0.07	0.06	—	—	17
18	0.01	—	—	0.03	0.04	0.01	0.21	—	0.80	—	—	—	18
19	—	0.07	0.10	—	0.23	—	—	—	0.66	—	—	—	19
20	—	0.21	0.10	—	0.23	—	—	—	—	—	0.12	—	20
21	—	0.02	0.01	—	0.04	—	—	—	—	—	—	—	21
22	—	0.01	0.06	—	—	—	—	0.01	0.01	0.15	—	—	22
23	—	—	—	—	0.06	—	—	0.22	0.06	—	—	—	23
24	—	—	—	—	—	0.66	—	—	—	0.25	0.03	—	24
25	—	—	0.01	—	—	—	—	—	—	—	—	0.01	25
26	—	—	0.04	—	—	—	—	0.40	0.05	—	0.37	0.07	26
27	—	—	—	—	—	0.11	—	0.45	—	—	—	0.04	27
28	—	0.03	0.05	—	—	0.61	—	0.05	—	—	—	0.03	28
29	—	—		—	0.05	0.09	0.18	[illegible]	—	0.36	—	0.06	29
30	0.04	X		—			0.25	0.14	—	—		—	30
31	0.02	X	0.02	X		X	0.12	0.12	X	—	X	0.17	31
Total	1.53	0.54	1.05	0.95	1.18	2.94	1.39	4.59	1.37	2.83	0.72	0.55	YEAR'S TOTAL 19.64
Rain Days.	15	11	15	4 12	8	9	10	20	9	16	7	11	~~142~~ 143

W. 8,000, IX. 17.

x. Fell in less than 20 minutes accompanied by very high wind

2.25

57

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
24.1.19

Kept at Ashfield Peterborough
in the County of Northampton
by John. A Percival

Lat. ……… Long. ………
Time of Observation ………
Nearest Railway Station ………
Diameter of Funnel of Rain Gauge ……… in.
Height of top of Gauge above Ground ……… ft. ……… in.
" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				0.11							0.10	0.06	1
2		0.12		0.15				0.45			0.04	0.10	2
3		0.03	0.06		0.62	0.03		0.08	0.03		0.73	0.01	3
4			0.08					0.01	0.72	0.01	0.23	0.01	4
5		0.02			0.15			0.23	0.51				5
6		0.03		0.08				0.01		0.01			6
7	0.11	0.05		0.03		0.03			0.04	0.16	0.08		7
8											0.04	0.01	8
9	0.03	0.09		0.02		0.01	0.08		0.20	0.16		0.02	9
10	0.02			0.02			0.51			0.07		0.06	10
11				0.02	0.19		0.13		0.08	0.45		0.07	11
12		0.11	0.01		0.15		0.12		0.02			0.02	12
13				0.03					0.07			0.01	13
14	0.22						0.34		0.16	0.20		0.01	14
15	0.64			0.78		0.01	0.56		0.10			0.12	15
16	0.02			0.31		0.01			0.60				16
17	0.22			0.21	0.08		0.79					0.09	17
18	0.23					0.04	0.04		0.41	0.04		0.21	18
19	0.03	0.03	0.04	0.01						0.08		0.06	19
20	0.02	0.03		0.15		0.02	0.02		0.06	0.14	0.01		20
21	0.03			0.01					0.13	0.17		0.01	21
22	0.06				0.05	0.01			0.01			0.20	22
23	0.08				0.18		0.09		0.01		0.02	0.01	23
24		0.16					0.06		0.01		0.04		24
25						0.06		0.15		0.01	0.11		25
26							0.38		0.06		0.14	0.05	26
27						0.08	0.15	0.16			0.16	0.01	27
28		0.07	0.08					0.09			0.23	0.13	28
29									0.76		0.01		29
30		×	0.22			0.30			0.01		0.05	0.03	30
31		×	0.04	×		×			×	0.05	×		31
Total.	1.71	0.74	0.53	1·93	1·42	0·60	3·27	1·18	3·99	1·55	1·99	1·30	YEAR'S TOTAL 20·21
Rain Days.	13	11	7	14	7	11	13	8	20	13	15	22	154

W. 8,000, IX. 17.

1098

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

17 JAN 20

Kept at ashfield Peterborough

in the County of Northampton

by John Allerdal

Lat. Long. as before

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

	Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
0.33	1	~~0.33~~	0.04	0.01		0.05		0.03	0.01		0.02	0.04	0.54	1
0.12	2	~~0.25~~		0.01		0.01		0.17		0.02	0.05	0.38	0.25	2
0.58	3			0.08		0.01		0.27		0.07		0.12		3
0.05	4	~~0.15~~		0.37			0.06		0.07			0.01	0.15	4
0.07	5	~~0.04~~	0.10	0.04					0.02				0.04	5
	6	~~0.03~~		0.01		0.19				0.81		0.02	0.03	6
0.02	7	~~0.01~~		0.18								0.03	0.01	7
0.07	8			0.02	0.06							0.03		8
	9			0.01	0.01							0.01		9
	10	~~0.05~~		0.21	0.06							0.08	0.05	10
0.10	11	~~0.01~~		0.28	0.03	0.05		0.85				0.04	0.01	11
0.02	12			0.21	0.01		0.12	0.04			0.02	0.01		12
0.10	13				0.16					0.10	0.03	0.01		13
0.22	14	~~0.01~~			0.11			0.01		0.05			0.01	14
0.14	15		0.05	0.08	0.04							0.12		15
0.06	16	~~0.38~~	0.84		0.02							0.06	0.38	16
	17	~~0.01~~	0.57		0.01							0.17	0.01	17
	18	~~0.11~~							0.10				0.11	18
	19	~~0.01~~	0.15	0.61			0.07	0.44	0.20			0.05	0.01	19
0.46	20	~~0.03~~		0.09			0.18	0.61	0.29	0.08		0.07	0.03	20
0.34	21	~~0.09~~	0.48	0.08				0.39					0.09	21
	22	~~0.31~~	0.16	0.04				0.01		0.23			0.31	22
	23	~~0.01~~			0.07		0.03	0.05		0.03	0.18		0.01	23
	24	~~0.02~~			0.08	0.03	0.08				0.08		0.02	24
0.05	25	~~0.06~~			0.01	0.13	0.05		0.25				0.06	25
0.05	26	~~0.32~~		0.15	0.05				0.07	0.06			0.32	26
0.72	27	~~0.01~~	0.11		0.73				0.03		0.03		0.01	27
	28	~~0.35~~			0.02				0.81		0.08	0.03	0.35	28
0.07	29	~~0.22~~			0.01		0.01	0.01	0.11		0.22	0.20	0.22	29
	30	~~0.18~~		0.01	0.28		0.24				0.10	0.08	0.18	30
0.03	31	~~0.02~~									0.03		0.02	31
	TOTAL	3·60	2·50	2·49	1·76	·47	·84	2·88	1·96	1·45	·84	1·56	3·22	YEAR'S TOTAL 23·57
	Days with ·01 in. or more	20	9	19	18	7	9	12	11	9	11	20	~~170~~ 25	170

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S+Bl 1041

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ashfield Peterbrough

in the County of Northampton

by John a Sherdal

Lat. Long. as before.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.03	0.15		0.38			0.50	0.03	0.08	1
2			0.01	0.21				0.33	0.11	0.05		0.04	2
3		0.02		0.01		0.04	0.30		0.06	0.03			3
4			0.05	0.09	0.01		0.10	0.30	0.05	0.06		0.03	4
5			0.05	0.01	0.16		0.42	0.06	0.01			0.01	5
6			0.11		0.03		0.36						6
7			0.04	0.12	0.01		0.06					0.02	7
8	0.17	0.03		0.38	0.05								8
9	0.35			0.66				0.15				0.05	9
10	0.04		0.04	0.26				0.08			0.04		10
11	0.12		0.03	0.39	0.14		0.03	0.01				0.18	11
12	0.06			0.18	0.05	0.12		0.06			0.01	0.08	12
13	0.03	0.03	0.02	0.06		0.17			0.08		0.01		13
14		0.04	0.47	0.09		0.02	0.06		0.15		0.12	0.01	14
15	0.01	0.02	0.38	0.04			0.06		0.28	0.03	0.06	0.01	15
16					0.01				0.27	0.01			16
17	0.01			0.08	0.10		0.04		0.11	0.01		0.07	17
18	0.09			0.01	0.01	0.18	0.12	0.14	0.31			0.02	18
19	0.08	0.08		0.08		0.05						0.02	19
20	0.05	0.34		0.25		0.51							20
21	0.01			0.07			0.05	0.06	0.09			0.01	21
22				0.17			0.01		0.29				22
23							0.05					0.33	23
24			0.12										24
25		0.10	0.01	0.03	0.22	0.01	0.33				0.02		25
26	0.07		0.07	0.01	0.06							0.01	26
27	0.07	0.05		0.07	0.01	0.64	0.01				0.15	0.17	27
28	0.38		0.11		0.23		0.03				0.02	0.07	28
29	0.03		0.13		0.16		0.01				0.07	0.35	29
30	0.01		0.02	0.01					0.09		0.08	0.14	30
31	0.04				0.01		0.08			0.08		0.06	31
TOTAL	1.62	0.71	1.66	3.31	1.41	1.74	2.50	1.19	1.90	·77	·61	1.76	YEAR'S TOTAL 19.18
Days with ·01 in. or more	18	9	16	24	17	9	19	9	13	8	11	21	174
Days with ·04 in. or more	12	5	11	17	10	7	14	8	12	4	6	12	118

8h

EYE,
PETERBOROUGH
1911 - 1916, 1919-1920

REG l

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

97

Kept at ~~Northolm~~, Ey 5 in.

e Ground 1 ft. – in.

in the County of Northan

Sea Level 16 ft.

from dar. 12.II.12

by S. W. Egar

2M

Name

Distance Direction

IMPORTANT NOTE.— l the result entered to the previous day. If an Obser universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·01			·02	·04	1
2					·05	·01		·01			·04	·08	2
3					·03			·02		·02	·01	·02	3
4								·02	·07	·27	·15	·24	4
5								·01		·02		·08	5
6										·02		·21	6
7											·12	·40	7
8									·43		·03	·10	8
9										·02	·02	·02	9
10											·03	·16	10
11											·31	·01	11
12									·03		·09		12
13						·04			·24			·33	13
14					·32	·05				·01		·60	14
15							·01			·03	·03		15
16						·04				·01	·38	·06	16
17						·10					·04	·08	17
18						·11					·20	·02	18
19					·05	·04		·01	·04	·03	·11	·20	19
20								·28	·17	·03		·26	20
21								·45	·01	·08		·14	21
22								·09		·16	·01	·37	22
23					·06	·96	·03		·47			·09	23
24						·33				·27			24
25					·07	·01		·03			·03	·09	25
26						·01		·01		·29	·21	·37	26
27									·15	·03		·03	27
28						·03		·20		·01		·05	28
29						·11	·13		·22	·15			29
30					·06				·02	·08		·01	30
31												·01	31
Total					·64	1·84	·17	1·14	1·85	1·53	1·83	4·05	TOTAL for year
No. of Rain Days					7	13	3	12	11	18	18	27	

9,000, IX. '10.

EYE: PETERBOROUGH

FORM A2. BRITISH RAINFALL.

23 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Northolm, Eye Wryde

in the County of Northampton

by S. W. Egar

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 16 ft.

from dar. 12.II.12

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·01			·02	·04	1
2					·05	·01		·01			·04	·08	2
3					·03			·02		·02	·01	·02	3
4								·02	·07	·27	·15	·24	4
5								·01		·02		·08	5
6										·02		·21	6
7											·12	·40	7
8									·43		·03	·10	8
9										·02	·02	·02	9
10											·03	·16	10
11											·31	·01	11
12									·03		·09		12
13						·04			·24			·33	13
14					·32	·05				·01		·60	14
15							·01			·03	·03		15
16						·04				·01	·38	·06	16
17						·10					·04	·08	17
18						·11					·20	·02	18
19					·05	·04		·01	·04	·03	·11	·20	19
20								·28	·17	·03		·26	20
21								·45	·01	·08		·14	21
22								·09	—	·16	·01	·37	22
23					·06	·96	·03		·47			·09	23
24						·33				·27			24
25					·07	·01		·03			·03	·09	25
26						·01		·01		·29	·21	·37	26
27									·15	·03		·03	27
28						·03		·20		·01		·05	28
29						·11	·13		·22	·15	—		29
30					·06				·02	·08		·01	30
31												·01	31
Total					·64	1·84	·17	1·14	1·85	1·53	1·83	4·05	TOTAL for year
No. of Rain Days					7	13	3	12	11	18	18	27	

9,000, IX. '10.

8h

194

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Northolm Eye

in the County of Northamptonshire 4

by S. M'Egar JW

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.
Time of Observation		
Nearest Railway Station	Name	
	Distance	Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·12	·01		·09			·13	1
2		·06	·02		·02	·01	·45					·08	2
3	·11	·01		·01	·02	·51	·02	·29	·03	·01		·08	3
4	·03		·40	·01	·06	·19		·03		·01	·33	·01	4
5	·06	·12	·39		·01	·01		·06			·02		5
6	·54	·11				·25	·81	·18			·01		6
7		·01			·01	·70	·02						7
8	·32	·17	·09			·02	·09		·05				8
9		·16	·02		·16	·46		·03				·10	9
10	·01		·01	·07		·01		·06	·09	·01	·05		10
11	·16	·13				·06			·03		·01	·17	11
12	·09	·05	·07		·08	·01					·10		12
13	·02		·01			·10	·02	·01			·29	·02	13
14	·03	·01	·03			·04		·02					14
15		·01	·05		·63	·15		·02			·01	·08	15
16	·36		·06		·11	·06		·08		·07	·01		16
17	·48		·14			·14		·16			·02	·17	17
18	·07		·07			·01	·01	·04		·03	·01		18
19	·24	·11	·01				·09	·18		·01	·01		19
20	·10		·07		·03		·05	·46		·24	·01		20
21	·01		·10		·41		·01	·50		·07	·05		21
22	·11	·03	·01		·56		·67	·36		·01			22
23	·16	·23	·19				·52	·50			·07	·34	23
24	·11	·01	·01			·42	·14	·08				·12	24
25	·01					·09	·02	·66		·01	·17	·21	25
26		·01				·11	·18	1·50		·56	·24	·31	26
27			·01		·01	·03	·15			·28		·12	27
28		·02					·02	·45	·01	·26	·28	·57	28
29						·05	·22	·07	·71	·31	·08		29
30	·02				·42	·01			·18	·12			30
31			·21		·02		·46	·20					31
Total	3·04	1·25	1·97	·09	2·55	3·56	3·96	5·94	1·19	2·00	1·77	2·51	TOTAL for year 29·83
No. of Rain Days.	21	17	21	3	15	24	20	23	8	15	19	15	201

W. 8,000, X. '11.

82 ✓ Northolm

cd. 9.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

27 JAN 1914

'97

Kept at Eye, Peterborough

in the County of Northamptonshire 4

by S. W. Egar

Lat.…… Long.……

Time of Observation……

Nearest Railway Station……

Diameter of Rain Gauge…… in.

Height of top of Gauge above Ground …… ft. …… in.

" " " " Sea Level …… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·01		·02					·40	·01	·11		1
2	·01	·08	·06				·08		·05				2
3	·01		·02		·63					·54			3
4	·25		·09		·06	·01	·01			·19	·09		4
5	·01	·01				·02	·01		·09	1·09		·12	5
6	·01	·01	·01		·47	·05	·01	·02		·02	·02	·01	6
7		·01			·08	·07	·01			·47	·01	·01	7
8					·32	·06				·39	·10	·01	8
9		·20	·02	·01	·01	·08	·02				·08		9
10	·01			·04	·21		·09	·20			·45		10
11	·50			·39				·21			·02		11
12		·01		·01	·02	·01			·03		·12	·01	12
13			·01					·06			·39		13
14	·07	·02	·22	·01			·10		·14	·13	·02		14
15	·02	·01	·15	·07			·01		·13		·01		15
16	·03	·01	·63	·09							·01		16
17	·06	·02	·11	·03		1·10	·04		·40		·03	·05	17
18			·12	·07			·05		·14		·01	·01	18
19	·08		·02				·01	·01	·24		·01	·02	19
20	·03		·15	·02						·40		·01	20
21			·11	·01	·02		·09		·14		·14		21
22	·18		·13				·01	·05	·02			·01	22
23			·02			·01	·01	·01			·01		23
24	·02	·01		·05		·05		·03				·02	24
25				·11		·01	·01					·01	25
26		·05	·14	·02				·01		·57	·03	·14	26
27		·03	·01	·01		·04				·01	·01		27
28	·17		·06	·07						·10		·01	28
29	·06		·16	·60	·03			·09		·08		·04	29
30	·15			·02				·01		·02	·08	·10	30
31					·04			·62		·01			31
Total	1·69	·48	2·24	1·65	1·59	1·51	·56	1·32	1·78	4·03	1·75	·58	YEAR'S TOTAL 19·48
Rain Days.	19	14	20	19	11	12	16	12	11	~~14~~ 15	21	16	186

W. 7,500, XI. 12

22/ W. LMcC 159

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Eye, Northolm
in the County of Northamptonshire 4
by S. W. Egar

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·02			·13	·25			·06	·10	1
2	·01			·01			·04	·13			·08	·08	2
3			·04		·11		·03				·02	·01	3
4	·08		·03	·18							·38	·08	4
5	·01		·04	·07	·17	·01	·09	·08			·01		5
6		·04		·01	·02	·01	·16	·01			·20	·02	6
7		·01	·41		·01	·60	·01	·01			·01	·01	7
8	·07	·04	·08	·01	·07	·86	·01	·10		(·01)	·01		8
9	·65		·22	·05		·85		·01	·27	·01		·01	9
10	·43	·04	·01	·05	·01				·08				10
11		·04	·35		·14	·08			·03		·31	·24	11
12		·01	·04			·01	·20		·29		·01	·20	12
13	·03	·08	·12						·01	·24	·05	·22	13
14	·01	·01	·16				·02			·58	·13	·37	14
15	·01		·14					·03		·01	·07	·17	15
16			·02				·02				·02	·01	16
17	·01	·18	·01						·30			·03	17
18		·01	·05				·07				·01	·31	18
19		·04	·18			·33	·19		·02	·01	·07	·01	19
20	·01		·28			·01	·01				·01	·01	20
21	·01	·16	·13			·07		·26		·04		·11	21
22	·02			·02	·22	·01	·14	·08		·09			22
23		·01	·01		·02		·01			·02		·04	23
24	·01		·04	·06		·02	·01	·03		·29	·13		24
25		·07					·02	·03		·49	·01	·24	25
26			·20				·02	·14		·04	·11	·20	26
27	·02		·01				·01				·02	·16	27
28	·01	·02			·01					·08	·06	·93	28
29	·01		·11		·04					·27	·02		29
30			·01	·03		·04				·03	·11	·36	30
31					·04		·13			·01		·01	31
Total	1·43 ✓	·76	2·69	·51	·86	2·90	1·32	1·16	1·00	2·22 ✓	1·91	3·93	YEAR'S TOTAL 20·69
Rain Days.	18	15	24	11	12	13	20	13	7	15	24	25	198

W.7,000, XI. 13

1236
154

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Eye, Peterboro
in the County of Northamptonshire 4
by S. W. Egar

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·17	·01		·20				·10		·12	·07	1
2	·15	·04	·20	·07		·02		·45	·07		·02	·02	2
3	·25	·01	·07	·09	—		·15	·26	·09		·01	·12	3
4	·32						·52	·38	·01			·51	4
5	·04	·07		·01	·38			·03		·01	·04	·20	5
6	·08	·05	·07	·12	·02		·49	·01			·01	·05	6
7	·02	·23	·21	·01		·26	·06	·09				·10	7
8	·03	·09	·02	·01			·10	·02			·05		8
9	·01	·02				·04				·01	·07	·47	9
10	·26		·03				·01	·05			·03		10
11	·01		·01	·01	·11		·11	·01			·38	·10	11
12	·04		·01	·20	·24			·38			1·26		12
13	·01	·38			·90		·02				·02		13
14		·01						·15	·01	·01		·14	14
15	·25				·04						·23	·08	15
16		·17					·60			·02	·02	·07	16
17		·13	·20				·01				·02	·01	17
18	·01	·01	·01								·05		18
19		·07					·05						19
20	·18											·36	20
21	·05	·02	·14		·45		·06			·01		·01	21
22	·34		·01	·08			·38		·01			·19	22
23	·01	·05	·30						·09	·10		·21	23
24	·01	·02	·03				·07		·39			·14	24
25	·01		·01			·22	·06			·11		·23	25
26	·01	·05					·15					·25	26
27		·02	·01			·29	·04			·58		·02	27
28	·01	·09				·10		·08	·03	·17			28
29						·01		·12			·17	·19	29
30	·05	X				·40				·01		·02	30
31	·01	X		X		X		·08	X	·09	X	·11	31
Total	2·44	1·70	1·34	·60	2·34	1·34	2·88	2·11	·80	1·12	2·50	3·67	YEAR'S TOTAL 22·84
Rain Days.	25	20	17	9	8	8	17	14	9	11	16	24	178

W. 8,000. X. 14.

46 Exd CJE 1215

FORM A.
BRITISH RAINFALL.

21 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Eye

in the County of Northampton

by Jn. Tyas

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Eye Green

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.04			.11	.23	~~.45~~		.14	.50		1
2	.36	.01	.06				.17	~~.76~~		.25	.01		2
3		.13	.01		.62	.01		~~.38~~	.21	.10	.03		3
4	.38	.12				.10		~~.08~~	.31	.11	.20		4
5	.01			.18	.08	.21		~~.01~~		.02	.30	.01	5
6		.15	.19		.01		.17	~~.09~~		.02	.24	.02	6
7	.04		.11		.02		.28	~~.02~~			.05	.06	7
8			.18		.11					.04	.01	.22	8
9			.01	.03	.02	.21		~~.06~~		.01		.07	9
10		.02	.10	.11	.58	.04	.02		.01			.07	10
11		.38	.12	.02	.01	.15			.01	.04	.01	.01	11
12	.07		.02	.03	.10	.21	.02			.01			12
13		.19	.05		.38	.18		.01		.03	.01		13
14	.01	.52	.04	.01	.25	.01	.06	.04	Trace				14
15		.16	.31	.09	.09		.04		.01			.01	15
16		.03	.07	.06	.01		.06	.01		.21			16
17	.07	.03	.01	.10			.07	2.15	.27	.02		.01	17
18		.15	.02	.28	.02			.08	.02		.73		18
19	.09	.01	.05	.06				.03	.03		.26	.11	19
20	.06		.13	.11				.04			.12	.44	20
21	.07		.20				.02					.67	21
22			.07			.01				.02	.01	.54	22
23		.31		.03	.08	.18	.01	.08		.07	.05	.05	23
24	.01	.46	.14			.01		.02		.03	.01	.18	24
25		.08	.12					.16		.02	.02		25
26		.04	.01		.07	.03		.10		.02	.03		26
27	.01	.41	.58			.09		.06		.18			27
28		.26	1.19			.01			.01			.11	28
29		.07				.14		2.11		.30		.04	29
30		X				.18		.25		.14		.01	30
31		X		X		X		.04	X	.03	X	01	31
Total	1.16	3.53	3.83	1.41	2.34	1.88	1.15	5.18	.88	1.81	2.59	2.64	YEAR'S TOTAL 28.10
Rain Days.	12 13	20	25	13	16	18	12	15	9	22	18	19	200

W. 8,000, VIII. 16

S made

Ex. Cab. 4/2/20

1102

FORM A.
BRITISH RAINFALL.

5 FEB 20

REGISTER OF RAINFALL IN 1919

Kept at Peterboro' (Eye of M.W.R.) [M.O.]

in the County of Northampton

by S. M. Egar

Lat. 52° 36' N Long. 0° 11' W

Time of Observation 9h GMT

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in	in.	in.	in	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·24	0·10	0·01	-	0·05	-	0·07	-	-	0·04	0·06	0·56	1
2	0·12	-	0·01	-	0·02	-	0·33	0·02	0·03	0·02	0·36	0·22	2
3	0·55	-	0·09	-	0·01	-	0·20	-	0·06	-	0·13	-	3
4	0·07	-	0·40	-	-	0·04	0·01	0·08	0·01	-	0·02	0·18	4
5	0·08	0·07	0·02	-	-	-	-	0·05	0·78	-	-	0·04	5
6	0·01	-	0·01	-	0·02	-	-	-	-	0·01	0·02	0·01	6
7	0·01	-	0·14	-	-	-	-	-	-	-	0·05	0·01	7
8	0·09	-	0·02	0·04	-	-	-	-	-	-	0·02	-	8
9	-	-	0·01	-	-	-	-	-	-	-	0·02	-	9
10	-	-	0·19	0·02	-	-	-	-	-	-	0·05	0·06	10
11	0·14	-	0·30	0·03	-	-	0·76	-	-	-	-	0·01	11
12	-	-	0·47	-	-	0·09	0·05	-	-	0·01	0·03	-	12
13	0·10	-	-	0·16	-	-	0·01	-	0·05	0·03	-	-	13
14	0·31	-	-	0·13	-	-	-	-	0·04	-	-	-	14
15	0·13	0·04	0·05	0·09	-	-	-	-	-	-	0·17	0·25	15
16	0·05	0·91	-	0·02	-	-	-	-	-	-	0·05	-	16
17	-	0·55	0·01	0·01	-	-	-	-	-	-	0·16	0·02	17
18	-	-	0·02	-	-	-	-	0·15	-	-	-	0·09	18
19	0·01	0·12	0·56	-	-	0·07	0·80	0·22	0·10	-	0·04	0·03	19
20	0·48	0·01	0·20	-	-	0·15	0·55	0·34	0·04	-	0·01	0·05	20
21	0·31	0·49	0·09	-	-	-	0·50	-	0·01	-	0·01	0·05	21
22	0·01	0·21	0·03	-	-	-	0·02	-	0·22	-	0·02	0·35	22
23	-	-	-	0·06	-	0·06	0·05	-	0·01	0·12	-	0·01	23
24	-	-	-	0·09	0·04	0·10	-	-	0·01	0·08	-	0·01	24
25	0·06	-	-	-	0·13	0·07	-	0·26	-	-	-	0·02	25
26	0·04	-	0·11	0·02	-	-	-	0·08	0·05	-	-	0·36	26
27	0·40	0·06	-	0·08	-	-	-	0·05	-	0·05	0·02	-	27
28	-	-	-	0·05	-	-	-	0·72	-	0·06	0·02	0·31	28
29	0·04		-	0·01	-	0·04	0·01	0·10	-	0·24	0·20	0·30	29
30	-	X	0·03	0·78	-	0·15	-	-	-	0·11	0·08	0·19	30
31	-	X	-	X	-	X	0·01	-	X	0·07	X	0·02	31
Total	3·25	2·56	2·77	2·49	0·27	0·77	3·37	2·07	1·41	0·84	1·54	3·15	YEAR'S TOTAL 24·49
Rain Days.	21	10	21	15	6	9.	14	11	13	12	21	23	176
Days with ·04 in.	7	9	11	9	3	9	9	10	8	8	11	14	118

Copied from MO 3203.

W, 6,500, VII. 18.

Ed Apl make B 1045

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Peterboro' (Eye) (IV.I.6.I)
in the County of Northamptonshire
by S. M. Egar

Lat. 52° 36' N. Long. 0° 11' W
Time of Observation 9h
Nearest Railway Station -
Diameter of Funnel of Rain Gauge ..... in.
Height of top of Gauge above Ground ..... ft. ..... in.
" " " " Sea Level 16 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	0.01	0.01	-	-	-	0.29	-	-	0.71	0.02	0.08	1
2	-	-	0.01	0.16	0.16	-	-	0.36	0.12	0.02	-	0.03	2
3	-	-	-	0.03	-	0.03	0.42	-	0.05	0.04	-	-	3
4	0.01	-	0.05	0.10	0.05	-	0.12	0.35	0.07	0.08	-	0.02	4
5	-	-	0.05	0.07	0.18	-	0.46	0.07	0.06	-	-	0.01	5
6	-	-	0.09	-	0.02	-	0.44	0.03	-	-	-	0.02	6
7	-	-	-	0.10	0.01	-	0.07	-	-	-	-	0.03	7
8	0.11	0.02	0.01	0.40	0.05	-	0.02	-	-	-	-	-	8
9	0.35	0.01	-	0.59	-	-	x -	0.03	-	-	-	-	9
10	0.08	0.01	0.04	0.30	-	-	0.01	0.01	-	-	0.03	0.06	10
11	0.19	-	0.03	0.30	0.13	-	0.02	0.01	-	-	-	-	11
12	0.07	-	0.01	0.19	0.02	0.34	-	0.02	-	-	0.01	0.34	12
13	0.02	0.03	0.03	0.07	-	0.50	[illegible]	-	0.07	-	0.04	-	13
14	-	0.07	0.48	0.11	-	0.04	0.05	-	0.19	0.03	0.11	-	14
15	-	0.02	0.32	0.07	-	-	0.01	-	0.31	0.04	0.14	0.03	15
16	-	-	0.01	-	0.01	-	-	-	0.27	0.02	0.01	0.06	16
17	-	-	-	0.06	0.09	-	0.02	-	0.11	0.01	-	0.03	17
18	0.09	-	-	0.02	0.02	0.21	0.05	0.20	0.37	-	-	0.03	18
19	0.08	0.15	-	0.15	-	0.08	-	0.04	0.01	-	0.01	0.01	19
20	0.05	0.26	-	0.26	-	0.48	-	-	-	-	-	-	20
21	0.01	0.01	-	0.03	-	-	0.11	0.08	0.14	-	-	0.01	21
22	0.01	-	-	0.16	-	-	0.01	-	0.33	-	-	-	22
23	-	-	-	-	-	-	0.11	-	-	0.01	-	0.31	23
24	-	0.01	0.11	0.01	-	-	-	-	-	-	-	0.05	24
25	-	0.10	0.02	0.03	0.18	0.05	0.33	-	-	-	0.01	-	25
26	0.07	0.01	0.07	0.02	0.20	-	0.02	-	-	0.01	-	-	26
27	0.07	0.02	0.01	0.06	0.02	0.75	0.04	-	-	-	0.12	0.14	27
28	0.38	0.01	0.11	-	0.37	-	0.04	-	-	-	0.02	0.04	28
29	0.03	-	0.10	-	0.76	-	0.02	-	-	-	0.05	0.36	29
30	0.03		0.04	0.02	-	0.01	0.02	-	0.10	-	0.09	0.22	30
31	0.08		0.03		-		0.03	-		0.17		-	31
TOTAL	1.73	0.74	1.63	3.31	2.27	2.49	2.71	1.20	2.20	1.14	0.66	1.88	YEAR'S TOTAL 21.96
Days with ·01 in. or more	18	15	21	24	16	10	23	11	14	11	13	20	196
	17	4	11	[illegible]	10	8	13	6	13	5	6	10	115

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M 3203.

from

R 1911

PETERBOROUGH
MILTON GARDENS
NORTHAMPTON SHIRE
1911-1915, 1917-1920

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

Kept at Peterboro'

in the County of North

by J W Newborn

f top............in.
op above Ground............ft............in.
„ Sea Level............ft.
n............
tation { Name............
Distance............Direction............

IMPORTANT NO ..., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.03	.08			.02	.03	1
2	.17				.07			.05			.06	.04	2
3					.12			.03		.04		.03	3
4	.06	05	.13	.10				.05	.11	.22	.15	.25	4
5												.05	5
6	.27		03							.02		.28	6
7				.02							.19	.22	7
8	.20		.07						.26		.04	.10	8
9	.05										.03		9
10	.02	.06	.13								.04	.31	10
11	.15							.02			.35		11
12	.07		.33						.05		.16		12
13			.06			.06			.23	.02		.38	13
14		.05	.05		.41	.10				.02		.49	14
15		.05	.11							.04	.06		15
16						.03			.03		.35	.05	16
17											.03	.12	17
18		.18				.13		.03			.17	.03	18
19		.04				.10		.27	.08	.08	.20	04	19
20		.02						.54	.16	.02		.43	20
21		.26						.06		.05		.17	21
22	.03		13			.05		.04		.16		.41	22
23						.95			.49			.10	23
24			.15		.04	.32				.33		.11	24
25		.03	.02	.07	.03						.03	.03	25
26				.19						.33	.24	.27	26
27		.17	.11	.17					.16			.03	27
28		.12		.14				.25			.05	.03	28
29				.02		.16	.04		.17	.23			29
30				.02	.03	.02			.02	.10			30
31													31
Total	1.02	1.03	1.32	.73	.70	1.92	07	1.42	1.76	1.66	2.17	4.00	TOTAL for year 17.80
No. of Rain Days.	9	11	12	8	6	10	2	11	11	14	17	24	135

W. 8,000, X. '11.

from

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Peterboro Milton Gardens

in the County of Northamptonshire 4

by J W Newborn C. A. Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.03	.08			.02	.03	1
2	.17				.07			.05			.06	.4	2
3					.12			.03		.04		.03	3
4	.06	05	.13	.10				.05	.11	.22	.15	.25	4
5												.05	5
6	.27		03							.02		.28	6
7				.02							.19	.22	7
8	.20		.07						.26		.04	.10	8
9	.05										.03		9
10	.02	.06	.13								.04	.31	10
11	.15							.02			.35		11
12	.07		.33						.05		.16		12
13			.06			.06			.23	.02		.38	13
14		.05	.05		.41	.10				.02		.49	14
15		.05	.11							.04	.06		15
16						.03			.03		.35	.05	16
17											.03	.12	17
18		.18		*		.13		.03			.17	.03	18
19		.04				.10		.27	.08	.08	.20	04	19
20		.02						.54	.16	.02		.43	20
21		.26						.06		.05		.17	21
22	.03		13			.05		.04		.16		.41	22
23						.95			.49			.10	23
24			.15		.04	.32				.33		.11	24
25		.03	.02	.07	.03						.03	.03	25
26				.19						.33	.24	.27	26
27		.17	.11	.17					.16			.03	27
28		.12		.14				.25			.05	.03	28
29				.02		.16	.04		.17	.23			29
30				.02	.03	.02			.02	.10			30
31													31
Total	1.02	1.03	1.32	.73	.70	1.92	07	1.42	1.76	1.66	2.17	4.00	TOTAL for year 17.80
No. of Rain Days.	9	11	12	8	6	10	2	11	11	14	17	24	135

W. 8,000, X. '11.

J. made ✓

FORM A. BRITISH RAINFALL.

25 MAR 1913

REGISTER Ex OF Dg RAINFALL IN 1912

Kept at Peterborough, Milton House
in the County of Northants 4
by C. A. Markham, J. W. Newborn

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·12	·04		·05			·20	1
2		·03	·04	·02	·04	·08	·55					·02	2
3	·11					·21		·53	·04			·09	3
4	·05		·41		·06	·51		·43			·35		4
5	·06	·10	·34			·06		·04			·02		5
6	·55	·12				·23	·63	·24					6
7						·83	·02						7
8	·36	·22	·11			·10	·14		·12				8
9		·07	·02	·04	·08	·86		·04				·11	9
10								·11	·09		·07		10
11	·13	·08				·07						·20	11
12		·13	·06		·10						·09		12
13	·12	·02				·13	·02				·19	·03	13
14	·08		·03		·08	·02				·02			14
15			·06		·38	·18		·04				·09	15
16	·46		·05		·08	·12		·10		·06			16
17	·31		·16			·23		·14			·02	·21	17
18	·06		·08					·12		·03	·02		18
19	·24	·14					·22	·23					19
20	·09		·16				·15	·47		·25			20
21		·02	·06		·60			·52		·12	·06		21
22	·16	·03			·29		·91	·45					22
23	·18	·23	·24		·02		2·10	·41			·07	·31	23
24	·11					·14	·07	·19				·12	24
25	·02					·08		·75			·18	·36	25
26		·03				·07	·76	1·42		·62	·20	·32	26
27						·04	·22			·35		·13	27
28		·02					·13	·46		·28	·21	·55	28
29						·13	·20		·62	·36	·08		29
30	·03				·58			·03	·20	·20			30
31			·32		1·35		·47	·15					31 ✓
Total	3·12	1·24	2·14	·06	3·66	4·21	6·63	6·87	1·12	2·29	1·56	2·74	YEAR'S TOTAL 35·64
Rain Days.	18	14	15	2	12	20	16	21	6	10	13	14	161

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

16 MAR 1914

REGISTER OF RAINFALL IN 1913

Kept at Milton Gardens
in the County of Peterborough Northants 4
by J. W. Newborn, W. D. Green
per C. A. Markham

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·03	·07	·02					·50		·12		1
2		·05	·04		·08		·19		·02				2
3			·07		·50				·01			·06	3
4	·26				·15	·02				·20	·08	·35	4
5	·02					·13			·06	·78		·02	5
6		·04	·04		·70	·17	·13			·10			6
7		·05			·07	·12	·03			·48			7
8					·25	·08				·01	·15		8
9		·21	·05		·01	·09	·07						9
10					·19		·19	·20			·49		10
11	·91			·41				·27			·02		11
12					·02						·34		12
13			·27								·28		13
14	·08			·01			·17		·02	·08			14
15	·17		·18	·16					·13				15
16	·03		·50	·10					·11				16
17	·07		·28	·08		·06	·02				·04	·13	17
18	·02		·23	·16			·03		1·17			·06	18
19	·08								·06				19
20	·07		·07	·03					·06	·43			20
21			·17		·03		·05				·17		21
22	·20		·21					·04	·18				22
23			·04				·01		·02				23
24	·03			·06		·05							24
25				·11									25
26		·07	·20	·06						·47	·05	·18	26
27						·01							27
28	·26		·04	·12						·04			28
29	·06		·24	·46	·08			·10		·07		·13	29
30	·19			·01				·01		·02	·10		30
31					·11			·82					31
Total	2·49	·45	2·70	1·79	2·19	·73	·89	1·44	2·34	2·68	1·84	·93	YEAR'S TOTAL 20·47
Rain Days.	16	6	17	14	12	9	10	6	12	11	11	7	131

W. 7,500, XI. 12

Copied from C

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
6 - MAR 1915

Kept at Peterborough (Milton Park)

in the County of Northampton 4.

by W. D. Green C. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station —

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·02	-	-	·21	·32	-	-	·07	·09	1
2	-	-	·01	·03	-	-	·02	·13	-	-	·08	·15	2
3	-	-	-	·01	·13	-	·21	-	-	-	·06	-	3
4	·12	-	-	·16	-	-	-	·12	-	-	·47	·08	4
5	-	-	·05	·09	·16	-	·11	·18	-	-	-	-	5
6	-	·03	-	-	·03	-	·16	·02	-	-	·11	·03	6
7	-	·02	·39	·01	·01	·09	-	·02	-	-	-	·02	7
8	·07	·06	·03	-	·15	·97	·09	·10	-	-	-	-	8
9	·52	-	·25	·10	-	·85	-	-	-	-	-	·02	9
10	·36	·05	-	·05	·01	-	-	-	·10	-	·01	-	10
11	-	·05	·32	-	·25	·11	-	-	·04	-	·31	·22	11
12	-	·01	·07	-	-	·01	·14	-	·27	-	·02	·26	12
13	·08	·11	·15	-	-	-	-	-	-	·38	·05	·20	13
14	-	·02	·22	-	-	-	-	-	-	·94	·12	·35	14
15	·05	-	·19	-	-	-	-	·01	-	-	·09	·15	15
16	-	-	·02	-	-	-	·14	-	-	-	·02	-	16
17	-	·19	-	-	-	-	·02	-	·12	-	-	·08	17
18	-	-	·05	-	-	-	·13	-	-	-	-	·55	18
19	-	·07	·19	-	-	·70	·37	-	·06	-	-	·02	19
20	-	·06	·26	-	-	-	-	-	·01	-	-	·01	20
21	·03	·12	·14	-	-	·06	-	·02	-	·08	-	·15	21
22	-	·01	-	-	·17	-	·16	·14	-	·06	-	-	22
23	-	-	·03	-	·02	·03	-	-	-	·03	-	·05	23
24	-	-	·06	·04	-	-	·04	·05	-	·28	·10	-	24
25	·01	-	-	-	-	-	-	·08	-	·50	·02	·17	25
26	-	-	·12	-	-	-	-	·08	-	·06	·14	·30	26
27	·01	-	-	-	-	-	·01	-	-	-	·01	·13	27
28	-	·03	-	-	-	-	-	-	-	·15	·07	1·35	28
29	·01		·15	-	·08	-	-	-	-	·30	·07	-	29
30	-		-	-	-	·06	-	-	-	·06	·19	·25	30
31	-		-		·02		·10	-		·01		·06	31
Total	126	·83	2·70	51	1·03	2·88	1·91	1·27	·60	2·85	2·01	4·69	YEAR'S TOTAL 22·54 ✓
Rain Days.	10	14	19	9	11	9	15	13	6	12	19	23	160 ✓

W. 8,000. X. 14.

Northampton Nat His Soc G4 B2 1234

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

Kept at Peterboro Milton Park

in the County of Northamptonshire 4

by Maj C A Markham W. D. Green

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30	.23			.24	.02			.05		.12	.08	1
2	.05	.10	.13	.13				.84	.04		.07	.04	2
3	.24		.03	.14			.26	.55	.17		.01	.11	3
4	.32						.16	.09				.53	4
5	.02	.13			.06						.03	.24	5
6	.08	.02	.03	.16			.60					.04	6
7	.04	.30	.38			.04	.42	.15				.14	7
8	.02	.13		.04			.03				.09		8
9										.04	.09	.50	9
10	.38		.03					.01			.07		10
11	.01				.18		.19				.47	.12	11
12	.03		.03	.28	.36		.04	.77			1.65		12
13	.01	.43			1.01		.03						13
14							.01		.01			.21	14
15	.25				.05			.06		.04	.22	.14	15
16		.20					.78			.01		.05	16
17		.15					.03						17
18		.02	.18								.06		18
19		.08					.06						19
20	.32											.28	20
21	.08	.01			.24		.07					.03	21
22	.18		.17	.01			.42					.12	22
23		.13	.01				.07		.06	.14		.31	23
24	.01		.19				.24		.55	.03		.08	24
25			.03			.23	.13			.06		.28	25
26		.10					.23					.25	26
27		.01	.01			.12	.04			.50		.01	27
28		.07				.06	.01	.03	.06	.15			28
29						.14		.11			.16	.27	29
30	.07	X				.22						.01	30
31	.11	X		X		X		.08	X	.10	X	.12	31
Total	2.52	2.11	1.22	.76	2.14	.83	3.82	2.69	.94	1.07	3.04	3.96	YEAR'S TOTAL 25.10
Rain Days.	19	16	12	6	7	7	20	10	7	9	12	23	148

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Milton Gardens, Peterborough
in the County of Northamptonshire
by C. A. Markham, W. D. Green

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02		·10		·11		1·21	·17				1
2	·01			·02				·11		·03			2
3				·07				·69		·20			3
4		·10	·08					·30		·47			4
5	·10			·09				·04	·05		·24		5
6										·22		·09	6
7	·35		·04		·07		·26			·39		·01	7
8	·50			·14				·62		·37	·16		8
9	·18		·14	·03				·14			·07		9
10	·22		·40	·07				·10		·15			10
11	·03	·04	·08	·20				·16	·01	·29			11
12	·04	·02						·41		·46	·01	·04	12
13	·03		·04				·08	·17	·01	·03			13
14	·04			·09				·18				·05	14
15							·04	·25		·01		·12	15
16	·10	·08		·12						·26			16
17		·02	·03	·23	·44	·91	·15		·05	·08			17
18	·02			·07	·09		·19	·03	·75				18
19		·11	·12		·19				·08				19
20	·02	·28	·20		·32						·22		20
21			·02		·01								21
22									·03	·21			22
23					·10			·31	·07				23
24		·03				·65				·45	·05		24
25			·02										25
26			·06					·45	·08		·39	·07	26
27			·01			·11		·64				·04	27
28		·03	·05			·78		·05				·15	28
29					·09	·16	·18			·41		·17	29
30	·05	X					·26	·18				·01	30
31		X	·24	X		X	·17	·16	X		X	·22	31
Total	1·69	·73	1·53	1·23	1·31	2·72	1·33	6·20	1·30	4·03	1·14	·97	YEAR'S TOTAL 24·18
Rain Days.	14	10	15	12	8	6	8	20	10	16	7	11	137

W. 8,000, VIII. 16

6 Cor Dr 59

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Milton House, Peterborough
in the County of Northamptonshire
by C. A. Markham, W. D. Green.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·13							·18	·13	1
2		·23		·22				·35			·05	·20	2
3		·06	·10		·69			·22	·04		·95	·02	3
4		·01	·15					·01	·88		·42	·03	4
5		·02			·15			·25	·67	·03		·01	5
6		·04		·10									6
7	·11	·05		·08					·03	·19	·20	·02	7
8									·01	·05	·01	·10	8
9	·03	·11		·09		·10	·10		·22	·27		·05	9
10							·51		·07	·11		·07	10
11				·13	·23		·17			·58		·11	11
12		·13			·19		·08		·10			·01	12
13		·01			·39							·02	13
14	·37						·38		·22	·36		·04	14
15	·55			1·01			·35		·13			·18	15
16				·48		·21			·61				16
17	·31			·21		·06	·58			·04		·26	17
18				·01			·31		·38	·11		·23	18
19	·04	·03	·04			·04	·06			·21		·19	19
20	·01	·05		·27	·11		·01		·06	·32			20
21	·04			·02	·10		·06		·16				21
22	·09								·01				22
23	·13						·13			·04	·05		23
24				·02		·01	·09			·02			24
25		·23					·01	·25			·11		25
26						·09	·13		·10		·12	·15	26
27							·69	·20	·04		·23	·01	27
28		·10	·11					·08			·32	·21	28
29									·85	·01			29
30		×	·21						·01	·06		·15	30
31		×	·08	×		×			×		×	·09	31
Total	1·68	1·07	·70	2·77	1·86	·51	3·66	1·36	4·59	2·40	2·64	2·28	YEAR'S TOTAL 25·52
Rain Days.	10	13	7	13	7	6	16	7	19	15	11	22	146

W. 6,500, VII. 18. w w c

Ex Lms. 1100

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Milton Park, Peterborough
in the County of Northants
by W. D. Green
per Major C. A. Markham

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·08	03	.	·06	-	06	-	-	·03	·08	·75	1
2	·17	-	·02	.	·01	.	·34	.	·01	·05	·46	·13	2
3	·88	-	·12	-	.	.	·32	.	·10	.	·17	-	3
4	·14	.	·56	-	·02	·10	-	·10	·95	.	·03	·20	4
5	·10	·13	·06	.	-	.	.	-	.	.	-	·06	5
6	-	.	·05	.	·35	.	.	.	.	-	·02	.	6
7	·07	-	32	.	.	.	.	.	.	.	·04	-	7
8	·10	.	·04	·11	-	.	.	.	.	.		.	8
9	-	.	·01	.	.	.	.	.	.	.	·01	-	9
10	.	.	·34	·09	-	.	.	.	.	·05	·04	·05	10
11	·10	.	·57	.	·04	.	·93	.	-	·04	·02	·01	11
12	-	.	·14	.	.	·14	·03	-	-	.	·05	.	12
13	·22	.	-	·20	-	.	.	-	·04	.	-	-	13
14	·35	.	.	08	.	.	.	.	-	.	.	-	14
15	·20	·08	16	·03	.	.	.	.	.	.	·18	35	15
16	·07	1·14	.	·02	·08	.	.	.	.	.	·10	-	16
17	-	·62	·02	-	.	.	.	.	.	.	·24	·04	17
18	-	.	-	.	.	.	-	·27	·22	.	·01	·20	18
19	-	·23	·87	-	.	·21	·79	·31	·09	.	·07	·03	19
20	·64	-	·22	-	-	·10	·67	·36	.	.	·14	·04	20
21	·37	·65	·11	.	.	·02	·43	.	·24	-	.	·17	21
22	.	·19	·03	.	.	.	-	.	.	.	·01	·46	22
23	-	-	-	·06	.	.	·07	.	.	·36	.	-	23
24	.	.	-	·10	·03	·12	·01	·08	·07	·06	.	·06	24
25	.	.	-	·10	·11	·01	.	·25	.	-	.	·02	25
26	·09	.	28	·74S	-	.	.	·07	.	.	.	·50	26
27	·95	·20	.	·07	-	.	.	·06	.	·02	-	-	27
28	-	.	.	·07	.	.	.	·79	.	·18	·15	·55	28
29	·06	×	.		.	.	.	13	.	·23	·09	·33	29
30	-	×	.	·30	-	29	.	-	.	·09	·11	·38	30
31	·06	×	.	×	.	×	.	.	×	·03	×	·64	31
TOTAL	4·90	3·32	3·95	1·97	·70	·99	3·65	2·42	1·72	1·14	2·02	4·37	YEAR'S TOTAL 31·15 ✓
Days with ·01 in. or more	18	9	19	13	8	8	10	10	8	11	20	20	154 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1043

4 MAR 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Peterboro' Milton Gardens

in the County of Northampton

by ~~Lt~~ W. D. Green. Per Maj: C.A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	·01	·16	.	·29	.	.	·55	·15	·13	1
2	.	.	.	·33	.	.	.	·28	·09	·18	.	·07	2
3	.	·03	.	·01	.	.	1·10	.	·05	.	.	.	3
4	.	.	·07	.	.	.	·20	·33	·03	.	.	·05	4
5	.	.	·07	.	·29	.	·46	·10	·02	.	.	.	5
6	.	.	·14	.	·05	.	·37	.	.	·11	.	·06	6
7	·19	.	·15	·14	.	.	·08	.	.	.	.	·03	7
8	·50	·05	.	·57	·06	.	.	.	.	.	.	.	8
9	·17	.	.	·86	.	.	.	·10	.	.	·05	.	9
10	.	.	·07	·29	.	·10	·03	·10	.	.	.	·07	10
11	·09	·04	·06	·50	·20	·18	·06	·11	.	.	·03	·27	11
12	·05	·06	.	·36	.	·03	.	·03	.	.	.	·11	12
13	·02	·05	·06	·18	.	.	.	.	·06	.	·03	.	13
14	·01	.	·67	·20	.	.	·07	.	·19	.	·30	·02	14
15	.	.	·76	·07	.	.	.	.	·25	·04	.	.	15
16	·01	.	.	.	·05	.	.	.	·25	.	.	.	16
17	·15	·22	.	·06	·14	.	.	.	·10	·02	.	·12	17
18	·08	·48	.	.	·03	·12	·11	·20	·26	.	.	·03	18
19	·06	.	.	·09	.	·55	.	·05	.	.	.	·04	19
20	.	.	.	·31	.	.	.	.	.	.	·02	.	20
21	.	.	.	·17	.	.	.	·11	·10	.	.	·04	21
22	.	.	.	·21	.	.	.	.	·40	.	.	.	22
23	·01	.	.	.	.	.	·24	.	.	.	.	·38	23
24	.	.	·15	.	.	.	.	.	.	.	.	·10	24
25	.	.	·05	·04	·04	.	·43	.	.	.	.	.	25
26	·03	·15	·11	.	·06	·79	.	.	.	.	.	.	26
27	·25	·09	.	·12	.	.	·02	.	.	.	·27	·24	27
28	·60	.	·20	.	·25	.	·05	.	.	.	·04	·22	28
29	·15	.	·16	.	·08	·04	·03	.	.	.	·10	·55	29
30	·04		.	·03	.	.	·03	.	·12	.	·11	·25	30
31	·09		·07		.		·21	.		·03		·10	31
TOTAL	2·50	1·17	2·79	4·55	1·41	1·81	3·78	1·41	1·92	·93	1·10	2·88	YEAR'S TOTAL 26·25
Days with ·01 in. or more	18	9	15	20	12	7	17	10	13	6	10	20	157
Days with ·04 in. or more	13	8	15	17	11	6	13	9	11	4	7	17	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DL

RE

RAUND'S
NORTHAMPTONSHIRE
1911-1920

1

FORM A2.
BRITISH RAINFALL

23 JAN 1912

Kept at Raunds

in the County of Nort

by Leon. G. H.

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. Mill, 62, Camd

the result entered to the
ersal rule, he is earnestly
ar in the space provided
ent of rain,
tish Rainfall
pplication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·04							·01	·01	1
2	·10			·02	·18						·06	·05	2
3		·04			·20			·42		·01	·02	·01	3
4	·04			·04					·06	·41	·24	·35	4
5			·08	·02				·05		·06	·01	·06	5
6	·29		·01	·01							·02	·24	6
7										·01	·20	·28	7
8	·15		·12								·04	·08	8
9	·11										·01		9
10	·01	·08	·14								·05	·30	10
11	·21							·09			·41		11
12	·04		·41						·03		·13		12
13			·10		·12				·25		·01	·39	13
14		·02	·02		·43					·04		·40	14
15		·03	·17							·01	·07		15
16			·04			·01				·01	·32	·08	16
17			·04			·02					·20	·15	17
18		·17				·09					·16	·07	18
19		·01			·04	·15			·09	·01	·15	·03	19
20		·03	·01					·42	·18	·02		·48	20
21		·06	·01	·02				1·11		·11		·10	21
22	·02		·15			·02		·01		·15		·38	22
23		·20	·19			·49			·25			·13	23
24		·08				·26		·01		·33		·07	24
25		·02	·05	·05	·32	·07		·02					25
26				·23	·12					·23	·20	·18	26
27		·18	·15	·05			·37		·15	·06		·04	27
28		·13		·12				·22			·03		28
29			·01	·14		·13	·08		·15	·26			29
30			·01			·04				·10			30
31					·04					·02			31
Total	1·00	1·05	1·71	·74	1·45	1·28	·45	2·35	1·16	1·84	2·34	3·88	TOTAL for year 19·25
No. of Rain Days	10	13	18	11	8	10	2	9	8	17	20	22	148

9,000, IX. '10.

8L ✓

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

Kept at Raunds

in the County of Northamptonshire 4

by Leon G. H. Lee

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·04							·01	·01	1
2	·10			·02	·18						·06	·05	2
3		·04			·20			·42		·01	·02	·01	3
4	·04			·04					·06	·41	·24	·35	4
5			·08	·02				·05		·06	·01	·06	5
6	·29		·01	·01							·02	·24	6
7										·01	·20	·28	7
8	·15		·12								·04	·08	8
9	·11										·01		9
10	·01	·08	·14								·05	·30	10
11	·21							·09			·41		11
12	·04		·41						·03		·13		12
13			·10		·12				·25		·01	·39	13
14		·02	·02		·43					·04		·40	14
15		·03	·17							·01	·07		15
16			·04			·01				·01	·32	·08	16
17			·04			·02					·20	·15	17
18		·17				·09					·16	·07	18
19		·01			·04	·15			·09	·01	·15	·03	19
20		·03	·01					·42	·18	·02		·48	20
21		·06	·01	·02				1·11		·11		·10	21
22	·02		·15			·02		·01		·15		·38	22
23		·20	·19			·49			·25			·13	23
24		·08				·26		·01		·33		·07	24
25		·02	·05	·05	·32	·07		·02					25
26				·23	·12					·23	·20	·18	26
27		·18	·15	·05			·37		·15	·06		·04	27
28		·13		·12				·22			·03		28
29			·01	·14		·13	·08		·15	·26			29
30			·01			·04				·10			30
31					·04					·02			31
Total	1·00	1·05	1·71	·74	1·45	1·28	·45	2·35	1·16	1·84	2·34	3·88	TOTAL for year 19·25
No. of Rain Days	10	13	18	11	8	10	2	9	8	17	20	22	148

9,000, IX. '10.

dl

Cx M2

192

FORM A2.
BRITISH RAINFALL.
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Raunds

in the County of Northamptonshire 4

by L. G. H. Lee

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01			·05	·15		·05			·11	1
2		·02	·07			·62	·42					·02	2
3	·17	·01			·01	·12	·04	·41	·03			·12	3
4	·03		·68		·07	·48		·03			·34		4
5	·05	·20	·19			·10		·10			·08		5
6	·40	·11				·17	·12	·23				·02	6
7					·01	·77	·07	·04				·03	7
8	·36	·23	·15			·05	·09	·49	·07				8
9		·06	·02	·06		·39	·01	·02				·15	9
10						·09		·06			·19		10
11	·25	·10				·02		·01				·24	11
12	·07	·13	·05		·04	·28					·01		12
13		·01				·02		·18			·10	·02	13
14	·04		·02		·10	·26		·04					14
15		·01	·10		·33	·20		·02				·16	15
16	·33		·07		·09	·01		·09		·01			16
17	·50		·13			·12		·10			·01		17
18	·27		·09					·09			·02	·06	18
19	·25	·07	·01				·15	·20		·01	·02	·01	19
20	·04		·14		·03		·20	·13		·18			20
21			·22		·55			·91		·25	·05		21
22	·25	·07			·23		·94	·33		·04		·01	22
23	·20	·37	·32		·01		·34	·35			·07	·26	23
24	·18	·02				·26	·02	·15				·11	24
25						·10		·50			·21	·39	25
26		·01	·01			·03	·61	2·05		·46	·31	·13	26
27						·01	·16	·03		·41		·24	27
28		·01				·01	·15	·50	·04	·22	·16	·92	28
29		·01				·13	·26	·02	·60	·33	·01		29
30	·01				·11	·01			·20	·14			30
31	·01		·02		·10		·40	·22		·01			31
Total	3·41	1·44	2·30	·06	1·68	4·30	4·13	7·30	·99	2·06	1·58	3·00	TOTAL for year 3225
No. of Rain Days.	18	17	18	1	13	24	17	27	6	11	14	18	184

W. 8,000, X. '11.

82 ✓ 1122 27 JAN 1914 194

BRITISH RAINFALL. FORM A.

REGISTER OF RAINFALL IN 1913

Kept at Raunds [illegible]

in the County of Northamptonshire

by L. G. H. Lee New Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 210 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1											·02		1
2										·17	·02	·01	2
3										·18		·01	3
4										·16	·08	·01	4
5										·40	·04	·03	5
6										·16		·01	6
7										·85	·05		7
8											·09		8
9											·09		9
10											·55		10
11										·11	·01		11
12											·25		12
13											·27		13
14										·08	·05		14
15													15
16											·01		16
17											·03	·09	17
18												·02	18
19												·03	19
20										·37	·01		20
21											·25		21
22													22
23													23
24													24
25											·01	·03	25
26										·39	·03	·19	26
27													27
28										·05		·05	28
29										·05		·04	29
30										·05	·16		30
31													31
Total										3·02	2·02	·52	YEAR'S TOTAL
Rain Days.										13	19	12	

W. 7,500. XI. 12

82 ~~[illegible]~~ April 11·3·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

27 JAN 1914

194

Kept at Ra~~o~~unds Insp Ex Rl

in the County of Northamptonshire I4

by L. G. H. Lee

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·07	·09	·10					·63		·03		1
2		·16		·01			·09		·18	·17	·01	·01	2
3	·02		·11	-	·60		·01		·01	·17		·02	3
4	·28			·	·01		·10	·	·01	·11	·08	·01	4
5				-		·03				·35	·02	·02	5
6			·06	-	·13	·17	·06			·15		·01	6
7		·10		-	·06	·05	·01			·82	·04	—	7
8			·03	-	·12	·04					·05		8
9		·26	·02	·01		·13			·01		·05		9
10			·01	·14	·04		·28	·02			·55		10
11	1·10			·44	·01	·04				·15	·05		11
12				·	·17						·25		12
13	·01			·01					·03		·29		13
14	·06	·01	·15	-			·03	·01		·07	·02		14
15	·12		·20	·19			·05						15
16	·02		·77	·16					·02				16
17	·13	·03	·20	·23		·20					·02	·09	17
18			·18	·04								·01	18
19	·13		·09	·			·10		·10			·02	19
20	·08		·17	·		·03			·02	·34	·01		20
21	·01		·35	·01	·04		·03				·25		21
22	·36		·20	-				·06	·19				22
23				-		·01		·04	·01				23
24				·06			·01	·01					24
25		·01		·16								·02	25
26		·02	·28	·10						·37	·02	·19	26
27			·02	·03									27
28	·37		·06	·11						·03		·04	28
29	·03		·15	·68	·15			·06		·04		·04	29
30	·17			-				·02		·05	·16		30
31					·37			·52					31
Total	2·92 ✓	·66 ✓	3·14 ✓	2·48	1·70 ✓	·70 ✓	·77 ✓	·74 ✓	1·21 ✓	2·82 ✓	1·90 ✓	·48 ✓	YEAR'S TOTAL 19·52
Rain Days.	16	8	19	17	11	9	11	8	11	13	17	12	152

W. 7,500, XI. ·12

Cndly C. 5.III.15 H LMcC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 2 - JAN 1915

Kept at Raunds

in the County of Northampton 4

by J. G. H. Lee

Lat. 52° 20' Long. 32' W

Time of Observation 9 a.m.

Nearest Railway Station Raunds St. M.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·01	-	·02	-	-	·05	·21	-	-	·08	·04	1
2	-	-	-	-	-	-	-	·13	-	·02	·10	·13	2
3	-	-	-	-	·15	-	·24	-	-	-	·01	-	3
4	·19	-	·01	·18	-	-	-	·47	-	-	·49	·20	4
5	-	-	·03	·10 ~~·01~~	·01	·09	·18	·17	-	-	-	-	5
6	-	·02	-	·02	·05	-	-	·01	-	-	-	·03	6
7	-	·08	·34	-	·01	-	·05	-	-	-	-	·02	7
8	·03	-	·18	·01	·04	·91	·10	·17	-	-	-	·03	8
9	·40	-	·23	·14	-	·81	-	·02	·09	-	-	·02	9
10	·11	·06	·02	·04	·04	-	-	-	·10	·01	-	-	10
11	-	·06	·26	·03	·10	·32	-	-	·03	-	·23	·36	11
12	-	·01	·08	-	-	·01	-	-	·33	-	·03	·38	12
13	·02	·13	·15	-	-	-	-	-	·04	·56	·18	·22	13
14	-	-	·17	-	-	-	·01	-	-	·70	·10	·39	14
15	·02	·03	·16	-	-	-	·30	·02	·06	-	·04	·10	15
16	-	-	·05	-	-	-	·12	-	·02	-	-	-	16
17	-	·26	·02	-	-	-	-	-	·07	-	-	·11	17
18	-	-	·03	-	-	-	·10	-	-	-	-	·39	18
19	-	·02	·23	-	-	-	·01	-	·02	-	·12	-	19
20	-	·13	·23	-	-	·01	-	-	·02	-	-	·11	20
21	-	·14	·06	-	-	·03	-	·03	-	·09	-	·16	21
22	·01	-	-	-	·14	·01	·17	·06	-	·05	-	-	22
23	-	·01	·04	-	·11	-	-	-	-	-	-	-	23
24	-	-	·01	·01	·13	-	·08	·03	-	·19	·10	-	24
25	·02	-	-	-	-	-	-	·15	-	·36	-	·16	25
26	-	-	·05	-	-	-	-	·27	-	·06	·15	·36	26
27	·01	-	-	-	-	-	-	-	-	·02	·06	·15	27
28	-	·07	-	-	·05	-	·01	-	-	·18	·26	1·17	28
29	·01	X	·13	-	·04	-	-	-	-	·30	·07	·15	29
30	-	X	·01	-	-	·04	-	-	-	·04	·13	·25	30
31	-	X	-	X	·05	X	·02	-	X	-	X	·05	31
Total	·82 ✓	1·03	2·49	·55 ✓	·92 ✓	2·23 ✓	1·44 ✓	1·74 ✓	·78 ✓	2·58 ✓	2·15	4·98	YEAR'S TOTAL 21·71 ✓
Rain Days.	10	14	22	9	13	9	14	18	10	13	16	23	166. ✓

W. 8,000. X. 14.

cor per auth by Markham 21·11·16

1211

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
13 JAN 1916

Kept at Raunds

in the County of Northampton

4

by L. G. H. Lee

Lat. 52° 20′ Long. 0° 31′ W.

Time of Observation 9 am

Nearest Railway Station Raunds

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·44	0	·10	0	·23	0	0	0·5	2·7	0	1·0	3·0	1
2	·05	·34	·16	·12	0	·02	0	5·7	0	1·2	0	1·0	2
3	·29	0	·03	·16	0	0	5·9	3·2	1·7	0	0·4	5·2	3
4	·05	0	0	0	0	0	8·0	16·8	0	0	0	13·1	4
5	·04	·23	0	0	·01	0	0	0·7	0	0	0	5·1	5
6	·18	0	0	·13	0	·06	15·3	0·9	0	1·2	0	1·2	6
7	·02	·35	·16	0	0	0	1·9	2·7	0	0	0	3·7	7
8	0	·21	·01	0	0	·08	0	0·3	0	0	0·1	0	8
9	0	0	0	0	0	0	0	0	0	1·0	3·3	13·3	9
10	·36	0	0	0	0	0	0	12·2	0	0	0.4	0	10
11	0	0	·04	0	·08	0	3·0	0	0	0	15.9	0	11
12	·03	0	·02	·21	·40	0	0	2·7	0	0·6	22.8	0	12
13	·02	·49	0	0	·99	0	0	2·2	0	0	0	0	13
14	0	·03	0	0	0	0	0	0.6	0·7	0	0	12·2	14
15	·20	0	0	0	·06	0	0·5	6·7	0	0·3	0	3·0	15
16	0	·28	0	0	0	0	17·2	3·6	0	0·4	5·7	1·4	16
17	0	·22	0	0	·04	0	5·2	0	0	0	0	0.4	17
18	0	·03	·16	0	0	0	0	0	0	0	1·1	0	18
19	0	·03	·03	0	0	0	2·7	0	0	0	0	0	19
20	·23	0	0	0	0	0	0	0	0	0	0	6·1	20
21	·11	0	0	0	·10	0	1·8	0	0	0	0	1·5	21
22	·18	0	·27	·05	0	0	10·1	0	0·5	0	0	2·5	22
23	0	·05	·02	0	0	mm 1·6	3·3	0	2·4	4·6	0.2	9·1	23
24	0	·08	·01	0	0	0	1·2	0	19.6	0	0	3·3	24
25	0	0	0	0	0	11·4	2·5	0	0	0·2	0	6·4	25
26	0	·10	0	0	0	0	5·4	0	0	0	0	6·1	26
27	~~·23~~	0	0	0	0	0	1·8	0	0	10·7	0	0·7	27
28	~~·11~~	·05	0	0	0	0	0	1·2	4·1	5·2	0	0	28
29	~~·18~~	X	0	0	0	0	0	2·4	0	0	2·2	4·2	29
30	·01	X	0	0	0	0	0	0	0	0	0	0.5	30
31	0	X	0	X	0	X	0	1·2	X	5·0	X	33	31
Total	in ~~2·72~~ 2·31	in 2·49	in 1·01	in 0·67	in 1·91	in = ~~0·53~~	mm 85·2	mm 63·6	mm 31·7	mm 30·4	mm 53·1	mm 106·3	YEAR'S TOTAL ~~23·91~~ in
Rain Days.	~~17~~ 15	14	12	5	8	5 =·67	16	17	7	11	~~11~~ 10	23	~~146~~ 145

W. 8,000. X. 15. inches = ~~3·35~~ = 3·35 | 2·50 | 1·25 | 1·20 | 2·09 | 4·19 | 23·64

1186

FORM A. BRITISH RAINFALL.

24. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Raunds

in the County of Northampton

by G Lee (for Sergt L.G.H Lee R.E) (Met Obsr in France

Lat. 52°20′ Long. 0° 31′ W

Time of Observation 9 am

Nearest Railway Station Raunds

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1.6	0	4.4	0	0	0.6	5.4	0	0	0	14.6	0	1
2	9.6	0.9	2.6	0	7.7	0	1.8	0	1.2	6.6	0.4	0	2
3	0	9.2	0	0	0	0	0	0	6.2	4.9	1.8	0	3
4	11.6	3.9	0.5	0	1.5	3.6	1.0	0	0	0.2	7.0	0	4
5	0.6	0	0	0.5	0.7	3.4	0	0	0	3.1	6.5	0	5
6	0	2.5	7.5	3.0	0	2.0	6.9	0	0	1.6	8.5	0	6
7	1.2	0	4.0	0	2.9	0	2.5	0	0	0	3.3	0	7
8	0	0	5.1	0	2.4	1.0	0	0	0	0	1.2	6.9	8
9	0.2	0	0.4	0	7.8	1.5	0	0	0	3.0	0	0.5	9
10	0	2.2	2.0	1.2	0	2.3	0.6	0	0.8	0.9	0	1.6	10
11	1.3	4.9	3.7	2.7	1.1	3.3	0	0	0	0	0	0.9	11
12	0.7	0.8	1.3	0	13.1	4.0	0.8	0	0	1.1	0	0	12
13	0	6.5	5.5	1.9	4.6	2.3	7.2	0.9	0	0	0	0	13
14	0	9.5	0	1.1	1.0	0	0	0.4	0	0	0	0	14
15	0	12.9	11.9	0	0.5	0	2.7	1.0	0	0.3	0	0	15
16	0	2.8	6.2	4.5	0.9	0	2.0	0.5	0	1.1	0	0	16
17	1.8	1.1	0	1.4	0	0	1.2	8.4	4.4	5.8	0	0	17
18	0	3.6	1.4	1.2	0	0	0	8.6	1.5	0	22.3	0	18
19	2.4	0.7	7.2	4.0	0	0	0	0.7	2.1	0	13.2	1.8	19
20	2.0	0.4	3.4	1.1	0	0	0	1.3	0	0	4.1	8.0	20
21	0.6	0	9.7	0	0	0	0.3	0	0	0	0.3	16.1	21
22	0	7.0	0.3	0	2.5	1.2	0	0	0	0.7	0	17.0	22
23	0.9	6.5	0	0	0	7.3	0	1.1	0	1.3	0.6	4.3	23
24	0	8.4	0.6	0.4	0	6.7	0	1.0	0	0.5	.0	7.5	24
25	0	0	1.4	0	1.1	0	0	5.3	0	1.3	1.6	0.2	25
26	0.2	7.6	0.7	0	0	2.2	0	3.2	0	0.5	1.6	0	26
27	0.4	6.7	25.0	0	0	1.1	0.2	4.4	0.5	4.5	0	0	27
28	0	9.4	27.7	0.2	0	1.5	0	0	1.0	0	0	4.0	28
29	0	2.9	0	0	0	2.5	0	43.7	0	6.8	0	0.5	29
30	0	X	0	0	0	0.6	0	2.6	0	4.1	0	0	30
31	0	X	0	X	0	X	0.1	0.4	X	0.5	X	0	31
Total	35.1	110.4	132.5	23.2	47.8	47.1	32.7	88.5	17.7	48.8	87.0	69.3	YEAR'S TOTAL 740.1
Rain Days.	15	22	23	13	14	18	14	16	8	20	15	13	191

W. 8,000, VIII. 16

1144

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Raunds, Kingswood
in the County of Northamptonshire
by C. A. Markham, L. G. H. Lee

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·07				1·14	·19		·03	·01	1
2	·02	·04		·12		·24		·07		·02	·04		2
3				·03				·48		·15	·16		3
4		·10						·07		·46			4
5	·08		·12	·11					·34	·04	·09		5
6						·02			·01	·06	·02		6
7	·41					·01				·34		·02	7
8	·42		·05	·16			·34	1·09		·30	·08		8
9	·04		·06	·08	·04		·01	·67		·01	·06	·02	9
10			·22	·20				·15		·02	·01		10
11	·41	·02	·29	·25				·09	·04	·24			11
12	·10	·01	·02		·01			·10		·23		·02	12
13	·07		·02	·04				·07	·06				13
14	·04		·01	·05				·33					14
15	·08				·01		·24	·12		·03			15
16	·01	·12		·12	·01	·07	·10			·26		·08	16
17		·02	·01	·18	·49	·04	·22	·03	·27	·11		·02	17
18	·06			·07	·15	·06	·09	·04	·82	·01			18
19		·09	·10		·19				·06				19
20		·21	·11		·73		·02		·11		·12		20
21		·01	·02	·04	·02					·01			21
22			·06					·11	·04	·15			22
23	–	·07			·08			·17	·04	·02			23
24		·03				·08		·08		·16	·05		24
25		·01	·04						·01		·17		25
26			·05			·02		·32	·13		·19	·03	26
27						·12		·67					27
28			·15			·76		·19				·04	28
29					·51	·34	·25	·04		·32		·20	29
30							·50	·12				·01	30
31							·16	·17				·12	31
Total	1·74	·76	1·33	1·52	2·24	1·76	1·93	6·32	2·12	2·94	1·02	·57	YEAR'S TOTAL 24·2~~4~~5
Rain Days.	12	13	16	14	11	11	10	23	13	20	12	11	166

W. 8,000, VIII. 16

2·60

M

Exp D C

.36

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

Kept at Raunds

in the County of Northamptonshire

by C. A. Markham, G Lee

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04	·02	·13							·11	·06	1
2		·18		·10				·06	·04		·06	·11	2
3		·03	·04		·46			·07	·18	·01	67	·03	3
4			·07				·06	·02	·54	·02	·31	·01	4
5		·06			·20			·14	·44	·10	·01	·01	5
6	·01	·16		·14		·01			·02	·04			6
7	·08	·07		·11		·05			·04	·03	10	01	7
8									·02	11	·03	·02	8
9	·06	·15		·03		·10	·10		·41	·02		·06	9
10				·15		·05	·41		·02	·11		·09	10
11				·01	·26		·09		·17	·39		·06	11
12		·11	·02		·11		·12		·05	·01		·01	12
13				·04	·15	·03			·09	·02		·03	13
14	·24			·02			·36		·26	·20		·05	14
15	·98			1·07		·01	·28		·07			·12	15
16	·20			·54				·04	·37	·12			16
17				·07	·05		·82		·01			·09	17
18	·37					·10	·22		·21			·41	18
19	·02	·02	·05	·09		·03	·03		·02	·01		·09	19
20	·02	·04		·52		·05			·17	·28	·02		20
21	·02			·14		·01			·24	·09		·01	21
22	·07				·20		·02		·02	·01	·01	·30	22
23	·07				·30	·02	12		01		·01	·01	23
24		·13					·02		·03	·03	·11		24
25					·09	·01	·09	·26	·02	·02	·01		25
26							·48	·01	·01		·06	·17	26
27						·02	·06	·15	·02	·01	·13	·01	27
28		·07	·12			·01					·26	·07	28
29								·01	1·19				29
30		X	·24					·03	·87	·04	·17	·10	30
31		X	·06	X		X			X	·04	X	·02	31
Total	2·14	1·06	·62	3·16	1·82	·50	3·28	·79	5·54	1·71	2·07	1·95	YEAR'S TOTAL 24·64
Rain Days.	12	12	8	15	9	14	16	10	28	22	16	25	187

W, 6,500. VII. 18. W W C

B. Made

Ex. Co.B. 4/2/20

1076

7 FEB 20

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Raunds. [M.O]

in the County of Northampton

by Léon G. H. Lee.

Lat. 52° 20′ N. Long. 0° 31′ W.

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 204 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

~~Date~~	~~Jan.~~	~~Feb.~~	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	7.7	1.1	0.3	-	2.5	-	0.5	-	-	0.5	0.6	15.4	1
2	-	-	0.3	-	-	-	5.7	-	0.8	3.3	9.7	7.7	2
3	22.1	-	2.8	-	0.4	0.8	3.1	-	1.3	-	3.7	1.7	3
4	1.6	-	8.7	-	-	1.1	1.1	4.1	2.7	-	0.3	4.9	4
5	1.0	5.2	5.0	-	-	-	1.0	-	16.1	-	-	3.0	5
6	-	-	0.5	-	18.6	-	-	-	-	0.1	1.0	-	6
7	0.6	-	6.5	-	-	-	-	-	-	-	0.2	-	7
8	-	-	1.1	2.4	-	-	-	-	-	-	0.2	0.1	8
9	-	-	0.9	1.3	-	-	-	-	-	-	0.2	-	9
10	-	-	9.6	0.9	0.2	-	-	-	-	-	1.1	1.7	10
11	1.0	-	7.0	1.5	0.2	-	16.5	-	-	-	2.2	0.1	11
12	-	-	9.2	1.9	-	2.8	-	-	0.2	2.0	2.7	0.1	12
13	3.1	-	-	5.1	-	-	0.7	-	1.0	0.2	-	0.1	13
14	7.5	-	-	2.5	-	-	-	-	1.1	0.1	0.2	0.1	14
15	3.2	0.9	2.6	1.8	-	-	-	-	-	1.9	1.7	8.8	15
16	1.1	21.0	-	1.5	-	-	0.1	1.3	-	-	3.6	-	16
17	0.2	9.5	-	0.2	-	-	-	-	-	-	4.3	0.3	17
18	-	3.7	1.9	-	0.5	-	-	5.1	-	-	0.4	2.9	18
19	0.4	4.8	24.6	-	-	4.4	7.6	7.5	3.4	0.1	0.5	1.9	19
20	11.8	1.2	3.6	-	-	4.3	6.2	8.0	0.5	-	1.0	0.9	20
21	8.9	10.3	1.6	-	-	-	11.5	-	0.1	-	0.3	2.9	21
22	-	8.2	0.7	-	-	-	-	-	4.3	-	0.1	7.9	22
23	-	-	-	-	-	0.9	1.6	1.3	1.0	7.2	0.1	1.0	23
24	-	-	-	6.3	0.8	0.2	1.0	0.2	0.1	3.8	-	0.5	24
25	2.0	-	-	2.9	1.4	-	-	3.5	-	-	-	1.1	25
26	3.8	-	5.0	0.7	-	0.2	-	1.0	1.8	-	-	7.5	26
27	18.0	2.6	0.7	18.4	-	-	-	4.2	-	-	2.1	1.2	27
28	-	0.3	-	1.0	-	-	0.2	16.3	-	1.0	2.8	6.0	28
29	-		-	1.8	-	0.3	1.2	2.5	-	6.0	3.4	4.0	29
30	-		1.4	6.8	-	5.2	-	0.3	-	2.9	3.3	4.5	30
31	-		-		-		0.8	-		1.2		0.8	31
TOTAL	94.0	68.8	94.0	57.0	24.6	20.2	58.8	55.3	34.4	30.3	45.7	87.1	YEAR'S TOTAL 670.2
Days with 0·2 mm. or more	17	12	21	17	8	10	15	13	12	11	23	22	181

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from 181 3203

670

1025

MAR 1921

FORM A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Raunds

in the County of Northamptonshire

by Léon G. H. Lee.

Lat. 52° 20' N Long. 0° 31' W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 203 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	-	2.3	3.3	-	10.7	-	0.1	7.0	0.3	4.5	1
2	-	-	0.3	4.3	-	-	0.8	6.0	1.7	0.2	-	0.6	2
3	-	0.5	-	16.0	-	0.5	9.6	-	1.8	2.0	-	-	3
4	0.2	-	0.5	2.0	-	-	7.6	8.0	0.1	5.1	-	0.5	4
5	-	-	2.3	-	4.3	-	9.7	0.7	3.0	-	-	0.3	5
6	-	-	3.3	-	0.6	-	8.0	-	-	-	-	0.2	6
7	-	-	1.0	1.1	-	-	1.0	-	-	-	0.1	-	7
8	2.7	1.0	-	10.2	1.1	-	1.8	-	-	0.1	-	-	8
9	9.7	-	-	11.4	-	-	0.7	2.1	-	0.1	-	-	9
10	3.8	1.7	0.6	2.7	-	-	1.3	-	-	-	0.5	-	10
11	4.0	-	1.6	6.5	3.9	1.1	-	0.3	-	0.1	0.2	2.0	11
12	1.3	-	0.4	2.7	-	4.7	1.2	-	0.1	-	-	6.2	12
13	0.2	-	1.6	5.5	-	0.4	0.3	-	1.0	0.1	0.3	-	13
14	0.5	0.4	12.6	3.7	-	2.0	2.2	-	4.0	0.6	4.5	0.3	14
15	0.1	1.5	9.2	2.5	-	-	-	-	9.5	3.7	1.0	0.1	15
16	-	-	-	2.1	0.9	-	-	-	8.2	0.9	-	-	16
17	0.2	-	-	3.0	3.4	0.1	-	-	3.9	0.2	0.1	1.6	17
18	2.6	-	-	1.1	1.5	0.1	1.5	3.3	7.7	-	-	0.4	18
19	2.4	1.3	-	4.5	-	3.7	-	3.8	-	-	0.4	0.3	19
20	1.5	11.0	-	5.1	-	7.8	-	-	-	-	0.2	-	20
21	0.4	-	-	-	-	-	0.6	2.8	1.5	-	0.3	0.3	21
22	0.1	-	-	4.5	-	-	-	-	5.9	0.1	0.2	0.2	22
23	-	0.3	-	-	-	-	5.4	-	-	0.2	0.2	8.0	23
24	-	-	2.6	-	-	-	-	-	-	0.3	0.1	1.7	24
25	0.1	2.4	0.7	0.6	0.3	0.5	15.8	-	-	0.2	0.1	-	25
26	3.0	-	0.9	0.6	0.8	-	0.4	-	0.1	0.2	-	-	26
27	3.0	0.5	0.2	3.2	-	11.9	-	-	0.1	0.2	14.5	4.0	27
28	11.4	-	5.1	-	2.2	-	1.0	-	-	0.1	0.3	-	28
29	1.5	-	2.3	-	5.2	-	1.1	-	0.1	-	1.1	12.2	29
30	0.7		-	0.9	-	2.0	0.4	-	4.2	-	3.4	4.5	30
31	2.0		1.0		0.4		-	-		8.6		0.8	31
TOTAL	51.4	20.6	46.2	96.5	27.9	34.8	81.1	26.5	53.0	29.9	27.8	48.7	YEAR'S TOTAL 544.4.
Days with 0·2 mm. or more	19	10	18	23	13	10	21	8	12	13	15	19	181
	13	6	11	20	8	7	15	6	12	5	5	9	117

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from [illegible] 3203

RAVENSTHORPE
NORTHAMPTONSHIRE
1911 – 1920

REGI

FORM A2.
BRITISH RAINFALL.
8 FEB 1912

Kept at Ravens
in the County of N
by G. S. Eu

in.
ound 1 ft. — in. 1121/5
a Level ft.
m
ame Althorp Park
istance 4 Direction S.W.

IMPORTANT NOTE.- he result entered to the
previous day. If an Obser sal rule, he is earnestly
requested to add the readin r in the space provided
for it at the end of this ent of rain,
the selection and placing ish Rainfall
Organization are given in " plication to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·03									·07	1
2	·04			·04	·14		·13	·02		·03	·08	·05	2
3		·02			·17			·02	·01	·05	·05	·01	3
4	·05	·02	·12	·07	·02				·08	·26	·24	·17	4
5				·03				·09		·03	·04		5
6	·30			·01							·08	·32	6
7	·01			·04							·13	·09	7
8	·14		·17							·03	·03	·13	8
9	·05											·05	9
10	·02	·10	·31	·02				·20				·40	10
11	·12	—						·21			·50	·03	11
12	·02	·02	·57						·13		·26		12
13			·05		·07	·01			·30		·02	·53	13
14	·02	·03	·07		·02						·01	·43	14
15		·07	·09							·04	·10	·04	15
16											·29	·08	16
17			·02			·10					·08	·23	17
18		·24			·07	·07					·05	·10	18
19		·01				·26	·03		·13	·12	·49	·13	19
20		·08				·03		~~·46~~	·04	·06		·64	20
21	·02	·10						1·48		·17		·07	21
22			·15			·21		·18		·15	·03	·24	22
23		·08	·36			·26			·36			·08	23
24		·09	·02	·01		·45		·02		·69		·08	24
25		·07	·06	·06	·64	·05							25
26		·04		·33	·72	·09				·24	·13	·12	26
27		·25	·14	·13			·09	·18	·13		·05	·07	27
28		·14		·15		·01		·12			·07	·03	28
29		X	·02	·02		·20	·19		·14	·21	·01		29
30		X				·08				·08			30
31		X		X	·05	X	—		X	·06	X	·02	31
Total	·81	1·36	2·12	·91	1·90	1·82	·44	2·98	1·32	2·22	2·74	4·21	TOTAL for year 22·83
No. of Rain Days.	12	16	15	12	9	13	4	11	9	15	21	26	

163

W. 8,000, X. '11.

FORM A2.

BRITISH RAINFALL
8 FEB 1912

1/21/5

REGISTER OF RAINFALL IN 19

Kept at Ravensthorpe

in the County of Northampton 4

by G. S. Eunson

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 am

Nearest Railway Station
Name Althorp Park
Distance 4 Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·03									·07	1
2	·04			·04	·14		·13	·02		·03	·08	·05	2
3		·02			·17			·02	·01	·05	·05	·01	3
4	·05	·02	·12	·07	·02				·08	·26	·24	·17	4
5				·03				·09		·03	·04		5
6	·30			·01							·08	·32	6
7	·01			·04							·13	·09	7
8	·14		·17							·03	·03	·13	8
9	·05											·05	9
10	·02	·10	·31	·02				·20				·40	10
11	·12	—						·21			·50	·03	11
12	·02	·02	·57						·13		·26		12
13			·05		·07	·01			·30		·02	·53	13
14	·02	·03	·07		·02						·01	·43	14
15		·07	·09							·04	·10	·04	15
16											·29	·08	16
17			·02			·10					·08	·23	17
18		·24			·07	·07					·05	·10	18
19		·01				·26	·03		·13	·12	·49	·13	19
20		·08				·03		·46	·04	·06		·64	20
21	·02	·10						1·48		·17		·07	21
22			·15			·21		·18		·15	·03	·24	22
23		·08	·36			·26			·36			·08	23
24		·09	·02	·01		·45		·02		·69		·08	24
25		·07	·06	·06	·64	·05							25
26		·04		·33	·72	·09				·24	·13	·12	26
27		·25	·14	·13			·09	·18	·13		·05	·07	27
28		·14		·15		·01		·12			·07	·03	28
29		X	·02	·02		·20	·19		·14	·21	·01		29
30		X				·08				·08			30
31		X		X	·05	X	X		X	·06	X	·02	31
Total	·81	1·36	2·12	·91	1·90	1·82	·44	2·98	1·32	2·22	2·74	4·21	TOTAL for year 22·83
No. of Rain Days.	12	16	15	12	9	13	4	11	9	15	21	26	163

W. 8,000, X. '11.

made

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 13 JAN 1913

Kept at Ravensthorpe

in the County of Northampton 4

by George S Eunson

RAIN GAUGE
Pattern
Diameter of top 5" in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft. 1121/5

Time of Observation 9 a.m

Nearest Railway Station
Name Althorpe Park
Distance 4 Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·06			·06	·12		·02	·07		·11	1
2		·02	·07	·03	·01	·10	·40					·02	2
3	·10		·05		·08	·04	·10	·40	·02		·02	·05	3
4	·07		·58		·16	·28		·06			·24		4
5	·15	·03	·16		·01	·11		·33	·06		·10	·02	5
6	·34	·08	·04			·05	·03	·73				·07	6
7		·09			·05	·54	·14	·12				·04	7
8	·44	·24	·20			·20	·15	·21	·16				8
9		·12	·12	·11		·15	·03	·06				·18	9
10	·02		·01			·05		·30			·22		10
11	·06	·13				·05					·11	·32	11
12	·09	·38	·06		·07		·10				·16		12
13	·08	·06				·02				·02	·05		13
14	·04		·18		·08	·06		·06					14
15	·66	·06	·12		·29	·22						·17	15
16	·65		·08		·11	·12		·08		·12			16
17			·10			·12		·19			·03	·37	17
18	·21		·10					·14		·03	·02	·03	18
19	·26	·12	·03				·09	·28		·03			19
20	·10		·20				·56	·30		·32			20
21		·02	·15		·42			·75		·24	·04		21
22	·26	·09			·40		·45	·43					22
23	·11	·30	·36			·03	·28	·38		·01	·09	·26	23
24	·08	·02				·26	·07	·05				·18	24
25						·22		·36			·26	·28	25
26		·02				·05	·08	1·15		·67	·22	·24	26
27						·08	·03			·26		·21	27
28		·03				·06	·04	·58	·06	·19	·30	·47	28
29		·01		·02		·39	·25		·67	·25	·03		29
30	·04	×			·30	·02			·11	·25	·03		30
31		×	·08	×	·56	×	·50	·20	×		×	·03	31
Total	3·76	1·82	2·75	·16	2·54	3·28	3·42	7·16	1·10	2·46	1·92	3·05	TOTAL for year 33·42
No. of Rain Days.	19	18	20	3	13	24	18	22	7	13	16	18	

W. 8,000, X. '11.

191

1121/5

BRITISH RAINFALL. FORM A.
14 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Ravensthorpe
in the County of Northampton 4
by G S Eunson

Lat. 52. 19. 22 Long. 1- 0- 20
Time of Observation 9 a m
Nearest Railway Station Althorp Park
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04	·10	·18					·61		·12		1
2		·17		·05			·02		·22	·10	·03		2
3	·04		·16		·73				·06	·36		·28	3
4	·50				·02	·03	·07			·26	·06	·30	4
5						·02	·10		·03	·62	·04	·02	5
6		·05	·03		·17	·19	·53			·15		·07	6
7		·13			·13	·08	·17			·47	·06	·03	7
8			·04		·18	·06				·05	·09		8
9		·32		·03	·04	·15	·01	·03	·06		·09	·05	9
10	·07		·08	·07	·02			·04			·44		10
11	·92			·56	·08					·13	·44		11
12					·08						·56		12
13	·02		·03	·05					·03		·24		13
14	·07		·31				·06	·08		·12			14
15	·18	·14	·21	·39			·08		·03		·03		15
16	·03		·81	·11									16
17	·15	·05	·10	·14		·55	·02		·05		·05	·03	17
18			·12	·08			·12						18
19	·18		·07				·10		·13			·03	19
20	·24		·12	·02		·02				·34	·05		20
21	·03		·18	·07	·10		·02				·36		21
22	·48		·25					·05	·22				22
23						·07	·03	·04	·05		·02	·02	23
24	·05			·09				·16					24
25		·05		·12								·01	25
26		·10	·14	·19				·07		·30	·02		26
27			·03	·05						·02			27
28	·52		·24	·12						·14		·05	28
29	·02	×	·11	·48	·03			·10		·16		·10	29
30	·25	×								·09	·16	·01	30
31		×	·02	×	·14	×		·09	×		×		31
Total	3·75	1·05	3·15	2·80	1·72	1·17	1·33	·66	1·49	3·31	2·86	1·00	YEAR'S TOTAL 24·29
Rain Days.	17	9	20	18	12	9	13	9	11	15	18	13	164

W. 7,500, XI. ·12

ExLMcC

1121/5

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
16 MAR 1915

Kept at Ravensthorpe

in the County of Northampton 4

by George S Eunton

Lat. 52·19·22 Long. 1° 0' 20"
Time of Observation 9 a m
Nearest Railway Station Althorp Park
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·06		·01	·28	·33			·07	·06	1
2	·03		·02					·20		·02	·19	·22	2
3					·14		·22				·02		3
4	·22		·03	·20				·35			·38	·27	4
5	·04		·10	·08	·03	·14	·33	·20			·04		5
6		·04		·03	·04						·17	·04	6
7		·12	·45		·05	·03	·06	·05				·04	7
8	·11	·09	·13	·04	·09	·81	·18	·23	·02		·01	·05	8
9	·31		·25	·23		1·15		·02	·04				9
10	·08	·08	·03	·11	·11				·15				10
11		·14	·26	·09	·17	·32			·02		·22	·40	11
12		·02	·11			·10	·07		·26		·07	·30	12
13	·02	·18	·18						·02	·11	·14	·30	13
14		·02	·10				·12			·61	·12	·20	14
15	·04		·18				·06	·06	·07	·01	·03	·07	15
16			·08				·08		·08		·02	·02	16
17		·25	·06						·17			·28	17
18	·03		·02				·26		·02		·01	·47	18
19		·03	·04				·03		·02		·08	·05	19
20		·17	·16				·05		·01			·22	20
21		·17	·13					·13		·09		·20	21
22			·04		·23	·10	·12	·06		·22			22
23		·07	·07		·07	·09				·05			23
24			·06		·05		·24			·21	·13		24
25	·04						·07	·23		·46	·02	·33	25
26			·03					·14		·07	·17	·22	26
27	·06						·02				·04	·11	27
28		·08	·01							·06	·10	1·16	28
29	·03	X	·11							·26	·09		29
30		X	·02							·04	·29	·26	30
31	·04	X		X	·04	X	·16		X		X	·09	31
Total	1·05	1·46	2·67	·84	1·02	2·75	2·35	2·00	·88	2·21	2·41	5·36	YEAR'S TOTAL 25·00
Rain Days.	13	14	25	8	11	9	17	12	12	13	22	23	149

W. 8,000. X. 14.

1208
121/5

FORM A.
BRITISH RAINFALL.

11 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Ravensthorpe
in the County of Northampton
by George S Eunton 4

Lat. 52·19·22 Long. 1-0-20
Time of Observation 9 a m
Nearest Railway Station Althorp Park
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	·10	·07		·12			·05	·10	·07	·03	·16	1
2	·06	·15	·24	·22		·05		·45		·16		·09	2
3	·40		·04	·12			·05	·28	·06			·18	3
4	·10						·12				·02	·41	4
5	·06	·37			·02			·06				·24	5
6	·15	·05		·19			·89	·09			·02	·04	6
7	·04	·24		·02	·12	·13	·25	·10				·14	7
8	·03	·12						·03			·04		8
9						·01				·02	·15	·50	9
10	·30						·03	·18		·02	·11		10
11	·03				·09		·12				·69	·06	11
12	·03			·20	·38			·08		·05	·86		12
13		·48			·87								13
14		·05						·06	·07			·36	14
15	·29				·04		·07	·13			·16	·18	15
16	·03	·24			·08		·85	·04				·02	16
17		·27			·08		·30					·02	17
18		·10	·24								·05		18
19		·08			·05		·10						19
20	·31			·02								·25	20
21	·10	·07			·05		·14					·10	21
22	·17		·25	·02			·20		·02			·09	22
23		·04	·05			·05	·04		·06	·32		·34	23
24			·06	·03		·07	·13		1·18	·06		·13	24
25						·05	·35			·04		·29	25
26		·11					·05		·02			·36	26
27		·02	·03				·14			·48		·05	27
28		·11						·08	·08	·16			28
29		X	·01		·02	·11	·22	·06			·18	·11	29
30	·12	X				·30	·09			·04	·04	·05	30
31	·09	X		X		X		·07	X	·29	X	·06	31
Total	2·56	2·60	·99	·82	1·92	·77	4·14	1·76	1·59	1·71	2·33	4·23	YEAR'S TOTAL 25·42
Rain Days.	18	17	9	8	12	8	19	15	8	12	12	24	162

W. 8,000. X. 15.

1182
1121/5

FORM A.
BRITISH RAINFALL.
22. JAN 19

REGISTER OF RAINFALL IN 1916

Kept at Ravensthorpe

in the County of Northampton

by George S. Emton

Lat. 52·19·12 Long. 1°·0'·20"
Time of Observation 9 am
Nearest Railway Station Althorp Park
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·06			·06	·19			·02	·46		1
2	·31	·02	·62		·16		·08		·02	·56	·06		2
3		·43			·02		·08		·68	·28	·07		3
4	·21	·07			·15	·21	·13		·02	·02	·16		4
5	·04				·05	·25				·14	·17		5
6	·01	·16	·26	·09	·04		·57			·12	·33		6
7	·11		·36		·03		·29			·03	·27	·11	7
8	·01		·04		·03						·06	·15	8
9			·02		·25	·03				·05		·02	9
10		·14	·14	·09		·03			·04	·03		·03	10
11	·05	·15	·06	·17	·10	·13			·01		·03	·09	11
12	·08	·05	·10	·02	·31	·07	·10		·02	·03			12
13	·02	·26	·08	·06	·04	·02	·06	·08		·01			13
14		·42		·07	·03			·05		·03			14
15		·21	·42		·03		·11	·18					15
16		·06	·39	·19	·07		·27	·04					16
17	·07	·04	·01	·10			·05	·19	·21	·25			17
18		·18	·02	·11				·26	·17	·02	·19	·10	18
19	·07	·10	·26	·07					·11		·65		19
20	·04		·19	·02				·05			·16	·35	20
21			·28	·03			·11					·72	21
22		·07	·03		·10	·01				·05	·02	·50	22
23	·05	·46						·05		·03	·07	·25	23
24		·32	·04	·02		·60		·06		·03	·01	·16	24
25		·22	·11		·06			·30		·06	·14		25
26		·07	·04			·09		·28		·08	·07		26
27	·04	·14	1·02				·19	·08	·03	·10			27
28		·48	·35	·04		·04				·04		·20	28
29		·10			·02	·21		1·13		·45		·03	29
30		X	·02		·01	·06		·05		·16			30
31		X		X		X		·02	X	·06	X	·05	31
Total	1·13	4·15	4·92	1·08	1·50	1·81	2·23	2·82	1·31	2·65	2·92	2·76	YEAR'S TOTAL 29·28
Rain Days.	15	22	24	14	18	14	13	15	10	24	17	14	200

W. 8,000, VIII. 16

1146

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

1121/5

23. JAN 1918

Kept at Ravensthorpe
in the County of Northampton
by George T Emton Pt-Clark

Lat. 52. 19. 22 Long. 1°-0′-20″
Time of Observation 9 am
Nearest Railway Station Althorp Park
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·11		·02		1·01	·19		·03	·05	1
2	·02	·02		·01		·21		·12		·02	·02		2
3		·01		·20				·35		·14	·14		3
4		·17	·14					·06		·40		·02	4
5	·19		·06	·09					·05	·06	·10		5
6	—					·14				·07	·02		6
7	58		·01							·37		·05	7
8	28			·19			·35	·37		·29	·18	·15	8
9	04		·14	·14	·08		·03	·17			·19		9
10	48		·25	·20	·17			·06			·09		10
11	09		·15	·43	·02			·02	·06	·23	·02		11
12	17		·01	·02	·18			·05	·01	·42	·02		12
13	02		·04					·23	·09	·01		·03	13
14	·09		·02	·14				·35					14
15	·01			·09			·04	·08		·03		·03	15
16	·04	·20		·16	·01					·14		·14	16
17		·10	·01	·15	·40	·49	·27	·13	·15	·14		·02	17
18	·03	·05		·13	·18		·10		·98	·02			18
19		·17	·20		·04				·05				19
20		·21	·05		·64	·01	·01		·04		·18		20
21		·05	·08	·02	·05	·05				·02	·02		21
22			·11					·02	·01	·18			22
23		·14			·08			·27	·03	·04		·03	23
24		·04	·01			·32		·04		·20	·08	·02	24
25		·01	·08				·08		·01		·09		25
26			·02					·28	·14		·13	·01	26
27						·47		·76					27
28			·09			·50		·11		·03		·07	28
29		X				·08	·05	·39		·30		·21	29
30	·02	X					·16	·21				·02	30
31		X	·15	X		X	·08	·07	X		X	·07	31
Total	2·06	1·18	1·62	2·08	1·85	2·29	1·17	5·15	1·81	3·11	1·31	·92	YEAR'S TOTAL 24·55
Rain Days.	14	13	19	15	11	10	10	22	13	20	15	15	177

W. 8,000, IX. 17.

1·77

32

1121/5

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Ravensthorpe

in the County of Northampton

by George C Eunson

Lat. 52° 19' 22" Long. 1° 0' 20"

Time of Observation 9 a.m.

Nearest Railway Station Althorp Park

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 355 ft.

14!

10

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·04	·07						·01	·23	·03	1
2		·14	·01	·09				·14			·06	·11	2
3		·04	·04		·44			·07	·24		·40	·03	3
4		·02	·05						·44		·41	·02	4
5		·05		·03	·21			·17	·07				5
6		·06	·02	·16						·01		·03	6
7	·08	·07		·23		·06			·03	·07	·12		7
8	·01		·01	·03					·08	·04		·24	8
9	·03	·17		·03		·03	·22		·31	·24	·02	·09	9
10	·11			·02		·02	·27		·05	·12		·05	10
11				·01	·05		·24		·17	·25		·08	11
12		·09	·06		·21		·17		·07				12
13		·02		·02	·11	·06	·05		·14	·03		·06	13
14	·27						·49		·39	·12		·07	14
15	·80			·61			·13		·08	·01		·37	15
16	·10			·57			·02	·02	·15				16
17	·17			·05	·03	·15	·57			·02		·11	17
18	·29					·16	·11		·58			·40	18
19	·02	·03	·05	·05			·10			·07		·31	19
20		·13		·74		·10			·13	·14		·07	20
21	·09	·01		·26		·01	·02		·22	·07		·03	21
22	·14				·23		·04		·03	·06		·42	22
23	·06				·61		·04		·06				23
24		·19					·11		·04	·02	·17	·02	24
25						·05	·04	·24		·01	·03	·01	25
26							·22	·06	·04	·03	·09	·21	26
27		·01	·02				·15	·27	·02		·09	·06	27
28		·14	·13					·03			·31	·12	28
29		X							1·09				29
30		X	·23					·14	·11		·09	·18	30
31		X	·14	X		X		·04	X	·03	X		31
Total	2·17	1·20	·80	2·91	1·89	·64	2·99	1·18	4·54	1·35	2·02	3·12	YEAR'S TOTAL 24·81
Rain Days.	13	16	12	16	8	9	18	10	23	19	12	24	180

W. 6,500, VII. 18. w w c

1072

1121/5

17 FEB 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Ravensthorpe

in the County of Northampton

by George L Emson

Lat 52° 19' 22" Long 1° 0' 20"

Time of Observation 9 am

Nearest Railway Station Althorp Park

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. **Full** instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·06	·05	·02	·14		·23			·23	·02	·42	1
2	·14		·03				·13		·24	·18	·33	·14	2
3	·72		·12		·04		·31		·20		·13	·07	3
4	·05		·36			·04	·02	·18	·05		·02	·08	4
5	·03	·27	·24				·11		·50			·11	5
6	·02		·04		·78						·02	·07	6
7	·05		·17		·02								7
8	·14		·04	·23							·02		8
9	·03		·02	·13									9
10			·32	·06						·03	·05	·07	10
11	·08		·30	·04	·02		·42				·01		11
12	·03		·31	·09		·19				·11	·05	·03	12
13	·07			·22					·03	·09		·02	13
14	·20			·20			·05		·06				14
15	·18	·12	·07	·20						·04	·13	·71	15
16	·10	·59		·04				·42			·24		16
17	·02	·35									·21	·02	17
18			·21					·12			·03	·18	18
19	·03	·21	1·07			·13	·66	·13	·15		·03	·03	19
20	·48	·09	·22			·07	·24	·29	·01		·13	·02	20
21	·08	·43	·10				·35				·04	·16	21
22		·44					·06		·31			·59	22
23						·10		·04	·04	·59		·07	23
24				·10	·03		·18			·40	·02	·06	24
25	·14			·04	·06	·03		·34				·03	25
26	·05		·11	·09		·02	·10	·06		·02	·01	·30	26
27	·48	·02	·03	·48		·03		·09		·02		·09	27
28	·09			·04				·88			·11	·23	28
29	·05	X		·05		·06		·08		·23	·09	·19	29
30		X	·21	·20		·23		·04		·06	·07	·15	30
31	·01	X		X		X	·06		X	·04	X	·03	31
Total	3·62	2·58	4·02	2·23	1·09	·90	2·92	2·67	1·59	2·04	1·76	3·87	Year's Total 29·29
Days with ·01 in. or more	25	10	20	17	7	10	14	12	10	13	21	25	184

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

C 4 M L

1121/5

13 JA 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Ravensthorpe

in the County of Northampton

by Northampton Corporation Water Dept.

Lat. Long.

Time of Observation 9. AM.

Nearest Railway Station althorp Park.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·35	·06	·05	·02	·20		·23			·23	·02	·42	1
2	·14		·03		·14		·13		·24	·18	·33	·14	2
3	·72		·12				·31		·20		·13	·07	3
4	·05		·36		·04	·04	·02	·18	·05		·02	·08	4
5	·03	·27	·24				·11		·50			·11	5
6	·02		·04		·87						·02	·07	6
7	·05		·17		·02								7
8	·14		·06								·02		8
9	·03		·02	·23									9
10			·32	·13						·03	·05	·07	10
11	·08		·30	·06	·02		·41				·01		11
12	·03		·31	·05		·19				·11	·05	·03	12
13	·07			·09					·03	·09		·02	13
14	·20			·22					·06				14
15	·18	·12	·07	·21						·04	·13	·71	15
16	·10	·59		·20				·46			·24		16
17	·02	·35		·04							·15	·02	17
18	[illegible]		·21					·12			·03	·18	18
19	·03	·21	1·07			·13	·66	·13	·15		·03	·03	19
20	·48	·09	·22			·07	·24	·29	·01		·13	·02	20
21	·08	·43	·10				·35				·04	·16	21
22		·44					·06		·31			·59	22
23						·10		·04	·04	·59		·07	23
24					·03		·18			·40	·02	·06	24
25	·14			·10	·06	·03		·34				·03	25
26	·05		·11	·04		·02	·10	·06		·02	·01	·30	26
27	·48	·02	·03	·09		·03		·09		·02		·09	27
28	·09			·48				·88			·11	·23	28
29	·05			·04		·06		·08		·23	·09	·19	29
30			·21	·05		·23		·04		·06	·07	·15	30
31	·01						·06			·03		·02	31
Total	3·62	2·58	4·04	2·05	1·38	·90	2·86	2·71	1·59	2·03	1·70	3·87	Year's Total 29·33
Days with ·01 in. or more	25	10	20	16	8	10	13	12	10	13	21	25	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1020

1121/5

5 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ravensthorpe
in the County of Northampton
by ~~H. E. Dickens~~ ~~for~~ Northampton Corporation Water Dept.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·02	·13	·27		·30		·02	·14	·02	·14	1
2				14 ~~·08~~ ·14			·06	·17	·10	·08		·08	2
3	·05	·04		·35	·05 ~~·04~~	·03	·88		·08	·08			3
4			·06	·10			·09	·34	·03	·24		·12	4
5			·06	·02	·18		·35	·05	·09			·01	5
6			·15		·05		·46		·01			·02	6
7			·05	·17	·02		·09						7
8	·47	·07		·53	~~·02~~		·18	·02					8
9	·37			1·21			·09	·13					9
10	·25	·05	·04	·12		·04	·09				·03		10
11	·25	·02	·05	·36	·34		·02	·01				·08	11
12	·04	·01	·06	·12		·42	·01				·02	·20	12
13	·02	·03	·07	·10					·04		·02		13
14	·03	·01	·80	·20		·34	·01		·22	·03	·21		14
15	·01	·06	·34	·05					·15	·03	·06		15
16			·02	·05	·12	·67	·01		·15	·10			16
17				·12	·15				·39	·06		·07	17
18	·22			·05	·03		·10	·18	·20			·03	18
19	·05	·12		·32		·04		·07			·02	·04	19
20	·08	·20		·22		·46			·01			·02	20
21				·02				·11	·06		·01	·03	21
22	·02			·14			·02	·03	·13			·03	22
23		·02					·30		·01			·36	23
24			~~·14~~					·02				·07	24
25	·01	·09	·05	·06	·30	·02	·48						25
26	·20	·01	·18	·02	·02	·04	·03					·05	26
27	·10			·14		·59					·85	·20	27
28	·41		·06	·01	·20		·05				·06	·18	28
29	·05		·22		·58	·06	·10				·07	·54	29
30	·02	X		·05	·05	·09	·14		·17		·09	·17	30
31	·10	X		X	·03	X	·01		X	·32	X	·10	31
TOTAL	2·75	·74	2·36	~~4·79~~ ~~4·60~~	~~2·35~~ ~~2·37~~	2·77	3·87	1·13	1·86	1·08	1·47	2·54	YEAR'S TOTAL 27·74
Days with ·01 in. or more	20	14	17	26	16 ~~15~~	12	23	11	17	9	12	21	198
Days with ·04 in. or more	14	7	15	22	10 ~~14~~	9	16	7	12	7	6	15	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

copied from 1020 [illegible]

1021

1121/5

JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Coton Mill

Kept at Ravensthorpe

in the County of Northampton

by G. S. Eunson

Lat. 52° 19' 22" Long 1° 0' 20"

Time of Observation 9 a.m

Nearest Railway Station Althorp Park L&NW

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 355 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·31

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01	·02	·13	·27		·30		·02	·14	·03	·14	1
2				~~·08~~ 14			·06	·17	·10	·08		·08	2
3	·05	·04		·35	~~·05~~ ·01	·03	·88		·08	·08			3
4			·06	·10			·09	·34	·03	·24		·12	4
5			·06	·02	·18		·35	·05	·09			·01	5
6			·15		·05		·46		·01			·02	6
7			·05	·17	·02		·09						7
8	·47	·07		·53	02		·18	·02				·08	8
9	·37			1·21			·09	·13					9
10	·25	·05	·04	·12	·34	·04	·09				·03		10
11	·25	·02	·05	·36			·02	·01					11
12	·04	·01	·05	·12		·42	·01				·02	·20	12
13	·02	·03	·07	·10					·04		·02		13
14	·03	·01	·80	·20		·34	·01		~~·14~~ 22	·03	·21		14
15	·01	·06	·34	·05	·12				·15	·03	·06		15
16			·02	·05	·15	·67	·01		·15	·10			16
17				·12	·03				·39	·06		·07	17
18	·22			·05			·10	·18	·20			·03	18
19	·05	·12		·32		·04		·07			·02	·04	19
20	·08	·20		·22		·46			·01		·01	·02	20
21				·02				·11	·06			·03	21
22	·02			·14			·02	·03	·13			·03	22
23		·02					·30	·02	·01			·36	23
24			·14									·07	24
25	·01	·09	·05	·06	·30	·02	·48						25
26	·19	·01	·18	·02	·02	·01	·03				·02	·05	26
27	·10			·14		·59					·85	·20	27
28	·41		·06	·01	·20		·05				·06	·18	28
29	·05		·22		·58	·06	·10				·07	·54	29
30	·02	✕		·05	·05	·09	·14		·17		·09	·17	30
31	·10	✕	·01	✕	·03	✕	·01		✕	·32	✕	·10	31
TOTAL	2·74	·74	2·37	4·~~74~~ 80	2·3~~[illegible]~~ 7	2·77	3·87	1·13	1·8~~3~~ 6	1·08	~~1·22~~ 1·48	2·54	YEAR'S TOTAL ~~27·42~~ 27·7[illegible]
Days with ·01 in. or more	20	14	18	26	15	12	23	11	17	9	13	21	199
Days with ·04 in. or more	13	7	15	22	11	9	16	7	11 3	6 7	6	14 5	137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ROCKINGHAM CASTLE
NORTHAMPTONSHIRE
1911–1920.

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

REG… 11

Kept at Uppingham Rock… …o ……in.
…bove Ground ……ft. ……in.
in the County of Northa… „ Sea Level ……ft.
by G Biggs C… …on { Name ……
Distance …… Direction ……

IMPORTANT NOTI… …and the result entered to the previous day. If an Observer … universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02					.03			.03		1
2					.05			.01	.01		.05	.10	2
3	.08				.20			.01		.03	.02		3
4		.04	.06	.07				.01	.13	.30	.23	.33	4
5	.06			.10				.10		.03			5
6				.02							.04	.35	6
7	.42		.03								.13	.14	7
8											.03	.13	8
9	.19										.14		9
10			.23								.02	.02	10
11		.03						.10			.44	.50	11
12	.20		.45						.06		.12		12
13			.03						.21		.01	.41	13
14			.05		.19				.02			.52	14
15		.08	.07						.01		.13	.03	15
16		.07								.20	.34	.11	16
17						.04				.03	.10	.20	17
18						.08				.02		.08	18
19		.25				.11	.08		.08	.07	.52	.05	19
20						.01	.01	.40	.11			.58	20
21		.08						.90	.01	.13		.11	21
22		.12	.12			.28		.11		.05	.02	.50	22
23			.16			.75	.03	.03	.37			.15	23
24		.06		.02		.38		.01		.75		.12	24
25		.07	.05	.04	1.05	.05							25
26		.14	.15	.26	.82	.01	.04			.21	.26	.25	26
27				.12			.06	.15	.11	.04		.05	27
28		.26		.13		.01		.16			11	.02	28
29			.01	.02		.12	.07	.01	.26	.22	.01		29
30			.01	.01		01				.16	.02		30
31										.04		.03	31
Total	.95	1.20	1.44	.79	2.31	1.85	.29	2.03	1.38	2.28	2.77	4.78	TOTAL for year 22.07
No. of Rain Days.	5	11	14	10	5	12	6	14	12	15	21	23	148

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at Uppingham Rockingham Castle Gardens

in the County of Northamptonshire 5

by G Biggs C. A Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
,, ,, ,, Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02					.03			.03		1
2					.05			.01	.01		.05	.10	2
3	.08				.20			.01		.03	.02		3
4		.04	.06	.07				.01	.13	.30	.23	.33	4
5	.06			.10				.10		.03			5
6				.02							.04	.35	6
7	.42		.03								.13	.14	7
8											.03	.13	8
9	.19										.14		9
10			.23								.02	.02	10
11		.03						.10			.44	.50	11
12	.20		.45						.06		.12		12
13			.03						.21		.01	.41	13
14			.05		.19				.02			.52	14
15		.08	.07						.01		.13	.03	15
16		.07								.20	.34	.11	16
17						.04				.03	.10	.20	17
18						.08				.02		.08	18
19		.25				.11	.08		.08	.07	.52	.05	19
20						.01	.01	.40	.11			.58	20
21		.08						.90	.01	.13		.11	21
22		.12	.12			.28		.11		.05	.02	.50	22
23			.16			.75	.03	.03	.37			.15	23
24		.06		.02		.38		.01		.75		.12	24
25		.07	.05	.04	1.05	.05							25
26		.14	.15	.26	.82	.01	.04			.21	.26	.25	26
27			-	.12			.06	.15	.11	.04		.05	27
28		.26		.13		.01		.16			11	.02	28
29			.01	.02		.12	.07	.01	.26	.22	.01		29
30			.01	.01		01				.16	.02		30
31										.04		.03	31
Total	·95	1·20	1·44	79	2·31	1·85	·29	2·03	1·38	2·28	2·77	4·78	TOTAL for year 22·07
No. of Rain Days.	5	11	14	10	5	12	6	14	12	15	21	23	148

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

25 MAR 1913

Ex DL

REGISTER OF RAINFALL IN 1912

Kept at Rockingham Castle Gardens
in the County of Northants 5
by C. A. Markham, G. M. Biggs

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·21			·12	·03	·01	·06			·21	1
2		·02	·05		·01	·43	·45						2
3	·12				·07	·20	·08	·60	·02			·11	3
4	·11		·63		·07	·44		·04			·27		4
5	·10		·35			·09		·16	·03		·06	·04	5
6	·46	·07				·02	·34					·02	6
7	·02	·11	·19			·32	·04						7
8	·50	·33	·09			·07	·01						8
9	·05	·08		·10		·23	·02		·10			·12	9
10			·02			·04		·25			·12		10
11	·05	·16				·08		·08			·03	·38	11
12	·11	·20	·07		·12	·10	·43				·04		12
13	·02	·11				·02					·02		13
14	·03		·13		·06	·07							14
15	·05		·03		·31	·04						·12	15
16	·76				·05	·08		·17		·10			16
17	·52		·30			·18		·25				·30	17
18	·13		·07				·02	·09			·02	·02	18
19	·27	·05	·02				·09	·27			·02		19
20	·05		·23		·12		·87	·75		·28			20
21	·07		·14		·42		·02	·63		·15			21
22	·21				·26		1·16	·35					22
23	·12	·28	·25				·44	·50			·11	·27	23
24	·07	·02				·15	·03	·14				·17	24
25						·50		·55			·22	·33	25
26		·02				·05	·21	1·80		·70	·25	·37	26
27						·12	·05	·06		·40		·26	27
28		·01					·02	·52	·05	·35	·23	·41	28
29						·40	·33		·70	·42			29
30			·08		·11	·14			·22	·27			30
31	·07				·50		·38	·13					31
Total	3·89	1·46	2·86	·10	2·10	3·89	5·02	7·35	1·18	2·67	1·39	3·13	YEAR'S TOTAL 35·04
Rain Days.	22	13	17	1	12	23	20	20	7	8	12	15	170

W. 7,500, XI. 12

corr ... by Markham 10·11·14

Markham c o

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Rockingham Castle

in the County of Northamptonshire 5

by Gilbert M Biggs

Lat. .... Long. ....

Time of Observation 9. a m

Nearest Railway Station Rockingham L & N W R

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·5		·13						116			·17	1
2		·14					·11		·18		13		2
3			·15		·60				·30				3
4	·51				·12		·6		5			·10	4
5	·1								7	·53	·08	19	5
6					·15		·29		5	·69	·5		6
7		15				·15				6			7
8			·10		·15	·6				·75	·6		8
9		·21	·4			·22				·7	·14		9
10	·5			·2[illegible]			·27						10
11	Snow 125			Snow ·32				·67			·65		11
12					·14					·3	·27		12
13			·2								61		13
14	·14		·35				·22				20		14
15	·10	·5	·25	·50			·13			·11			15
16	·2		Snow ·90	·19									16
17	·10			·2		·25	·6						17
18			·34	·20		·2					4		18
19	·16		·5				·4						19
20	·45		·1[illegible]	·1									20
21			·10		·10					·38			21
22	·41										·38		22
23									·31				23
24	·5							·46	3				24
25													25
26		·5	·44	·29									26
27		·3		·12						·29	·3	·41	27
28	·43		·38	5									28
29			·11	·65						·18		·5	29
30	·40							·9		4			30
31													31
Total	4·13 ~~4·43~~	·63	3·54	2·63 ~~2·43~~	1·26	·70 X·70	1·18 1·18	1·22	2·15	3·08	2·64	·92	YEAR'S TOTAL 24·08
Rain Days.	15	6	15	11	6	5	8	3	8	11	11	5	2398

~~104~~

W.7,000, XI. 13

[illegible] 5.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Rockingham Castle
in the County of Northamptonshire
by Gilbert. M Biggs (Head Gardener)

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Rockingham L.N.W.R.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·9	·5					·15			·9		1
2				·5			·10	·25			·9	·35	2
3								·10			·8		3
4					·16		·48	·35			·55	·19	4
5	·35			·3									5
6	3		·12	·30	·25	·8	·20	·35					6
7		·4			·2							·6	7
8		·8	·38		·10		·3						8
9		·8	9		·20	1·11		·23					9
10			·25	·21		·98							10
11	·19	·11			·4				·7		·46	·50	11
12	·55	·14	·35	·18	·16	·5					5	·41	12
13			5						·33		·14	·27	13
14		·15	·28						3	·65	·16	·28	14
15			·16				·15			·62		·9	15
16	·10	·5	·20										16
17							·20					·38	17
18		·17	·6				5					·30	18
19	·4						·37				·9		19
20													20
21		·24	·38							·10		·47	21
22		·23				·25		·26		·36			22
23					·28			·24		9			23
24		·3	·16		·10					·24			24
25							·22			·46	·6	·14	25
26								·22		·5	·36	·46	26
27			·4									·28	27
28			·01							·24	·5	1·04	28
29					·5					·14		·28	29
30		X	·10		·6					·19	·30		30
31		X		X		X			X	22	X	5	31
Total	1·26	1·41	2·68	·77	1·42	2·47	1·80	2·15	·43	3·36	2·48	5·55	YEAR'S TOTAL 25·88 25·78
Rain Days.	6	12	15 16	5	11	5	9	9	3	12	13	17	117

W. 8,000. X. 14.

Northampton Nat Hist Soc 1241

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Rockingham Castle Uppingham

in the County of Northamptonshire 5

by Major C. A. Markham Gilbert M Biggs

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.27	.18			.22	.06			.36		.09	.15	1
2		.16	.08	.15				.41		.15		.10	2
3	.38		.09	.17				.07				.15	3
4	.06		.10				.75		.13			.55	4
5	.08	.38			.18		.06						5
6		.08		.17			.95						6
7	.06	.27	.11				.10					.05	7
8		.25	.25	.05									8
9						.04						.20	9
10	.38										.30	.47	10
11					.10			.14					11
12				.23	.44						.74	.10	12
13		.70			.92		.10				1.15		13
14								.10	.08			.35	14
15	.28												15
16		.40					1.40	.04					16
17		.22					.25					.06	17
18		.07	.40										18
19		.02											19
20	.50											.35	20
21					.18		.12						21
22		.10					.09						22
23			.17				.16						23
24							.23	.07	.91	.10		.25	24
25							.10		.35	.25			25
26			.07			.40	.08					.37	26
27							.09			.90			27
28						.70	.05			.13			28
29			.08			.06					.41	.25	29
30	.24	X	.06										30
31	.03	X		X		X			X	.35	X	.17	31
Total	2.28	2.83	1.41	.77	2.04	1.26	4.53	.83	1.83	1.88	2.69	3.57	YEAR'S TOTAL 25.92
Rain Days.	10	12	10	5	6	5	15	6	5	6	5	15	100

W. 8,000. X. 15.

5 made ✓

fm Northants Nat His Soc

1218

REGISTER OF RAINFALL IN 1916

Emp 21 RC

FORM A.
BRITISH RAINFALL
5 FEB 1917

Kept at Rockingham Castle Gardens Uppingham

in the County of Northamptonshire

by C. A. Markham J. M. Biggs

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.30				.09						1
2	.46		.07		.50	.10	.14			.42			2
3		.51					.06						3
4	.43	.19					.23		.45	.18			4
5							.20			.32			5
6	.15	.15	.27				.40						6
7			.25		.20					.17			7
8			.15										8
9					.40								9
10		.15	.17					.10	.07				10
11													11
12			.35		.40								12
13		.40	.17	.17	.24								13
14				.25	.07			.40					14
15	.10	.93	.45										15
16			.23										16
17				.17				.75	.15	.25			17
18	.10								.17				18
19		.43	.33						.21				19
20	.11												20
21			.50										21
22	.19												22
23		.89						.22		.30			23
24		.53											24
25								.42					25
26		.32						.17		.11			26
27		.30	1.93							.38			27
28		.50	.75										28
29						.45		}		.35			29
30		✕				.14		} 1.17		.10			30
31		✕		✕		✕		.08	✕		✕		31
Total	1.54	5.30	5.92	.59	1.81	.69	1.12	3.31	1.05	2.58			YEAR'S TOTAL
Rain Days.	7	12	14	3	6	3	6	8	5	10			

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Rockingham Castle, Uppingham
in the County of Northamptonshire
by C. A. Markham, J. Cruickshank

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·90	·20				1
2				·25		·32		·06					2
3								·55			·05		3
4								·28	·25				4
5				·15				·01				·03	5
6			·10							·04	·10		6
7						·21				1·16	·02		7
8				·15				1·30		·33			8
9			·30				·27						9
10			·45	·20	·06			·28					10
11			·05	·22						·28	·20		11
12					·30			·18		·40			12
13								·28	·10			·08	13
14				·07				·07					14
15				·15			·05						15
16				·10			·05	·06					16
17					·58	1·24	·30			·22			17
18				·25	·08								18
19			·18		·10								19
20			·20		·78						·24		20
21			·05								·18		21
22													22
23					·10			·25	·08				23
24						·70				·34			24
25													25
26			·10					·60	·18		·14	·05	26
27								·60				·22	27
28			·10				·06	·03					28
29						1·16	·08			·45		·10	29
30		X					·15	·28				·06	30
31		X		X		X	·02	·20	X		X	·03	31
Total			1·53	1·54	2·00	3·63	·98	5·93	·81	3·22	·93	·57	YEAR'S TOTAL
Rain Days.			9	9	7	5	8	17	5	8	7	7	

W. 8,000, VIII. 16

Snade

Cov. by Markham

REGISTER OF RAINFALL IN 19

FORM A. BRITISH RAINFALL.

Kept at Rockingham Castle

in the County of Northampton

by A. E. Higgott.

Lat. Long.

Time of Observation 9. a. m

Nearest Railway Station Rockingham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1												.24	1
2												.12	2
3												.1	3
4												.2	4
5												.3	5
6												.	6
7												.	7
8												.14	8
9												.7	9
10												.2	10
11												.3	11
12												.7	12
13												.2	13
14												.4	14
15												.6	15
16												.24	16
17												.15	17
18												.27	18
19												.8	19
20												6	20
21												[illegible]	21
22												.41	22
23												-	23
24												-	24
25												-	25
26												.15	26
27												.	27
28												.14	28
29												-	29
30		X											30
31		X		X		X			X		X	.9	31
Total							~~2.55~~	1.46	4.78	1.44	2.53	2.46	YEAR'S TOTAL ~~24.63~~
Rain Days.							2.52						

m. [illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Rockingham Castle
in the County of Northamptonshire
by C. A. Markham, J. Cruickshank
A. E. Higgott.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·32							·22	·24	1
2			·10	·08					·02			·12	2
3		·24	·11		·50			·30	·11		·62	·01	3
4			·11				·19	·14	·70		·86	·02	4
5		·12			·25			·44	·31	·04		·03	5
6		·05	·05	·12						·01			6
7		·12		·22		·10			·01	·08			7
8			·05						·06		·11	·14	8
9	·07	·21				·04			·38	·27		·07	9
10	·10						·57		·07	·11		·02	10
11				·07	·10		·22		·20	·27		·03	11
12					·19		·03		·21			·07	12
13		·10		·05	·25				·04			·02	13
14	·38					·03			·20	·07		·04	14
15	·13			·55			·10		·40			·06	15
16	·50			·49				·01	·21	·01		·24	16
17	·25			·08	·39		·61	·01	·01			·15	17
18	·25					·08	·07		·40			·27	18
19	·03		·09				·07			·13		·08	19
20	·03			·28		·05			·03	·11		·06	20
21		·10		·50					·37	·19			21
22					·03				·01	·06		·41	22
23	·10				·40		·10						23
24							·22		·05		·24		24
25		·15			·14		·18	·32		·08			25
26							·10	·01	·01		·07	·15	26
27							·06	·21	·08		·07		27
28								·01	·01		·32	·14	28
29			·12						·83		·02		29
30		×	·32					·01	·06				30
31		×	·15	×		×			×	·01	×	·09	31
Total	1·84	1·09	1·10	2·76	2·25	·30	2·52	1·46	4·78	1·44	2·53	2·46	YEAR'S TOTAL 24·53 ~~24·63~~
Rain Days.	10	8	9	11	9	5	13	10	25	14	9	22	145

W, 6,500, VII. 18. W W C

H RR conf for another yr

1107

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at The Gardens Rockingham Castle
in the County of Northampton
by A. E. Higgott

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Rockingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.34	8	.	.	.10	.	.4	.		5	18	55	1
2	.14	.	.2	.	.11	.	.9	.	12	8	42	11	2
3	1.00	.	.7	.	3	.	28	.	25	.	21	.3	3
4	.9	.	.36	.	.	11	24	10	4	.	2	30	4
5	.3	.22	.5	.	.	.	5	.	58	.	.	9	5
6	.	.	.4	.	66	.	.	.	.	.	6	9	6
7	.4	.	.20	.	.	.	.	.	.	.	.	.	7
8	.17	.	.4	14	.	.	.	.	.	.	3	.	8
9	.	.	.2	.3	.	.	.	.	.	.	2	.	9
10	.	.	.27	.5	.	.	.	.	.	3	9	11	10
11	.11	.	.31	.2	.	.	63	[illegible]	.	.	4	.1	11
12	.	.	.53	.	.	30	8	[illegible]	2	6	2	.	12
13	.19	.	.	12	.	3	.	.	.	4	.	.	13
14	39	.	.	24	.	.	.	.	22	.	.	.	14
15	.29	.6	.17	25	.	.	.	.	.	9	37	55	15
16	.11	1.01	.	4	.	.	.	.	.	.	24	3	16
17	.3	.86	.	.	.	.	.	.	.	.	26	2	17
18	.	.	.5	.	.	.	.	21	3	.	.	10	18
19	.2	.20	1.07	.	.	.6	83	16	12	.	6	10	19
20	.73	.3	.32	.	.	23	45	35	2	.	10	.	20
21	.36	.46	.27	.	.	.	43	~~[illegible]~~	.	.	2	37	21
22	.	.24	1	.	.	.	.	.	25	.	.	64	22
23	.	.	.	.	.	.	6	8	4	56	.	.5	23
24	.	.	.	23	.	.	3		.	24	.	.3	24
25	.	.	.	19	41	.	.	33	.	.	.	.6	25
26	.19	.	.18	12	.	.	.	8	11	.	.	47	26
27	.60	.2	.3	63	.	3	.	.	.	2	4	9	27
28	.11	.		3	.	.	.	1.00	.	.	.	39	28
29	.	.		10	.	1	1	22	.	.	26	17	29
30	.	X	.5	25		29	.	2	.	12	11	36	30
31	11	X	6	X		X	6	.	X	4	X	3	31
TOTAL	5.05	3.18	4.12	2.44	1.31	1.06	3.28	2.55	1.80	1.33	2.55	4.75	YEAR'S TOTAL 33.42 ~~33.40~~
Days with ·01 in. or more	20	10	21	15	5	8	14	10	12	11	19	24	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

W.D.L. and [illegible] 1051

4 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rockingham Castle
in the County of Northampton
by A. E. Higgott.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station ~~Ry~~ Rockingham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. - in.
" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·12	·26	-	·20	·02	-	·22	·03	·22	1
2	-	-	·02	·16	-	-	-	·22	·06	·07	-	·11	2
3	-	-	-	·63	-	02	·44	·06	·09	·06	-	·04	3
4	-	-	·03	·12	·02	-	·07	·39	-	·28	-	·11	4
5	-	-	·10	-	·29	-	1·04	·10	·06	-	-	·03	5
6	-	-	·10	-	·05	-	·27	·02	-	-	-	·02	6
7	·17	-	·09	·20	-	-	·11	-	-	-	-	-	7
8	-	·09	-	·60	·07	-	·09	-	-	-	-	-	8
9	·54	-	·02	1·12	-	-	-	·23	-	-	-	-	9
10	·15	·05	·04	·38	-	-	·03	-	-	-	·04	-	10
11	·20	·04	·06	·31	·17	05	·02	·11	-	-	·02	·19	11
12	·04	-	-	·22	-	·12	-	·03	-	-	-	·17	12
13	·03	·06	·07	·13	-	·05	-	-	·12	-	·04	-	13
14	-	·02	·57	·20	-	·12	-	·20	·13	·15	·32	-	14
15	-	·06	1·03	·05	-	-	·02	-	·15	·12	·05	·03	15
16	-	-	-	·01	-	-	-	-	·12	·09	-	-	16
17	-	-	-	-	·25	-	-	-	·26	·04	-	·06	17
18	·16	-	-	-	-	-	·02	-	·25	-	-	-	18
19	·06	·16	-	·18	-	-	-	-	·06	-	-	-	19
20	·06	·34	-	·36	-	·53	-	-	-	-	·02	·05	20
21	·04	-	-	·02	-	-	·06	·11	-	-	-	·02	21
22	-	-	-	·24	-	-	-	-	·30	03	-	-	22
23	-	·03	-	-	-	-	·16	-	-	-	-	·35	23
24	-	-	·17	-	-	-	-	-	-	·01	-	·04	24
25	-	07	·03	·07	·08	·01	·50	-	-	-	·06	-	25
26	·20	-	·10	·03	-	-	·02	-	-	·01	-	02	26
27	·14	-	-	·07	-	·52	·04	-	-	-	·68	·36	27
28	·54	-	·17	-	·10	-	·02	-	-	·01	·15	·15	28
29	·11	03	-	-	·30	-	·02	-	-	·01	·09	·48	29
30	·03		-	·04	-		·03	-	13	-	·10	·19	30
31	·05		·08		·03			-		·38		·07	31
TOTAL	2·52	·95	2·68	5·26	1·62	1·42	3·21	1·49	1·73	1·48	1·60	2·71	YEAR'S TOTAL ~~26·77~~ 26·67
Days with ·01 in. or more	16	11	16	22	11	8	19	11	12	14	12	20	172
Days with ·04 in. or more	~~13~~ 14	8	12	19	9	6	11	8	12	9	9	15	132

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1235

FORM A.
BRITISH RAINFALL

17 APR 1916

REGIS

ROTHWELL
WATER WORKS
NORTHANTS
1915-1920.

Kept at Rothwell W

in the County of Northam

by Geo. Kilborn

g. 0·47

9 a.m.

Desborough & Rothwell

ain Gauge ..... in.

bove Ground 1 ft. – in.

Sea Level 323. ft.

IMPORTANT NOTE.—Rain shoul[illegible] daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	-	·08	·	·15	-	-	-	·07	·	·02	·13	1
2	·06	-	·	·20	·	·05	-	·53	·	·09	·04	·07	2
3	·32	~~7~~ ·16	·12	·10	·	-	·20	·62	·16	-	-	·13	3
4	·05	~~·09~~ -	·07	·	·	-	·15	-	-	-	·	·55	4
5	·06	·36	·	·	·13	·10	-	·03	·	·	·03	·17	5
6	·08	·03	·	·26	-	-	·81	-	-	·02	·	·18	6
7	·06	·29	-	·01	-	-	·15	·13	-	-	-	-	7
8	·02	-	-	·05	-	·	-	·01	-	·01	·05	·24	8
9	-	·20	·	·	-	-	-	-	-	-	·20	·50	9
10	-	·	·03	·	·	-	-	·20	-	·	·06	·02	10
11	·02	·	·	·	-	-	·07	·	-	·	·54	·10	11
12	·03	·	·	·20	·34	-	-	·38	-	·03	1·18	·05	12
13	·02	·60	·	·	·95	-	·01	-	-	-	·02	-	13
14	-	·04	·	·	-	-	·12	-	·08	-	-	40	14
15	·31	-	·	·	·01	-	·03	·02	-	-	·16.	-	15
16	-	·30	·	·	-	-	1·00	·01	-	-	-	·03	16
17	-	·22	·	·	·05	·	·22.	-	-	-	-	-	17
18	-	·04	·16	·	-	-	-	-	-	-	·05	-	18
19	-	-	·	·	-	-	·09	-	-	-	-	-	19
20	·46	-	·	·01	-	-	-	-	-	-	-	·27	20
21	·05	·06	·	·	·07	-	·11	-	-	-	-	·08	21
22	·09	-	·19	·01	-	-	·22	-	-	-	-	·12	22
23	·02	·03	·05	·	-	-	·09	-	·05	·24	-	·35	23
24	-	-	·03	·01	-	-	·30	-	·78	·05	-	·08	24
25	-	-	·	·	-	·50	·11	-	-	·05		·25	25
26	-	·19	·01	·	-	-	·10	-	·01	-	-	·33	26
27	-	·02	·01	·	-	·09	·21	-	-	·55		·04	27
28	-	(·05)	·01	·	-	·03	-	·07	·08	·24	·21	-	28
29	-	X	·	·	-	-	·09	·07	-	·02	-	·20	29
30	·11	X	·	·	-	·07	-	·03	-	-	-	·09	30
31	-	X	·	X	-	X		(·07)	X	(·34)	X	·07	31
Total	1·98	2·59	·76	·85	1·70	·84	4·05	2·17	1·23	1·64	2·56	4·45	YEAR'S TOTAL 24·85
Rain Days.	17	15	11	9	7	6	19	13	7	10	12	24	~~148~~ 151

W. 8,000. X. 15.

1225

REGISTER OF RAINFALL IN 19

FORM A.
BRITISH RAINFALL.
APR 1916

Kept at Shotwell Mill Rothwell
in the County of Northampton
by Geo. Kilborn

Lat. 52-26 Long. 0·47
Time of Observation 9. a.m.
Nearest Railway Station Desborough & Rothwell
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 323. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	-	·08	·	·15	-	-	-	·07	·	·02	·13	1
2	·06	-	·	·20	·	·05	-	·53	·	·09	·04	·07	2
3	·32	~~7~~ ·16	·12	·10	·	·	·20	·62	·16	-	·	·13	3
4	·05	~~29~~ -	·07	·	·	-	·15	-	-	-	·	·55	4
5	·06	·36	·	·	·13	·10	-	·03	·	·	·03	·17	5
6	·08	·03	·	·26	-	-	·81	-	-	·02	·	·18	6
7	·06	·29	-	·01	-	-	·15	·13	-	-	-	-	7
8	·02	-	-	·05	-	·	-	·01	-	·01	·05	·24	8
9	-	·20	·	·	-	-	-	-	-	-	·20	·50	9
10	-	·	·03	·	·	·	·	·20	-	·	·06	·02	10
11	·02	·	·	·	-	-	·07	·	-	·	·54	·10	11
12	·03	·	·	·20	·34	-	-	·38	-	·03	1·18	·05	12
13	·02	·60	·	·	·95	-	·01	-	-	-	·02	-	13
14	-	·04	·	·	-	-	·12	-	·08	-	-	40	14
15	·31	-	·	·	·01	-	·03	·02	-	-	·16	-	15
16	-	·30	·	·	-	-	1·00	·01	-	-	-	·03	16
17	-	·22	·	·	·05	·	·22	-	-	-	-	-	17
18	-	·04	·16	·	-	-	-	-	-	-	·05	-	18
19	-	-	·	·	-	-	·09	-	-	-	-	-	19
20	·46	-	·	·01	-	-	-	-	-	-	-	·27	20
21	·05	·06	·	·	·07	-	·11	-	-	-	-	·08	21
22	·09	-	·19	·01	-	-	·22	-	-	-	-	·12	22
23	·02	·03	·05	·	-	-	·09	-	·05	·24	-	·35	23
24	-	-	·03	·01	-	-	·30	-	·78	·05	-	·08	24
25	-	-	·	·	-	·50	·11	-	-	·05		·25	25
26	-	·19	·01	·	-	-	·10	-	·01	-	-	·33	26
27	-	·02	·01	·	-	·09	·21	-	-	·55		·04	27
28	-	(·05)	·01	·	-	·03	-	·07	·08	·24	·21	-	28
29	-	X	·	·	-	-	·09	·07	-	·02	-	·20	29
30	·11	X	·	·	-	·07	-	·03	-	-	-	·09	30
31	-	X	·	X	-	X		(·07)	X	(·34)	X	·07	31
Total	1·98	2·59	·76	·85	1·70	·84	4·08	2·17	1·23	1·64	2·56	4·45	YEAR'S TOTAL 24·85
Rain Days.	17	15	11	9	7	6	19	13	7	10	12	24	~~148~~ 151

W. 8,000. X. 15.

39 ✓ [illegible] V. C 3 E 1202

FORM A.
BRITISH RAINFALL
21. JAN.

REGISTER OF RAINFALL IN 1916

Kept at Sholwell Mill

in the County of Northampton

by George Kilborn

Lat. 52° 25'   Long. 0°·46. W.
Time of Observation 9.0 a.m.
Nearest Railway Station Desborough & Rothwell
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·	·19	-	-	·04	·26	·	·	-	·40	-	1
2	·44	-	-	·	·22	·	·01	-	·04	·40	·04	-	2
3	·01	·53	·07	-	-	-	·06	·	·28	·37	·06	-	3
4	·36	·13	-	-	·15	·26	·10	·	·	·01	·13	-	4
5	·02	·01	[illegible]	-	-	·12	-	·	-	·16	·31	·	5
6	·03	·11	·11	·03	-	-	·45	-	-	·08	·32	·09	6
7	·08	·	·22	·	-	·01	·46	-	-	·05	·19	-	7
8	-	-	·04	·	·	·04	·	·	-	-	·04	·20	8
9	-	-	·03	-	-	-	-	-	-	·03	-	·05	9
10	-	·11	·12	·07 ~~·20~~	-	·04	·04	-	·03	-	-	·07	10
11	·01	·21	·09	·10	-	·12	·01	-	-	·02	-	·10	11
12	·04	·	·08	·	·09	·07	·	-	·	·03	-	-	12
13	·02	·20	·20	·05	·02	·	·01	·06	-	·	-	-	13
14	-	·49	-	-	-	-	-	·11	-	-	-	-	14
15	-	·42	·50	-	·02	-	·05	·05	-	·02	-	-	15
16	-	·04	·27	·17	·05	-	·07	·	·	·03	·	-	16
17	·04	·02	-	·03	-	·	·17	·49	·17	·23	·01	-	17
18	-	·24	·02	·21	-	-	-	·93	·10	-	·92	-	18
19	·11	·04	·27	·09	-	-	-	-	-	·01	·58	·13	19
20	·08	-	·16	·04	-	-	-	·07	-	-	·16	·43	20
21	-	-	·28	·13	-	-	-	-	·22	-	-	·70	21
22	-	·04	-	·01	·05	·03	-	-	-	-	-	·43	22
23	-	·40	-	-	-	·10	-	·03	-	·04	·06	·26	23
24	-	·32	·06	-	-	·17	·	·02	·	·07	-	·16	24
25	·	·21	·11	-	-	-	-	·25	·01	·04	-	-	25
26	-	·03	-	-	-	-	-	·24	·	·06	-	-	26
27	·02	·11	1·12	-	-	-	·01	·28	·13	·28	-	-	27
28	·	·31	·30	-	-	-	-	-	-	·04	-	·19	28
29	-	·11	-	-	·01	·27	-	1·28	·	·37	·04	·03	29
30	-		-	-	-	·05	-	·03	·	·10	-	-	30
31	-		-		-		-	·02		·12		-	31
Total	1·29	4·08	4·24	·93	·61	1·32	1·70	3·86	·98	2·56	3·26	2·84	YEAR'S TOTAL 27·67
Rain Days.	14	21	20	11	8	13	13	14	8	22	14	13	171

W. 8,000, VIII. 16

1158

FORM A.
BRITISH RAINFALL.

5. JAN. 1918

REGISTER OF RAINFALL IN 1917

Kept at Shotwell Mill. Rothwell. ~~Northants~~
in the County of Northampton.
by Geo. Kilborn

Lat. Long. —
Time of Observation 9 a.m.
Nearest Railway Station Desborough & Rothwell
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 6. in.
" " " " Sea Level about 330. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·09	-	-	-	1·01	-	-	·03	·04	1
2	·02	-	-	·03	-	·26	-	·56	-	·04	·01	—	2
3	-	-	-	-	-	-	-	·21	-	·24	·10	-	3
4	-	-	·12	-	-	-	-	·05	-	·54	·13	-	4
5	·12	·	·03	·06	-	-	-	-	·08	·03	—	-	5
6	·01	-	-	—	-	·21	-	-	·01	·11	·01	-	6
7	·46	-	-	~~·18~~	-	-	— ~~·28~~	— ~~·35~~	-	·30	·13.	-	7
8	·40	—	—	·18	-	-	·28	·35	-	·33	-	·02	8
9	-	-	·18	·07	·09	-	-	·30	-	-	·15	·01	9
10	-	-	·23	·25	·02	-	-	·11	·05	—	-	—	10
11	-	-	·09	·17	-	-	—	·12 ~~·04~~	·02	·01	— ~~·01~~	-	11
12	-	-	-	·02	·10	-	-	·04	·02	·02	·01	·02	12
13	-	-	·18	·01	-	-	-	·28	-	·31	-	-	13
14	·07	-	-	-	·16	-	-	-	-	·35	·01	·03	14
15	·02	·02	-	-	-	-	·28	·08	-	·02	-	·05	15
16	·02	·13	·	·20	-	-	-	·	-	·09	—	·10	16
17	-	·05	-	·15	·48	1·90	·11	·04	·06	·05	-	·01	17
18	-	·01	·02	·05	-	-	—	·07	·85	·07	—	—	18
19	—	·11	-	—	·16	-	—	—	—	—	—	—	19
20	—	·19	·15	·01	·87	-	—	—	—	—	—	-	20
21	-	·01	·02	-	·02	-	—	—	—	—	-	-	21
22	-	-	·05	—	·01	-	-	·02	-	·10	·18 1·8	·02	22
23	-	·07	·01	-	·10	-	—	·19	·02	—	—	-	23
24	-	·03	—	—	—	·33	-	—	·01 ~~·32~~	·20	·05	·01	24
25	-	-	-	-	-	-	-	·50	—	-	·11	-	25
26	—	-	·03	-	—	—	—	-	·18	-	·09	·02	26
27	—	-	—	—	—	·62	—	·58	-	—	—	—	27
28	-	-	·04	-	-	·56	·09	·05	-	·01	—	·08	28
29	-		-	-	·01	·06	—	·03	-	·29	—	·31	29
30	·03		—	-	—	-	·28	·19	-	—	—	—	30
31	—		·18		—		·03	·11		—		-	31
Total	1·15	·62	1·33	1·29	2·02	3·94	1·07	4·89	1·31	3·11	1·01	·72	YEAR'S TOTAL 22·46
Rain Days.	9	9	14	13	11	7	6	21	10	19	13	13	145

W. 8,000, IX. 17.

2·09

49

FORM A.
BRITISH RAINFALL
191

REGISTER OF RAINFALL IN 1918

Kept at Shotwell Mill Rothwell

in the County of Northants

by Geo. Kilborn

Lat. 52·25 Long. 0·45·W.

Time of Observation 9.0 am

Nearest Railway Station Desborough & Rothwell

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 340· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·22	·	·	·	·	·	·	·20	–	1
2	·	·23	(·05)	·07	·	·	·	·	·	·	·07	·15	2
3	·	·04	·04	·	·39	·	·	·	·30	·	·45	·03	3
4	·	·01	·01	·	·25	·	·	·	·45	·02	·50	·03	4
5	·	·11	·	·	·	·	·12	·10	·30	·	·	·01	5
6	–	·11	·	·17	·	·03	–	·01	·01	·05	·11	–	6
7	·	·7	·	·06	·	·05	–	–	·04	·11	–	–	7
8	·02	·02	·03	·07	–	·	·02	–	·05	·04	·	·11	8
9	·	·25	–	·	·	·08	·12	–	·31	·18	·	·08	9
10	·05	·	·	·	·12	·	·50	·	·09	·12	·	·02	10
11	·01	·10	–	·	·16	·	·13	·	·05	·19	·	·05	11
12	·02	·	·03	·	·11	·	·03	·	·29	·	·	·02	12
13	·	·	·	·	·	·	·08	·	·06	·02	·	·03	13
14	·31	·	·	·	·	·02	·36	·	·10	·08	·	·05	14
15	·70	·	·	·63	·	·02	·01	·	·25	·	·	·20	15
16	·05	·	·	·40	·	·01	·	·	·22	·	·	–	16
17	·10	·	·	·03	·	·	·59	·01	·	·	–	·11	17
18	·28	·	·	·01	·	·10	·05	·	·27	·	·	·29	18
19	·01	·01	·05	·12	·	·	·11	·	·	·09	·	·13	19
20	·02	·07	·	·62	·	·05	·02	·	·07	·18	·03	·01	20
21	·02	·	·	·06	·	·02	·02	·	·20	·13	·	·04	21
22	·16	·	·	·22	·14	·01	·04	·	·02	·03	–	·39	22
23	–	–	–	·	·34	–	·22	·	·02	–	–	·02	23
24	·06	·15	·	·	·04	·	·12	·	·	·	·17	·	24
25	·	·	·	·	·	·	·04	·32	·02	·05	–	·	25
26	·	·	·	·	·	·	·04	·	·05	–	·07	·17	26
27	·	·	·03	·	·	·	·10	·19	·04	·	·10	·03	27
28	·	·	·	·	·	·	·	·19	·	·	·26	·11	28
29	·01	·11	·	·	·	·	·	·	·95	·	(·09)	·	29
30	–	✕	·38	·	·	·	·	·	·10	·	·19	·08	30
31	·	✕	·21	✕	·	✕	·	·	✕	·02	✕	–	31
Total	1·82	1·28	·83	2·68	1·55	+·39	2·72	·82	4·25	1·31	2·17	2·16	YEAR'S TOTAL 21·95
Rain Days.	15	13	9	13	8	10	20	6	24	15	12	23	

W. 8,000, IX. 17.

168

and forwarded. 1090

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Rothwell
in the County of Northampton
by George Kilborn

Lat. 52·25 Long. 0·45 W.
Time of Observation 9 am.
Nearest Railway Station Desborough.
Diameter of Funnel of Rain Gauge — in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·07	·01	·	·	·	·08	·	·15	·07	·04	·50	1
2	·14	·	·02	·	·	·	·	·	·15	·	·48	·11	2
3	·74	·	·07	·	·04	·04	·24	-	·	·	·16	·04	3
4	·08	·	·40	·	·	·06	·01	·22	·07		·	·28	4
5	·01	·23	·16	·	·	·	·23	·	·53	·	·04	·12	5
6	·	·	·01	·05	·79	·	·	·	·06	·	·	·	6
7	·03	·	·	·	·	·	·05	·06	·	·	·02	·	7
8	·14	·	·	·	·01	·	·	·	·	·	·	·	8
9	·02	·	·02	·19	·	·	·	·	·	·	·01	·09	9
10	·08	·	·26	·	·	·	·01	·	·	·03	·01	·	10
11	·	·	·30	·04	·	·	·63	·	·	·	·03		11
12	·01	·	·40	·08	·	·	·	·	·	·09	·05		12
13	·18	·	·24	·27	·	·	·02	·	·02	·04	·	·01	13
14	·33	·	·	·08	·	·	·05	·	·09	·	·		14
15	·38	·02	·14	·	·	·	·	·	·	·04	·24	·48	15
16	·09	·68	·	·	·	·	·	·06	·	·	·10	·01	16
17	·04	·50	·02	·	·	·02	·	·	·	·	·18	·01	17
18	·	·62	·11	·	·	·	·	·14	·02	·	·	·13	18
19	·02	·19	1·10	·	·	·25	·46	·20	·12	·	·05	·	19
20	·67	·04	·37	·	·	·04	·43	·	·	·	·06	·03	20
21	·26	·46	·10	·	·	·	·29	·25	·02	·	·03	·08	21
22	·	·32	·20	·	·	·	·01	·	·33	·	·	·39	22
23	·	·	·	·	·03	[illegible]	·03	·10	·	·46	·	·03	23
24	·	·	·	·16	·06	·	·06	·04	·	·15	·	·	24
25	·09	·	·	·13	·	·	·	·26	·	·	·	·01	25
26	·12	·	·18	·01	·	·01	·06	·14	·04	·	·	·50	26
27	·54	·04	·	·49	·	·	·	·32	·	·	·25	·07	27
28	·08	·	·	·01	·	·	·03	·50	·	·	·07	·26	28
29	·04	·	·	·02	·	·01	·	·06	·	·18	·	·22	29
30	·01		·07	·22	·	·23	·	·01	-	·05	·09	·30	30
31	·02		·09		·		·	·		·08		·03	31
TOTAL	~~4·70~~ 4·50	3·17	~~4·29~~ 4·27	1·75	·93	·66	2·69	2·36	1·60	1·19	1·91	3·70	YEAR'S TOTAL ~~28·93~~ 28·73
Days with ·01 in. or more	25	11	21	13	5	9	17	14	12	10	18	22	176

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

5.31

1035

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at ~~by George Kilborn~~ Shotwell Mill, Rothwell, ~~Northants~~
in the County of Northampton
by George Kilborn

Lat. 52·25 Long. 0·45 W.
Time of Observation 9 am
Nearest Railway Station Desborough
Diameter of Funnel of Rain Gauge - in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·		·	·10	·29	·	·22	·	·	·11	·	·20	1
2	·	·	·	·	·	·	·	·12	·02	·06	·	·10	2
3	·	·	·	·14	·	·	·17	·	·10	·08	·	·09	3
4	·	·	·04	·35	·	·02	·19	·38	·06	·33	·	·	4
5	·	·	·12	·	·	·38	·50	·10	·01	·	·	·04	5
6	·	·	·11	·	·21	·04	·27	·	·03	·	·	·	6
7	·	·01	·08	·11	·04	·	·10	·	·	·	·	·	7
8	·22	·	·	·54	·03	·	·11	·	·	·	·	·	8
9	·43	·05	·04	96	·	·	·04	·25	·	·01	·	·	9
10	·23	·03	·	·27	·	·01	·09	·	·	·	·03	·	10
11	·22	·01	·06	·11	·20	·13	·04	·09	·	·	·	·11	11
12	·03	·05	·01	·16	·	·18	·	·02	·	·	·03	·26	12
13	·	·04	·	·12	·	·01	·	·	·07	·	·	·	13
14	·	·05	·78	·09	·	·34	·	·	·13	·10	·27	·	14
15	·	·	·22	·06	·	·	·	·	·13	·01	·08	·	15
16	·03	·	·	·	·14	·	·	·	·10	·10	·	·	16
17	·	·	·	·05	·12	·	·	·	·29	·14	·	·06	17
18	·13	·	·	·	·	·	·04	·18	·34	·	·	·	18
19	·04	·	·	·16	·	·	·	·07	·	·	·02	·	19
20	·05	·34	·	·34	·	·	·	·	·	·	·	·01	20
21	·02	·	·	·	·	·	·07	·13	·	·	·	·	21
22	·	·	·	·18	·	·	·02	·	·26	·	·	·01	22
23	·	·01	·	·	·	·	·19	·	·01	·	·	·01	23
24	·	·	·15	·	·	·	·	·	·		·	·32	24
25	·01	·05	·04	·04	·	·	·72	·	·		·	·06	25
26	·14	·	·14	·	·	·	·	·	·		·02	·04	26
27	·11	·01	·	·10	·	·61	·02	·	·		·56	·29	27
28	·49	·	·	·	·	·	·03	·	·		·02	·02	28
29	·11	·	·08	·	·02	·	·03	·	·		·11	·47	29
30	·01	✕	·	·	·10	·07	·02	·	·16		·08	·26	30
31	·09	✕	·04	✕	·06	✕	·04	·	✕	·32	✕	·01	31
Total	2·36	·65	1·91	3·88	1·21	1·79	2·91	1·34	1·71	1·26	1·22	2·36	Year's Total 22·60
Days with ·01 in. or more	17	11	14	18	10	10	20	9	14	10	10	18	161
Days with ·04 in. or more	12	6	13	18	8	7	15	8	10	8	5	13	123

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

NORTHANTS

RUSHDEN - SCHOOL GDNS

1911 - 1919

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

RE 1911.

wnsm + Mercer

Kept at School G

top 5" in.

above Ground 1 ft. 3 in.

in the County of No

,, Sea Level ft.

9.A.M

by Samuel

tion { Name Rushden
Distance 500yds Direction S.E.

IMPORTANT NOTE.—Rain should be measured , and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·00	·00	·04	·00	·00	·01	·03	·00	·00	·01	·01	1
2	·06	·00	·00	·03	·20	·00	·00	·01	·00	·00	·07	·03	2
3	·00	·00	·00	·00	·14	·00	·00	·47	·00	·01	·00	·02	3
4	·04	·02	·06	·02	·00	·00	·00	·00	·03	·43	·27	·30	4
5	·01	·00	·00	·00	·00	·00	·00	·07	·00	·08	·02	·06	5
6	·22	·00	·01	·00	·00	·00	·00	·00	·00	·00	·06	·25	6
7	·03	·00	·00	·00	·00	·00	·00	·00	·00	·02	·20	·16	7
8	·09	·00	·11	·00	·00	·00	·00	·00	·00	·00	·04	·16	8
9	·09	·00	·00	·02	·00	·00	·00	·00	·00	·00	·02	·01	9
10	·00	·07	·15	·00	·00	·00	·00	·00	·00	·00	·03	·24	10
11	·18	·00	·00	·00	·00	·00	·00	·01	·00	·00	·41	·00	11
12	·05	·00	·39	·00	·00	·00	·00	·00	·02	·00	·14	·00	12
13	·00	·00	·04	·00	·01	·00	·00	·00	·25	·01	·01	·36	13
14	·00	·02	·01	·00	·29	·00	·00	·00	·00	·01	·00	·29	14
15	·00	·03	·12	·00	·00	·00	·00	·00	·00	·02	·07	·02	15
16	·00	·00	·03	·00	·00	·00	·00	·00	·00	·01	·32	·05	16
17	·00	·00	·06	·00	·00	·01	·00	·00	·00	·00	·08	·18	17
18	·00	·21	·00	·00	·00	·02	·00	·00	·00	·01	·02	·08	18
19	·00	·01	·00	·00	·00	·13	·00	·00	·09	·04	·34	·01	19
20	·00	·04	·01	·00	·00	·00	·00	·40	·19	·13	·00	·41	20
21	·00	·07	~~·01~~	·00	·00	·00	·00	·32	·00	·10	·00	·15	21
22	·00	·00	·15	·00	·00	·04	·00	·01	·00	·15	·01	·40	22
23	·00	·04	·31	·00	·00	·67	·01	·00	·21	·00	·00	·13	23
24	·00	·07	·00	·00	·00	·27	·00	·02	·00	·34	·00	·07	24
25	·00	·03	·03	·03	·46	·09	·00	·00	·00	·00	·00	·01	25
26	·00	·00	·00	·28	·48	·02	·00	·00	·00	·26	·17	·20	26
27	·00	·17	·14	·02	·00	·00	·55	·01	·17	·04	·01	·05	27
28	·00	·13	·00	·12	·00	·00	·00	·22	·00	·00	·02	·01	28
29	·00		·01	·02	·00	·12	·03	·00	·13	·22	·00	·00	29
30	·00		·00	·00	·00	·07	·00	·00	·00	·10	·01	·00	30
31	·00		·01		·07		·00	·00		·06		·00	31
Total	·78	·91	1·64 ✓	·58	1·65	1·44	·60	1·57	1·09	2·04	2·33	3·66	TOTAL for year 18·29 ✓
No. of Rain Days.	10	13	17 ✓	9	7	10	4	11	8	19	22	26	156 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

Kept at School Gardens, Rushden

in the County of Northants 4

by Samuel Saddler

RAIN GAUGE
Pattern Towson & Mercer
Diameter of top 5" in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level ft.

Time of Observation 9. A.M

Nearest Railway Station
Name Rushden
Distance 500yds Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·00	·00	·04	·00	·00	·01	·03	·00	·00	·01	·01	1
2	·06	·00	·00	·03	·20	·00	·00	·01	·00	·00	·07	·03	2
3	·00	·00	·00	·00	·14	·00	·00	·47	·00	·01	·00	·02	3
4	·04	·02	·06	·02	·00	·00	·00	·00	·03	·43	·27	·30	4
5	·01	·00	·00	·00	·00	·00	·00	·07	·00	·08	·02	·06	5
6	·22	·00	·01	·00	·00	·00	·00	·00	·00	·00	·06	·25	6
7	·03	·00	·00	·00	·00	·00	·00	·00	·00	·02	·20	·16	7
8	·09	·00	·11	·00	·00	·00	·00	·00	·00	·00	·04	·16	8
9	·09	·00	·00	·02	·00	·00	·00	·00	·00	·00	·02	·01	9
10	·00	·07	·15	·00	·00	·00	·00	·00	·00	·00	·03	·24	10
11	·18	·00	·00	·00	·00	·00	·00	·01	·00	·00	·41	·00	11
12	·05	·00	·39	·00	·00	·00	·00	·00	·02	·00	·14	·00	12
13	·00	·00	·04	·00	·01	·00	·00	·00	·25	·01	·01	·36	13
14	·00	·02	·01	·00	·29	·00	·00	·00	·00	·01	·00	·29	14
15	·00	·03	·12	·00	·00	·00	·00	·00	·00	·02	·07	·02	15
16	·00	·00	·03	·00	·00	·00	·00	·00	·00	·01	·32	·05	16
17	·00	·00	·06	·00	·00	·01	·00	·00	·00	·00	·08	·18	17
18	·00	·21	·00	·00	·00	·02	·00	·00	·00	·01	·02	·08	18
19	·00	·01	·00	·00	·00	·13	·00	·00	·09	·04	·34	·01	19
20	·00	·04	·01	·00	·00	·00	·00	·40	·19	·13	·00	·41	20
21	·00	·07	~~·01~~	·00	·00	·00	·00	·32	·00	·10	·00	·15	21
22	·00	·00	·15	·00	·00	·04	·00	·01	·00	·15	·01	·40	22
23	·00	·04	·31	·00	·00	·67	·01	·00	·21	·00	·00	·13	23
24	·00	·07	·00	·00	·00	·27	·00	·02	·00	·34	·00	·07	24
25	·00	·03	·03	·03	·46	·09	·00	·00	·00	·00	·00	·01	25
26	·00	·00	·00	·28	·48	·02	·00	·00	·00	·26	·17	·20	26
27	·00	·17	·14	·02	·00	·00	·55	·01	·17	·04	·01	·05	27
28	·00	·13	·00	·12	·00	·00	·00	·22	·00	·00	·02	·01	28
29	·00		·01	·02	·00	·12	·03	·00	·13	·22	·00	·00	29
30	·00		·00	·00	·00	·07	·00	·00	·00	·10	·01	·00	30
31	·00		·01		·07		·00	·00		·06		·00	31
Total	·78	·91	1·64	·58	1·65	1·44	·60	1·57	1·09	2·04	2·33	3·66	TOTAL for year 18·29
No. of Rain Days.	10	13	17	9	7	10	4	11	8	19	22	26	156

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
13 JAN 1913

REGISTER OF RAINFALL IN 1912

Ex DS

Kept at School Gardens Station Rd. Rushden.
in the County of Northants.
by Samuel Saddler

4

Lat. 52° 17′ Long. 0° 36′
Time of Observation 9 A.M.
Nearest Railway Station Rushden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·00	·00	·03	·06	·00	·07	·05	·00	·10	1
2	·00	·02	·05	·00	·00	·14	·52	·00	·01	·00	·00	·01	2
3	·07	·07	·07	·00	·04	·17	·02	·44	·01	·00	·00	·10	3
4	·05	·00	·64	·00	·06	·43	·00	·01	·00	·00	·25	·00	4
5	·10	·07	·19	·00	·00	·13	·00	·12	·01	·00	·09	·00	5
6	·29	·08	·00	·00	·00	·01	·14	·28	·00	·00	·00	·02	6
7	·00	·00	·00	·00	·02	·65	·02	·03	·00	·00	·00	·03	7
8	·27	·19	·15	·02	·00	·07	·01	·28	·12	·01	·00	·01	8
9	·00	·10	·02	·05	·00	·21	·00	·01	·00	·00	·00	·12	9
10	·00	·00	·00	·00	·00	·16	·00	·06	·00	·00	·22	·00	10
11	·15	·07	·00	·00	·00	·03	·00	·05	·00	·00	·00	·19	11
12	·08	·33	·05	·00	·02	·12	·00	·00	·00	·00	·05	·00	12
13	·00	·01	·00	·00	·00	·02	·00	·06	·00	·01	·08	·01	13
14	·03	·00	·03	·00	·08	·05	·00	·21	·00	·01	·00	·00	14
15	·00	·01	·05	·00	·33	·12	·00	·01	·00	·00	·00	·13	15
16	·23	·00	·03	·00	·01	·02	·00	·10	·00	·04	·00	·00	16
17	·34	·00	·13	·00	·00	·10	·00	·08	·00	·00	·01	·12	17
18	·16	·00	·06	·00	·00	·00	·01	·06	·00	·01	·04	·04	18
19	·23	·05	·01	·00	·00	·00	·10	·14	·00	·01	·01	·00	19
20	·03	·00	·09	·00	·04	·00	·25	·24	·00	·15	·00	·00	20
21	·00	·00	·15	·00	·54	·00	·00	·84	·00	·19	·05	·00	21
22	·21	·05	·00	·00	·08	·00	·32	·39	·00	·05	·00	·03	22
23	·34	·42	·30	·00	·00	·00	·46	·40	·00	·00	·08	·20	23
24	·14	·01	·00	·00	·00	·07	·00	·31	·00	·00	·00	·12	24
25	·00	·00	·00	·00	·00	·14	·00	·64	·00	·00	·22	·38	25
26	·00	·02	·00	·00	·00	·00	·40	1·31	·00	·46	·37	·08	26
27	·00	·00	·00	·00	·00	·03	·09	·13	·00	·42	·00	·20	27
28	·00	·01	·00	·00	·00	·00	·13	·47	·05	·23	·14	·98	28
29	·00	·01	·00	·00	·00	·38	·29	·03	·65	·28	·00	·00	29
30	·02		·00	·00	·08	·04	·00	·00	·26	·12	·00	·00	30
31	·00		·07		·17		·41	·22		·01		·00	31
Total	2·74	1·46	2·09	·07	1·47	3·12	3·23	6·92	1·18	2·05	1·61	2·87	YEAR'S TOTAL 28·81
Rain Days.	17	17	17	2	12	22	16	27	8	16	13	19	186

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
20 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at School Gardens Rushden
in the County of Northants 4
by Samuel Saddler

Lat. 52° 17' Long. 0° 36'
Time of Observation 9 A.M.
Nearest Railway Station Rushden M. Rly.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·08	·07	·11	·00	·00	·00	·00	1·20	·00	·02	·03	1
2	·00	·17	·00	·00	·00	·00	·09	·00	·15	·35	·07	·00	2
3	·01	·00	·12	·00	·66	·00	·01	·00	·02	·34	·00	·00	3
4	·26	·00	·00	·00	·01	·00	·17	·00	·00	·42	·04	·35	4
5	·00	·00	·00	·00	·00	·09	·01	·00	·02	·77	·02	·00	5
6	·00	·00	·05	·00	·14	·14	·13	·00	·00	·10	·00	·01	6
7	·00	·14	·00	·00	·07	·04	·14	·00	·00	·57	·04	·00	7
8	·00	·00	·01	·00	·15	·09	·00	·00	·00	·01	·04	·00	8
9	·00	·22	·01	·01	·00	·15	·00	·00	·05	·00	·06	·02	9
10	·01	·00	·05	·25	·00	·00	·52	·01	·00	·00	·54	·00	10
11	·92	·00	·00	·36	·00	·04	·00	·04	·00	·12	·06	·00	11
12	·00	·00	·00	·00	·20	·00	·00	·00	·00	·01	·18	·00	12
13	·02	·00	·00	·01	·00	·00	·00	·02	·02	·00	·26	·00	13
14	·05	·00	·14	·00	·00	·00	·00	·00	·00	·06	·04	·00	14
15	·14	·03	·24	·18	·00	·00	·20	·00	·06	·00	·00	·00	15
16	·04	·00	·67	·14	·00	·00	·00	·00	·03	·00	·00	·00	16
17	·13	·02	·10	·17	·00	·03	·00	·00	·01	·00	·00	·06	17
18	·00	·00	·18	·06	·00	·00	·03	·00	·00	·00	·00	·01	18
19	·14	·00	·09	·00	·00	·00	·07	·00	·14	·00	·00	·05	19
20	·13	·00	·11	·00	·00	·00	·00	·00	·01	·34	·01	·00	20
21	·03	·00	·39	·03	·04	·00	·05	·00	·00	·00	·16	·00	21
22	·36	·00	·21	·00	·00	·00	·00	·05	·14	·00	·00	·00	22
23	·00	·00	·01	·00	·00	·03	·01	·00	·02	·00	·00	·03	23
24	·01	·00	·00	·05	·00	·01	·00	·00	·00	·00	·00	·00	24
25	·00	·01	·00	·17	·00	·00	·00	·00	·00	·01	·00	·00	25
26	·00	·02	·23	·07	·00	·00	·00	·02	·00	·28	·02	·18	26
27	·00	·00	·03	·01	·34	·00	·00	·00	·00	·00	·00	·00	27
28	·29	·00	·09	·10	·00	·00	·00	·00	·00	·04	·00	·01	28
29	·01		·14	·59	·17	·00	·00	·11	·00	·05	·00	·05	29
30	·12		·00	·00	·00	·00	·00	·04	·00	·05	·07	·02	30
31	·00		·00		·27		·00	·27		·00		·00	31
Total	2·69	·69	2·94	2·31	2·05	·62	1·43	·56	1·87	3·52	1·63	·82	YEAR'S TOTAL 21·13
Rain Days.	18	8	20	16	10	9	12	8	13	16	16	12	158

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
8 FEB 1915

Kept at School Gardens Rushden
in the County of Northants 4
by Samuel Saddler

Lat. 52°17' Long. 0°36'
Time of Observation 9 A.M.
Nearest Railway Station Rushden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.00	.01	.00	.00	.00	.24	.00	.00	.06	.02	1
2	.00	.00	.00	.00	.00	.00	.00	.09	.00	.01	.09	.14	2
3	.00	.00	.00	.00	.12	.00	.21	.00	.00	.00	.01	.00	3
4	.14	.00	.01	.15	.00	.00	.00	.46	.00	.00	.36	.13	4
5	.00	.00	.05	.11	.03	.12	.20	.21	.00	.00	.00	.00	5
6	.00	.02	.00	.14	.05	.00	.01	.02	.00	.00	.03	.03	6
7	.00	.09	.37	.01	.02	.00	.05	.00	.00	.00	.00	.04	7
8	.05	.02	.11	.01	.09	.79	.20	.14	.00	.00	.00	.02	8
9	.31	.00	.27	.13	.00	.70	.00	.01	.02	.00	.00	.01	9
10	.07	.07	.01	.04	.03	.00	.00	.00	.07	.01	.00	.00	10
11	.00	.06	.28	.01	.11	.44	.00	.00	.04	.00	.29	.36	11
12	.00	.02	.05	.00	.00	.01	.02	.00	.37	.00	.01	.28	12
13	.01	.11	.14	.00	.00	.00	.00	.00	.01	.11	.09	.23	13
14	.00	.02	.21	.00	.00	.00	.03	.00	.00	.62	.08	.35	14
15	.02	.02	.21	.00	.00	.00	.33	.02	.07	.00	.02	.12	15
16	.00	.00	.06	.00	.00	.00	.08	.00	.01	.00	.00	.00	16
17	.00	.27	.03	.00	.00	.00	.00	.00	.10	.00	.00	.09	17
18	.00	.00	.03	.00	.00	.13	.14	.00	.00	.00	.00	.35	18
19	.00	.02	.16	.00	.00	.01	.00	.00	.02	.00	.08	.01	19
20	.00	.20	.21	.00	.00	.01	.06	.00	.00	.00	.00	.02	20
21	.00	.11	.05	.00	.00	.11	.00	.01	.00	.08	.02	.24	21
22	.00	.00	.01	.00	.17	.03	.12	.03	.00	.07	.00	.00	22
23	.00	.04	.04	.00	.10	.00	.01	.00	.00	.07	.00	.03	23
24	.00	.00	.00	.00	.02	.00	.05	.02	.00	.17	.09	.00	24
25	.04	.01	.00	.00	.00	.00	.04	.14	.00	.33	.00	.10	25
26	.00	.00	.00	.00	.00	.00	.00	.14	.00	.07	.12	.38	26
27	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.03	.12	27
28	.00	.03	.00	.00	.03	.00	.00	.00	.00	.07	.20	1.01	28
29	.01	✗	.11	.00	.04	.00	.00	.00	.00	.25	.07	.06	29
30	.00	✗	.01	.00	.00	.04	.00	.00	.00	.03	.12	.30	30
31	.01	✗	.00	✗	.05	✗	.01	.00	✗	.00	✗	.03	31
Total	.68	1.11	2.42	.61	.86	2.39	1.56	1.53	.71	1.89	1.77	4.47	YEAR'S TOTAL 20.00
Rain Days.	10	16	21	9	13	11	16	13	9	13	18	25	174

W. 8,000. X. 14.

Exd F.W.

1204

FORM A. BRITISH RAINFALL.

1-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at School Gardens, Rushden

in the County of Northampton

by Saml Saddler

Lat. 52°14′ Long. 0°36′

Time of Observation 9 A.M.

Nearest Railway Station Rushden

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·10	·10	·00	·00	·00	·00	·02	·03	·00	·02	·10	1
2	·05	·18	·15	·11	·00	·01	·00	·31	·01	·06	·00	·03	2
3	·28	·00	·03	·10	·00	·00	·15	·35	·08	·00	·00	·14	3
4	·04	·00	·00	·00	·00	·00	·33	·09	·00	·00	·00	·57	4
5	·03	·28	·00	·00	·05	·00	·00	·01	·00	·00	·01	·17	5
6	·20	·01	·01	·14	·00	·00	·81	·05	·00	·04	·00	·05	6
7	·02	·30	·07	·00	·00	·04	·04	·07	·00	·00	·00	·03	7
8	·01	·15	·03	·01	·00	·00	·00	·02	·00	·00	·00	·00	8
9	·00	·01	·00	·00	·00	·06	·00	·00	·00	·02	·11	·45	9
10	·29	·00	·01	·00	·00	·00	·00	·59	·00	·00	·03	·00	10
11	·01	·00	·01	·01	·07	·00	·05	·00	·00	·00	·60	·00	11
12	·03	·00	·00	·17	·30	·00	·00	·15	·00	·00	·85	·11	12
13	·01	·42	·00	·00	1·03	·00	·00	·09	·00	·00	·00	·00	13
14	·00	·03	·00	·00	·00	·00	·00	·32	·04	·00	·00	·21	14
15	·15	·00	·00	·00	·02	·00	·00	·05	·00	·00	·24	·12	15
16	·00	·25	·00	·00	·00	·00	·52	·23	·00	·00	·00	·03	16
17	·00	·22	·00	·00	·05	·00	·23	·00	·00	·01	·00	·01	17
18	·00	·03	·07	·00	·00	·00	·00	·00	·00	·00	·04	·00	18
19	·00	·02	·02	·00	·00	·00	·07	·00	·00	·00	·00	·00	19
20	·27	·00	·00	·04	·00	·00	·00	·00	·00	·00	·00	·20	20
21	·04	·00	·00	·00	·05	·00	·04	·00	·00	·00	·00	·03	21
22	·22	·00	·25	·00	·00	·00	·39	·00	·01	·00	·00	·17	22
23	·02	·04	·04	·01	·00	·05	·28	·00	·08	·21	·00	·34	23
24	·00	·00	·07	·00	·00	·02	·07	·00	·56	·01	·00	·09	24
25	·00	·00	·00	·00	·00	·08	·16	·00	·00	·00	·00	·25	25
26	·00	·11	·01	·00	·00	·00	·18	·00	·00	·00	·00	·22	26
27	·00	·00	·00	·00	·00	·00	·08	·00	·00	·33	·00	·00	27
28	·00	·06	·00	·00	·00	·00	·01	·03	·26	·43	·00	·03	28
29	·00	✕	·00	·00	·00	·00	·08	·13	·00	·00	·09	·21	29
30	·08	✕	·00	·00	·00	·29	·03	·01	·00	·00	·00	·03	30
31	·00	✕	·00	✕	·00	✕	·00	·04	✕	·21	✕	·00	31
Total	2·20	2·21	0·87	0·59	1·57	0·55	3·52	2·56	1·07	1·32	1·99	3·59	YEAR'S TOTAL 22·04
Rain Days.	18	16	14	8	7	7	18	18	8	9	9	23	155

W. 8,000. X. 15.

1178

Exd FW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

1917

Kept at School Gardens, Rushden
in the County of Northants
by Samuel Saddler

Lat. 52°14′ Long. 0°36′
Time of Observation 9 A.M.
Nearest Railway Station Rushden, Northants
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·00	·08	·00	·01	·01	·26	·00	·01	·00	·51	·00	1
2	·40	·03	·05	·00	·22	·00	·11	·00	·00	·21	·01	·00	2
3	·00	·32	·00	·00	·00	·00	·00	·00	·22	·12	·05	·00	3
4	·38	·09	·00	·00	·07	·12	·09	·00	·01	·02	·15	·00	4
5	·02	·01	·00	·01	·00	·07	·00	·00	·00	·10	·22	·00	5
6	·00	·11	·19	·17	·00	·02	·20	·00	·00	·03	·23	·00	6
7	·04	·00	·14	·00	·08	·00	·16	·00	·00	·00	·09	·09	7
8	·00	·00	·07	·00	·10	·11	·00	·00	·00	·00	·01	·22	8
9	·00	·00	·04	·00	·23	·14	·00	·00	·00	·00	·00	·02	9
10	·00	·05	·09	·04	·00	·23	·01	·00	·01	·00	·00	·05	10
11	·05	·17	·06	·13	·03	·14	·00	·00	·00	·00	·00	·05	11
12	·05	·01	·08	·00	·45	·11	·03	·00	·00	·03	·00	·00	12
13	·00	·25	·15	·03	·07	·10	·28	·03	·00	·01	·00	·00	13
14	·00	·41	·00	·02	·01	·00	·00	·00	·00	·00	·00	·00	14
15	·00	·23	·35	·00	·00	·00	·11	·36	·00	·00	·00	·00	15
16	·00	·07	·27	·15	·05	·00	·10	·00	·00	·13	·00	·00	16
17	·06	·02	·00	·07	·00	·00	·04	·00	·20	·13	·00	·00	17
18	·00	·09	·05	·02	·00	·00	·00	·84	·07	·00	·81	·00	18
19	·11	·02	·26	·04	·00	·00	·00	·00	·10	·00	·42	·18	19
20	·07	·00	·15	·01	·00	·00	·00	·03	·00	·00	·26	·00	20
21	·01	·00	·52	·00	·00	·00	·00	·00	·00	·00	·01	·61	21
22	·01	·19	·00	·00	·09	·03	·00	·00	·00	·00	·00	·61	22
23	·03	·19	·00	·00	·00	·35	·00	·00	·00	·03	·02	·13	23
24	·00	·12	·02	·01	·00	·06	·00	·02	·00	·01	·00	·27	24
25	·00	·07	·06	·00	·00	·00	·00	·14	·00	·03	·09	·00	25
26	·00	·10	·03	·00	·01	·02	·00	·04	·00	·01	·00	·00	26
27	·02	·05	·59	·00	·00	·08	·00	·36	·01	·11	·00	·00	27
28	·00	·22	·82	·00	·00	·00	·00	·00	·03	·01	·00	·15	28
29	·00	·11	·00	·00	·12	·12	·00	·94	·00	·17	·00	·02	29
30	·00	✕	·00	·00	·00	·00	·00	·50	·00	·17	·00	·00	30
31	·00	✕	·00	✕	·00	✕	·00	·01	✕	·02	✕	·00	31
Total	1·30	2·93	4·07	0·70	1·54	1·71	1·39	3·27	0·66	1·34	2·88	2·40	YEAR'S TOTAL 24·19
Rain Days.	14	23	21	12	14	16	11	11	9	18	14	12	175

W. 8,000, VIII. 16

1136

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

14. JAN.

Kept at School Gardens Rushden

in the County of Northants

by Saml Saddler

Lat. 52°17' N. Long. 0° 36'

Time of Observation 9 A.M.

Nearest Railway Station Rushden Mid. Rly.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·08	·00	·00	·00	1·12	·29	·00	·03	·01	1
2	·00	·01	·00	·10	·00	·31	·00	·07	·00	·02	·06	·00	2
3	·07	·00	·00	·01	·00	·00	·00	·52	·00	·09	·11	·00	3
4	·02	·12	·06	·02	·00	·00	·00	·04	·00	·63	·00	·00	4
5	·05	·00	·03	·09	·00	·00	·00	·00	·33	·03	·12	·00	5
6	·01	·00	·00	·00	·00	·04	·00	·00	·02	·07	·02	·00	6
7	·36	·00	·02	·00	·00	·00	·00	·41	·00	·17	·01	·01	7
8	·41	·00	·00	·11	·00	·00	·35	·09	·00	·20	·13	·02	8
9	·08	·00	·15	·10	·02	·00	·03	·23	·00	·00	·11	·01	9
10	·27	·00	·10	·06	·02	·00	·00	·31	·00	·05	·02	·00	10
11	·08	·02	·28	·25	·00	·00	·00	·08	·17	·15	·00	·00	11
12	·07	·00	·01	·00	·06	·00	·00	·35	·00	·15	·01	·00	12
13	·03	·00	·03	·00	·00	·00	·02	·27	·05	·00	·00	·00	13
14	·17	·00	·00	·08	·00	·00	·00	·18	·00	·00	·01	·00	14
15	·02	·00	·00	·00	·00	·00	·00	·08	·00	·02	·00	·02	15
16	·01	·09	·00	·29	·01	·00	·06	·03	·00	·30	·00	·10	16
17	·00	·02	·00	·10	·21	·21	·09	·13	·29	·14	·00	·00	17
18	·01	·00	·00	·08	·08	·05	·18	·15	·71	·00	·00	·00	18
19	·03	·09	·10	·00	·09	·00	·00	·34	·10	·00	·00	·00	19
20	·00	·14	·11	·00	·62	·00	·02	·21	·12	·00	·11	·00	20
21	·00	·00	·06	·03	·01	·00	·00	·18	·00	·03	·00	·00	21
22	·00	·00	·00	·00	·00	·00	·00	·09	·01	·09	·00	·00	22
23	·00	·08	·00	·00	·03	·00	·00	·21	·07	·00	·00	·01	23
24	·00	·02	·00	·00	·00	·05	·00	·08	·00	·17	·04	·00	24
25	·00	·01	·01	·00	·00	·00	·05	·00	·01	·00	·09	·00	25
26	·00	·00	·03	·00	·01	·00	·00	·46	·09	·00	·13	·03	26
27	·00	·00	·00	·00	·00	·24	·00	·45	·00	·00	·00	·00	27
28	·00	·00	·16	·00	·05	·30	·00	·13	·00	·00	·00	·03	28
29	·00		·00	·00	·11	·29	·25	·01	·00	·27	·00	·12	29
30	·05		·00	·00	·00	·00	·47	·09	·00	·00	·00	·08	30
31			·03		·00		·16	·05		·00		·09	31
Total	1·74	0·60	1·18	1·40	1·32	1·49	1·68	6·36	2·26	2·58	1·00	0·53	YEAR'S TOTAL 22·14
Rain Days.	17	10	15	14	13	8	11	28	13	17	15	12	173

2.59

W. 8,000, IX. 17.

Ex MY

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

15. 1. 19

Kept at School Gardens Rushden
in the County of Northants
by Samuel Saddler

Lat. 52° 17′ Long. 0·36′
Time of Observation 9 A.M.
Nearest Railway Station Rushden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·05	·02	·10	·00	·00	·00	·00	·00	·00	·11	·03	1
2	·00	·12	·00	·13	·00	·00	·00	·02	·00	·00	·11	·09	2
3	·00	·03	·02	·00	·35	·00	·00	·01	·11	·00	·51	·01	3
4	·00	·02	·07	·00	·00	·00	·03	·03	·22	·00	·30	·03	4
5	·00	·05	·00	·00	·19	·00	·00	·12	·12	·10	·00	·00	5
6	·00	·15	·00	·15	·00	·00	·00	·00	·04	·00	·00	·01	6
7	·03	·06	·00	·12	·00	·00	·00	·00	·02	·05	·08	·03	7
8	·00	·00	·00	·00	·00	·03	·00	·00	·12	·02	·03	·00	8
9	·01	·08	·00	·00	·00	·00	·05	·00	·38	·10	·00	·07	9
10	·01	·00	·00	·06	·00	·20	·34	·00	·02	·09	·00	·13	10
11	·00	·00	·00	·03	·08	·00	·06	·00	·08	·31	·00	·06	11
12	·03	·07	·04	·00	·28	·00	·11	·03	·09	·00	·00	·02	12
13	·00	·00	·00	·03	·15	·05	·01	·00	·04	·00	·00	·00	13
14	·14	·01	·00	·01	·00	·00	·32	·00	·07	·17	·00	·04	14
15	·53	·00	·00	·81	·00	·00	·18	·00	·09	·00	·00	·14	15
16	·00	·00	·00	·42	·00	·00	·00	·00	·35	·00	·00	·05	16
17	·21	·00	·00	·04	·00	·00	·34	·00	·01	·00	·00	·06	17
18	·41	·00	·00	·02	·00	·09	·21	·00	·21	·00	·00	·38	18
19	·03	·01	·04	·14	·00	·00	·02	·00	·00	·09	·00	·14	19
20	·02	·04	·00	·51	·00	·03	·00	·00	·29	·19	·01	·01	20
21	·03	·00	·00	·17	·00	·01	·01	·00	·09	·05	·00	·05	21
22	·08	·00	·00	·00	·00	·02	·01	·00	·00	·01	·01	·25	22
23	·07	·00	·00	·00	·24	·00	·08	·00	·08	·00	·01	·00	23
24	·00	·13 ~~·00~~	·00	·00	·15	·02	·02	·00	·01	·00	·08	·00	24
25	·00	·00	·00	·00	·07	·03	·09	·19	·00	·00	·04	·00	25
26	·00	·00	·00	·00	·00	·00	·08	·00	·00	·00	·07	·19	26
27	·00	·00	·01	·00	·00	·00	·13	·16	·00	·00	·08	·08	27
28	·01	·06	·09	·00	·00	·00	·00	·00	·00	·00	·19	·00	28
29	·00	×	·00	·00	·00	·00	·00	·00	·84	·00	·01	·00	29
30	·00	×	·25	·00	·00	·00	·00	·05	·04	·04	·16	·06	30
31	·00	×	·06	×	·00	×	·00	·02	×	·05	×	·02	31
Total	1·61	0·88	0·60	2·73	1·51	0·48	2·09	0·63	3·32	1·27	1·80	1·95	YEAR'S TOTAL 18·87
Rain Days.	14	14	9	15	8	9	18	9	22	13	16	23	170

W. 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

6 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at School Gardens Rushden
in the County of Northants
by Saml Saddler

Lat. 52° 17' Long. 0·36'
Time of Observation 9 A.M.
Nearest Railway Station Rushden
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. /

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·03	·01	·00	·06	·00	·03	·00	·00	·04	·00	·63	1
2	·14	·00	·01	·00	·03	·00	·18	·00	·04	·04	·36	·31	2
3	·76	·00	·10	·00	·00	·00	·19	·00	·06	·00	·16	·11	3
4	·06	·00	·29	·00	·00	·10	·03	·16	·02	·00	·04	·09	4
5	·04	·17	·16	·00	·00	·00	·06	·00	·70	·00	·00	·12	5
6	·00	·00	·02	·00	·48	·00	·00	·00	·00	·00	·04	·03	6
7	·01	·00	·24	·00	·01	·00	·00	·00	·02	·00	·00	·00	7
8	·09	·00	·04	·11	·00	·00	·00	·00	·00	·00	·02	·00	8
9	·00	·00	·02	·04	·00	·00	·00	·00	·00	·00	·00	·00	9
10	·00	·00	·36	·03	·00	·00	·00	·00	·00	·00	·03	·02	10
11	·07	·00	·27	·04	·02	·00	·79	·00	·00	·00	·04	·03	11
12	·00	·00	·31	·05	·00	·07	·12	·00	·00	·09	·02	·00	12
13	·12	·00	·00	·13	·00	·00	·00	·00	·03	·01	·00	·00	13
14	·24	·00	·00	·16	·00	·00	·00	·00	·07	·00	·02	·00	14
15	·11	·02	·18	·08	·00	·00	·00	·08	·00	·06	·06	·32	15
16	·05	·68	·00	·02	·00	·00	·00	·00	·00	·00	·15	·00	16
17	·04	·36	·00	·00	·00	·00	·00	·00	·00	·00	·18	·03	17
18	·00	·07	·06	·00	·00	·00	·00	·00	·00	·00	·02	·08	18
19	·00	·18	·92	·00	·00	·05	·47	·33	·11	·00	·02	·05	19
20	·53	·00	·21	·00	·00	·30	·30	·75	·00	·00	·05	·06	20
21	·42	·41	·05	·00	·00	·00	·72	·00	·01	·00	·02	·09	21
22	·00	·35	·00	·00	·00	·00	·08	·00	·17	·00	·00	·35	22
23	·00	·00	·00	·00	·00	·00	·03	·00	·12	·30	·00	·05	23
24	·00	·00	·00	·22	·00	·00	·13	·02	·00	·24	·00	·03	24
25	·00	·00	·00	·03	·06	·02	·01	·13	·00	·00	·00	·04	25
26	·16	·00	·15	·05	·00	·05	·00	·02	·08	·00	·00	·28	26
27	·47	·08	·03	·49	·00	·02	·00	·13	·00	·01	·00	·19	27
28	·03	·02	·00	·13	·00	·00	·00	·69	·00	·04	·03	·12	28
29	·00	×	·00	·01	·00	·00	·06	·13	·00	·26	·13	·14	29
30	·00	×	·05	·26	·00	·25	·00	·00	·00	·09	·19	·18	30
31	·01	×	·00	×	·00	×	·04	·00	×	·05	×	·03	31
TOTAL	3·62 ✓	2·37 ✓	3·48 ✓	1·85 ✓	0·66 ✓	0·86 ✓	3·24 ✓	2·44 ✓	1·43 ✓	1·23 ✓	1·58 ✓	3·38 ✓	YEAR'S TOTAL 26·14 ✓
Days with ·01 in. or more	19 ✓	11 ✓	20 ✓	16 ✓	6 ✓	8 ✓	16 ✓	10 ✓	12 ✓	12 ✓	19 ✓	24 ✓	173 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

NORTHANTS.
RUSHTON MANOR.
1911-1920

RE 19 11

Kept at Rushton

in the County of North

by R-Arthur

nowdon Negretti

top 5 in.

above Ground 1 ft. — in.

„ Sea Level 400 ft.

9 am

ion { Name Glendon & Rushton
Distance 300 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	—	—	—	—	·07	—	·01	·01	·05	1
2	—	·05	—	—	·10	—	—	—	·01	—	·06	·06	2
3	·10	—	—	—	·17	—	—	—	—	—	·03	—	3
4	—	·03	·09	·06	—	—	—	—	·09	·26	·30	·27	4
5	—	—	—	·04	—	—	—	·12	—	·03	—	—	5
6	·28	—	·03	—	—	—	—	—	—	·01	·03	·25	6
7	·02	—	—	—	—	—	—	—	—	·05	·14	·09	7
8	—	—	·12	—	—	—	—	—	—	—	·03	·09	8
9	·21	—	—	—	—	—	—	—	—	—	·10	·05	9
10	·03	·06	·30	—	—	—	—	·27	—	—	~~·03~~	·26	10
11	·15	—	—	—	—	—	—	—	—	—	·52	·09	11
12	—	—	·50	—	—	—	—	—	—	—	·13	·38	12
13	—	—	·06	—	·04	—	—	—	—	—	—	·36	13
14	—	·08	·05	—	·09	—	—	—	·23	·08	—	·03	14
15	—	·07	·07	—	—	—	—	—	·06	·03	·06	·08	15
16	—	—	—	—	—	—	—	—	—	—	·33	—	16
17	—	—	—	—	—	·02	—	—	—	·08	·04	·14	17
18	—	·17	—	—	—	·07	—	—	—	—	·18	·07	18
19	—	·02	—	—	—	—	—	—	·10	·03	·41	·02	19
20	—	·05	—	—	—	·17	—	·25	·27	·13	—	·58	20
21	—	·11	·13	—	—	·04	—	1·39	—	·03	—	·15	21
22	—	·03	·06	—	—	·29	—	·18	—	·09	·03	·44	22
23	—	·05	·21	·01	—	—	—	—	·30	—	—	·12	23
24	—	·08	·03	·02	—	·70	—	—	—	·66	—	·08	24
25	—	·12	·03	·12	1·15	·35	—	—	—	·22	·01	·01	25
26	—	—	—	·30	·72½	·07	·10	—	—	—	·15	·15	26
27	—	·22	·16	·13	—	·01	·08	—	·15	·05	—	·05	27
28	—	·15	—	·15	—	—	—	·24	·01	—	·09	·02	28
29	—		·01	·07	—	·12	·05	—	·22	·21	—	·01	29
30	—		—	·02	—	·01	—	·09	—	·08	·02	·01	30
31	—		—		·35½		—	—		—		—	31
Total	·79	1·29	1·88	·92	2·63	1·85	·23	2·61	1·44	2·05	2·67	3·94	TOTAL for year 22·30
No. of Rain Days	6	15	16	10	7	11	3	8	10	17	~~21~~ 20	27	~~151~~ 150

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Rushton Manor
in the County of Northampton 4
by R. Arthur Willows

RAIN GAUGE { Pattern Snowdon Negretti
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 400 ft.
Time of Observation 9 am
Nearest Railway Station { Name Glendon & Rushton
Distance 300 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	—	—	—	—	.07	—	.01	.01	.05	1
2	—	.05	—	—	.10	—	—	—	.01	—	.06	.06	2
3	.10	—	—	—	.17	—	—	—	—	—	.03	—	3
4	—	.03	.09	.06	—	—	—	—	.09	.26	.30	.27	4
5	—	—	—	.04	—	—	—	.12	—	.03	—	—	5
6	.28	—	.03	—	—	—	—	—	—	.01	.03	.25	6
7	.02	—	—	—	—	—	—	—	—	.05	.14	.09	7
8	—	—	.12	—	—	—	—	—	—	—	.03	.09	8
9	.21	—	—	—	—	—	—	—	—	—	.10	.05	9
10	.03	.06	.30	—	—	—	—	.27	—	—	~~.03~~	.26	10
11	15	—	—	—	—	—	—	—	—	—	.52	.09	11
12	—	—	.50	—	—	—	—	—	—	—	.13	.38	12
13	—	—	.06	—	.04	—	—	—	—	—	—	.36	13
14	—	.08	.05	—	.09	—	—	—	.23	.08	—	.03	14
15	—	.07	.07	—	—	—	—	—	.06	.03	.06	.08	15
16	—	—	—	—	—	—	—	—	—	—	.33	—	16
17	—	—	—	—	—	.02	—	—	—	.08	.04	.17	17
18	—	.17	—	—	—	.67	—	—	—	—	.18	.07	18
19	—	.02	—	—	—	—	—	—	.10	.03	.41	.02	19
20	—	.05	—	—	—	.17	—	.25	.27	.13	—	.58	20
21	—	.11	.13	—	—	.04	—	1.39	—	.03	—	.15	21
22	—	.03	.06	—	—	.29	—	.18	—	.09	.03	.44	22
23	—	.05	.21	.01	—	—	—	—	.30	—	—	.12	23
24	—	.08	.03	.02	—	.70	—	—	—	.66	—	.08	24
25	—	.12	.03	.12	1.15	.35	—	—	—	.22	.01	.01	25
26	—	—	—	.30	.72½	.07	.10	—	—	—	.15	.15	26
27	—	.22	.16	.13	—	.01	.08	—	.15	.05	—	.05	27
28	—	.15	—	.15	—	—	—	.24	.01	—	.09	.02	28
29	—		.01	.07	—	.12	.05	—	.22	.21	—	.01	29
30	—		—	.02	—	.01	—	.09	—	.08	.02	.01	30
31	—		—		.35½		—	—		—		—	31
Total	.79	1.29	1.88	.92	2.63	1.85	.23	2.61	1.44	2.05	2.67	3.94	TOTAL for year 22.30
No. of Rain Days	6	15	16	10	7	11	3	8	10	17	~~21~~ 20	27	~~157~~ 150

9,000, IX. '10.

cd by B Spreadsheet 17·III·13 # 92

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at Rushton Manor

in the County of Northampton 4

by R. Arthur Willows

Rain Gauge
Pattern Snowdon Negretti.
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 400 ft.

Time of Observation 9 am

Nearest Railway Station
Name Glendon & Rushton
Distance 300 yds Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·04	—	·01	·11	·03	—	·10	—	—	·13	1
2	—	—	·07	—	—	·47	·72	—	—	—	—	—	2
3	·07	—	—	—	·06	·18	·05	·65	·04	—	—	·11	3
4	·05	—	·52	—	·08	·36	—	·14	·06	—	·23	—	4
5	·02	·02	·20	—	—	·09	—	·19	—	—	·17	—	5
6	·38	·14	—	—	—	·07	·14	·37	—	—	—	·04	6
7	—	·06	·01	—	—	·36	·01	·07	—	—	—	—	7
8	·83	·29	·16	—	·03	·10	—	·13	·13	—	—	·07	8
9	—	·05	·05	·07	—	—	·10	·01	—	—	—	·08	9
10	—	—	—	—	—	·39	—	·13	—	—	·33	—	10
11	·05	·09	—	—	·02	·07	—	·07	—	—	—	·30	11
12	·08	·39	·08	—	·06	·04	·31	·07	—	—	·06	—	12
13	—	—	·01	—	—	·03	—	·09	—	—	—	—	13
14	·05	·07	·11	—	·09	·07	—	·04	—	—	—	—	14
15	·01	—	·07	—	·30	·15	—	·03	—	—	—	·19	15
16	·43	—	·11	—	·12	·13	—	·09	—	—	—	—	16
17	·23	·04	·09	—	—	—	—	·21	—	·10	—	·30	17
18	·61	—	·09	—	—	—	—	·10	—	—	·05	·09	18
19	·37	·07	—	—	—	—	·06	·21	—	·03	·07	—	19
20	·08	—	·21	—	—	—	·51	·81	—	·35	—	·03	20
21	—	—	·10	—	·60	—	—	·76	—	·20	·05	—	21
22	·25	·08	—	—	·28	—	1·09	·30	—	—	—	·30	22
23	·15	·28	·26	—	—	·01	·69	·50	—	—	·06	·14	23
24	·08	·02	—	—	—	·07	·06	·36	·01	—	—	·13	24
25	—	—	·02	—	—	·22	—	·50	—	—	·25	·43	25
26	—	·08	—	—	—	·09	·25	1·82	—	·57	·29	·22	26
27	—	—	—	—	·02	·16	·27	·20	—	·32	—	·43	27
28	—	·06	—	—	—	—	·03	·54	·04	·28	·20	—	28
29	—	—	—	—	—	·16	·21	—	·55	·42	—	—	29
30	·05		—	—	·16	·05	—	·01	·17	·25	—	—	30
31	—		·14		·56		·42	·12		—		·03	31
Total	3·29	1·74	~~2·24~~ 2·34	·07	2·39	3·32	4·95	8·52	1·10	2·52	1·76	3·02	~~35·02~~
No. of Rain Days.	18	15	2·34 19	1	14	22	~~18~~ 17	28	8	9	11	17	35·02 ~~180~~ 179

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Rushton Manor
in the County of Northampton 4
by R. Arthur Willows

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Glendon & Rushton
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01½	—	—	—	—	—	—	.71	—	.14	—	1
2	.03	.08	—	—	.04	—	.12	—	.20	.04	.02	—	2
3	—	—	.11	.07	.54	—	—	—	.06	.02	.03	.25	3
4	.39	—	—	—	.19	.01	.01	—	—	.33	—	.11	4
5	—	—	—	.04	.15	—	—	—	.10	.86	—	.03	5
6	.01	.04	.10	—	.01	.14	.43	—	—	.14	—	—	6
7	—	.09	—	—	.12	.07	.04	—	—	.54	.14	—	7
8	—	—	—	—	.08	.06½	.32	—	—	—	.08	—	8
9	—	24	.06	—	—	.15	—	—	—	—	.10	—	9
10	—	—	—	.07	.05	—	—	—	—	—	.59	—	10
11	.90	—	—	.45	—	—	—	.12	—	.11	.25	—	11
12	—	—	—	—	.23	—	—	.06	—	—	.34	—	12
13	—	—	.01	.02	—	—	—	—	.04	—	.18	—	13
14	.09	—	.28	.02	—	—	.25	—	—	.08	.05	—	14
15	.08	.04	.24	.43	—	—	.11	—	—	—	.01	—	15
16	.04	—	.70	.12	—	.11	—	—	.08	—	.05	—	16
17	.09	—	.17	.04	—	—	.05	—	—	—	—	—	17
18	.01	—	.24	.09	—	—	.07	—	.02	—	.04	—	18
19	.12	—	.12	—	—	—	—	—	.07	—	—	.04	19
20	.15½	—	.09	.02	—	—	—	—	—	.37	—	—	20
21	—	—	.14	—	.12	—	.04	—	—	—	.27	—	21
22	.38	—	.24	—	—	—	—	.11	.20	—	—	—	22
23	—	—	—	—	—	.09	—	.06	.03	—	—	—	23
24	.06	—	—	.09	—	—	—	.05	—	—	—	—	24
25	—	—	—	.08	—	.07	—	—	—	.01	.01	—	25
26	—	.03	.25	.13	—	—	—	.02	—	.26	—	.13	26
27	—	.08	.04	.12	.01½	—	—		—	.01	—	—	27
28	.44	—	.30	.15	—	—	—		—	.06	—	.09	28
29	.02		.17	.46	.02	—	—	.13	—	.09	—		29
30	.20		—	.05	—	—	—	.02	—	.07	.07	—	30
31	—		—		18		—	.16					31
Total	2.99½	.61½	3.26	2.45	1.74½	.70½	1.44	.73	1.55	2.99	2.37	.65 21.44	YEAR'S TOTAL 21.44
Rain Days.	16	8	17	18	13	8	10	9	10	15	17	6 147	147

W. 7,500, XI. 12

Exd MCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Rushton Manor
in the County of Northampton 4
by R A Willows

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Glendon & Rushton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.02	—	.04	—	—	.04	.27	—	—	.04	.03	1
2	—	—	—	—	—	—	.19	.12	—	—	.37	.23	2
3	—	—	—	—	.12	—	.36	—	—	—	.03	.18	3
4	.20	—	—	.16	—	—	.25	.28	—	—	.41	—	4
5	.09	—	.10	.25	.16	.06	.07	.33	—	—	—	—	5
6	—	.02	—	—	.04	—	—	.01	—	—	—	.03	6
7	—	.09	.35	—	—	.07	—	.01	—	—	—	—	7
8	—	—	.12	.11	.07	.84	.09	.19	—	—	—	.04	8
9	.40	—	.24	.24	.05	.95	—	—	.01	—	—	.01	9
10	.17	.09	—	.10	—	—	—	—	.10	—	—	—	10
11	—	.10	.28	.15	.15	.07	—	—	—	—	.33	.36	11
12	—	—	.10	—	—	—	—	—	.27	.32	.26	.32	12
13	—	.16	.15	—	—	—	—	—	.03	.51	—	.22	13
14	.07	—	.10	—	—	—	.15	—	—	—	.09	.27	14
15	—	.04	.14	—	—	—	—	.01	.01	—	.03	.13	15
16	—	—	.10	—	—	—	.11	—	—	—	—	—	16
17	.04	.19	.02	—	—	—	—	—	.25	—	—	.21	17
18	—	—	.10	—	—	.07	.25	—	—	—	—	.52	18
19	—	.01	.26	—	—	—	—	—	.03	—	.07	—	19
20	—	.19	.18	—	—	—	—	—	—	—	—	43	20
21	—	.14	.08	—	—	.07	—	—	.06	.05	—	—	21
22	—	—	—	—	19	—	—	.07	—	.21	—	—	22
23	.02	.05	.07	—	.12	—	—	—	—	.02	—	—	23
24	—	—	—	—	—	—	.21	—	—	.35	.11	—	24
25	.03	—	—	—	—	—	.02	.15	—	.47	—	.30	25
26	—	—	—	—	—	—	—	.10	—	.03	.01	.31	26
27	.03	.08	—	—	—	—	—	—	—	—	.16	.23	27
28	—	—	—	—	.04	—	—	—	—	.11	.10	1.06	28
29	.01		.12	—	—	—	—	—	—	.30	.05	.06	29
30	—		.02	—	—	—	—	—	—	.05	.21	.15	30
31	—		—		.06		.12	—		—		9	31
Total	1.06	1.18	2.53	1.05	1.00	2.13	1.86	1.54	.76	2.42	2.27	5.18	YEAR'S TOTAL 22.98
Rain Days.	10	1.3	18	7	10	7	12	11	8	11	15	21	143

W.7,000, XI. 13

W 98

1224

FORM A.
BRITISH RAINFALL.
3. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Rushton Manor

in the County of Northampton 4

by R A Willows

Lat. .... Long. ....

Time of Observation 9 am

Nearest Railway Station Glendon & Rushton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.21	.14	.14	.10	.14	—	—	—	.02	—	—	.11	1
2	.03	.18	.17	.18	—	.03	—	.31	.07	.09	—	.01	2
3	.35	—	—	—	—	—	.30	.40	.18	—	—	.18	3
4	.13	—	.05	—	—	—	.16	.05	—	—	.67	.54	4
5	—	.31	—	.21	.20	—	—	.04	—	—	—	.31	5
6	.14	.04	—	.02	—	—	.82	.01	—	—	—	.04	6
7	.06	.29	.08	.06	—	.09	—	.13	—	—	—	—	7
8	.02	.13	—	—	—	—	—	.02	—	—	—	.20	8
9	—	.40	—	.02	—	.03	—	—	—	.01	.18	.42	9
10	.41	—	.03	—	—	—	—	.19	—	—	.04	.13	10
11	.02	.05	—	26	.09	—	.08	—	—	—	.58	.05	11
12	.05	.15	.03	—	.33	—	.01	.55	.01	.03	1.2[illegible] 1.29	.04	12
13	—	—	.03	—	.88	—	.06	—	—	—	—	.34	13
14	—	—	—	—	—	—	1.02	.08	.09	—	—	—	14
15	.30	—	—	—	.07	—	.27	.04	—	—	—	.16	15
16	—	.25	—	—	—	—	+	.02	—	—	—	.63	16
17	.01	.24	—	—	.04	—	+	—	—	—	—	—	17
18	—	.05	.25	—	—	—	—	—	—	—	.15	—	18
19	—	—	—	—	.02	—	.06	—	—	—	—	—	19
20	.40	—	—	—	—	—	—	—	—	—	—	.28	20
21	.09	.10	—	—	.08	—	.10	—	—	—	—	.10	21
22	.07	—	.21	.03	—	.04	.20	—	—	—	—	.12	22
23	.01	.06	.04	—	—	—	.21	—	.06	.23	—	.36	23
24	—	—	—	—	—	—	.32	—	.85	.05	—	.07	24
25	—	—	.03	—	—	.67	.19	—	—	.03	—	.25	25
26	—	.17	—	—	—	—	.08	—	.01	—	—	.30	26
27	—	.02	.02	—	—	.15	.13	—	—	—	—	.03	27
28	—	.12	—	—	—	—	—	.06	.08	.53	.20	.01	28
29	.09		—	—	—	.03	.07	.07	—	.12	—	.20	29
30	—	×	—	—	—	.53	—	—	—	—	—	.08	30
31	.02	×	—	×	—	×	.01	.06	×	.27	×	.05	31
Total	2.41	2.70	1.08	.88	1.85	1.57	4.09	2.03	1.37	1.36	2.49	4.41	YEAR'S TOTAL 26.24
Rain Days.	18	17	12	8	9	8	18	15	9	9	7	26	156

W. 8,000. X. 14.

W.C.7.E.

1201

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 191

Kept at Rushton Manor
in the County of Northampton
by R. A. Wilson

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Glendon & Rushton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	.25	—	—	—	.22	—	—	—	.49	—	1
2	.47	—	.63	—	.25	.04	—	—	.03	.36	.04	—	2
3	.01	.39	.10	—	.05	—	.10	—	.75	.37	.05	—	3
4	.42	.17	—	—	.13	.26	.08	—	—	—	.14	—	4
5	.02	—	—	—	.61	.11	.63	—	—	.18	.15	—	5
6	.01	.11	.16	.07	.04	—	.24	—	—	.08	.35	—	6
7	.09	—	.31	—	.09	—	.45	—	—	.06	.18	.07	7
8	.01	.63	.64	—	.28	.09	.01	—	.62	—	.05	—	8
9	—	—	.03	—	.01	—	—	—	—	.05	.63	.23	9
10	—	.11	.20	.07	.62	.04	.05	—	—	—	—	—	10
11	—	.13	.17	.10	.11	.01	.01	—	.01	—	—	.13	11
12	.03	.03	.66	—	.47	.20	.61	—	—	—	—	—	12
13	—	.19	.09	.05	.03	.03	.04	.06	—	—	—	—	13
14	—	.56	.48	.08	.04	—	—	.40	—	.07	—	—	14
15	—	.47	.10	—	—	—	.04	.07	—	—	—	—	15
16	—	.05	.26	.18	.06	—	.10	—	—	—	—	—	16
17	.02	.07	.01	.18	—	—	—	.44	.16	.30	—	—	17
18	—	.27	.63	.08	—	—	—	.60	.06	—	.90	—	18
19	.08	.05	.22	.14	—	.02	—	—	.12	.02	.36	.15	19
20	.12	—	.21	.09	—	—	—	.07	—	—	.28	.45	20
21	—	—	.27	.12	—	—	—	—	—	—	—	.66	21
22	—	.03	.04	.02	.05	—	—	—	—	—	—	.57	22
23	.03	.57	.02	—	—	.08	—	.03	—	.04	.06	.26	23
24	—	.36	.04	—	.05	.12	—	.01	—	.15	—	.18	24
25	—	.09	.13	—	—	—	—	.25	—	—	.11	—	25
26	.03	.10	—	—	—	—	.57	.23	—	.04	.05	—	26
27	—	.17	1.07	—	—	.18	—	.38	.08	.18	—	—	27
28	—	.30	1.10	.01	—	.01	—	.04	—	—	—	.17	28
29	—	.09	—	—	—	.21	—	1.76	—	.21	—	—	29
30	—	×	—	—	—	.01	—	.05	—	.20	—	—	30
31	—	×	—	×	—	×	—	.02	×	.14	×		31
Total	1.39	4.32	5.42	1.19	1.69	1.41	1.95	4.41	1.23	2.45 √	3.24	2.87	YEAR'S TOTAL 31.57 √
Rain Days.	14	22	25	13	16	15	14	15	8	16	15	10	183

W. 8,000, VIII. 16

1157

FORM A. BRITISH RAINFALL.

5 JAN.

REGISTER OF RAINFALL IN 1917

Kept at Rushton Manor

in the County of Northampton

by R Arthur Willows

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Glendon & Rushton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.12	—	.16	—	1.20	.25	—	.01	.03	1
2	—	—	—	.04	—	—	—	.10	—	—	.01	—	2
3	.06	.12	—	.11	—	—	—	.60	—	—	.09	—	3
4	—	—	.07	—	—	—	—	.09	—	.85	—	—	4
5	—	—	.03	.07	—	—	—	~~.04~~	.14	.04	.10	—	5
6	.57	—	—	—	—	.06	—	.04	—	.08	—	—	6
7	.56	—	—	—	—	—	.32	—	—	.35	—	—	7
8	—	—	—	.19	—	—	—	.78	—	.39	.11	.02	8
9	.05	—	.10	.12	—	—	—	.58	—	—	.13	—	9
10	.34	—	—	.28	.10	—	—	.15	.03	.03	.02	—	10
11	.03	—	.19	.14	.02	—	—	.26	—	.31	—	—	11
12	.13	—	.09	—	.14	—	—	.02	—	.46	—	—	12
13	.03	—	.15	.02	—	—	.01	.22	—	—	—	—	13
14	.06	—	—	.08	—	—	—	.20	—	—	—	.05	14
15	—	—	—	~~.17~~	—	—	.15	.02	—	.01	—	—	15
16	.07	.16	—	.17	—	1.43	—	—	.10	.10	—	.10	16
17	.04	—	—	.12	.48	—	.07	.07	—	.12	—	.11	17
18	.03	.03	—	.08	.56	—	.36	.14	.97	.01	—	—	18
19	.03	.14	.19	.03	.07	.01	—	—	—	—	—	—	19
20	—	(.20)	—	—	1.10	—	—	—	—		—	—	20
21	—	—	—	—	—	—	—	—	—	.01	.15	.02	21
22	—	—	.15	—	.03	—	—	.06	.10	.12	.06	—	22
23	—	.07	.09	—	—	—	—	.22	—	.02	—	—	23
24	—	.03	—	—	.10	.47	—	.01	—	.20	.26	—	24
25	—	.01	—	—	—	—	—	—	—	—	—	—	25
26	—	—	—	—	—	—	—	(.67)	.15	—	.12	—	26
27	—	—	—	—	—	.50	—	.81	—	—	—	.04	27
28	—	—	.03	—	.02	.75	—	.07	—	.01	—	.06	28
29	—	—	.04	—	—	.05	.07	.01	—	.31	—	.19	29
30	—	╳	.05	—	—	—	.34	.18	—	—	—	—	30
31	—	╳	.15	╳	—	╳	.04	.09	╳	—	╳	.10	31
Total	2.00	.77	1.33	1.57	2.62	3.43	1.36	6.59	1.74	3.42	1.06	.72	YEAR'S TOTAL 26.61
Rain Days.	13	8	13	14	10	8	8	24	7	18	11	10	144

W. 8,000. X. 15.

48

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Exc. ~~Fb~~

Kept at Rushton Manor

in the County of Northampton

by R. A. Wellows

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Glendon & Rushton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	A		.08	~~.15~~					~~[illegible]~~		~~.20~~		
1	—	—	—	.25	—	—	—	—	—	.04	.20	.01	1
2	—	.25	.08	10 ~~.40~~	—	—	.14	.20	.06	—	.15	.15	2
3	—	—	.07	—	.42	—	—	.03	.65	—	.45	.01	3
4	—	—	—	.15	—	—	—	.05	.60	03 .03	.47	—	4
5	—	.10	—	—	.28	—	—	.09	.01	.02	—	.04	5
6	—	.11	—	.14	—	.04	—	—	.04	.09	—	.06	6
7	—	.11	—	.17	—	—	—	—	.08	.01	.02	—	7
8	.05	.02	—	.04	—	—	—	—	.20	.04	.12	.09	8
9	—	.26	—	.10	—	.09	.19	—	.01	—	—	.08	9
10	.09	—	—	.19	—	—	.34	—	.09	.20	—	.04	10
11	.02	—	.03	—	.14	—	.17	—	.14	.17	—	—	11
12	—	—	—	.03	.11	—	.09	—	.10	—	—	.07	12
13	—	.11	—	—	.19	—	.04	—	.50	—	—	.04	13
14	.31	—	—	.61	—	.02	.46	—	.05	.16	—	.03	14
15	.71	—	—	.87	—	.02	.07	—	.30	—	—	.21	15
16	.07	—	—	.48	—	—	—	—	.01	—	—	—	16
17	.16	—	—	.09	—	—	.52	—	.32	—	—	.10	17
18	.31	—	—	—	—	—	.08	—	.01	—	—	.30	18
19	.03	—	.04	.16	—	.05	—	—	.05	.09	—	.04	19
20	.01	.08	—	.70	—	.06	.02	—	.23	.15	—	.01	20
21	.04	—	—	.12	—	.04	—	—	.05	.17	—	.06	21
22	.16	—	—	—	.09	—	.07	—	—	—	—	.41	22
23	.07	—	—	—	.55	—	.18	—	—	.03	—	—	23
24	—	.17	—	—	—	—	.10	—	—	—	.17	.04	24
25	—	—	—	—	—	.04	.05	.29	—	.05	—	—	25
26	—	—	—	—	.09	—	.11	—	—	.02	.08	.15	26
27	—	—	—	—	—	—	.16	.14	.05	—	.11	14 .04	27
28	—	.09	.10	—	—	—	—	.06	.06	—	.30	.12	28
29	—	—	—	—	—	—	.03	—	1.19	—	—	.01	29
30	—		.27	—	—	—	—	—	—	—	.21	.07	30
31	—		.12		—		—	—		.05		—	31
Total	2.03	1.30	.79	3.60	1.87	.36	2.82	.86	4.90	1.32	2.28	2.28	YEAR'S TOTAL 24.41
Rain Days.	13	10	8	16	8	8	18	7	23	16	11	24	162

1089

FORM A. BRITISH RAINFALL.

3 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Rushton Manor

in the County of Northampton

by R. A. Willows

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Glendon & Rushton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ..... ft. ..... in.

" " " " Sea Level ..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·08	·02	—	·16	—	·01	—	—	·06	·07	·61	1
2	·15	·06	·01	—	·63	·11	·17	—	·10	·07	·58	·12	2
3	1·13	—	·08	—	·04		·25	—	·05	—	·32	·66	3
4	·10	—	·47	—	1·20		·03	·32	·10	—	·01	·30	4
5	·07	·10	·15	—			·02		·60	—	·01	·11	5
6	·01	—	·04	—					—	—	·05	—	6
7	·07	—	·25	—					—	—	·01	—	7
8	·13	—	·05	·13					—	—	·01	—	8
9	·02	—	·01	·14					—	—	—	—	9
10	—	—	·33	·66					—	·03	—	·08	10
11	·09	—	·43	·06			·75		—	—	·05	[illegible]	11
12	—	·05	·44	·07		·18			·02	·05	—	·01	12
13	·16	—	·17	·13		—			·03	·08	·01	—	13
14	·38	·11	·01	·27		—			·04	—	·05	—	14
15	·29	·63	—	·14		—	·03		—	·13	·25	·46	15
16	·10	·90	—	—		—	—	·06	—	—	·38	—	16
17	·04	·46	—	—		—	—	—	—	—	·05	—	17
18	—	·25	·07	—		—	—	·15	—	—	·04	·16	18
19	·03	—	1·19	—		·05	·45	·15	·12	—	·06	·05	19
20	·63	·10	·46	—		·24	·41	·38	—	—	·05	·05	20
21	·28	·49	·14	—			·31	—	—	—	·63	·05	21
22	—	·40	—	—			·05	—	·31	—	·01	·48	22
23	—	—	—	—			—	—	·07	—	—	·06	23
24	—	·01	—	·23			·09	·10	—	·52	—	·04	24
25	·13	—	—	·16	·13			·03	—	·23	·01	·02	25
26	·05	—	·25	—				·27	·07	—	—	·40	26
27	·64	·08	—	·69				·13	—	·62	—	·07	27
28	·03	—	—	·04				·09	—	—	—	·23	28
29	—		—	·02				·85	—	·27	·15	·21	29
30	—	X	·08	·24		·27		—	—	·09	·17	·29	30
31	—	X	·09	X		X		·01	X	·03	X	·03	31
Total	4·92	3·12	4·74	2·38	1·56	·85	2·57	~~2·64~~ 2·54	1·51	1·58	~~2·45~~ 2·37	3·89	YEAR'S TOTAL ~~32·19~~ 32·03
Rain Days	22	14	21	14	5	5	12	12	11	12	22	22	172

W. 8,000, IX. 17.

1034

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Rushton Manor
in the County of Northampton
by R. A. Willows

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Glendon & Rushton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·11	—	—	·26	~~2~~	—	·15		·20	1
2	—	—	—	·03	—	—	—	·25	—	·05		·08	2
3	—	—	—	·50	·01	—	·24	—	·08	·05		·02	3
4	·01	·05	·03	·14	—	·02	·27	·39	·01	·05		·06	4
5	—	—	·12	—	·17	—	·46	·11	·02	·28			5
6	—	—	·08	·10	—	—	·31	—					6
7	—	·02	·02	—	—	—	·18	·07					7
8	·29	—	—	·55	—	—	·11	—					8
9	·42	—	—	1·07	—	—	·06	·27					9
10	·27	—	—	·39	·02	—	·06	—					10
11	·25	·05	·11	·10	—	·14	·01	13					11
12	—	—	—	·16	·03	·23	—	·03			·10	·39	12
13	·05	—	·08	·10	—		·01		·06		·24	—	13
14	—	·03	·50	·16	—		—		·10	·19	·09	—	14
15	—	·06	·90	·06	—		·02		·11	·05		—	15
16	—	—	·01	·06	—		—		·11	·06		·09	16
17	—	—	—	—	·36		—		·33			·02	17
18	·16	—	—	—	—		·01	·18	·29			—	18
19	·08	·06	—	·14	—		—	·25	—			—	19
20	—	·40	—	·28	—	·77	·02	—	·06			—	20
21	—	—	—	—	—		—	·11	·31			—	21
22	—	—	—	·17	—		—		·02			—	22
23	—	—	—	—	—		·20					·33	23
24	—	·06	·16	—	—		—				·01	—	24
25	·02	—	·04	·09	—		·64				—	·05	25
26	—	—	13	—	—		—				—	·02	26
27	·22	—	—	—	—	·54	—				·62	·40	27
28	·56	·02	·09	—	·42	—	·66				—	·02	28
29	·09		·04	—	·10	—	—				·10	·45	29
30	—		—	—	·05	·01	·07		·09		·06	·17	30
31	·06		·02		·04		·09			·26		·08	31
TOTAL	2·48	·75	2·33	4·21	~~1·10~~ 1·20	1·71	3·05	1·79	1·59	1·14	1·22	~~2·42~~ 2·38	YEARLY TOTAL ~~23·79~~ 23·85
Days with ·01 in. or more	13	9	15	18	9	6	19	10	~~12~~ 13	9	7	15	~~143~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

4·04 11 6 11 17 6 4 14 9 10 9 6 11 114 ~~114~~

1049

SALCEY FOREST
NORTHAMTONSHIRE
1919-1920

FORM A. 2. METEORO… …ZATION.

R…

Kept at Salcey. … 9′W

in the County of Nor… … ge 8 in.

by T. Jones. … ound 1 ft. 3 in.

… Level 370 ft.

25 MAR 20

IMPORTANT NOT… … to the previous day.

If an Observer prefers no… …to add the reading at 9 a.m. on J… …end of this paragraph. Full instr… …gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8·2	2·0			·8	·9	6·4			·4		21·2	1
2	4·1	5·7					6·2		3·3	2·1	6·7	3·7	2
3	18·1		3·1		·4		2·1		5·0		4·0	4·1	3
4	1·6		8·4			2·1	5·1	2·5	2·1		·2	2·3	4
5	1·2	3·6	4·9				2·5		18·7			5·4	5
6		5·3	1·3		21·8					·2	·4		6
7	·8		6·5										7
8	4·7		1·7	4·2									8
9			·5	1·8							2·7	·6	9
10	·4		10·4	·6									10
11	1·3		6·3	1·5	1·4		13·2				·2	·3	11
12			11·2	1·8		1·5					1·5		12
13	1·7			6·1			·2			3·4	·3		13
14	8·2	6·3		4·9			2·1		1·5				14
15	3·1	3·6	4·0	2·8						·7		13·5	15
16	2·1	19·3									6·9		16
17		6·8		·5							4·1	·3	17
18		4·4	3·7		1·1			7·0	2·5		·9	2·8	18
19	13·7	6·5	29·1			4·2	7·5	9·7			·3	·3	19
20	3·6	1·4	3·7			3·9	11·1	7·4			1·2	1·4	20
21		11·2	2·1				14·4				·4	1·7	21
22		6·2							6·2			8·4	22
23						·8		·6		8·6		1·3	23
24				2·5			5·3			7·5		·9	24
25	3·5				·9			5·2				·3	25
26	1·5		2·9	2·1			1·4	1·1	2·4			8·0	26
27	1·7	1·5	·3	14·2				14·3		·2		1·7	27
28	5·6			·2				11·1			·6	6·9	28
29	7·5			1·2			1·7	3·0		8·6		4·7	29
30		×	2·4	6·1		6·5		·7		2·2	9·1	6·0	30
31		×		×		×	1·2		×	·7	×	·2	31
TOTAL	92·6	83·8	102·5	50·5	26·4	19·9	80·4	62·6	41·7	34·6	39·5	96·0	YEAR'S TOTAL 730·5
Days with 0·2 mm. or more	20	14	18	15	6	7	15	11	8	11	16	23	164

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

15 Made

1049

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

MAR 20

Kept at Salcey.
in the County of Northamptonshire
by T. Jones.

Lat 52' 15' N Long 0' 49' W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.2	2.0			.8	.9	6.4			.4		21.2	1
2	4.1	5.7					6.2		3.3	2.1	6.7	3.7	2
3	18.1		3.1		.4		2.1		5.0		4.0	4.1	3
4	1.6		8.4			2.1	5.1	2.5	2.1		.2	2.3	4
5	1.2	3.6	4.9				2.5		18.7			5.4	5
6		5.3	1.3		21.8					.2	.4		6
7	.8		6.5										7
8	4.7		1.7	4.2									8
9			.5	1.8							2.7	.6	9
10	.4		10.4	.6									10
11	1.3		6.3	1.5	1.4		13.2				.2	.3	11
12			11.2	1.8		1.5					1.5		12
13	1.7			6.1			.2			3.4	.3		13
14	8.2	6.3		4.9			2.1		1.5				14
15	3.1	3.6	4.0	2.8						.7		13.5	15
16	2.1	19.3									6.9		16
17		6.8		.5							4.1	.3	17
18		4.4	3.7		1.1			7.0	2.5		.9	2.8	18
19	13.7	6.5	29.1			4.2	7.5	9.7			.3	.3	19
20	3.6	1.4	3.7			3.9	11.1	7.4			1.2	1.4	20
21		11.2	2.1				14.4				.4	1.7	21
22		6.2							6.2			8.4	22
23						.8		.6		8.6		1.3	23
24				2.5			5.3			7.5		.9	24
25	3.5				.9			5.2				.3	25
26	1.5		2.9	2.1			1.4	1.1	2.4			8.0	26
27	1.7	1.5	.3	14.2				14.3		.2		1.7	27
28	5.6			.2				11.1			.6	6.9	28
29	7.5			1.2			1.7	3.0		8.6		4.7	29
30			2.4	6.1		6.5		.7		2.2	9.1	6.0	30
31							1.2			.7		.2	31
TOTAL	92.6	83.8	102.5	50.5	26.4	19.9	80.4	62.6	41.7	34.6	39.5	96.0	YEAR'S TOTAL 730.5
Days with 0·2 mm. or more	20	14	18	15	6	7	15	11	8	11	16	23	164

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

179 Form A/2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Forest 997

REGISTER OF RAINFALL IN 1920.

Kept at Salcey Forest
in the County of Northamptonshire
by S. Jones

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			·2	5·1	5·5		5·7			3·5	·3	3·3	1
2			·4	1·6			1·2	3·9	2·1	2·3		2·0	2
3		1·5		5·7		·3	2·5	·3	1·7	1·6			3
4			1·8				3·2	6·7	·6	8·0			4
5			2·3		5·8		11·0	1·5	1·7				5
6			7·5		2·6		9·0					·4	6
7			·3	·7			2·0						7
8	2·9	1·1		11·6			2·5						8
9	7·6			17·5			·2	3·2					9
10	7·5	·8	·9	7·3		·3	1·9						10
11	3·4		1·1	11·5	6·0	1·4	1·1						11
12	·7		2·5	3·8		10·0	·1				·5		12
13	·4	·5	2·4	3·7		·5				2·0			13
14			10·2	4·7		8·9	2·6		5·5		6·9		14
15	·2		7·8	4·9		·9			5·8		3·0		15
16	·3		·1	1·2	·5	·7			4·5	5·3	1·8		16
17				·3	3·5			3·9	2·4			5·7	17
18	2·4	1·7		2·9	2·5		1·7		10·3				18
19	2·0	·4		6·8		5·1		4·0				1·0	19
20	1·8	11·7		4·2		5·6	1·2		·2				20
21				·2			·2	2·3	·5			·6	21
22				5·6			10·3		9·7			1·8	22
23		·4										10·9	23
24			4·0	·2			17·9					1·5	24
25		1·9	1·7				·5						25
26	4·8		1·7	1·9	14·5		1·2					4·5	26
27	6·8			3·8		9·3	·8				15·2		27
28	10·0		2·6		1·7		2·0				·5	·7	28
29	3·1		2·9	·2	8·7		1·5				1·7	11·5	29
30	1·0			2·4		2·7	·2		6·1		2·5	4·5	30
31	1·1				·5					7·2		1·4	31
TOTAL	56·0	20·0	50·4	107·8	51·8	45·7	80·5	25·8	51·1	29·9	32·4	49·8	YEAR'S TOTAL 601·2
Days with 0·2 mm. or more	17	9	17	24	11	12	23	8	13	7	9	14	164
1.0	13	5	13	19	9	7	18	7	10	7	6	11	125

(4384). Wt.2[illegible]58—218/500. 10/1[illegible] Gp.132. A.&E.W.

from Northam

REGIST

OUNDLE ~~—~~
MILTON ROAD
NORTHANTS
1911-1916, 1919-1920

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Oundle Milton
in the County of Northam
by J.M. Siddons C.A. Markham

in.
ound 4 ft. in.
Level ft.

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01		.01										1
2	.08										.04		2
3					.25					.05			3
4	.04		.07	.05				.07		.20		.26	4
5	.01			.01				.05	.09			.03	5
6	.30		.01									.20	6
7										.01	.35	.23	7
8	.17		.10								.05	.08	8
9	.06										.10		9
10	.02		.22									.25	10
11	.15	.04						.10			.40		11
12	.09		.34								.10		12
13			.14						.29			.31	13
14			.03		.26							.44	14
15		.06	.18							.13			15
16			.09								.40	.05	16
17											.02	.12	17
18		.17				.10					.12		18
19					.04				.04	.08	.18	.07	19
20								.44	.14	} .15		.49	20
21		.13						1.36				.11	21
22			.14	.01		.10		.05		.11		.34	22
23		.04	.10	—	—	.72		.02				.09	23
24			.01			.21				.35		.12	24
25		.23	.01	.04	.26	.07							25
26				.27	.03		.08			.31			26
27		.23	16	.10			.11		.09				27
28		.13		.12				.22			.22	.30	28
29						.12	.03		.22	.20			29
30													30
31										.09		.02	31
Total	.93	1.03	1.61	.60	.84	1.32	.22	2.31	.87	1.68	1.98	3.51	TOTAL for year. 16.90
No. of Rain Days.	10	8	15	7	5	6	3	8	6	12	11	18	109

W. 8,000, X. '11.

from Northam

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

Kept at Oundle Milton Road

in the County of Northampton 4

by J. M. Siddons C. A. Markham

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 4 ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01		.01										1
2	.08										.04		2
3					.25					.05			3
4	.04		.07	.05				.07		.20		.26	4
5	.01			.01				.05	.09			.03	5
6	.30		.01									.20	6
7										.01	.35	.23	7
8	.17		.10								.05	.08	8
9	.06										.10		9
10	.02		.22									.25	10
11	.15	.04						.10			.40		11
12	.09		.34								.10		12
13			.14						.29			.31	13
14			.03		.26							.44	14
15		.06	.18							.13			15
16			.09								.40	.05	16
17											.02	.12	17
18		.17				.10					.12		18
19					.04				.04	.08	.18	.07	19
20								.44	.14	} .15		.49	20
21		.13						1.36				.11	21
22			.14	.01		.10		.05		.11		.34	22
23		.04	.10			.72		.02				.09	23
24			.01			.21				.35		.12	24
25		.23	.01	.04	.26	.07							25
26				.27	.03		.08			.31			26
27		.23	16	.10			.11		.09				27
28		.13		.12				.22			.22	.30	28
29						.12	.03		.22	.20			29
30										.09			30
31												.02	31
Total	.93	1.03	1.61	.60	.84	1.32	.22	2.31	.87	1.68	1.98	3.51	TOTAL for year 16.90
No. of Rain Days.	10	8	15	7	5	6	3	8	6	12	11	18	109

W. 8,000, X. '11.

cord fr anlts 22.III.13 Ex W D S Aug.-ptly interpolated from school

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

25 MAR 1913

Kept at Oundle, Milton Road
in the County of Northants 4
by C. A. Markham, J. M. Siddons

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·23	·07	·05	·05			·15	1
2			·07			·22	·46						2
3					·05	·23		·13	·05			·09	3
4	·10		·43		·07	·37		·02		·21			4
5		·36	·25			·03							5
6	·48					·30	·55	·26					6
7						·94		·04				·02	7
8	·35	·10	·08			·34	·17		·10				8
9		·31		·03		·25						·07	9
10								·07			·15		10
11	·15	·10				·24		·03				·23	11
12	·08	·08			·08	·18		·05			·02		12
13							·08	·04				·02	13
14	·07				·07	·03				·02	·13		14
15		·02	·12		·31	·13						·09	15
16	·48				·13			·19					16
17	·44		·21			·20		·18				·23	17
18	·07							·06				·02	18
19	·22	·15					·16						19
20	·06				·07		·13	·63		·26			20
21			·10		·35			·59		·14	·04		21
22	·24				·33		1·20	·28		·01			22
23	·11	·25					·97	·46	—			·29	23
24		·01					·10	·21					24
25						·09		·56			·18	·39	25
26							·47	2·17			·21	·30	26
27						·04	·32			1·11		·17	27
28							·11	·43	·05		·20	·59	28
29						·19		·05	·50	·27	·01		29
30					·08				·17	·12			30
31			·28		·95			·12					31
Total	2·85	1·38	1·54	·03	2·49	4·01	4·79	(6·62) 6·62	·92	2·14	·94	2·66	YEAR'S TOTAL 30·5 30·37
Rain Days.	13	11	8	1	11	17	13	22	6	10	8	14	~~134~~

W. 7,500, XI. 12

from Nat Hist Soc

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Oundle Milton Road

in the County of Northamptonshire 4

by J M Siddons C A Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.16						.61		.20		1
2		.08			.11		.11		.15		.01		2
3					.50				.02			.02	3
4	.29				.13		.12			.50	.03	.14	4
5	.01					.10			.07	.52			5
6			.12		.58	.14	.04			.04			6
7		.05			.04	.07				.58			7
8					.19	.07				.02			8
9		.22				.13					.06	.04	9
10					.01		.32				.52		10
11	.94			.45		.02		.87		.04	.05		11
12					.09						.24		12
13											.21		13
14	.06		.18				.06			.04	.25		14
15			.16	.27					.56		.03		15
16	.10		.55	.12							.02		16
17	.06		} .31	.06		.46	.05						17
18				.06			.02		.35		.03	.07	18
19	.09		.07						.05		.02		19
20	.09									.33		.06	20
21					.07						.02		21
22	.28		.12						.16		.16		22
23				.08				.10	.02				23
24	.02							.19					24
25				.08		.05							25
26			.21	.03						.34		.25	26
27					.09						.06		27
28	.30		.07							.02			28
29			.17	.63	.09			.06				.10	29
30	.24							.03			.11		30
31					.07			.50					31
Total	2.48	.35	2.12	1.78	1.97	1.04	.72	1.75	1.99	2.43	2.02	.68	YEAR'S TOTAL 19.33
Rain Days.	12	3	12	9	12	8	7	6	9	10	17	7	112

W.7,000, XI. 13

Copied from C. Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
6 - MAR 1915

Kept at Oundle (Milton Rd)

in the County of Northampton .4.

by Jno. M. Siddons. C. A. Markham.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	-	-	-	·64	·22	-	-	·08	·03	1
2	-	-	-	-	·02	-	·01	·13	-	-	·09	·21	2
3	-	-	-	-	·16	-	·32	·02	-	-	-	-	3
4	·13	-	-	·20	-	·04	-	·25	-	-	·41	·14	4
5	-	-	·08	·15	·10	-	·14	·11	-	-	-	-	5
6	-	·02	-	-	·04	-	·08	-	-	-	-	-	6
7	-	·05	·36	-	·01	·06	-	-	-	-	-	·02	7
8	·06	·02	·08	·03	·10	·91	·15	·16	-	-	-	-	8
9	·64	-	·19	·07	-	·93	-	-	·10	-	-	-	9
10	·21	·05	-	-	·02	-	-	-	·15	-	-	-	10
11	-	·06	·28	·06	·12	·03	-	-	-	-	·31	·32	11
12	-	-	·09	-	-	-	-	-	·01	-	·04	·33	12
13	-	·12	·17	-	-	-	-	-	·35	·51	·06	·18	13
14	-	·05	·20	-	-	-	-	-	·02	·97	·16	·28	14
15	·03	-	·13	-	-	-	-	·04	·04	·01	·09	·13	15
16	-	-	·05	-	-	-	·09	-	-	-	-	-	16
17	-	·17	·05	-	-	-	-	-	-	-	-	·10	17
18	-	-	·04	-	-	·12	·16	-	·19	-	-	·42	18
19	-	·02	·08	-	-	-	·03	-	-	-	·08	-	19
20	-	·06	·27	-	-	-	-	-	·20	-	-	-	20
21	-	·16	·08	-	-	·03	-	-	·22	·06	-	·39	21
22	-	-	·03	-	·21	-	·12	·18	-	·09	-	-	22
23	-	-	·06	-	·04	-	-	-	-	·04	-	-	23
24	·03	-	-	·03	-	-	·12	·04	-	·07	·13	-	24
25	-	-	-	-	-	-	-	·13	-	·46	·01	·21	25
26	-	-	·06	-	-	-	-	·08	-	·07	·15	·27	26
27	-	-	-	-	-	-	-	-	-	-	-	·19	27
28	-	·04	-	-	·05	-	-	-	-	·17	·11	1·24	28
29	-		·07	-	·02	-	-	-	-	·27	·09	-	29
30	-	X	-	-	-	·09	-	-	-	·05	·19	·24	30
31	-	X	-	X	·03	X	·06	-	X	-	X	-	31
													YEAR'S TOTAL
Total	110	·82	2·37	·54	·92	2·21	1·92	1·36	1·28	2·77	2·00	470	21·99 ✓
Rain Days.	6	12	19	6	13	8	12	11	9	12	15	17	140 ✓

W. 8,000. X. 14.

Northampton Nat His Soc E4 M

1228

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Oundle Milton Road

in the County of Northamptonshire 4

by Major C A Markham J. M Siddons

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.44	.17	.04		.18				.06		.09	.08	1
2	.02	.12	.14	.10		.02		.97					2
3	.23			.20			.14	.15	.03		.02	.18	3
4	.11						.17					.51	4
5	.02	.18			.12			.02			.02	.23	5
6	.10			.15			.70					.07	6
7	.04	.30	.14			.07	.17	.26				.14	7
8		.18		.04				.03			.08		8
9						.02				.02	.17	.47	9
10	.30							.09			.10	.07	10
11			.06		.11		.05				.56		11
12	.02			.24	.35			.10		.03	1.18	.27	12
13		.46			.88								13
14		.02					.05		.05				14
15	28				.07			.20				.08	15
16		.19					.87	.11				.02	16
17		.19					.09						17
18		.02	.18								.06		18
19		.02					.05						19
20	.27											.20	20
21	.07				.06		.10						21
22	.11		.19				.49					.22	22
23			.02			.10	.21			.21		.28	23
24	.01		.04				.08		.78			.08	24
25						.66	.29					.27	25
26		.24	.03				.17					.28	26
27						.06	.08			.56		.02	27
28		.10				.18	.06	.02	.05	.18			28
29			.01			.16	.02	.06			.28	.23	29
30		✕				.41		.02		.12		.02	30
31	.13	✕		✕		✕		06	✕		✕	11	31
Total	2.15	2.19	.85	.73	1.77	1.68	3.79	2.09	.97	1.12	2.56	3.83	YEAR'S TOTAL 23.73
Rain Days.	15	13	10	5	7	9	18	13	5	6	10	21	132

W. 8,000. X. 15.

[illegible] Nat Hist Socy

1204

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
28 FEB 1917

Kept at Oundle Milton Road

in the County of Northamptonshire

by C. A. Markham J. M. Siddons

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09		.11		.01	.03	.17		.07		.33		1
2	.32	.02	.10		.53		.04		.03	.25	.02		2
3		.25	.13				.06		.38	.22	.04		3
4	.45	.19			.07	12					.21		4
5		.01			.02	.13				.09	.21		5
6		.11	16				.19			.04	.24		6
7	.09		.17		.09		.31			.02	.20	.04	7
8			.05								.03	.19	8
9			.02		57	.12				04		.03	9
10		.05	.10	.10		.11						.05	10
11		.21	.09	.06	.10	.06							11
12		.01	.04		.46	.15	.03						12
13		.19	.18		.09	.14				.02			13
14		.48	.01	.05	.03								14
15		.39	.30	.03				.04					15
16		.04	.15	.11	.04		.26						16
17	.02	.03		.05			.06	.23	.10	.25			17
18		.05		.01				.37	.02		.86		18
19	.11	.02	.15	.33				.02	03		.36	.16	19
20	.07		.05	.07				.02			.11	.25	20
21			.21	.01			.02					.57	21
22		.07	.04		.10	.04				.02		.48	22
23	.02	.11				.31		.02			.04	.24	23
24		.51				02						.13	24
25		.14	.07					.28		.09			25
26		.10				.06		.24		.02	.07		26
27		.09	.42			.04		.06		.09			27
28		.59	1.51			.13						.15	28
29		.06				13		1.45	.03	.26		.01	29
30		X				.06		.12		.12			30
31		X		X		X		.03	X	.05	X		31
Total	1.17	3.72	4.06	.82	2.11	1.65	1.14	2.88	66	1.58	2.72	2.30	YEAR'S TOTAL 24.81
Rain Days.	8	23	21	10	12	16	9	12	7	15	13	12	158

W. 8,000, VIII. 16

1092

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Milton Road Oundle

in the County of Northants

by Jno M. Siddons
per Major C. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32				·08		·08			·01	·06	·63	1
2	·12	·02					·21			·08	·32	·18	2
3	·73		·08				·08		·07		·14	·01	3
4	·03		·31			·05	·11	·04			·02	·23	4
5			·08						·72			·07	5
6					·02						·04	·06	6
7	·01		·21		·56								7
8				·11									8
9			·05	·04							·06		9
10			·29								·05	·05	10
11			·31				·94						11
12	·15		·25	·09		·14	·05			·06	·03		12
13	·13			·14					·04				13
14	·27			·10					·06				14
15	·22		·05	·13							·15	·36	15
16	·08	·87						·03			·12		16
17		·44									·16		17
18			·02					·14				·18	18
19		·16	·78				·46	·17	·07		·05	·03	19
20	·47	·02	·11			·25	·37	·28					20
21	·31	·36	·05				·31					·28	21
22		·16							·26			·34	22
23							·11	·01	·05	·38		·03	23
24				·16		·04	·02			·12			24
25				·11	·18			·14					25
26	·10		·14					·06	·09			·46	26
27	·82	·12		·56^{S}				·02			·13		27
28	·04			·06				·65		·08	·01	·26	28
29	·01			·02				·09		·28	·02	·19	29
30	·03		·03	·28		·28				·08	·20	·23	30
31	·02		·05										31
TOTAL	3·86	2·15	2·81	1·80	·84	·76	2·74	1·63	1·36	1·09	1·56	3·59	YEAR'S TOTAL 24·19 ✓
Days with ·01 in. or more	18	8	16	12	4	5	11	11	8	8	16	17	~~144~~ 134 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

From C. 1037

5 MAR 1921 Copy by B.R.O.

FORM A. 1, METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Milton Rd: Oundle
in the County of Northampton
by Jno: M. Siddons per Maj: C.A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	·	·		·17	·	·33	·	·02	·34	·03	·13	1
2	·	·	·	} ·59	·	·	·01	·16	·08	·03	·	·05	2
3	·	·03	·	·14	·	·	·56	·	·09	·03	·		3
4	·	·	·06	·07	·	·	·15	·35	·02	·18	·		4
5	·	·	·03	·	·21	·	·54	·08	·05	·	·		5
6	·	·	·	·	·04	·	·34	·01	·	·	·		6
7	·	·	·21	·09	·	·	·13	·	·	·	·		7
8	·12	·03	·	·46	·04	·	·02	·	·	·	·		8
9	·44	·	·	·71	·	·	·03	·25	·	·	·		9
10	·11	·	·02	·21	·	·	·03	·03	·	·	·		10
11	·24	·	·05	·14	·14	·07	·03	·04	·	·	·	·22 }	11
12	·03	·	·	·14	·01	·17	·	·05	·	·	·03	·16	12
13	·	·03	·	·19	·	·07	·	·	·06	·	·03		13
14	·	·	·47	·13	·	·12	·07	·	·14	·03	·17		14
15	·	·04	·48	·04	·	·	·	·	·25	·	·		15
16	·	·	·	·	·03	·	·	·	·23	·	·		16
17	·	·	·	·03	·17	·	·	·	·16	·05	·		17
18	·06	·	·	·02	·03	·	·	·11	·24	·	·		18
19	·08	·07	·	·07	·	·	·	·03	·	·	·	·11	19
20	·04	·38	·	·22	·	·45	·	·	·	·	·	·01	20
21	·	·	·	·	·	·	·	·06	·04	·	·		21
22	·	·	·	·21	·	·	·02	·	·29	·	·		22
23	·	·	·	·	·	·	·20	·	·	·	·	·34	23
24	·	·	·10	·	·	·	·	·	·	·	·		24
25	·01	·10	·	·	·	·	·54	·	·	·	·		25
26	·07	·	·07	·	·04	·	·10	·	·	·	·04		26
27	·06	·03	·	·08	·	·61		·	·	·	·41	·20 }	27
28	·41	·	·11	·	·15	·	·04	·	·	·	·	·05	28
29	·05	·	·15	·	·25	·	·03	·	·	·	·09	·44	29
30	·02	×	·	·02	·	·03	·	·	·10	·	·05	·13	30
31	·04	×	·	×	·	×	·	·	×	·21	×	·07	31
TOTAL	1·78	·71	1·75	3·56	1·28	1·52	3·22	1·17	1·77	·87	·85	1·91	YEAR'S TOTAL 20·39
Days with ·01 in. or more	15	8	11	20	12	7	18	11	14	7	8	14	145
Days with ·04 in. or more	12	4	9	17	9	6	11	8	12	4	5	13	110

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1101 ?

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGIST

NORTHANTS.
SALCEY LAWN
1915 ONLY

Kept at Salcey

in the County of North

by R Plomer

9 a.m.

Roade. 4 m

Five in.

ove Ground One ft. — in.

Sea Level 415 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.50	.09	.05	.	.09	.	.	.01	.13	.03	.	.15	1
2	.05	.17	.24	.03	.	.04	.	.16	.34	.16	.	.02	2
Snow 3	.34	.	.	.20	.	.	.15	.43	.18	.	.01	.29	3
4	.04	.	.02	.	.	.	.62	.01	.	.	.02	.60	4
5	.02	.28	.	.	.08	.	.	.02	.	.	.	.27	5
6	.21	.01	.01	.19	.	.	.75	.03	.	.	.	.02	6
7	.04	.35	snow .12	.	.08	.11	.25	.02	.	.	.	.20	7
8	.03	.15	.03	.	.	.	.	.01	.	. (	.	.02	8
9	.02	.	.	.	.	.	.	.02	.	.02	.20	.49	9
10	.21	.01	.	.	.	.	.	.01	.	.	.02	.01	10
11	.01	.	.03	.	.03	.	.	.02	.	.	.85	.01	11
12	.03	.	.	.33	.49	.	.	.03	.	.	.80	.06	12
13	.01	.42	.	.	1.12	.	.	.	.	.	.	.	13
14	.01	.02	.	.	.	.	.01	.15	.09	.	.	.44	14
15	.15	.	.	.	.03	.	.02	.08	.	.05	snow .38	.08	15
16	.04	.39	.	.02	.03	.	.68	.09	.	.	.	.04	16
17	.	.26	.	.	.14	.	.15	.	.	.	.02	.	17
18	.	.05	snow .15	.	.	.	.	.	.	.	.02	.02	18
19	.01	.	snow .02	.	.	.	.09	.	.	.	.	.	19
20	.34	.	.	.01	.02	.	.	.	.	.	.	.25	20
21	.12	.	.	.	.10	.	.13	.	.	.	.	.06	21
Snow 22	.11	.05	.27	.04		.	.54	.	.02	.	.	.17	22
23	.02	snow .07	.08			.15	.29	.	.06	.38	.	.47	23
24	.	.	.09			.12	.30	.	.93	.10	.	.11	24
25	.	.	.			.03	.03	.	.	.04	.02	.25	25
26	.	.09	.01			.	.26	.	.08	.	.	.23	26
27	.	.15				.60	.06	.01	.01	.46	.	.04	27
28	.	.22				.	.	.02	.40	.08	.	.01	28
29	.					.	.02	.13	.	.	.16	.09	29
30	.04	X				.13	.01	.02	.	Not taken	.	.04	30
31	.08	X		X		X	.01	.04	X	.55	X	.13	31
Total	2.43	2.78	1.12	.82	2.21	1.18	4.37	1.31	2.24	1.87	2.50	4.55	YEAR'S TOTAL 27.38
Rain Days.	23	17	13	7	11	7	19	20	10	11	11	28	177

W. 8,000. X. 14.

1101 ?

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Salcey Lawn
in the County of Northampton
by R Plomer

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Roade. 4 miles
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 415 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.50	.09	.05	.	.09	.	.	.01	.13	.03	.	.15	1
2	.05	.17	.24	.03	.	.04	.	.16	.34	.16	.	.02	2
3	Snow .34	.	.	.20	.	.	.15	.43	.18	.	.01	.27	3
4	.04	.	.02	.	.	.	.62	.01	.	.	.02	.60	4
5	.02	.28	.	.	.08	.	.	.02	.	.	.	.27	5
6	.21	.01	.01	.19	.	.	.75	.03	.	.	.	.02	6
7	.04	.35	snow .12	.	.08	.11	.25	.02	.	.	.	.20	7
8	.03	.15	.03	.	.	.	.	.01	.	. (	.	.02	8
9	.02	.	.	.	.	.	.	.02	.	.02	.20	.49	9
10	.21	.01	.	.	.	.	.	.01	.	.	.02	.01	10
11	.01	.	.03	.	.03	.	.	.02	.	.	.85	.01	11
12	.03	.	.	.33	.49	.	.	.03	.	.	.80	.06	12
13	.01	.42	.	.	1.12	.	.	.	.	.	.	.	13
14	.01	.02	.	.	.	.	.01	.15	.09	.	.	.44	14
15	.15	.	.	.	.03	.	.02	.08	.	.05	snow .38	.08	15
16	.04	.39	.	.02	.03	.	.68	.09	.	.	.	.04	16
17	.	.26	.	.	.14	.	.15	.	.	.	.02	.	17
18	.	.05	snow .15	.	.	.	.	.	.	.	.02	.02	18
19	.01	.	snow .02	.	.	.	.09	.	.	.	.	.	19
20	.34	.	.	.01	.02	.	.	.	.	.	.	.25	20
21	.12	.	.	.	.10	.	.13	.	.	.	.	.06	21
22	Snow .11	.05	.27	.04		.	.54	.	.02	.	.	.17	22
23	.02	snow .07	.08			.15	.29	.	.06	.38	.	.47	23
24	.	.	.09			.12	.30	.	.93	.10	.	.11	24
25	.	.	.			.03	.03	.	.	.04	.02	.25	25
26	.	.09	.01			.	.26	.	.08	.	.	.23	26
27	.	.15				.60	.06	.01	.01	.46	.	.04	27
28	.	.22				.	.	.02	.40	.08	.	.01	28
29	.					.	.02	.13	.	.	.16	.09	29
30	.04	✕				.13	.01	.02	.	Not taken	.	.04	30
31	.08	✕		✕		✕	.01	.04	✕	.55	✕	.13	31
Total	2.43	2.78	1.12	.82	2.21	1.18	4.37	1.31	2.24	1.87	2.50	4.55	YEAR'S TOTAL 27.38
Rain Days.	23	17	13	7	11	7	19	20	10	11	11	28	177

W. 8,000. X. 14.

DL

REG ... 11

SEDGEBROOKE,
PITSFORD
NORTHAMPTONSHIRE
1911–1920

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Pitsford, ...
in the County of Northa...
by C A Markha...

5 in.
...e Ground 1 ft. ... in.
Sea Level 311 ft.

Name

Distance Direction

IMPORTANT NOTE.— ... l the result entered to the previous day. If an Obser ... versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·02							·03	·03	1
2	·04	·01		·01	·21		·03	·01	·01	·01	·07	·03	2
3		·01			·26			·03		·02	·04	·01	3
4	·02		·07	·04					·05	·22	·22	·26	4
5			·01	·01				·15		·04			5
6	·27		·01	·01							·07	·33	6
7	·01			·02						·01	·14		7
8	·10		·13								·01	·18	8
9	·06			·01							·02	·04	9
10	·01	·04	·25								·02	·34	10
11	·15							·13			·45	·01	11
12			·42						·08		·20	·01	12
13			·04		·08	·01			·34	·03	·08	·43	13
14		·02	·03		·01						·02	·41	14
15		·06	·06							·01	·01		15
16			·02			·01					·37	·11	16
17			·06			·05					·07	·22	17
18	·01	·19				·04						·10	18
19		·01				·19	·03		·15	·07	·35	·10	19
20				·01		·01		·47	·09	·07		·60	20
21	·01	·12	·01					·43		·14	·01	·08	21
22		·01	·22			·30		·01		·10	·01	·35	22
23		·07	·25			·21			·33			·09	23
24	·01	·08	·01			·36				·65		·11	24
25		·05	·03	·04	1·12	·05						·01	25
26			·14	·44	·76	·01	·04			·18	·11	·17	26
27		·23		·09			·10	·14	·14		·03	·07	27
28		·20		·13		·01		·19				·03	28
29				·03		·16	·23		·14	·24	·05		29
30						·06				·12	·01	·01	30
31			·01		·10					·07		·01	31
Total	·69	1·10	1·79	·86	2·54	1·47	·43 ·43	1·56	1·33	1·98	2·39	4·14	TOTAL for year 20·28
No. of Rain Days	11	14	19	13	7	14	5	9	9	16	23	27	167

9,000, IX. '10.

DL

2/9

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Pitsford, Sedgebrook

in the County of Northamptonshire 4

by C A Markham

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 311 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·02							·03	·03	1
2	·04	·01		·01	·21		·03	·01	·01	·01	·07	·03	2
3		·01			·26			·03		·02	·04	·01	3
4	·02		·07	·04					·05	·22	·22	·26	4
5			·01	·01				·15		·04			5
6	·27		·01	·01							·07	·33	6
7	·01			·02						·01	·14		7
8	·10		·13								·01	·18	8
9	·06			·01							·02	·04	9
10	·01	·04	·25								·02	·34	10
11	·15							·13			·45	·01	11
12			·42						·08		·20	·01	12
13			·04		·08	·01			·34	·03	·08	·43	13
14		·02	·03		·01						·02	·41	14
15		·06	·06							·01	·01		15
16			·02			·01					·37	·11	16
17			·06			·05					·07	·22	17
18	·01	·19				·04						·10	18
19		·01				·19	·03		·15	·07	·35	·10	19
20				·01		·01		·47	·09	·07		·60	20
21	·01	·12	·01					·43		·14	·01	·08	21
22		·01	·22			·30		·01		·10	·01	·35	22
23		·07	·25			·21			·33			·09	23
24	·01	·08	·01			·36				·65		·11	24
25		·05	·03	·04	1·12	·05						·01	25
26			·14	·44	·76	·01	·04			·18	·11	·17	26
27		·23		·09			·10	·14	·14		·03	·07	27
28		·20		·13		·01		·19				·03	28
29				·03		·16	·23		·14	·24	·05		29
30						·06				·12	·01	·01	30
31			·01		·10					·07		·01	31
Total	·69	1·10	1·79	·86	2·54	1·47	·43 ·43	1·56	1·33	1·98	2·39	4·14	TOTAL for year 20·28
No. of Rain Days	11	14	19	13	7	14	5	9	9	16	23	27	167

9,000, IX. '10.

DL ✓ Ex. H.E.b

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL

24 JAN 1913

2/9

Kept at Pitsford, Sedgebrook

in the County of Northamptonshire 4

by C. A. Markham

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
„ „ „ Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01			·01	·10			·09		·12	1
2		05	·08	·01		·08	·41		·01			·01	2
3	·08		·05		·05		·05	·49			·01	·04	3
4	·08		·50		·15	·31		·01			·31	·03	4
5	·18	·07	·17			·10		·48	·03		·12	·03	5
6	·28	·10	·01			·06	·04	·40				·02	6
7		·12			·05	·33		·07			·01	·02	7
8	·36	·26	·25	·02		·16	·22	·07	·09				8
9		·08	·10	·10		·24	·02	·03				·15	9
10	·01	·02		·01				·11			·17		10
11	·02	·11	·01			·07		·13			·05	·30	11
12	·09	·37	·10		·05		·27	·01			·11		12
13		·05				·11					·03	·01	13
14	·03		·12		·12	·04		·10					14
15	·02		·11		·22	·19		·01				·14	15
16	·60	·03	·05		·10	·08		·05		·06			16
17	·58		·11			·14		·17			·02	·30	17
18	·10	·01	·06							·03	·01	·02	18
19	·21	·10			·03		·08	·32		·02	·01		19
20	·05		·19				·46	·28		·18			20
21			·10		·40			·79		·22	·02		21
22	·54	·08			·07		·57	·45		·06		·01	22
23	·11	·32	·38			·01	·65	·37			·10	·32	23
24	·08	·02				·36	·01	·09		·01		·10	24
25						·10		·63			·21	·34	25
26		·03	·01			·03	·10	1·21		·56	·20	·25	26
27						·03				·32		·26	27
28		·04				·02	·08	·49	·03	·17	·27	·53	28
29		·02				·14	·24		·60	·35	·10	·01	29
30	·03				·25	·01	·02		·12	·23			30
31			·04		·07		·45	·20				·03	31
Total	3·45	1·88	2·45	·14	1·56	2·62	3·77	6·96	·88	2·30	1·75	3·04	TOTAL for year 30·80
No. of Rain Days	19	19	20	4	12	22	17	24	6	13	17	22	195

9,000, IX. '10.

82

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

i/9

28 JAN 1914

Kept at Sedgebrook, Pitsford & RR
in the County of Northamptonshire 4
by C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		.05	.07	.10					.71		.15		1
2	.01	.17	.01	.03			.06		.08	.08	.01		2
3	.02		.11		.70				.02	.01		.08	3
4	.40					.03	.04			.60	.03	.33	4
5		.01	.01			.06	.03		.02	.63	.01	.01	5
6		.02	.04		.15	.21	.42			.35	.06	.05	6
7		.12			.11	.10	.22			.36		.03	7
8		.01	.03		.11					.01	.06	.03	8
9		.26	.02	.01		.23		.01	.07		.10		9
10	.05		.04	.06	.03		.09	.04			.56		10
11	1.03			.52	.04					.11	.35		11
12					.15					.01	.21		12
13		.01	.01	.02					.03		.22		13
14	.08	.01	.25	.01			.07	.05		.10	.01		14
15	.10	.02	.22	.39			.15		.06				15
16	.05		.83	.08					.02				16
17	.10	.01	.02	.06		.46	.03		.01		.02	.04	17
18			.15	.08			.10		.03			.01	18
19	.26		.06				.08		.05			.02	19
20	.18		.12	.01						.55	.04		20
21	.02		.16	.02	.13		.02		.20	.01	.29		21
22	.48		.28					.03	.03				22
23						.07	.01	.03			.01	.03	23
24	.02			.10				.01			.01		24
25		.02		.10		.02				.01		.02	25
26		.05	.16	.18		.01		.03		.27		.18	26
27		.01	.02	.05						.02	.01		27
28	.48		.14	.22						.04		.05	28
29	.01		.16	.46				.09		.11			29
30	.22									.06	.15	.07	30
31			.02		.15			.10				.01	31
Total	3.51 ✓	.77 ✓	2.93 ✓	2.50 ✓	1.57 ✓	1.19 ✓	1.32 ✓	.39 ✓	1.33 ✓	3.33 ✓	2.30 ✓	.96 ✓	YEAR'S TOTAL 22.10
Rain Days.	17	14	23	19	9	9	13 ✓	9	13	18	19	15	178

W. 7,500, XI. 12

8L Ex. Mill. 4/9

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

23 JAN 1915

Kept at Sedgebrook
in the County of Northamptonshire 4
by C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 311 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·05			·52	·29			·07	·03	1
2			·01					·13			·38	·29	2
3			·01		·15		·19	·01			·01		3
4	·19		·01	·12				·41			·36	·25	4
5	·05		·04	·11	·03	·11	·42	·09			·06		5
6			·04	·09	·03			·01			·14	·06	6
7		·14	·44	·01	·05	·05	·03	·04				·02	7
8	·10	·04	·25	·05	·16	1·07	·26	·15	·01				8
9	·34	·01	·22	·06		1.15		·01	·03				9
10	·09	·08	·01	·10	·10				·17			·11	10
11		·10	·27	·06	·20	·37					·27	·45	11
12		·02	·08				·10		·27		·06	·30	12
13	·01	·15	·18						·02	·06	·13	·31	13
14			·09				·20			·50	·13	·26	14
15	·06	·02	·25				·11	·01	·02		·02	·02	15
16	·01						·04		·06				16
17		·30	·04						·13		·01	·40	17
18							·28					·37	18
19		·02	·25				·01		·01		·05	·02	19
20		·26	·07				·01		·01		·24	·18	20
21		·14	·07			·03				·08		·15	21
22			·09		·21	·01	·05	·06	·29	·20		·01	22
23		·04	·05		·07			·01		·08			23
24		·01	·01		·01		·27			·17	·10		24
25	·03						·05	·24		·41		·28	25
26			·01					·09		·05	·18	·26	26
27	·03									·02	·04	·10	27
28		·07	·01							·05	·12	1·21	28
29	·02		·09		·01					·22	·10		29
30			·03							·04	·23	·35	30
31	·02				·01		·12			·01		·03	31
Total	·95	1·40	2·63	·65	1·03	2·79	2·66	1·55	1·02	1·89	2·70	5·46	YEAR'S TOTAL ✓ 24·73
Rain Days.	12	15	26	9	12	7	16	14	11	13	20	23	✓ 148

W.7,000, XI. 13

9L

copy to N.N.H.S. return [illegible] 21.iii.16

1202
2/9

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Sedgebrook [illegible]
in the County of Northamptonshire 4
by C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.07	.09		.15			.01	.11	.06	.03	.03	1
2		.11	.30	.16	–			.42	.02	.14		.06	2
3	.35		.01	.13	–		.31	.53	.08	—		.17	3
4	.03				–		.11				.01	.46	4
5	.04	.26			–			.05			.01	.29	5
6	.20	.02			–		.83	.05				.08	6
7	.03	.28	.03		–	.11	.02	.07				.16	7
8	.04	.15		.18	–			.02			.07		8
9	.01	.01			–					.01	.15	.10	9
10	.30		.01		–			.03		—	.14	.02	10
11	.02		.01	.03	.08		.08		—		.89		11
12	.03	.02		.17	.45			.27			.90		12
13		.42			.92								13
14	.01	.01			–			.02	.06		—	.40	14
15	.29	.02			.03		.12	.08			.21	.15	15
16	.02	.29			.02		1.03	.04			—		16
17		.21			.10		.14					.01	17
18	.02	.05	.20		–						.03		18
19	.01	.05	.01		.03		.04		—				19
20	.37				–							.25	20
21	.10	.02			.06		.12					.07	21
22	.11		.28		–		.40		.01			.10	22
23		.02	.02		–	.03	.15		.04	.35		.35	23
24	.01		.05		–	.05	.04		1.06	.05		.15	24
25				.01	–	.02	.20			.05		.25	25
26		.11	.01		–		.07		.02			.36	26
27		.01			–		.02			.45		.01	27
28		.14	.01		–	—	.03	.05	.10	.05			28
29					–		.07	.07		—	.16	.09	29
30	.08	X			—	.15		.01		.11		.11	30
31	.07	X		X	–	X			X	.50	X	.08	31
Total	2.39	2.27	1.03	.68	1.84	.36	3.78	1.72	1.50	1.77	2.60	3.75	YEAR'S TOTAL 23.69 ~~22.87~~
Rain Days.	22	20	13	6	9	5	18	15	9	10	11	23	161 ~~163~~

W. 8,000. X. 14.

Dh [illegible] 1/8

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at Sedgebrook
in the County of Northamptonshire
by C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		·06		·01	·06	·23				·50		1
2	·47				·19		·12		01	·51	·01		2
3		·41	·06						·13	·22	·05		3
4	·36	·11			·17	·20	·05		·01	·01	·15		4
5					·04	·15	·01			·14	·17		5
6		·16		·10	·06	·01	·56			·06	·34		6
7	·08		·19		·07		·06			·01	·15	10	7
8			·19									·15	8
9	01		·01		27	·03				·01			9
10			·01	·09		·11	·01		·01		·02	·02	10
11	·04	·26	·19	·14	·08	·10						·10	11
12	·01	·04	·08	·03	·29	·04	·08		·01	·02			12
13	·05	·25	·07	·07	·03	·01	·11	·15					13
14		·21		·06	·01					·05			14
15		·41	·49		·01		·10	·06	·01	·01			15
16	·02		·32	·24	·09		·25						16
17	·08	·04		·11			·02	·26	·14	·27			17
18		·21	·02	·09				·14	·14		·86		18
19	·09	·02	·28	·08					·35		·35	·13	19
20	·05		·22	·01				·03			·46	·58	20
21	·01		·39				·01					·35	21
22		·06	·02		·20					·08	·02	·52	22
23	·03	·45	·02					·03		·02	·04	·20	23
24		·24	·04	·03		·07		·04		·10		·20	24
25		·20	·11		·07			·31			·13		25
26	·01	·25	·03			·01		·17		·07	·04		26
27	·03	·16	1·30			·03	·11	·54	·03	·27			27
28		·40	·39			·23			·02	·03		·20	28
29		·09			·31	·17		1·29		·31		·03	29
30		✕				·01		·05		·20			30
31	·03	✕		✕		✕		·01	✕	·03	✕	·05	31
													YEAR'S TOTAL
Total	1·49	3·97	4·49	1·05	1·90	1·23	1·72	3·08	·86	2·42	3·29	2·63	28·13
Rain Days.	17	19	22	12	16	15	14	13	11	20	15	13	187

W. 8,000. X. 15.

8L

1134
2/8

REGISTER [illegible] OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Sedgebrook, Pitsford
in the County of Northamptonshire
by E. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·10				1·10	·08		·03		1
2	·02			·06		·13		·08			·02		2
3				·12				·38		·24	·10		3
4		·35	·02					·05		·48			4
5	·15		·14	·07					·06	·02	·10		5
6						·08				·02	·03	·04	6
7	·46									·41		·01	7
8	·30			·13			·44	·66		·35	·20	·13	8
9			·12	·10	·10			·43		·02	·15		9
10	·06		·24	·16	·11			·10			·06	·02	10
11	·10		·17	·20	·02			·34	·07	·21			11
12	·11			·02	·13			·02		·25			12
13			·14					·28	·05				13
14		·03		·09				·16				·02	14
15				·06			·07	·04		·03		·03	15
16	·10	·17		·19	·02		·02			·08		·03	16
17	·05	·02		·14	·51	·14	·27	·02	·16	·06		·02	17
18	·02	·04		·05	·19	·02	·13	·01	·89				18
19		·25	·10		·07				·01				19
20		·21	·03		·64				·17		·20		20
21			·04	·01	·01								21
22			·06							·13			22
23		·10			·07			·25	·04	·03			23
24		·03				·24		·04		·20	·07		24
25			·08						·02		·06		25
26								·28	·08		·14	·02	26
27						·50		·80					27
28			·10			·56		·10				·07	28
29						·03	·12	·16		·34		·24	29
30		×					·24	·15					30
31	·05	×	·02	×		×	·07	·10	×		×	·10	31
Total	1·42	1·20	1·26	1·50	1·87	1·70	1·36	5·55	1·63	2·87	1·16	·73	YEAR'S TOTAL 22·25
Rain Days.	11	9	13	15	11	8	8	22	11	16	12	12	148

W. 8,000, VIII. 16

199

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

2/8

23.1.19

Kept at Sedgebrook, Pitsford
in the County of Northamptonshire
by C. A. Markham

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.07		.09							.21	.03	1
2		.13	.03	.11				.10			.11	.10	2
3		.02	.01		.30			.75	.27		.35	.03	3
4			.02					.02	.30		.38	.01	4
5		.07			.34			.09	.15	.04			5
6		.12	.02	.10								.02	6
7		.07		.13		.05			.03	.14	.10		7
8									.05	.04		.13	8
9	.04	.14		.03		.04	.10		.35	.24		.04	9
10	.06					.01	.28		.04	.16		.03	10
11					.10		.04		.09	.22		.07	11
12		.08	.04		.15		.20		.06				12
13		.02			.06	.03	.03		.10	.02		.05	13
14	.25			.02		.01	.95		.28	.14		.05	14
15	.80			.50			.08		.12			.18	15
16	.30			.40		.01			.26			.01	16
17	.25			.02			.58					.09	17
18	.37					.11	.11		.25			.40	18
19	.02	.02	.03	.08			.06			.05		.25	19
20		.09		.57		.07	.02		.13	.17		.02	20
21	.06			.33		.01	.01		.20	.03		.03	21
22	.16				.26		.04		.04	.04		.40	22
23	.05				.57		.03		.05				23
24		.15					.02		.03		.19		24
25						.12	.07	.20		.02	.01		25
26							.20	.04	.03	.02	.10	.20	26
27							.05	.20	.02		.07	.05	27
28		.04	.16			.02		.08			.26	.10	28
29									1.12		.01		29
30			.22					.05	.09		.06	.12	30
31			.09					.03		.01			31
Total	2.36	1.02	.61	2.38	1.78	.48	2.87	1.56	4.06	1.34	1.85	2.41	YEAR'S TOTAL 22.72
Rain Days.	11	13	9	12	7	11	18	10	23	15	12	23	164

W. 8,000, VIII. 16

82

Ex Oh

1064

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Sedgebrook

in the County of Northamptonshire

by C. A. Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.30	.08	.03		.07		.23			.09		.64	1
2	.12	.03	.01		.03		.05		.08	.11	.37	.03	2
3	.64		.09		.02		.24		.18		.15	.10	3
4	.22		.38			.03	.03	.15	.03			.13	4
5	.02	.15	.25				.08		.68			.15	5
6	.01	.14	.03		.78						.02	.05	6
7	.03		.26										7
8	.12		.06	.15							.02		8
9			.11	.10									9
10			.37	.03						.02	.03	.05	10
11	.05		.27	.04			.51						11
12	.02		.28	.10		.10	.02			.06		.01	12
13	.09			.18					.04	.05	.03		13
14	.32			.15			.02		.03	.01			14
15	.26	.06	.10	.13						.03	.06	.65	15
16	.07	.65						.20			.20		16
17		.26									.20	.01	17
18			.16					.15			.02	.12	18
19	.10	.23	1.00			.13	.30	.20	.07		.01	.02	19
20	.47	.87	.30			.06	.26	.29			.09		20
21	.12	.38	.04				.42				.02	.15	21
22		.45							.19			.52	22
23						.06		.02	.04	.44	.01	.05	23
24				.08	.02		.20			.45		.01	24
25	.14			.04	.01			.20					25
26	.02		.16	.07			.13	.02	.07		.01	.30	26
27	.05		.02	.46				.10		.01		.06	27
28	.09			.01				.65			.07	.30	28
29	.42			.03		.03		.05		.22	.10	.33	29
30		X	.19	.20		.23		.05		.08	.16	.26	30
31		X		X		X	.02		X	.02	X	.02	31
Total	3.68	3.30	4.11	1.77	.93	.64	2.51	2.08	1.41	1.59	1.57	3.96	YEAR'S TOTAL 27.55
Rain Days	22	11	20	15	6	7	14	12	10	13	18	22	170

W. 6,500, VII. 18. W W C

2/184 1012

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sedgebrook

in the County of Northamptonshire

by C. A. Markham

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·22		·33			·07	·04	·13	1
2				·07			·02	·23	·08	·08		·07	2
3	·02	·03		·42	·01		·60	·01	·06	·06		·02	3
4			·05	·08			·16	·27	·02	·35		·02	4
5			·09		·20		·49	·05	·06				5
6			·12		·06		·30						6
7			·02	·10	·04		·07						7
8	·46	·04		·46	·01		·11						8
9	·36			1·12				·06					9
10	·21	·03	·03	·45		·01	·07				·02		10
11	·24		·05	·55	·27	·04	·03					·04	11
12	·03		·05	·10		·35						·15	12
13	·01		·07	·11							·04	·03	13
14	·01		·40	·20		·30	·06		·20	·02	·20		14
15		·07	·69	·10			·01		·15	·02	·10		15
16				·11	·10	·44			·09	·08			16
17				·03	·12	·02		·01	·30	·04		·10	17
18	·18			·01			·11	·10	·19				18
19	·02	·08		·24		·12		·14	·03			·03	19
20	·07	·18		·24		·34					·02	·02	20
21							·01	·08	·02				21
22				·12					·10			·04	22
23							·32					·35	23
24			·10								·02	·08	24
25		·08	·03	·03		·01	·53						25
26	·20		·15	·01			·02					·02	26
27	·15			·15		·48	·01				·83	·22	27
28	·42		·09		·13		·03				·07		28
29	·09		·15		·43	·04	·08				·06	·47	29
30	·01			·02	·02	·10	·12		·16		·08	·12	30
31	·04				·03					·30		·07	31
TOTAL	2·52	·51	2·09	4·85	1·64	2·25	3·48	·95	1·46	1·02	1·48	1·98	YEAR'S TOTAL 24·23
Days with ·01 in. or more	17	7	15	23	13	12	21	9	13	9	11	18	168
104	11	5	12	18	9	9	14	7	10	7	8	12	122

(44,266). Wt.2[illegible],958—218 7500. 1919. Gp.132/A.&E.W.

NORTHANTS

STOKE BRUERNE PARK

1911 ONLY

R 1911

FORM A2.

BRITISH RAINFALL.
18 JAN 1912

Kept at Stoke Bru

in the County of N

by W. Batchel

of top 5 in.

top above Ground 1 ft. – in.

,, ,, Sea Level 320 ft.

on 9 AM

station Name Roade. S.W.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily [illegible] n., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ Nov.	~~Nov.~~ Oct.	Dec.	*Date.*
1	–	–	–	0.15	–	–	–	–	–	0.02	–	–	1
2	–	–	–	0.21	0.23	–	–	0.14	–	0.08	0.04	0.04	2
3	0.05	–	–	–	0.23	–	–	–	0.01	0.05	0.08	0.04	3
4	0.03	0.04	–	0.03	–	–	–	–	–	0.16	0.35	–	4
5	0.03	–	0.10	0.02	–	–	–	–	–	0.01	–	0.35	5
6	0.45	–	–	–	–	–	–	–	–	–	–	0.55	6
7	–	–	–	–	–	–	–	–	–	0.32	–	0.05	7
8	0.11	–	–	–	–	–	–	–	–	–	0.02	0.15	8
9	0.12	–	–	–	–	–	–	–	–	–	–	0.04	9
10	0.02	0.09	0.26	–	–	–	–	–	–	–	–	0.18	10
11	–	–	–	–	–	–	–	0.01	–	0.55	–	–	11
12	0.18	–	0.42	–	–	–	–	–	0.02	0.36	–	0.01	12
13	0.13	–	–	–	0.75	–	–	–	0.36	0.04	0.01	0.44	13
14	–	–	0.03	–	0.03	–	–	–	–	–	–	0.30	14
15	–	0.12	0.04	–	–	–	–	–	–	0.20	0.02	0.02	15
16	–	–	–	–	–	0.02	–	–	–	0.41	0.01	0.10	16
17	–	–	0.06	–	–	0.04	0.12	–	–	0.08	–	0.28	17
18	–	0.32	–	–	0.03	0.03	–	–	–	0.02	–	–	18
19	–	–	–	–	–	0.12	–	–	0.19	0.28	0.08	0.03	19
20	0.02	–	–	–	–	–	–	0.34	0.20	0.02	0.23	0.70	20
21	–	0.13	0.04	–	–	–	–	0.02	0.02	0.02	0.14	0.11	21
22	–	–	0.02	–	–	0.04	–	0.02	–	–	0.14	0.37	22
23	–	0.04	–	0.09	–	0.15	0.21	–	0.12	–	–	0.13	23
24	–	–	–	–	–	0.35	–	0.03	–	–	0.33	0.10	24
25	–	0.06	–	–	0.98	0.08	–	0.01	–	–	–	0.11	25
26	–	–	–	0.26	0.60	0.04	–	0.01	–	0.08	0.35	0.10	26
27	–	0.22	0.15	0.04	–	–	0.05	0.04	0.14	0.04	–	0.08	27
28	–	0.22	–	0.06	–	–	–	0.21	–	0.08	–	0.02	28
29	–	–	–	0.03	–	0.20	0.04	–	0.26	0.01	0.30	–	29
30	–	–	–	0.04	–	–	–	–	0.05		0.11	0.01	30
31	–	–	–	–	0.05	–	–	–		Nov	0.01 Oct		31
Total	1.14	1.24	1.15	0.9¾	2.90	1.10	0.42	0.83	1.40	2.83	2.25	4.37	TOTAL for year
No. of Rain Days.	10	9	9	10	8	10	4	10	10	20	16	25	20.59

W. 8,000, X. '11.

Nov. Oct.

141

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Stoke Bruerne Park.
in the County of Northamptonshire
by W. Batchelor.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
„ „ „ Sea Level 320 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Roade. L.N.W.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	~~Oct.~~ Nov.	~~Nov.~~ Oct.	Dec.	*Date.*
1	–	–	–	0.15	–	–	–	–	–	0.02	–	–	1
2	–	–	–	0.21	0.23	–	–	0.14	–	0.08	0.04	0.07	2
3	0.05	–	–	–	0.23	–	–	–	0.01	0.05	0.08	0.04	3
4	0.03	0.04	–	0.03	–	–	–	–	–	0.16	0.35	–	4
5	0.03	–	0.10	0.02	–	–	–	–	–	0.01	–	0.35	5
6	0.45	–	–	–	–	–	–	–	–	–	–	0.55	6
7	–	–	–	–	–	–	–	–	–	0.32	–	0.05	7
8	0.11	–	–	–	–	–	–	–	–	–	0.02	0.15	8
9	0.12	–	–	–	–	–	–	–	–	–	–	0.07	9
10	0.02	0.09	0.26	–	–	–	–	–	–	–	–	0.18	10
11	–	–	–	–	–	–	–	0.01	–	0.55	–	–	11
12	0.18	–	0.42	–	–	–	–	–	0.02	0.36	–	0.01	12
13	0.13	–	–	–	0.75	–	–	–	0.36	0.04	0.01	0.44	13
14	–	–	0.03	–	0.03	–	–	–	–	–	–	0.30	14
15	–	0.12	0.07	–	–	–	–	–	–	0.20	0.02	0.02	15
16	–	–	–	–	–	0.02	–	–	–	0.41	0.01	0.10	16
17	–	–	0.06	–	–	0.07	0.12	–	–	0.08	–	0.28	17
18	–	0.32	–	–	0.03	0.03	–	–	–	0.02	–	–	18
19	–	–	–	–	–	0.12	–	–	0.19	0.28	0.08	0.03	19
20	0.02	–	–	–	–	–	–	0.34	0.20	0.02	0.23	0.70	20
21	–	0.13	0.04	–	–	–	–	0.02	0.02	0.02	0.14	0.11	21
22	–	–	0.02	–	–	0.04	–	0.02	–	–	0.17	0.37	22
23	–	0.07	–	0.09	–	0.15	0.21	–	0.12	–	–	0.13	23
24	–	–	–	–	–	0.35	–	0.03	–	–	0.33	0.10	24
25	–	0.06	–	–	0.98	0.08	–	0.01	–	–	–	0.11	25
26	–	–	–	0.26	0.60	0.04	–	0.01	–	0.08	0.35	0.10	26
27	–	0.22	0.15	0.04	–	–	0.05	0.04	0.14	0.04	–	0.08	27
28	–	0.22	–	0.06	–	–	–	0.21	–	0.08	–	0.02	28
29	–	–	–	0.03	–	0.20	0.04	–	0.26	0.01	0.30	–	29
30	–	–	–	0.04	–	–	–	–	0.05		0.11	0.01	30
31	–	–	–	–	0.05	–	–	–		Nov	0.01 Oct		31
Total	1.14	1.24	1.15	0.94¾	2.90	1.10	0.42	0.83	1.40	2.83	2.25	4.37	TOTAL for year
No. of Rain Days.	10	9	9	10	8	10	4	10	10	20	16	25	20.59
										Nov.	Oct.		

W. 8,000, X. '11.

R 9 11

SYWELL HALL
NORTHAMPTONSHIRE
1911-1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at Sywell

in the County of Nor

by T. A. Dickson

y. Steward, London

op 5 in.

above Ground 1 ft. - in.

„ Sea Level 371 ft.

9 a.m.

Name Castle Ashby

Distance 4½ mls Direction S. E

IMPORTANT NOT nd the result entered to the previous day. If an Obs niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	03		23	05			04	06			04	03	1
2	04		02	04	22		06	02		02	08	03	2
3		02			28			09		05	05	04	3
4	03	01		05					07	33	33	25	4
5	01		07					12		06	02	02	5
6	22										07	22	6
7	02		03							21	23	16	7
8	12		15							02	04	12	8
9	11			03							02	04	9
10	02	10	23								03	31	10
11	19							02			43	02	11
12	05		48						05		28	01	12
13			06		09				33	10	02	45	13
14		03	04		10					02	02	30	14
15		08	11				01			04	12	03	15
16			09							02	37	08	16
17			05			06				01	03	23	17
18		20				10				02	04	08	18
19		04			02	21	04		08	05	35	04	19
20	02	06	01			02		21	10	06		67	20
21		15	03	02				47		12		14	21
22	04		16	02		15		06		13	02	37	22
23		11	37			37			39			10	23
24	02	11	02			37				45		08	24
25		09	03	06	1·27	15		02	02			02	25
26		01		34	93	02				22	11	20	26
27		23	17	08			07	07	20		02	07	27
28				15				28			06	02	28
29				03		15	03		15	29	02		29
30						07			02	12		02	30
31			02		24					07		02	31
Total	·92	1·24	2·37	·87	3·15	1·67	·25	1·42	1·41	2·41	2·80	4·07	TOTAL for year 22·58
No. of Rain Days.	14	14	20	11	8	11	6	11	10	21	24	30	180

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Sywell Hall,
in the County of Northampton 4
by I. A. Dickson

RAIN GAUGE
Pattern J. H. Steward, London
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 371 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Castle Ashby
Distance 4½ mls Direction S. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	03		23	05			04	06			04	03	1
2	04		02	04	22		06	02		02	08	03	2
3		02			28			09		05	05	04	3
4	03	01		05					07	33	33	25	4
5	01		07					12		06	02	02	5
6	22										07	22	6
7	02		03							21	23	16	7
8	12		15							02	04	12	8
9	11			03							02	04	9
10	02	10	23								03	31	10
11	19							02			43	02	11
12	05		48						05		28	01	12
13			06		09				33	10	02	45	13
14		03	04		10					02	02	30	14
15		08	11				01			04	12	03	15
16			09							02	37	08	16
17			05			06				01	03	23	17
18		20				10				02	04	08	18
19		04			02	21	04		08	05	35	04	19
20	02	06	01			02		21	10	06		67	20
21		15	03	02				47		12		14	21
22	04		16	02		15		06		13	02	37	22
23		11	37			37			39			10	23
24	02	11	02			37				45		08	24
25		09	03	06	1·27	15		02	02			02	25
26		01		34	93	02				22	11	20	26
27		23	17	08			07	07	20		02	07	27
28				15				28			06	02	28
29				03		15	03		15	29	02		29
30						07			02	12		02	30
31			02		24					07		02	31
Total	·92	1·24	2·37	·87	3·15	1·67	·25	1·42	1·41	2·41	2·80	4·07	TOTAL for year 22·58
No. of Rain Days.	14	14	20	11	8	11	6	11	10	21	24	30	180

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

3 JAN 1913

Kept at Sywell Hall,

in the County of Northampton 4

by I. A. Dickson

Rain Gauge: Pattern Steward, London
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 371 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Castle Ashby
Distance 4½ m Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			04			05	02	01	05	09		09	1
2		02	05	02		13	56		03	01		03	2
3	10		07		07	04	02	43	03		02		3
4	07		44		11	34		11			30		4
5	11	06	24		02	24		15	08		20		5
6	31	15				10	11	38				18	6
7		04			06	56	06	08			02	05	7
8	37	26	20			14	20	24	15	02		02	8
9	02	07	06	12		50	04	02				18	9
10		02	02	03		03		15			31		10
11	04	09				06		02			03	28	11
12	10	42	10		06	05	38			02	08		12
13	02	05				03					06	03	13
14	05		10		09	08		13		03			14
15		05	11		21	16		03				16	15
16	37	01	05		03	03		09	02	07			16
17	33		17			16		20			04	21	17
18	16		09					07		04	02	06	18
19	23	10	01				07	29		03	05		19
20	05		12		10		34	26		18			20
21	02	02	13		44			85		24	07		21
22	46	09			23		52	34		08	01	03	22
23	14	34	38			01	96	55			13	34	23
24	13	02	01			13	02	18				14	24
25	02					17		49		02	21	28	25
26		04	03			06	19	1·31		63	35	29	26
27						07	49			33		33	27
28		03				01	19	47	03	17	23	65	28
29		01				06	33	02	57	32		02	29
30	03				24	16	02		25	22			30
31			03		34		48	29		02		02	31
Total	3·13	1·89	2·45	·17	2.00	3·37	5.00	7·16	1.21	2·52	2·13	3·39	TOTAL for year 34·42
No. of Rain Days.	21	20	21	3	13	25	19	26	9	18	17	20	212

W, 8,000, X. '11.

RAIN GUAGE COMPARISONS.

J. H. S (New)	J. H. S (Old)	Negretti & Zambra
.005	.015	.005
.010	.020	.010
.020	.030	.020
.030	.040	.030
.040	.050	.040
.050	.056	.047
.060	.065	.054
.070	.076	.066
.080	.085	.077
.090	.099	.088
.10	.12	.094
.20	.203	.19
.30	.30	.285
.40	.40	.38
.50	.50	.48
Certified at Kew, & Camden Square.	This glass used throughout 1913.	

[illegible]

[illegible] 1914

Corrected for wrong glass 5.V.14.

REGISTER OF RAINFALL IN 19 13.

FORM A. BRITISH RAINFALL. 5 MAY 1914

Kept at Sywell Hall Rox. [illegible]

in the County of Northampton - 4

by T. A. Dickson

Lat. 52° 17' 55" Long. 0° 47' 20" W.

Time of Observation 9 am

Nearest Railway Station Castle Ashby

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·06	·06	·19	-	-	-	-	·88	·	·14	·01	1
2	·01	·20	-	-	·30	-	·15	-	·10	·17	·03	-	2
3	·01	-	·16	-	·74	-	·01	-	·03	·18	-	·02	3
4	·35	-	-	·	-	-	·04	-	-	·43	·03	·32	4
5	-	-	-	·	-	·01	·02	-	·02	·94	·02	·04	5
6	-	·02	·05	·	·16	·38	·26	-	-	·16	-	·03	6
7	-	·14	-	-	·02	·04	·20	-	-	·49	·05	·01	7
8	-	-	-	-	·13	·09	-	-	-	·03	·03	-	8
9	-	·28	·01	·01	-	·20	-	-	·06	-	·07	·04	9
10	·02	-	·06	·04	·14	-	·54	·03	-	·	·68	-	10
11	·85	-	-	·49	·10	·01	-	-	-	·25	·33	-	11
12	-	-	·	-	·13	-	-	·	-	·01	·20	-	12
13	·05	-	-	·02	-	·	-	·03	·03	-	·26	-	13
14	·09	·01	·21	·03	-	-	·01	·04	-	·09	·08	·	14
15	·08	·02	·24	·32	-	-	·21	-	·03	-	-	·	15
16	·05	-	·76	·20	-	-	-	-	·01	·	-	·	16
17	·14	·03	·06	·18	-	·07	·02	·	·02	-	·03	·05	17
18	·01	-	·20	·07	·01	-	·04	-	-	-	-	-	18
19	·17	·	·08	-	·01	-	·10	-	·09	·	-	·02	19
20	·23	·	·31	·	-	·03	·	-	-	·40	·03	-	20
21	·03	·	·26	·02	·10	-	·04	-	-	-	·36	-	21
22	·45	-	·20	-	·	-	-	·07	·17	-	-	-	22
23	-	·	-	-	·	·07	·02	·01	·04	·	·01	·02	23
24	·02		-	·07	-	-	-	·08	·	-	-	-	24
25	-	·02	-	·10	-	·15	-	-	·	·01	-	·01	25
26	·	·03	·21	·15	·	·01	-	·03	-	·31	·02	·21	26
27	-	·02	·01	·07	-	-	-	-	-	-	·01	-	27
28	·46	-	·28	·14	-	-	-	-	-	·10	-	·04	28
29	·01		·16	·66	·03	-	-	·07	-	·08	-	·05	29
30	·26		-	-	-	-	-	-	-	·20	·17	-	30
31	-		-		·10		-	·17		-		-	31
Total	3·31	·83	3·32	2·76	1·97	1·06	1·66	·53	1·48	3·85	2·55	·87	YEAR'S TOTAL 24·19
Rain Days.	20	11	18	17	13	11	14	9	12	16	19	14	174

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL
3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Sywell Hall,
in the County of Northampton
by T. A. Dickson

4

Lat. 52° 17′ 55″ Long. 0° 47′ 20″ W.
Time of Observation 9 a.m
Nearest Railway Station Castle Ashby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	03	07	07	19					88		14	02	1
2	02	20	01		30		15		11	17	04		2
3	02		16		74		02		04	18		03	3
4	35		01		01		05			43	04	32	4
5						02	03		03	94	03	05	5
6		03	06		16	38	26			16		04	6
7		14			03	05	20			49	06	02	7
8		01			13	10				04	04		8
9		28	02	02	01	20			07		08	05	9
10	03		07	05	14		54	04			68		10
11	85			49	11	02				25	33		11
12					13	01				02	20		12
13	06	01	01	03				04	04		26		13
14	10	02	21	04			02	05		10	09		14
15	09	03	24	32			21		04				15
16	06		76	20					02				16
17	14	04	07	18		08	03		03		04	06	17
18	02		20	08	02		05						18
19	17		09		02		12		10			03	19
20	23		31	01		04				40	04		20
21	04		26	03	12		05				36		21
22	45		20					08	17			01	22
23			01			08	03	02	05		02	03	23
24	03			08				09					24
25		03		12		15	01			02		02	25
26		04	21	15		02		04		31	03	21	26
27		03	02	08							02		27
28	46		28	14						12		05	28
29	02		16	66	04			08		09		06	29
30	26									20	17		30
31			01		11			17					31
Total	3·43	·93	3·44	2·87	2·07	1·15	1·77	·61	1·58	3·92	2·67	1·00	YEAR'S TOTAL 25·44
Rain Days.	20	13	23	18	15	12	15	9	12	16	19	15	187

W. 7,500, XI. 12

Ex. LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Sywell Hall
in the County of Northampton 4
by J. A. Dickson

Lat. 52°-17'-55"N Long. 0°-47'-20"W
Time of Observation 9 a.m.
Nearest Railway Station Castle Ashby
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			01	05			30				08	03	1
2	02							25			38	27	2
3			01		14		33	19			03		3
4	20		01	16				01			40	24	4
5	02		07	15	03	11	35	27			06		5
6	01	01		09	05			26			05	05	6
7		09	45	02	05	01	05	04					7
8	13	03	22	04	13	79	31	01	04			05	8
9	37		26	07		96		19	03				9
10	13	07		09	09			03	13				10
11		10	27	04	15	37			05		27	43	11
12		01	07				05		27		02	26	12
13	01	18	19						02	12	13	28	13
14			12				18			59	07	26	14
15	05	06	24				61		03		05	13	15
16			10				08		04				16
17		31	02						16			16	17
18			01				30					43	18
19		03	14				01		02		08	01	19
20		17	26				10					10	20
21		10	08			14				05		28	21
22			02		17		09	05		17			22
23		01	06		09					05		03	23
24					01		15			21	11		24
25	03						07	16		41		13	25
26			06					11		05	21	39	26
27	02									01	05	14	27
28		08								15	15	1·29	28
29	02		13		03					29	09		29
30		X	02			01			02	03	24	20	30
31	02	X		X	06	X	09		X		X	09	31
Total	1·03	1·25	2·82	·71	1·00	2·39	3·07	1·57	·81	2·13	2·47	5·25	YEAR'S TOTAL 24·50
Rain Days.	13	14	23	9	12	7	16	12	11	12	18	22	169

W. 8,000. X. 14.

TELEGRAPH,
MOULTON 3 MILES.

SYWELL HALL,
NORTHAMPTON.

4

5 - JAN 1915

Jan. 4th, 1915.

Dear Sir,

I am herewith enclosing you register of my Rainfall in 1914 and referring to the letter of Mr. Salter's dated 6th May 1914, I beg to inform you that the record for January, February and March has been corrected so as to harmonise with my new measuring glass which was verified both at Kew and by your Association.

My old measuring glass, although supposed to have been verified at Kew was defective in the lower readings.

Yours faithfully,

T. a. Dickson
p.a.

Dr. H. R. Mill
62, Camden Square,
London, N. W.

1201

FORM A.
BRITISH RAINFALL.
7 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sywell Hall,
in the County of Northampton 4
by J. A. Dickson

Lat. 52°-17'-55" Long. 0°-47'-20" W
Time of Observation 9 a.m
Nearest Railway Station Earls' Barton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	30	10	12	15	18				13	02	06	12	1
2		19	28			02		12	01	16		04	2
3	41		04	14			19	29	06			18	3
4	05						12	05				57	4
5	05	28			37			04			01	27	5
6	20	02	03	17			78	07				22	6
7	03	36	05			08	07	07				12	7
8	03	11	01					02			01		8
9				01		01				03	19	50	9
10	34		02					05			09		10
11	01			02	10		07				70		11
12	02			20	40			66			99	11	12
13	01	40			1·17								13
14		02							08			41	14
15	23				03		04	15			26	10	15
16		20					84	15				05	16
17		16			08		24						17
18		08	22								03		18
19		02					09						19
20	38											30	20
21	09	02			38		07					08	21
22	17		29	06			44					13	22
23	01	04	03			03	13		07	26		32	23
24			16			04	35		81	06		14	24
25			01			05	16			01		24	25
26		11					14		01			29	26
27							05			38		08	27
28		06					03	03	15	21			28
29							12	12			13	13	29
30	09	X				12		01				06	30
31	02	X		X		X		07	X	35	X	06	31
Total	2·44	2·17	1·26	·75	2·71	·35	3·93	1·90	1·32	1·48	2·47	4·52	YEAR'S TOTAL 25·30
Rain Days.	18	16	12	7	8	7	18	15	8	9	10	23	151

W. 8,000. X. 15.

W 75

1175

FORM A.
BRITISH RAINFALL
9 JAN 17

REGISTER OF RAINFALL IN 1916

Kept at Sywell

in the County of Northampton

by J. A. Dickson

Lat. 52°-17′-55″ Long. 0°-47′-20″ W

Time of Observation 9 a.m.

Nearest Railway Station Castle Ashby (4½ miles)

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	11		07		01	04	29				30		1
2	54		11		20		04		02	41	06		2
3		48							35	21	07		3
4	54	11			10	24	03			01	12		4
5	05				03	13	01			15	21		5
6		14	13	10	04	01	25			05	31		6
7	05		34		07	01	49				17	09	7
8			01		01	02					02	18	8
9			02		33	09						02	9
10		07	10	06		06	02		01			06	10
11	04	20	07	17	10	15						09	11
12	04	03	18		43	08	05	08	01	03			12
13	03	29	11	07	04	05	05	08					13
14		46		05	01					01			14
15		28	46				12	06					15
16		05	37	25	08		14	02		01			16
17	09	02		05			06	23	17	30		01	17
18		22	02	07				22	06		89		18
19	12	01	27	07				05	13		79	10	19
20	06		15	02				02			11	25	20
21	01		49									75	21
22		05	02		12	01				04	~~005~~	57	22
23	05	21				09		04			03	22	23
24		28	02	03		11		05		02		23	24
25		12	09		05			25		12	11	02	25
26		03	04			01		29		03	05		26
27	02	14	75			03	06	64	07	20			27
28		31	75	06		27			05			20	28
29		10			13	14		1.66		37		02	29
30		✕				01		08		20			30
31	005	✕		✕		✕		02	✕	02	✕	03	31
Total	1.75 ✓	3.60	4.57	1.00	1.75	1.55	1.61	3.49	.87	2.18	3.24 ✓	2.84	YEAR'S TOTAL 28.75 ✓
Rain Days.	14	21	22	12	16	19	13	16	9	17	14 ✓	16	189 ✓

W. 8,000, VIII. 16

1133

✓

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
4. JAN 1918

Kept at Sywell Hall
in the County of Northampton
by T. a Dickson

Lat. 52° 17' 55" Long. 0° 47' 20" W
Time of Observation 9 oclock
Nearest Railway Station Castle Ashby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				23				1·10	17		03		1
2	02					22		09		02	03		2
3				04				45		11	12		3
4		22	09					05		59		02	4
5	13		02	09					09	03	12		5
6						10			01	02	04		6
7	45									38			7
8	44			13			46	33		39	18	02	8
9	05		13	07	05		03	43		trace	13		9
10	27		24	21	09			21		03	02		10
11	06	02	23	28				26	06	23			11
12	10				01	02		03		22			12
13			05					23	07				13
14	09			09				29				02	14
15	02						03	08		03			15
16	05	14		21	01		06			19		12	16
17		01		12	57		17	02	25	04			17
18	02	02		11	13	09	23	05	72				18
19		18	18		21				04				19
20		27	04		62				19		13		20
21		01	06	02		02				01			21
22			05					09		13			22
23		09			06			38	05	02		01	23
24		03						05		22	05	01	24
25			02			18	18		02		06		25
26								43	12		19	02	26
27						96		61					27
28		01	15			52		10				05	28
29					07	29	22	03		33		28	29
30	01	X					34	16				01	30
31		X		X		X	06	04	X		X	11	31
Total	1·71	1·00	1·26	1·60	1·82	2·40	1·78	5·48	1·79	2·99	1·10	·67	YEAR'S TOTAL 23·60
Rain Days.	13	11	12	12	10	9	10	23	12	18	12	11	153

W. 8,000, IX. 17.

2.26

Exd. E.F.E.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

8. 1. 19

Kept at Sywell
in the County of Northamptonshire
by T. A. Dickson

Lat. 52°-17′-55″ Long. 0°-47′-20″
Time of Observation 9 a.m.
Nearest Railway Station Billing
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·01	·06							·22	·08	1
2		·16		·14				·13			·03	·14	2
3		·06	·03		·42			·40	·17		·50	·03	3
4		·01	·05				·07	·03	·45		·34	·03	4
5		·08			·28			·09	·44	06	·01		5
6	·01	·19	·01	·13								·01	6
7	·02	·07		·12		·04			·02	·12	·09		7
8			·02						·04	·03	·02	·10	8
9		·17		·05		·03	·14		·38	·25		·07	9
10	·06			·15		·01	·36		·02	·17		·05	10
11					·29		·11		·08	·26		·06	11
12		·08	·02		·32		·38		·11				12
13				·01	·15	·03			·11			·04	13
14	·28			·15		·02	·40		·19	·24		·07	14
15	·83			·80			·15		·22			·14	15
16	·08			·52		·03		·02	·24				16
17	·17			·02	·04		·59		·04			·10	17
18	·42					·12	·08		·16			·42	18
19	·04	·01	·02	·23		·02	·02		·01	·06		·15	19
20	·01	·09		·45		·10			·20	·24		·05	20
21	·04			·41					·22	·03			21
22	·15				·09		·02		·02			·39	22
23	·07				·57		·29		·05			·01	23
24		·14					·02		·03		·20		24
25						·20	·09	·25		·04	·01		25
26							·12	·08	·01		·10	·25	26
27							·02	·22	·02		·06	·03	27
28		·06	·16			·01		·11			·28	·10	28
29									1·37		·02		29
30		✕	·28					·17	·09		·06	·09	30
31		✕	·10	✕		✕		·04	✕	·03	✕		31
													YEAR'S TOTAL
Total	2·18 ✓	1·14 ✓	·70 ✓	3·24 ✓	2·16 ✓	·61 ✓	2·86 ✓	1·54 ✓	4·69 ✓	1·53 ✓	1·94 ✓	2·41 ✓	25·00 ✓
Rain Days.	13 ✓	13 ✓	10 ✓	14	8 ✓	11 ✓	16 ✓	11 ✓	25 ✓	12 ✓	14 ✓	22 ✓	169 ✓

W. 6,500. VII. 18. w w c

1063

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Sywell Hall.
in the County of Northampton
by J. A. Dickson.

Lat. 52° 17′ 55″ N. Long 0° 47′ 20″ W.
Time of Observation 9 a.m.
Nearest Railway Station Castle Ashby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ „ „ „ Sea Level 371. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31.	·06.	·03		·06.		12.			·05	02.	57.	1
2	·15		·01		·07.		24.		11	04	39	20	2
3	·84		·09		·01.		20.		19		16	10	3
4	04		·32.			10.	08	17.	03.		02.	13	4
5	03.	·27.	30				01.		68			15	5
6			02.		1·16.						01	05	6
7	02.		30		02				Trace.				7
8	15		03.	·19							02		8
9			05	·08							01		9
10			43.	·04						·02	04	04	10
11	05		25	05	11.		45.				03		11
12			36.	11		11.	09.			·09.	05		12
13	11			16		02.			·06	03		03.	13
14	40			18			02.		·03	05			14
15	19	03.	15.	16							17.	46.	15
16	08	80		01				15			20		16
17		41.		01							22	01	17
18			09.					25			01	17	18
19	02	25	87.			04	29.	20	·09		02	03	19
20	46	08	25			20.	34	34	·01.		·07.	02.	20
21	24.	42.	04				35				·03	12	21
22		40					08		17		·01	57.	22
23						09.	05	02	05	~~45~~		07	23
24				17			15			52		04	24
25	06			03	05.			15				03	25
26	12		18	03			01		13.			28	26
27	68	05.	04	76.		02.		04		01		08	27
28	07.							81			02	29	28
29	03			04.		02.	01	10		23.	23	21	29
30			13.	25.		25.	04	01.		08	08	24	30
31	02.									02.		02.	31
TOTAL	4·07	2·47.	3·94.	2·27.	1·48.	·85.	2·53.	2·24.	1·55.	1·57	1·81.	3·91.	YEAR'S TOTAL 29·01.
Days with ·01 in. or more	21.	10.	20.	16.	7.	9	17.	11.	11.	12.	21.	24.	179.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1011

3 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sywell Hall
in the County of Northampton
by L. A. Dickson

Lat. 52° 14' 55" Long. 0° 47' 20" W
Time of Observation 9 a.m
Nearest Railway Station Castle Ashby.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 371 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·20		·19		·01	·19	·03	·13	1
2				·14			·01	·21	·08	·09		·05	2
3		·03		·27		·02	·40		·05	·07		·005	3
4			·08	·08			·02	·27		·34		·005	4
5			·03		·22		·50	·04	·07			·005	5
6			·15		·06		·43						6
7			·06	·06	·03		·14						7
8	·31	·04		·44			·08					·01	8
9	·41			1·12			·03	·08					9
10	·15	·04	·03	·57			·07				·02		10
11	·29		·03	·33	·18	·03	·02	·13				·18	11
12	·03	·01	·07	·17		·54		·005			·01	·20	12
13	·01	·01	·09	·08							·01	·01	13
14	·01		·54	·15		·24	·09		·24	·27	·19		14
15		·07	·79	·12			·005		·38	·03	·17		15
16			·01	·11	·01	·86			·23	·09			16
17				·05	·15				·18	·02		·09	17
18	·14			·11	·04		·13	·10	·16			·01	18
19	·07	·04		·19		·04		·11	·06			·02	19
20	·08	·46		·36		·46						·005	20
21								·09	·02			·03	21
22				·14			·005		·19			·01	22
23							·24					·35	23
24			·15									·09	24
25		·11	·02	·02		·01	·45				·04		25
26	·15		·13	·01			·11					·01	26
27	·10	·01		·13		·69	·19			·01	·53	·23	27
28	·42		·10		·08		·03				·12		28
29	·07		·12		·35		·06				·04	·53	29
30	·01		·04	·03	·005	·06	·14		·17		·10	·12	30
31	·09				·04					·21		·10	31
Total	2·34	·82	2·41	4·75	1·365	2·95	3·34	1·035	1·84	1·32	1·26	2·19	Year's Total 25·62
Days with ·01 in. or more	16	10	17	23	~~11~~ 12	10	~~20~~ 21	8	13	10	11	~~18~~ 20	~~167~~ 171
Days with ·04 in. or more	12	6	11	20	9	7	15	8	11	7	7	11	124

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made

TOTAL
FOR YEAR
18·96"

—

Northants.
Sywell Res.
1913 only

L RESERVOIR

thants - 4.

1 MAY 1914

The daily rainfall is taken midnight to midnight.

	JA							UG	SEPT	OCT	NOV	DEC
1									·54		·01	·20
2	·02	·16	·06	·02	·20		·10		·53	·52	·07	
3			·12				·02		·01	·23	·01	
4	·20				·57		·01			·28		·12
5	·08						·03		·02	·55	·06	·15
6					·11	·10	·22			·03		·04
7		·03	·02		·07	·03	·14			·16		·02
8		·01		·03	·08	·21				·08	·08	
9		·20			·02						·04	
10	·01	·05			·07	·10	·87				·03	
11	·68		·02	·33				·04		·20	·57	
12	·17			·02	·09						·34	
13	·02										·16	
14	·04		·10	·03			·03	·03		·05	·19	
15	·16		·01	·02			·09			·02		
16	·01	·03	·30	·28						·01		
17	·16		·44	·13		·03			·08			
18				·04								
19	·15		·17	·02			·12	·18				·10
20	·08		·16			·08			·09	·24		
21	·06		·13	·04	·09		·04			·09	·22	
22	·06		·17					×	·07	·01		
23	·30		·02			·04	·03	×	·13		·01	
24								×		·02		
25				·07		·07				·02	·01	
26		·05		·17				×		·20	·01	·08
27			·02	·03						·06	·02	
28	·34		·12	·09						·09		·04
29	·07		·36	·36	·05			·04		·02	·02	·05
30	·12			·17	·06					·12		·03
31	·03		·03		·13					·08		
TOTALS	2·76"	·58"	2·25"	1·95"	1·54"	·66"	1·70"	·29"	1·47"	3·08"	1·85"	·83"
	20	8	17	18	12	8	12	7	8	22	17	10 1896

William Spratt

1896

S, made

TOTAL
FOR YEAR
18·96"

RAINFALL TAKEN AT SYWELL RESERVOIR

1913 Northants - 4.

1 MAY 1914

	JAN	FEB	MAR	APL	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1		·05		·10					·54		·01	·20
2	·02	·16	·06	·02	·20		·10		·53	·52	·07	
3			·12				·02		·01	·23	·01	
4	·20				·57		·01			·28		·12
5	·08						·03		·02	·55	·06	·15
6					·11	·10	·22			·03		·04
7		·03	·02		·07	·03	·14			·16		·02
8		·01		·03	·08	·21				·08	·08	
9		·20			·02						·04	
10	·01	·05			·07	·10	·87				·03	
11	·68		·02	·33				·04		·20	·57	
12	·17			·02	·09						·34	
13	·02										·16	
14	·04		·10	·03			·03	·03		·05	·19	
15	·16		·01	·02			·09			·02		
16	·01	·03	·30	·28						·01		
17	·16		·44	·13		·03			·08			
18				·04								
19	·15		·17	·02			·12	·18				·10
20	·08		·16			·08			·09	·24		
21	·06		·13	·04	·09		·04			·09	·22	
22	·06		·17					×	·07	·01		
23	·30		·02			·04	·03	×	·13		·01	
24								×		·02		
25				·07		·07				·02	·01	
26		·05		·17				×		·20	·01	·08
27			·02	·03						·06	·02	
28	·34		·12	·09						·09		·04
29	·07		·36	·36	·05			·04		·02	·02	·05
30	·12			·17	·06					·12		·03
31	·03		·03		·13					·08		
TOTALS	2·76"	·58"	2·25"	1·95"	1·54"	·66"	1·70"	·29"	1·47"	3·08"	1·85"	·83"
	20	8	17	18	12	8	12	7	8	22	17	10 1896

The daily rainfall is taken midnight to midnight.

William Spratt

1896

1155

NORTHANTS.

THRAPSTON - THE LIMES

1916 + 1917 ONLY

FORM A. BRITISH RAINFALL.

2 JAN 1917

REG… 916

Kept at Thrapston … Long. 32' 20" W

in the County of North… … 9AM

by Leslie G. Co… …ation Thrapston L.N.W. Rly

…of Rain Gauge 5 in.

…uge above Ground 1 ft. " in.

„ Sea Level 105 ft.

IMPORTANT NO… …n. and the result entered to the previous day. If an Observer prefers not to conform to this …st universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·085"	-	·16	·	-	·07	·18	·	-	-	·33		1
2	·385"	-	·07	·	·34	-	·03	-	·12	·26	·01		2
3	-	-	-	·	·01	·01	-	-	·11	·16	·04		3
4	·465"	-	·01	-	·07	·13	·01	·	-	·04	·20		4
5	·01	·24	-	·02	·02	·13	-	-	-	·08	·15		5
6	-	·21	·22	·08	-	·01	·24	-	-	·02	·23		6
7	·07	-	·34		·10	-	·14	-	-	·02	·07		7
8	-	-	·01		·05	·10	-	-	-	-	·02		8
9	-	-	·01		·34	·01	-	-	-	·03	-		9
10	-	·10	·12	·03	-	·09	-	-	·02	·02	-	·36	10
11	·02	·19	·10	·11	·03	·14	-	-	-	-	-	·03	11
12	·02	·13	·03	-	·48	·14	·01	-	-	·02	-	-	12
13	·06	·20	·20	·01	·08	·10	-	·075	-	-	-	-	13
14	·	·57	·015	·10	·03		-	-	-	·05	-	-	14
15	-	·22	·415	-	·03		·06	·01	-	-	-	-	15
16	-	·01	·18	·16	-		·09	·01	-	·01	-	-	16
17	·02	·03	-	·15	-		·04	1·08	·09	·08	-	-	17
18	-	·06	·03	·04	-		-	·40	·055		-	-	18
19	·11	·01	·25	·07	-		-	·005	·02		·30		19
20	·07	-	·07	·02	-		-	·03	-		·80		20
21	·02	-	·28	·04	·		-	-	-		·05		21
22	-	·08	·01	-	·12	·025	-	-	-	·01	-		22
23	·02	-	-	-	·	·23	-	·025	-	·01	·02		23
24	-	·66	·01	Trace	-	·25	-	·02	·	-	-		24
25	-	·20	·06	-	·02	-	-	·24	-	-	·		25
26	-	·02	·02	-	·	·06	·	·04	-	·05	-		26
27	·015	·20	·50	-	-	·06	·20	·07	·02	·12	-	1·99	27
28	-	·34	1·23	·02	-	-	-	-	·05	-	·	·15	28
29	-	·05	-	-	-	·04	-	1·45	-	·25	-	-	29
30	-	✕	-	-	-	·03	-	·08	-	·15	·	-	30
31	-	✕	-	✕	-	✕	-	·02	✕	·02	✕	-	31
Total	1·37"	3·55"	4·37 4·37	·85"	1·75"	1·625	1·00	3·555 ~~4·22~~	·485	1·50	2·42	2·53	YEAR'S TOTAL 25·005 25·665
Rain Days.	14	19	24	13	14	18	10	15	8	18	12	(11)	177

W. 8,000, VIII. 16

1195

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Thrapston
in the County of Northamptonshire
by Leslie G. Cottingham

Lat. 52° 23' 55" N Long. 33' 20" W
Time of Observation 9 Am
Nearest Railway Station Thrapston L. N. W. Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·085"	-	·16	·	-	·07	·18	-	-	-	·33		1
2	·385"	-	·07	·	·34	-	·03	-	·12	·26	·01		2
3	-	-	-	·	·01	·01	-	-	·11	·16	·04		3
4	·465"	-	·01	-	·07	·13	·01	-	-	·04	·20		4
5	·01	·24	-	·02	·02	·13	-	-	-	·08	·15		5
6	-	·21	·22	·08	-	·01	·24	-	-	·02	·23		6
7	·07	-	·34		·10	-	·14	-	-	·02	·07		7
8	-	-	·01		·05	·10	-	-	-	-	·02		8
9	-	-	·01		·34	·01	-	-	-	·03	-		9
10	-	·10	·12	·03	-	·09	-	-	·02	·02	-	·36	10
11	·02	·19	·10	·11	·03	·14	-	-	-	-	-	·03	11
12	·02	·13	·03	-	·48	·14	·01	-	-	·02	-	-	12
13	·06	·20	·20	·01	·08	·10	-	·075	-	-	-	-	13
14	-	·57	·015	·10	·03		-	-	-	·05	-	-	14
15	-	·22	·415	-	·03		·06	·01	-	-	-	-	15
16	-	·01	·18	·16	-		·09	·01	-	·01	-	-	16
17	·02	·03	-	·15	-		·04	1·08	·09	·08	-	-	17
18	-	·06	·03	·04	-		-	·140	·055		-	-	18
19	·11	·01	·25	·07	-		-	·005	·02		·50		19
20	·07	-	·07	·02	-		-	·03	-		·80		20
21	·02	-	·28	·04	-		-	-	-		·05		21
22	-	·08	·01	-	·12	·025	-	-	-	·01	-		22
23	·02	-	-	-	-	·23	-	·025	-	·01	·02		23
24	-	·66	·01	Trace	-	·25	-	·02	-	-	-		24
25	-	·20	·06	-	·02	-	-	·24	-	-	-		25
26	-	·02	·02	-	-	·06	-	·04	-	·05	-		26
27	·015	·20	·50	-	-	·06	·20	·07	·02	·12	-	1·99	27
28	-	·34	1·23	·02	-	-	-	-	·05	-	-	·15	28
29	-	·05	-	-	-	·04	-	1·45	-	·25	-	-	29
30	-	X	-	-	-	·03	-	·08	-	·15	-	-	30
31	-	X	-	X	-	X	-	·02	X	·02	X	-	31
Total	1·37"	3·55"	4·37 4·37	·85"	1·75"	1·625	1·00	3·555 ~~4·22~~	·485	1·50	2·42	2·53	YEAR'S TOTAL 25·665
Rain Days.	14	19	24	13	14	18	10	15	8	18	12	(11)	177

W. 8,000, VIII. 16

8L/

~~[illegible]~~ [illegible]

1153
171

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Thrapston, The Limes

in the County of Northamptonshire

by L. G. Cottingham

Lat.……… Long.………
Time of Observation………
Nearest Railway Station………
Diameter of Funnel of Rain Gauge……… in.
Height of top of Gauge above Ground……… ft.……… in.
" " " " Sea Level……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·09	–								1
2	·02												2
3				·01									3
4			·065										4
5	·06		·01	·07									5
6													6
7	·41												7
8	·48			·11									8
9	·05		·11	·03									9
10	·33		·12	–									10
11	·01		·20	·34									11
12	·12	·02											12
13	·02			·01									13
14	·10			·05									14
15	·02												15
16	·08	·11		·08									16
17		·01		·16									17
18	·01	·01		·05									18
19	·01	·10	·17										19
20		·19	·11										20
21		·01		·01									21
22			·04										22
23		·05											23
24		·01											24
25			·01										25
26			·05										26
27													27
28			·04										28
29													29
30	·02	X											30
31	·01	X	·10	X		X			X		X		31
Total	1·75	·51	1·025	1·01 ~~·91~~									YEAR'S TOTAL
Rain Days.	16	9	12	12									

W. 8,000, VIII. 16

Northampton Nat His Soc

REC 915

NORTHANTS.

THRAPSTON - UNION BANK HOUSE

1915 - 1918

FORM A.
BRITISH RAINFALL.
1 APR 1916

Kept at Thrapston

in the County of North

by Major C A Markham

Long.

n

tation

l of Rain Gauge in.

auge above Ground ft. in.

„ Sea Level ft.

IMPORTANT NO m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (.10)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.12				.12		.05		.12		1
2	.40	.14	.12		.25			.02	.04		.04	.07	2
3	.13	.19	.17	.11		.10		.23		.04		.06	3
4	.31		.02	.14			.19	.02	.07			.19	4
5	.13						.34	.13				.52	5
6	.04	.24			.02			.03				.25	6
7	.17		.02	.13			.75	.07				.11	7
8	.04	.26	.16		.05	.05	.04	.17				.11	8
9		.19		.12							.01		9
10						.02				.01	.16	.50	10
11	.33		.01				.01	.49			.02		11
12			.03		.07		.07				.66	.07	12
13	.04			.17	.32			.12		.02	1.04		13
14		.49			1.05								14
15		.02					.06	.44	.06	.01		.35	15
16	.22				.07		.01	.07		.01	.15	.09	16
17		.24					.84	.03		.02		.01	17
18		.15			.02		.09						18
19		.04	.20								.03		19
20		.01	.01				.08						20
21	.31											.25	21
22	.13	.01			.10		.11					.04	22
23	.17		.26				.29		.01			.12	23
24		.08	.03			.05	.07		.08	.16		.34	24
25			.05			.01	.01		.63			.09	25
26						.26	.08			.01		.23	26
27		.13	01	.01			.16					.25	27
28		.01				.03	.03			.44		.03	28
29					—	.10		.04	.08	.16			29
30		X				.02		.12			.08	.20	30
31	.13	X		X		X			X		X	.01	31
Total	~~2.65~~	.12 ~~2.20~~	~~1.21~~	~~.68~~	~~1.95~~	.12 ~~.64~~	~~3.35~~	.05 ~~1.98~~	~~1.02~~	.12 ~~.88~~	~~2.31~~	(.10) ~~3.89~~	YEAR'S TOTAL ~~22.76~~
Rain Days.	2.55 ~~15~~ 14	2.32 ~~15~~ 16	1.09 ~~14~~ 13	.68 6	1.95 9	.76 ~~9~~ 10	3.23 ~~19~~ 18	2.03 ~~11~~ 15	.97 ~~8~~ 7	1.00 ~~10~~ 11	2.19 ~~10~~ 9	3.99 ~~22~~ 23	22.96 ~~151~~ 151 ✓

W. 8,000. X. 15.

Northampton Nat His Soc

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
1 APR 1916

Kept at Thrapston Union Bank

in the County of Northamptonshire

by Major C A Markham Charles Modlen

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.10		.12				.12		.05		.12		1
2	.40	.14	.12		.25			.02	.04		.04	.07	2
3	.13	.19	.17	.11		.10		.23		.04		.06	3
4	.31		.02	.14			.19	.02	.07			.19	4
5	.13						.34	.13				.52	5
6	.04	.24			.02			.03				.25	6
7	.17		.02	.13			.75	.07				.11	7
8	.04	.26	.16		.05	.05	.04	.17				.11	8
9		.19		.12							.01		9
10						.02				.01	.16	.50	10
11	.33		.01				.01	.49			.02		11
12			.03		.07		.07				.66	.07	12
13	.04			.17	.32			.12		.02	1.04		13
14		.49			1.05								14
15		.02					.06	.44	.06	.01		.35	15
16	.22				.07		.01	.07		.01	.15	.09	16
17		.24					.84	.03		.02		.01	17
18		.15			.02		.09						18
19		.04	.20								.03		19
20		.01	.01				.08						20
21	.31											.25	21
22	.13	.01			.10		.11					.04	22
23	.17		.26				.29		.01			.12	23
24		.08	.03			.05	.07		.08	.16		.34	24
25			.05			.01	.01		.63			.09	25
26						.26	.08			.01		.23	26
27		.13	01	.01			.16					.25	27
28		.01				.03	.03			.44		.03	28
29						.10		.04	.08	.16			29
30		X				.02		.12			.08	.20	30
31	.13	X		X		X			X		X	.01	31
Total	~~2.65~~ 2.55	.12 ~~2.20~~ 2.32	~~1.21~~ 1.09	~~.68~~ .68	~~1.95~~ 1.95	.12 ~~.64~~ .76	~~3.35~~ 3.23	.05 ~~1.98~~ 2.03	~~1.02~~ .97	.12 ~~.88~~ 1.00	~~2.31~~ 2.19	(.10) ~~3.89~~ 3.99	YEAR'S TOTAL ~~22.76~~ 22.76
Rain Days.	~~15~~ 14	~~15~~ 16	~~14~~ 13	6	9	~~9~~ 10	~~19~~ 18	~~14~~ 15	~~8~~ 7	~~10~~ 11	~~10~~ 9	~~22~~ 23	~~151~~ 151

W. 8,000. X. 15.

1194

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Thrapston Union Bank
in the County of Northamptonshire
by C. A. Markham C. Modlen

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11		.06				.05		.01		.04		1
2	.08		.17			.06	.22				.38		2
3	.41	.02	.09		.45		.04		.12	.31	.01		3
4		.32				.01			.17	.18	.05		4
5	.45	.12			.09	.14	.02				.24		5
6	.01			.02	.02	.16				.10	.21		6
7		.10	.27	.09		.01	.20			.03	.28		7
8	.07		.40		.11		.23			.03	.09	.05	8
9			.04		.05	.12					.02	.20	9
10			.02		.36	.02				.04		.04	10
11		.10	.10	.04	.	.09	.01		.02	.04		.02	11
12	.03	.19	.13	.11	.03	.13						.03	12
13	.02	.02	.03		.50	.16	.03			.02			13
14	.01	.22	.23	.01	.10	.10		.08					14
15		.67	.02	.11	.04	.01		.01		.07			15
16		.25	.43		.03		.08	.02					16
17		.04	.22	.17	.04		.11			.02			17
18	.04	.03		.20			.04	1.17	.11	.22			18
19		.08	.04	.05				.41	.08		.93		19
20	.11	.02	.27	.08					.03		.51	.08	20
21	.09		.10	.02				.05			.06	.32	21
22	.08		.35	.03								.63	22
23		.12	.01		.10	.03				.01		.64	23
24	.02	.43				.25		.03		.02	.02	.19	24
25		.39	.01			.22		.02		.01		.27	25
26		.25	.07		.02			.27		.04	.07		26
27		.07	.02			.07		.06		.01	.01		27
28	.02	.23	1.60			.06	.64	.08	.02	.17			28
29		.40	1.41	.02		.04			.07	.05		.14	29
30		✕				.07		1.64		.26		.01	30
31		✕		✕		✕		.11	✕	.17	✕		31
Total	~~1.55~~ 1.44	.06 ~~4.07~~ 4.13	~~6.09~~ 6.03	~~.95~~ .95	~~1.94~~ 1.94	.05 ~~1.75~~ 1.80	~~1.67~~ 1.62	.01 ~~3.95~~ 3.96	~~.63~~ .62	.04 ~~1.80~~ 1.84	~~2.92~~ 2.88	(7) 2.62 2.62	YEAR'S TOTAL ~~29.94~~ 29.83
Rain Days.	~~15~~ 14	~~21~~ 22	~~24~~ 23	13	14	~~19~~ 20	~~12~~ 11	~~13~~ 14	~~9~~ 8	~~20~~ 21	~~15~~ 14	13	~~188~~ 187

W. 8,000, VIII. 16

Entd. [illegible]

1152

REGISTER OF RAINFALL IN 1917

FORM
BRITISH RAINFALL
2 JAN 1918

Kept at Thrapston
in the County of Northampton
by C. Modlen

Lat. 52°23'N Long. 0° 32'W
Time of Observation 9 am
Nearest Railway Station Thrapston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·10	–	–	–	1.00	·18	–	.02	–	1
2	.03	–	–	·02	–	·09	–	·05	–	–	·03	–	2
3	–	·01	–	·01	–	–	–	·41	–	·10	·07	–	3
4	–	·12	·07	–	–	–	–	·05	–	·45	–	–	4
5	·07	–	·03	·09	–	–	–	–	·45	·01	·14	–	5
6	–	–	–	–	–	·01	–	–	·01	·10	·01	–	6
7	·45	" –	·02	–	–	–	–	–	–	·29	–	–	7
8	·47	–	–	·12	–	–	·31	·85	–	·30	·09	–	8
9	·06	–	·14	·04	–	–	·03	·51	–	·01	·07	–	9
10	·24	–	·19	·17	·02	–	–	·15	–	·03	–	–	10
11	·01	–	·22	·22	–	–	–	·13	·02	·31	–	–	11
12	·12	·02	·01	–	·02	–	–	·11	–	·38	–	·02	12
13	·02	–	–	·01	–	–	.03	·20	·04	–	–	–	13
14	·12	–	–	·07	–	–	–	·52	–	–	–	·03	14
15	·03	–	–	–	–	–	–	·10	–	·01	–	·01	15
16	·09	·12	–	·10	–	·22	·02	–	–	·20	–	·13	16
17	–	·01	–	·15	·59	·37	·10	·01	·20	·06	–	–	17
18	·01	·01	–	·09	·28	·03	·18	·02	·89	–	–	–	18
19	–	·11	·21	·01	·08	–	–	–	·01	–	–	–	19
20	·03	·23	·14	–	·76	–	–	–	·14	–	·11	–	20
21	–	·01	·01	·01	·06	–	–	–	–	–	–	–	21
22	–	–	·05	–	–	–	–	·09	·04	·14	–	–	22
23	–	·07	–	–	·07	–	–	·24	,03	·06	–	·01	23
24	–	·02	–	–	–	·32	–	·02	–	·14	·04	–	24
25	–	–	·01	–	–	–	–	–	–	–	·13	–	25
26	–	–	·05	–	–	·04	–	·44	·12	–	·19	–	26
27	–	–	–	–	–	·08	–	·60	–	–	–	·01	27
28	–	–	·05	–	–	·76	–	·07	–	–	–	·04	28
29	–		–	–	·93	·38	·22	–	–	·34	–	·21	29
30	·03		–	–	–	–	·35	·12	–	–	–	–	30
31	·01		·13		–		·08	·11		–		·18	31
Total	1.79	.73	1.33	1.21	2.81	2.30	1.32	5.80	2.13	2.93	·90	.64	YEAR'S TOTAL 23.89
Rain Days.	16	11	15	15	9	10	8 9	22	12	17	11	9	155

2.11

156

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL. 10 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Thrapston Union Bank House

in the County of Northampton

by Charles Modlen

Lat. 52.24 N Long. .033 W

Time of Observation 9 a.m

Nearest Railway Station Thrapston L & N W R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level about 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01		.22							.12	.01	1
2		.18		.17				.06			.07	.10	2
3		.02	.04		.45			.30	.08		.65	.02	3
4		.01	.08				.04	.02	.49		.27	.04	4
5		.01			.18			.10	.54	.02		.01	5
6		.16		.16					.32				6
7	.05	.04		.17		.07			.01	.13	.09		7
8									.04	.02	.05	.03	8
9	.04	.18		.03		.12	.07		.36	.18		.05	9
10	.09			.09	.26	.02	.36		.03			.08	10
11				.01	.15		.06		.19	.37		.06	11
12		.10	.01		.20		.26		.10			.03	12
13				.01			.01		.09			.02	13
14	.31					.01	.34		.48	.24		.04	14
15	.85			.97		.03	.08		.05			.13	15
16	.06			.52					.41				16
17	.19			.09	.01		.65	.05				.11	17
18	.30					.10	.14		.79			.36	18
19	.02		.03	.09			.02			.08		.09	19
20	.02	.03		.45		.04			.18	.25	.01		20
21	.01			.15					.21	.09		.02	21
22	.07				.04				.03			.35	22
23	.06				.39	.01	.19		.02			.02	23
24		.14			.01		.04		.03		.08		24
25					.04		.03	.25		.01	.04		25
26							.14		.04		.07	.15	26
27						.02	.04	.13	.01		.13	.01	27
28		.12	.11					.01			.25	.10	28
29	.01								1.06				29
30		×	.23						.02	.01	.25	.10	30
31		×	.03	×		×			×	.05	×		31
Total	2.08	1.00	.53	3.13	1.73	.42	2.47	.92	5.58	1.45	2.08	1.93	YEAR'S TOTAL 23.32
Rain Days.	14	12	7	14	10	9	16	8	24	12	13	23	162

W. 8,000, IX. 17.

1197

FORM A.
BRITISH RAINFALL.

REG

THRASTON
DRAYTON HOUSE
NORTHANTS
1916–1920

Kept at Drayton
in the County of North
by J. Edmun

6
W 0°35′
a.m.
Twywell.
ain Gauge 5 in.
bove Ground 1 ft. 6 in.
, Sea Level 220 ft.

IMPORTANT NO … d the result entered to the previous day. If an C … niversal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of th … rement of rain, the selection and placin … British Rainfall Organization are given i … n application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.				Oct.	Nov.	Dec.	Date.
1	0·09		0·18			0·05	0·22				0·40		1
2	0·48	0·06	0·12		0·34		0·04		0·02	0·33			2
3		0·33					0·02		0·14	0·24	0·04		3
4	0·53	0·15			0·10	0·14				0·01	0·21		4
5	0·02			0·01	0·02	0·16	0·02			0·13	0·19		5
6		0·12	0·19	0·09		0·01	0·29			0·09	0·34		6
7	0·09		0·32		0·08		0·48			0·05	0·43	0·09	7
8			0·09		0·03	0·14					0·04	0·18	8
9			0·03		0·45					0·04			9
10			0·14	0·06		0·18	0·03			0·06		0·10	10
11	0·05	0·25	0·13	0·12	0·08	0·11			0·04			0·04	11
12		0·02	0·06		0·48	0·13	0·02			0·04			12
13	0·06	0·21	0·18		0·09	0·12	0·01	0·15					13
14	~~0·10~~	0·44		0·15	0·03					0·06			14
15	~~0·02~~	0·28	0·44				0·09	0·04					15
16		0·03	0·20	0·14	0·08		0·08	0·03					16
17	0·05	0·05		0·21			0·05	1·35	0·12	0·28			17
18		0·06	0·03	0·04				0·30	0·13		0·95		18
19	0·15	0·05	0·28	0·08				0·03	0·16		0·35	0·10	19
20	0·10		0·06	0·06				0·09			0·14	0·35	20
21	0·02		0·36	0·08								0·64	21
22		0·06	0·06		0·14	0·05						0·49	22
23	0·04	0·49				0·26		0·05			0·05	0·21	23
24		0·53	0·03			0·32		0·05				0·23	24
25		0·25	0·08		0·05			0·24		0·06	0·08	0·01	25
26		0·08	0·02			0·06		0·11		0·05			26
27	0·04	0·28	(0·50			0·04	0·16	0·04		0·14			27
28		0·42	Snow. 1·00)	0·04		0·05			0·06	0·31		0·16	28
29		0·04				0·14		1·44		0·16		0·02	29
30		X				0·04		0·08					30
31		X		X		X		0·02	X		X		31
Total	1·42	4·23	4·53	1·14	2·03	2·12	1·51	4·11	0·64	2·08	3·31	2·68	YEAR'S TOTAL 30·13
Rain Days.	13	21	22	12	13	14	13	15	4	16	12	13	144

W. 8,000. X. 15.

1197

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Drayton House.
in the County of Northampton
by J. Edmonds.
per G. Medcroft

Lat. 52° 25′ Long. W 0° 35′
Time of Observation 9 a.m.
Nearest Railway Station Twywell.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·09		0·18			0·05	0·22				0·40		1
2	0·48	0·06	0·12		0·37		0·04		0·02	0·33			2
3		0·33					0·02		0·14	0·24	0·07		3
4	0·53	0·15			0·10	0·17				0·01	0·21		4
5	0·02			0·01	0·02	0·16	0·02			0·13	0·19		5
6		0·12	0·19	0·09		0·01	0·29			0·09	0·37		6
7	0·09		0·32		0·08		0·48			0·05	0·43	0·09	7
8			0·09		0·03	0·17					0·04	0·18	8
9			0·03		0·45					0·04			9
10			0·14	0·06		0·18	0·03			0·06		0·10	10
11	0·05	0·25	0·13	0·12	0·08	0·11			0·04			0·07	11
12		0·02	0·06		0·48	0·13	0·02			0·04			12
13	0·06	0·21	0·18		0·09	0·12	0·01	0·15					13
14	~~0·10~~	0·44		0·15	0·03					0·06			14
15	~~0·02~~	0·28	0·47				0·09	0·04					15
16		0·03	0·20	0·17	0·08		0·08	0·03					16
17	0·05	0·05		0·21			0·05	1·35	0·12	0·28			17
18		0·06	0·03	0·07				0·30	0·13		0·95		18
19	0·15	0·05	0·28	0·08				0·03	0·16		0·35	0·10	19
20	0·10		0·06	0·06				0·09			0·17	0·35	20
21	0·02		0·36	0·08								0·67	21
22		0·06	0·06		0·17	0·05						0·49	22
23	0·04	0·49				0·26		0·05			0·05	0·21	23
24		0·53	0·03			0·32		0·05				0·23	24
25		0·25	0·08		0·05			0·27		0·06	0·08	0·01	25
26		0·08	0·02			0·06		0·11		0·05			26
27	0·04	0·28	(0·50			0·07	0·16	0·07		0·17			27
28		0·42	Snow. 1·00)	0·04		0·05			0·06	0·31		0·16	28
29		0·07				0·14		1·47		0·16		0·02	29
30		×				0·07		0·08					30
31		×		×		×		0·02	×		×		31
Total	1·72 ✓	4·23 ✓	4·53 ✓	1·14 ✓	2·03 ✓	2·12 ✓	1·51 ✓	4·11 ✓	0·67 ✓	2·08 ✓	3·31 ✓	2·68 ✓	YEAR'S TOTAL 30·13 ✓
Rain Days.	13 ✓	21 ✓	22 ✓	12 ✓	13 ✓	17 ✓	13 ✓	15 ✓	7 ✓	16 ✓	12 ✓	13 ✓	174

W. 8,000. X. 15.

Exd. 1154

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Drayton Gardens Thrapston
in the County of Northampton
by G. Medcraft

Lat. 52" 25' Long. ~~2~~0" 35'
Time of Observation 9 a.m.
Nearest Railway Station Twywell
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		0·03		0·10				0·98	0·14		0·04	0·02	1
2	0·05			0·06		0·04		0·09			0·04		2
3								0·43		0·21	0·08		3
4		0·14	0·10					0·15		0·35			4
5	0·08		0·03	0·08				0·02	0·29	0·04	0·12		5
6						0·04							6
7	0·48		0·01							0·47			7
8	0·44			0·14			0·39	0·89		0·33	0·11		8
9	0·14		0·15	0·05				0·39		0·02		0·04	9
10	0·35		0·22	0·18	0·04			0·19		0·04			10
11	0·02	0·03	0·16	0·12				0·23	0·03	0·28			11
12	0·14	0·02						0·04		0·45		0·03	12
13	0·02		0·02	0·05	0·01		0·04	0·21	0·06				13
14	0·06			0·05				0·56				0·05	14
15								0·08		0·02			15
16	0·12	0·12		0·15						0·16		0·13	16
17		0·02	0·01	0·18	0·54	0·43	0·33		0·14	0·04			17
18	0·02	0·01		0·06	0·50	0·03	0·08	0·05	0·92				18
19		0·13	0·24		0·08				0·03				19
20	0·02	0·20	0·10		0·84						0·13		20
21	0·02	0·01	0·03	0·03	0·06								21
22			0·05					0·14		0·08			22
23		0·08			0·10			0·36	0·08	0·12		0·02	23
24		0·04				0·41		0·02		0·14	0·06		24
25			0·01								0·16		25
26			0·05					0·61	0·15		0·16	0·03	26
27						0·14		0·68					27
28						0·46		0·09				0·05	28
29					1·00	0·14	0·24	0·01		0·38		0·26	29
30	0·02	✕					0·29	0·14				0·02	30
31		✕	0·15	✕		✕	0·11	0·11	✕		✕	0·15	31
Total	1·98	0·83	1·33	1·25	3·20	2·35	1·51	6·53	1·90	3·16	0·90	0·80	YEAR'S TOTAL 25·74
Rain Days.	15	12	15	13	9	8	4	23	9	16	9	11	147

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL.

8. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Drayton Gardens

in the County of Northampton

by G. Medcraft

Lat. 52°, 25 Long. W. 0°. 35'

Time of Observation 9 a.m.

Nearest Railway Station Irywell Midland Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·02		0·01	0·23							0·14	0·12	1
2		0·20		0·21				0·04			0·06	0·11	2
3		0·04	0·06		0·50			0·23	0·25		0·35	0·01	3
4		0·02	0·04				0·08	0·06	0·31	0·01	0·30	0·04	4
5		0·05			0·19			0·08	0·64	0·03		0·01	5
6		0·16		0·19					0·18				6
7	0·06	0·05		0·24		0·09			0·02	0·10	0·14		7
8			0·02						0·04	0·07		0·04	8
9	0·04	0·24		0·06		0·15	0·13		0·35	0·18		0·11	9
10	0·11			0·10		0·02	0·31		0·03	0·13		0·07	10
11				0·02	0·30				0·16	0·35		0·06	11
12		0·12	0·02		0·13		0·11		0·15			0·03	12
13				0·01	0·14		0·02		0·12			0·04	13
14	0·30						0·39		0·43	0·17		0·03	14
15	0·84			0·81		0·03	0·07		0·08			0·18	15
16	0·08			0·39				0·02	0·47			0·13	16
17	0·20			0·09			0·66	0·01	0·04			0·36	17
18	0·27			0·02		0·13	0·16		0·54			0·11	18
19	0·04	0·02	0·04	0·09		0·10	0·03		0·01	0·08			19
20	0·02	0·06		0·40		0·04			0·17	0·24		0·03	20
21	0·03			0·14			0·01		0·22	0·07		0·36	21
22	0·09				0·28		0·01		0·02	0·01		0·03	22
23	0·06				0·36		0·16		0·03				23
24		0·16			0·05		0·28		0·02		0·15		24
25							0·05	0·24		0·03	0·02		25
26							0·10		0·07		0·10	0·16	26
27						0·02	0·03	0·15	0·01		0·16	0·02	27
28		0·09	0·11			0·01					0·24	0·10	28
29	0·01								1·02		0·02		29
30	0·01	X	0·26					0·01	0·03		0·14	0·10	30
31	0·01	X	0·06	X		X			X	0·10	X	0·01	31
Total	2·19	1·21 ~~1·31~~	0·62	3·00	1·95	0·59	2·60	0·87	5·41	1·51	2·02	5 2·26	YEAR'S TOTAL 24·23 ~~24·33~~
Rain Days.	17	13	9	15	8	9	17	9	26	14	12	24	142

W. 6,500, VII. 18. W W C

ext 75. 1085

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Drayton Gardens

in the County of Northampton

by G Medcraft

Lat. 52° 25′ Long. W. 0° 35″

Time of Observation 9 a.m.

Nearest Railway Station Isywell M.R.

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ „ „ „ Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·41	0·04	0·01		0·15		0·09			0·05		0·71	1
2	0·14		0·02				0·39		0·06	0·05	0·42	0·12	2
3	0·91		0·09				0·25		0·08		Snow 0·19	0·05	3
4	0·06		0·39		0·04		0·08	0·18	0·05		Snow 0·03	0·28	4
5	0·06	Snow 0·21	0·13				0·05		0·84			0·11	5
6			0·01		0·95						0·04	0·02	6
7			0·23										7
8	0·13		0·07	Thunder 0·09							0·04		8
9			0·01	0·08							0·01		9
10			0·38	0·04							Snow 0·07	0·08	10
11	0·09		0·39	0·06	0·14		0·70				Snow 0·01	0·01	11
12	0·01		0·38	0·08		0·14	0·04		0·02	0·07	Snow 0·03		12
13	0·14			0·12					0·04	0·03			13
14	0·30			0·15					0·03				14
15	0·20		0·09	0·15						0·09	Snow 0·14	0·49	15
16	0·07	0·89		0·03				0·09			0·17		16
17	0·02	Rain & snow 0·54		0·01							0·21	0·02	17
18	0·74		Snow 0·08					0·17			0·02	0·14	18
19		0·19	Snow & Rain 0·80			0·13	0·50	0·09	0·14		0·04	0·08	19
20	0·56	0·05	0·16			0·18	0·25	0·32	0·03		Snow 0·08	0·02	20
21	0·35	0·43	0·06				0·38				0·02	Snow & rain 0·21	21
22		0·22	0·01				0·01		0·25			0·37	22
23				0·24		0·02	0·07	0·08		0·52		0·03	23
24							0·04			0·11		0·02	24
25	0·08			0·17	0·14			0·15				0·05	25
26	0·13		0·21	0·06				0·03	0·09			0·39	26
27	Snow 0·62	0·11	0·02	Snow 0·60		0·02		0·06			Snow 0·04	0·08	27
28	Snow 0·06			0·03			0·01	0·90			Snow 0·03	0·27	28
29				0·04		0·01	0·01	0·11		0·31	Snow 0·23	0·29	29
30	0·01		Snow 0·07	0·27		0·24		0·07		0·10	0·11	0·28	30
31	0·02		Snow 0·04				0·04			0·05		0·03	31
TOTAL	5·11	2·68	3·65	2·22	1·42	0·74	2·91	2·22	1·63	1·38	1·93	4·15	YEAR'S TOTAL 30·04
Days with ·01 in. or more	22	9	22	17	5	7	16	12	11	10	20	24	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1032

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Drayton Gardens
in the County of Northampton
by George Medcraft

Lat. 52° 25' Long. W. 0' 35'
Time of Observation 9 a.m.
Nearest Railway Station Twywell
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0·14	0·26		0·22			0·28	0·02	0·18	1
2				0·20				0·10	0·08	0·13		0·09	2
3		0·03		0·33		0·05	0·34		0·07	0·10		0·01	3
4		0·02	0·07	0·10			0·12	0·38		0·25		0·01	4
5			0·04		0·14		0·50	0·13	0·07				5
6			0·14		0·05		0·51					0·03	6
7			0·05	0·09			0·09						7
8	0·25	0·06		0·54	0·05		0·06			0·02		0·02	8
9	0·41			0·86			0·03	0·15					9
10	0·15		0·02	0·29		0·01	0·05						10
11	0·22	0·04	0·05	0·26	0·18	0·04	0·04	0·03				0·07	11
12	0·05		0·01	0·15	0·05	0·08					0·04	0·26	12
13		0·07	0·05	0·29		0·06					0·02		13
14	0·03	0·01	0·30	0·18		0·08	0·09		0·20	0·03	0·29		14
15		0·04	0·74	0·06					0·26	0·07	0·05		15
16			0·01	0·03					0·36	0·06		0·02	16
17				0·08	0·01				0·14			0·07	17
18	0·19			0·04	0·21			0·11	0·24			0·01	18
19	0·08	0·10		0·15	0·03			0·06				0·03	19
20	0·06	0·36		0·27		0·51					0·01	0·02	20
21	0·03							0·12	0·09		0·03	0·02	21
22				0·18					0·28				22
23		0·01					0·26			309 0·01		0·37	23
24		0·01	0·17							0·01		0·06	24
25		0·09	0·03	0·05			0·59			0·01			25
26	0·11		0·15	0·02	0·04					0·01			26
27	0·08	0·07		0·09		0·86	0·09			0·01	0·80	0·29	27
28	0·42		0·25		0·19		0·04				0·03	0·04	28
29	0·07		0·10		0·08		0·02				0·08	0·55	29
30	0·02	X		0·09		0·02	0·08		0·14		0·09	0·20	30
31	0·09	X	0·06	X		X			X	0·35	X	0·07	31
													YEAR'S TOTAL
TOTAL	2·26	0·91	2·24	4·49	1·29	1·71	3·13	1·08	1·93	1·34	1·46	2·42	24·26
Days with ·01 in. or more	16	13	17	23	12	9	17	8	11	14	11	21	172
Days with ·04 in. or more	13	8	13	21	10	7	15	7	11	7	6	12	130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

26 MAR 1912

R ll

WATFORD COURT
(RUGBY)
NORTHANTS
1911 –1920

Kept at Rugby Wa
in.
ove Ground ft. in.

in the County of N
, Sea Level ft.

by Gilbert A. Henley

{ Name W/D.
{ Distance Direction

IMPORTANT NO nd the result entered to the previous day. If an C niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of th rement of rain, the selection and plac British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.20										1
2					.13		.08		.01	.10		.07	2
3					.21					.08			3
4	.04	.01	.11	.01					.07	.20			4
5			.03	.10				.20		.03	.28	.39	5
6			.17								.10	.01	6
7	.30									.03		.40	7
8	.19			.03									8
9	.04			.02									9
10	.01	.09	.31					.08			.05	.14	10
11								.27			?	.39	11
12	.17										.46	.16	12
13	.02		.07		.04	.04			.22				13
14		.03	.07						.31			.03	14
15		.09			.04							.47	15
16			.03			.04				.04	.07	.50	16
17			.02	.04		.14				.01	.20	.09	17
18						.02				.12	.10	.10	18
19		.17				.16	.02		.10	.08	.24	.20	19
20						.02		.90	.08		.15	.14	20
21		.10			02	.02		.10		.27		.50	21
22						.20		.46		.08		.15	22
23		.09	.20			.31			.33	.07	.04	.42	23
24		.10	.15			.50		.06		.70		.14	24
25		.20	.05	.13	.67	.04						.07	25
26				31	68	.05		.04			.16	.21	26
27		.07	.12					.31		.23		.10	27
28		.16		.13		.01		.09	.15		.10	.09	28
29			.02	.03		.18	.12	.02	.15	.16		.01	29
30						.08			.02	.05	.06		30
31										.07			31
Total	.81	1.11	1.55	.80	1.79	1.81	.22	2.53	1.44	2.32	2.01	4.78	TOTAL for year 21.17
No. of Rain Days.	8	11	14	9	7	15	3	11	10	17	13	23	141

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 MAR 1912

REGISTER OF RAINFALL IN 1911

E+R

Kept at Rugby Watford Court

in the County of Northamptonshire 4

by Schute A. Henley C A Markham

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name w/D
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		.20										1
2					.13		.08		.01	.10		.07	2
3					.21					.08			3
4	.04	.01	.11	.01					.07	.20			4
5			.03	.10				.20		.03	.28	.39	5
6			.17								.10	.01	6
7	.30									.03		.40	7
8	.19			.03									8
9	.04			02									9
10	.01	.09	.31					.08			.05	.14	10
11								.27			?	.39	11
12	.17										.46	.16	12
13	02		.07		.04	.04			.22				13
14		.03	.07						.31			.03	14
15		.09			.04							.47	15
16			.03			.04				.04	.07	.50	16
17			.02	.04		.14				.01	.20	.09	17
18						.02				.12	.10	.10	18
19		.17				.16	02		.10	.08	.24	.20	19
20						.02		.90	.08		.15	.14	20
21		.10			02	02		.10		.27		.50	21
22						.20		.46		.08		.15	22
23		.09	.20			.31			.33	.07	.04	.42	23
24		.10	.15			.50		.06		.70		.14	24
25		.20	.05	.13	.67	.04						.07	25
26				31	.68	.05		.04			.16	.21	26
27		.07	.12					.31		.23		.10	27
28		.16		.13		.01		.09	.15		.10	.09	28
29			.02	.03		.18	.12	.02	.15	.16		.01	29
30						.08			.02	.05	.06		30
31										.07			31
Total	.81	1.11	1.55	.80	1.79	1.81	.22	2.53	1.44	2.32	2.01	4.78	TOTAL for year 21.17
No. of Rain Days.	8	11	14	9	7	15	3	11	10	17	13	23	141

W. 8,000, X. '11.

S. made

Ex 88

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
25 MAR 1913

Kept at Watford Court
in the County of Northants 4
by C. A. Markham, G. A. Henley.

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						·31	·10		·03	·10		·13	1
2		·02	·10	·01		·07	·52		·01				2
3		·10	·06	·05		·09	·07	·47	·03		·02	·09	3
4	·22		·62	·01	·18	·05		·07	·07		·25		4
5	·34		·24	·02	·13	·60		·24	·02		·01		5
6	·08		·03	·10			·03	·47	·01				6
7		·10			·06	·20							7
8	·41		·37			·29		·43	·05			·05	8
9	·02	·24	·04			·18	·03	·19	·01			·20	9
10	·10	·03				·48		·52			·32		10
11		·09				·06					·24	·40	11
12	·07	·34	·14		·06						·12		12
13	·07				·09						·07		13
14		·04	·28		·29			·10				·13	14
15	·07		·03		·07	·03							15
16	·50	·03	·10		·02	·30				·04		·39	16
17	1·00		·05			·12		·06		·10	·03		17
18	·02	·01						·21					18
19		·08					·15	·64					19
20			·31				·60			·40	·03		20
21	·02				·52		·01	·36		·25			21
22	·34		·10		·19		·31	·84					22
23	·27	·12	·36			·07		·64				·48	23
24	·02	·28	·03			·36		·22			·06		24
25			·05			·46		·81				·34	25
26						·15	·02	·62			·22	·27	26
27	·01						·08	·65		·59	·19	·26	27
28		·03					·07	·13		·52	·30	·50	28
29		·03				·21	·23		1·04	·22			29
30	·04					·01			·10	·24			30
31					·45		·40	·20		·47		·05	31
Total	3·60	1·54	2·91	·19	2·06	4·04	2·62	7·87	1·37	2·93	1·86	3·29	YEAR'S TOTAL 34·28
Rain Days.	18	15	17	5	11	19	14	20	10	10	13	13	165

W. 7,500, XI. 12

from Nat His Soc

Smade

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

13 MAR 1914

Kept at Watford Court Rugby [illegible]

in the County of Northamptonshire

by Gertrude A Henley   C A Markham

4

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.10	.02					1.02		.15	.17	1
2		.14		.12					.24		.03		2
3			.15		.78				.05	.36			3
4	.73				.03	.01				.22			4
5	.05		.03		.20	.10			.05	.66	.16	.45	5
6					.08	.19	.01			.33		.10	6
7		.07			.11	.10	.02			.37	.12		7
8		.05	.03		.12	.07	.15			.27			8
9		.29	.03			.20	.72	.06	.09		.09	.05	9
10				.10				.10			.47		10
11				.40	.07					.25	.61		11
12	1.00				.10						.70		12
13								.04	.03		.19		13
14	.48	.05	.36	.03				.08	.06	.10			14
15			.17	.03					.03				15
16	.11	.01	.69	.45									16
17	.05	.03	.02	.05			.05						17
18	.01		.32	.10			.13		.08				18
19			.05	.10								.05	19
20	.18		.17	.07	.01	.02				.19		.15	20
21			.07	.08		.02	.03						21
22			.17			.05		.09	.33		.44		22
23	.48							.05					23
24	.08												24
25	.04			.10					.03				25
26	.58	.17	.12	.20				.10		.37			26
27				.05						.03			27.
28	.02		.30	.22						.15			28
29				.56	.06			.10		.17		.16	29
30	.22		.17							.15			30
31			.03		.10								31
Total	4.03	.83	2.98	2.68	1.66	.76	1.11	.62	2.01	3.62	2.96	1.13	YEAR'S TOTAL 24.39
Rain Days.	14	9	18	17	11	9	7	8	11	14	10	7	135

W.7,000, XI. 13

from Northampton Nat Hist Soc

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

13 MAR 1915

Kept at Watford Court 4 R

in the County of Northamptonshire 4

by C. A. Markham Gertrude A. Henley

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " Sea Level 380 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.07			.68	.32				.41	1
2					.09		.03			.03	.50	.22	2
3	.03		.05		.05	.02	.30	.15					3
4	.08	.04		.25	.05			.47			.36	.36	4
5	.03		.10	.13	.05		.12				.16		5
6											.09		6
7			.40		.09	.06						.15	7
8		.18	.10		.10	1.00	.06	.25					8
9	.10		.43	.30	.10	1.44	.25		.05				9
10	.42				.05				.17		.25		10
11	.08	.13	.28	.15	.22	.38						.52	11
12	.05	.13	.44				.17		.30		.07	.36	12
13			.04						.03		.05	.26	13
14		.21					.20			.70	.14		14
15			.23									.01	15
16			.02				.07		.17				16
17		.28							.12			.42	17
18			.14				.27						18
19			.27									.42	19
20		.20					.07				.07		20
21		.30				.19	.12			.12			21
22					.20			12				.25	22
23		.10			.05					.11			23
24			13		.21					.20		.25	24
25	.07						.12	26		.21	.11		25
26			.09				.03	.22				.32	26
27											.21	12	27
28			10							.07	.09	1.01	28
29			05							.23		.31	29
30										.03	06		30
31	.15				.02		.29					.14	31
Total	1.01	1.57	2.87	.90	1.28	3.09	2.78	1.79	84	1.70	2.16	5.53	TOTAL for year 25.52
No. of Rain Days.	9	9	16	5	13	6	15	7	6	9	13	17	125

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

for Northampton Nat His Soc

(207)

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Watford Court

in the County of Northamptonshire

by Major C. A. Markham Gertrude A Heesley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	.11	.10		.17			.16	.17	.09		.05	1
2	.19	.17	.09	.26		.05		.33	.01	.19		.08	2
3	.43		.34	.06			.13	.73	.14			.41	3
4			.02				.10					.26	4
5	.06							.07			.05	.20	5
6	.21	.37		.20			.82	.07				.02	6
7	.06	.18		.01			.18					.21	7
8	.04	.27						.12			.20		8
9		.12						.17			.13	.42	9
10	.25	.13	.07	.05									10
11	.03			.27	.10		.12			.10	1.04	.10	11
12					.37			.49		.03	.65	.12	12
13		.56			.79							.06	13
14					.07		.07	.09	.08		.23	.39	14
15	.39						.07	.10				.10	15
16		.40			.05		1.10	.09				.01	16
17		.32					.11						17
18		.13	.11								.04		18
19	.42			.05			.14						19
20	.16											.25	20
21		.06					.20				.02	.05	21
22	.18			.07			.22					.10	22
23			.25	.04			.12			.35		.42	23
24		.04	.05	.03			.15		.10	.05		.08	24
25			.06			.05	.15		1.43			.35	25
26		.09					.04		.03			.37	26
27		.05					.23			.45			27
28							.12	.15	.10	.05	.21		28
29	.10					.09				.31		.10	29
30	.13	X				.20		.07			.13	.12	30
31		X		X		X			X	.30	X	.11	31
Total	2.73	3.00	1.09	1.04	1.55	.39	4.04	2.64	2.06	1.92	2.70	4.38	YEAR'S TOTAL 27.54
Rain Days.	15	15	9	10	6	4	18	13	8	10	10	24	142

W. 8,000. X. 15.

5 made ✓ from Nor Hist Soc

1181

FORM A.
BRITISH RAINFALL.

28 FEB 191

REGISTER OF RAINFALL IN 1916

Kept at Watford Court Rugby

in the County of Northamptonshire

by C. A. Markham Hon Gertrude A. Henley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18		.03			.07	.23				.11		1
2	.30		.07				.09		.03	.66	.03		2
3	.35			.75	.35	.02			.17	.22	.05		3
4		.50	.13		.15	.19	.20				.30		4
5	.05	.03			.05	.17	.07			.13	.13		5
6	.05	.15			.07		1.01			.18	.30		6
7	.05				.17	.06	.12				.13	.20	7
8										.02	.04	.14	8
9	.06		.15		.27				.02				9
10		.30	.12	.15	.10	.10			.15				10
11	.10	.09	.10	.17	.37				.05	.05		.10	11
12						.22	.21						12
13		.23	.12			.05		.10					13
14								.05		.06			14
15	.05	.15	.38	.17	.11								15
16	.06		.45	.03			.09	.22		.26	—		16
17		.15	.34	.27			.06	.63	.18				17
18			.03	.13					.28		.93		18
19	.05		.03	.15				.35			.50		19
20	.01		.23	.02					.19		.06	.07	20
21			.36	.13			.33					.40	21
22		.05	.25	.03	.07							1.00	22
23								.07		.14	.08		23
24		.47	.05			.21		.07		.09			24
25		.20	.10		.07			.40		.03		.15	25
26						.06		.35		.10	.19		26
27			.70			.08	.07	.07		.11	.10		27
28		.37								.10		.20	28
29		.15				.28		1.05	.04	.29			29
30		X				.06				.17			30
31		X		X		X		.02	X	.18	X	.07	31
Total	1.31	2.84	3.64	2.00	1.78	1.57	2.48	3.38	1.11	2.79	2.95	2.33	YEAR'S TOTAL 28.18
Rain Days.	12	13	18	11	11	13	11	12	9	17	14	9	150

W. 8,000, VIII. 16

√ Ec 81 1139

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Walford Court, Rugby
in the County of Northamptonshire
by C. A. Markham, G. A. Henley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·18				·86	·09		·05		1
2		·05		·15		·17		·11		·03	·02		2
3		·30						·30		·52	·10		3
4								·03		·20			4
5	·20		·24						·05	·03	·12		5
6						·07				·26	·02	·04	6
7							·07			·04		·03	7
8	·59			·10			·23	·18		·34	·19	·20	8
9			·13	·25				·07			·19		9
10			·25		·25			·03			·10		10
11	·73		·15	·34				·20	·08	·24	·05		11
12	·10	·03		·03	·05			·08		·39	·02		12
13				·10				·11	·08				13
14	·07										·02	·03	14
15							·07	·12		·04		·10	15
16				·12			·01	·02		·19			16
17		·33	·03	·15	·50	·35	·27	·05	·11	·04			17
18					·13		·11	·04	·90	·04		·03	18
19		·40		·07	·13		·05			·01			19
20					1·00				·10		·10		20
21			·23		·03	·10			·09	·15	·02		21
22		·02	·03					·03	·02	·01			22
23		·13			·07			·22		·05			23
24		·02				·41		·02		·20		·03	24
25		·03					·03						25
26								·36	·11		·09		26
27			·04			·41		·59					27
28						·50		·18					28
29			·07	·01				·07		·40		·07	29
30		X					·47	·20				·23	30
31		X	·17	X		X	·46	·15	X	·04	X		31
Total	1·69	1·31	1·34	1·50	2·16	2·01	1·77	4·02	1·63	3·22	1·09	·76	YEAR'S TOTAL 22·50
Rain Days.	5	9	10	11	8	7	10	23	10	20	14	9	136

W. 8,000, VIII. 16

6/ Exd 30

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Walford Court

in the County of Northamptonshire

by C. A. Markham. G. Henley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·09		·03						·10	·24		1
2		·09		·09				·08	·03	·02	·10	·13	2
3		·03	·03		·25			·02	·42		·32	·03	3
4	·02	·03	·03	·02					·28		·62	·03	4
5		·11		·05				·10	·08	·02			5
6		·11	·02	·16					·05	·06		·03	6
7		·10		·13		·09			·15	·07	·18		7
8		·01							·27	·22	·02	·29	8
9		·15		·09					·05	·17		·09	9
10						·16	·34		·05			·14	10
11					·10		·28		·18				11
12		·13	·05		·24		·21		·05				12
13				·02					·13	·04		·06	13
14	·32			·04	·01	·05	·48		·53	·09		·08	14
15	·50			·62			·20		·13			·26	15
16	·50			·47					·16		·02	·02	16
17		·02		·04		·08	·33		·02	·03		·18	17
18	·36	·05				·17	·13		·75			·30	18
19	·02			·50		·02				·08		·46	19
20		·13	·03	·50		·08	·07		·09	·09			20
21	·07			·04			·02		·34	·04	·03	·02	21
22	·18								·07	·02	·03	·46	22
23	·06	·19			·26		·07		·08				23
24					·57	·12	·07		·05		·12		24
25							·02	·20	·02	·02	·02		25
26		·03					·25	·08	·05	·03	·09	·18	26
27		·02					·08	·32			·14	·08	27
28		·20	·19						·02		·24	·10	28
29			·30						1·16		·02		29
30		✕						·05			·08	·31	30
31	·02	✕	·35	✕		✕		·04	✕		✕		31
Total	2·05	1·49	1·00	2·80	1·43	·77	2·55	·89	5·21	1·10	2·27	3·25	YEAR'S TOTAL 24·81
Rain Days	10	17	8	15	6	8	14	8	26	16	16	20	164

W, 6,500, VII. 18. W W C

Ex Lms. 1070

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

2? MAR 20

Kept at Watford Court

in the County of Northants.

by Gertrude Henley
per Major C.A. Markham

Lat.......... Long..........

Time of Observation..........

Nearest Railway Station..........

Diameter of Funnel of Rain Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

" " " " Sea Level..........ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·31	-	·06	-	·18	-	·06	.	-	·19	·05	·58	1
2	·13	-	·03	-	·02	-	·33	-	·32	-	·32	·02	2
3	·85	·06	·10	-	·04	·04	·22	-	·20	·17	·12	·13	3
4	·04	-	·40	.	-	-	·02	·21	·15	-	·02	·12	4
5	·09	·28	·23	-	-	-	·03	.	-	.	.	·15	5
6	·03	-	·09	·02	·53	.	-	.	·32	.	-	·05	6
7	·04	-	·21	-	-	.	.	-	.	.	.	-	7
8	·15	-	·06	·20	-	.	.	.	-	.	·02	.	8
9	·02	-	·03	·13	-	.	.	.	-	.	·03	-	9
10	·08	.	-	·06	.	.	.	.	-	·03	-	·07	10
11	-	-	·35	·06	-	.	·40	.	.	.	.	.	11
12	·07	·03	·44	·09	.	·18	·04	-	.	·09	.	.	12
13	·36	.	-	·27	-	.	-	.	.	·05	-	·02	13
14	-	·03	-	·10	.	.	.	.	·08	-	·02	·03	14
15	-	·07	·09	·15	.	.	.	-	.	·09	·12	·70	15
16	·17	·77	-	·05	.	.	.	·42	.	-	·27	·03	16
17	·05	·29	-	·03	.	.	.	-	.	-	·15	·02	17
18	·07	·04	·22	.	.	.	-	·12	-	-	·02	·12	18
19	·07	·25	·94	-	.	.	·84	·23	-	.	-	·03	19
20	·57	·10	·10	about - 2 in. S	.	·18	·36	·26	·12	.	·02	·04	20
21	·05	·43	-	-	.	-	·49	-	·02	.	·15	·60	21
22	·19	·36	-	-	.	.	-	-	·32	-	·04	-	22
23	-	-	·16	·06	-	·24	-	-	.	·68	·02	·07	23
24	-	-	-	·08	-	·05	·03	·05	-	·46	-	·03	24
25	-	-	-	·09	·03	-	-	·34	.	.	-	·03	25
26	·03	-	·19	-	·05	-	-	·06	·07	.	·04	·39	26
27	·47	·03	·06	·32	-	-	.	·78	.	.	·02	·02	27
28	-	·03	-	·04	.	·01	.	·02	.	·20	·22	·28	28
29	·03	X	-	·05	-	-	.	·07	-	·10	-	·31	29
30	-	X	·06	·25	-	·28	.	·02	.	-	·02	·26	30
31	·03	X	-	X	-	X	·06	-	X	·05	X	·02	31
Total	3·90	2·77	3·82	2·05	·85	·98	2·88	2·58	1·60	2·11	1·68	4·12	Year's Total 29·34
Days with ·01 in. or more	23	14	19	18	6	7	12	12	9	11	19	25	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1019

COPY B.R.O.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Watford Court

in the County of Rugby Northampton

by Gertrude A Henley per CA Markham

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·17	·27		·35		·02	·29		·15	1
2				·03			·06	·17	·13	·09		·09	2
3	·05	·05	·02	·42	·03	·02	·71		·07	·08		·02	3
4	·01	·02	·04	·26			·09	·35	·02	·30		·02	4
5		·03	·06	·02	·21		·32	·05	·10	·05		·02	5
6			·19	·18	·06		·43						6
7			·04	·60	·06		·10						7
8		·08		1·27	·04		·17						8
9	·44			·11	·28		·07				·06		9
10	·35	·08	·05	·32		·03	·10						10
11	·15	·02	·06	·16		·08	·04					·13	11
12	·03	·02	·05			·68	·02				·06	·13	12
13	·02	·02	·12	·13		·03		·08	·05	·04		·02	13
14			·68	·16		·29	·03		·26				14
15		·10	·10	·09		·21			·06	·06			15
16		·02		·09	·06	1·63			·13	·12			16
17	·02	·02		·22	·14				·37	·05		·06	17
18	·19			·04	·04	·09	·11	·20	·35				18
19	·05			·33				·05			·02	·04	19
20	·09	·11		·34		·45						·05	20
21	·03	·02		·05			·03	·13				·04	21
22		·02		·15			·02	·13	·16				22
23		·02					·44	·08				·37	23
24		·02	·15					·02		·02	·05	·08	24
25		·06	·04	·09	·69		·56			·03			25
26	·28	·02	·10	·03	·02		·05			·02		·08	26
27	·13	·02	·03	·12		·60				·02	·66	·27	27
28	·68		·03	·03	·15		·05					·18	28
29	·09		·17		·60	·08			·04		·58	·60	29
30	·02	✕		·04		·08	·13		·20		·12	·25	30
31	·06	✕		✕	·10	✕			✕	·32	✕	·02	31
Total	2.69	·75	1.93	5.41	2.75	4.25	3.88	1.26	1.96	1.49	1.55	2.62	Year's Total 30·54
Days with ·01 in. or more	18	19	18	26	15	13	21	10	14	14	7	20	195
Days with ·04 in. or more	12	7	14	22	13	10	17	9	12	10	6	15	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE 1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

—

NORTHANTS

WELDON GRANGE

1911 – 1919

Kept at Weldon

in the County of Nor

by John R

top 8 in.

p above Ground 1 ft. 0 in.

„ Sea Level 342 ft.

9-A.M.

ation { Name Weldon & Corby.
Distance 1½ Mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.02	—	—	—	—	—	—	—	.02	.02	1
2	.06	—	—	.01	.08	—	—	—	.01	.01	.06	.05	2
3	.01	.01	—	—	.15	—	—	.08	—	.05	.02	.01	3
4	.04	.01	.08	.09	—	—	—	.02	.13	.20	.19	.28	4
5	.02	—	—	.03	—	—	—	.08	—	.03	.01	.01	5
6	.35	—	.03	.01	—	—	—	.01	—	.01	.03	.25	6
7	.01	—	—	.02	—	—	—	—	—	.03	.13	.12	7
8	.16	—	.12	—	—	—	—	—	—	—	.05	.08	8
9	.08	—	—	.02	—	—	—	—	—	—	.12	.02	9
10	.02	.04	.25	—	—	—	—	—	—	—	.02	.27	10
11	.11	—	—	—	—	—	—	.35	—	—	.40	.02	11
12	.07	—	.41	—	—	—	—	—	.05	—	.12	.01	12
13	—	—	.08	—	.02	—	—	—	.22	.01	—	.34	13
14	—	.08	.04	—	.18	—	—	—	—	.05	—	.32	14
15	—	.05	.12	—	—	—	—	—	—	.07	.10	.02	15
16	—	—	.02	—	—	.02	—	—	—	.02	.31	.08	16
17	—	—	—	—	—	.04	—	—	—	.01	.04	.13	17
18	—	.29	—	—	—	.18	—	—	—	.01	.15	.05	18
19	—	.03	—	—	—	.07	.03	—	.09	.05	.25	.03	19
20	.01	.04	.01	.01	—	.02	—	.27	.22	.01	—	.43	20
21	—	.12	.02	—	—	—	—	.98	—	.07	—	.13	21
22	.02	—	.14	.02	—	.25	—	.15	—	.09	.02	.40	22
23	.01	.03	.13	—	—	.57	.02	.01	.26	.01	—	.10	23
24	—	.07	—	.01	—	.34	—	.01	—	.56	—	.08	24
25	—	.18	.03	.08	.61	.04	—	—	—	.01	.01	.02	25
26	—	—	—	.21	.42	—	.02	—	—	.25	120	.17	26
27	—	.21	.13	.12	—	—	.08	.01	.12	.04	.02	.05	27
28	—	.13	—	.13	—	—	—	.16	—	—	.07	.02	28
29	.01	/	—	.07	—	.13	.08	.01	.21	19	.02	—	29
30	—	/	.01	.02	—	.01	—	.01	—	.08	.01	.01	30
31	—	/	—	/	.03	/	—	—	/	.01	/	.01	31
Total	1.00	1.29	1.64	0.85	1.49	1.67	0.23	2.15	1.31	1.87	2.37	3.53	TOTAL for year 19.40
No. of Rain Days.	16	14	17	15	7	11	5	14	9	24	24	30	186

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL 1911

Kept at Weldon Grange

in the County of Northampton 4

by John Rooke

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 342 ft.

Time of Observation 9 A.M.

Nearest Railway Station Name Weldon & Corby
Distance 1½ Mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	—	.02	—	—	—	—	—	—	—	.02	.02	1
2	.06	—	—	.01	.08	—	—	—	.01	.01	.06	.05	2
3	.01	.01	—	—	.15	—	—	.08	—	.05	.02	.01	3
4	.04	.01	.08	.09	—	—	—	.02	.13	.20	.19	.28	4
5	.02	—	—	.03	—	—	—	.08	—	.03	.01	.01	5
6	.35	—	.03	.01	—	—	—	.01	—	.01	.03	.25	6
7	.01	—	—	.02	—	—	—	—	—	.03	.13	.12	7
8	.16	—	.12	—	—	—	—	—	—	—	.05	.08	8
9	.08	—	—	.02	—	—	—	—	—	—	.12	.02	9
10	.02	.04	.25	—	—	—	—	—	—	—	.02	.27	10
11	.11	—	—	—	—	—	—	.35	—	—	.40	.02	11
12	.07	—	.41	—	—	—	—	—	.05	—	.12	.01	12
13	—	—	.08	—	.02	—	—	—	.22	.01	—	.34	13
14	—	.08	.04	—	.18	—	—	—	—	.05	—	.32	14
15	—	.05	.12	—	—	—	—	—	—	.07	.10	.02	15
16	—	—	.02	—	—	.02	—	—	—	.02	.31	.08	16
17	—	—	—	—	—	.04	—	—	—	.01	.04	.13	17
18	—	.29	—	—	—	.18	—	—	—	.01	.15	.05	18
19	—	.03	—	—	—	.07	.03	—	.09	.05	.25	.03	19
20	.01	.04	.01	.01	—	.02	—	.27	.22	.01	—	.43	20
21	—	.12	.02	—	—	—	—	.98	—	.07	—	.13	21
22	.02	—	.14	.02	—	.25	—	.15	—	.09	.02	.40	22
23	.01	.03	.13	—	—	.57	.02	.01	.26	.01	—	.10	23
24	—	.07	—	.01	—	.34	—	.01	—	.56	—	.08	24
25	—	.18	.03	.08	.61	.04	—	—	—	.01	.01	.02	25
26	—	—	—	.21	.42	—	.02	—	—	.25	.20	.17	26
27	—	.21	.13	.12	—	—	.08	.01	.12	.04	.02	.05	27
28	—	.13	—	.13	—	—	—	.16	—	—	.07	.02	28
29	.01	/	—	.07	—	.13	.08	.01	.21	.19	.02	—	29
30	—	/	.01	.02	—	.01	—	.01	—	.08	.01	.01	30
31	—	/	—	/	.03	/	—	—	/	.01	/	.01	31
Total	1.00	1.29	1.64	0.85	1.49	1.67	0.23	2.15	1.31	1.87	2.37	3.53	TOTAL for year 19.40
No. of Rain Days.	16	14	17	15	7	11	5	14	9	24	24	30	186

W. 8,000, X. '11.

REGISTER Ex DS OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Weldon Grange.
in the County of Northampton 4
by John Rooke.

Lat. 52° 29' 12" Long. 0° 39' 20" W.
Time of Observation 9 A.M.
Nearest Railway Station Weldon & Corby M.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	.02	—	—	.11	.04	.04	.06	—	—	.16	1
2	—	.02	.05	.03	.61	.40	.50	—	—	—	—	.03	2
3	.10	—	.01	—	.08	.20	.18	.52	.04	—	.01	.11	3
4	.05	—	.46	—	.08	.36	—	.02	—	—	.23	.01	4
5	.11	.09	.45	—	—	.09	—	.17	.01	.01	.05	.01	5
6	.37	.08	.01	—	—	.10	.22	.38	—	—	—	.03	6
7	—	.04	—	—	.01	.43	.01	.01	—	—	.01	.01	7
8	.32	.25	.16	—	—	.06	.09	.03	.09	.01	.01	.02	8
9	.03	.07	.09	.08	—	.22	.03	.01	—	.01	—	.08	9
10	.01	—	.01	—	—	.04	—	.07	—	.01	.09	.02	10
11	.05	.13	—	—	.03	.05	—	—	—	—	.03	.25	11
12	.09	.14	.05	—	.08	.16	.29	—	—	—	.04	.01	12
13	—	.09	.01	—	—	.02	—	.07	—	—	.06	.02	13
14	.08	—	.11	—	.08	.06	—	.05	—	.02	—	—	14
15	—	.03	.08	—	.26	.11	—	.03	—	—	—	.13	15
16	.37	—	.06	—	.06	.03	—	.07	—	.08	—	—	16
17	.48	—	.32	—	—	.20	—	.27	—	—	.02	.25	17
18	.15	.01	.11	—	—	—	.01	.06	—	.01	.02	.04	18
19	.23	.06	.03	—	—	—	.09	.41	—	.03	.03	—	19
20	.09	—	.13	—	.09	—	.51	.60	—	.28	—	—	20
21	—	.01	.07	—	.48	—	.01	.65	—	.11	.05	—	21
22	.27	.06	.01	—	.22	—	1.16	.33	—	.01	—	.04	22
23	.10	.01	.22	—	.02	—	.94	.46	.01	—	.07	.28	23
24	.08	.26	—	—	—	.15	.03	.18	.01	.01	—	.10	24
25	—	.01	—	—	—	.25	—	.68	—	.01	.18	.29	25
26	—	.03	.02	—	—	.02	.18	1.56	—	.47	.23	.27	26
27	—	—	—	—	—	.09	.27	.03	—	.32	—	.19	27
28	—	.02	—	—	—	—	.04	.49	.04	.27	.18	.44	28
29	—	.02	—	—	—	.19	.21	.01	.47	.30	.01	.01	29
30	.05	—	—	—	.10	.08	.01	—	.24	.24	—	—	30
31	—		.15		.11		.40	.13		—		.01	31
Total	3.03	1.43	2.63	0.11	1.71	3.42	5.22	7.33	0.97	2.20	1.32	2.81	YEAR'S TOTAL 32.18
Rain Days.	19	20	23	2	15	23	21	27	9	18	18	25	220

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

6- JAN 19

REGISTER OF RAINFALL IN 1913

Kept at Weldon Grange
in the County of Northampton 4
by John Rooke

Lat. 52° 29' 12" Long. 0° 39' 20" W.
Time of Observation 9 A.M.
Nearest Railway Station Weldon & Corby M.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.02	.13	.04	—	—	—	—	.61	—	.14	.01	1
2	.01	.08	.01	.01	—	—	.12	—	.20	—	.01	—	2
3	.01	—	.16	—	.45	—	.01	—	.06	.23	—	.23	3
4	.32	—	—	—	.17	—	.09	—	—	.43	.06	.15	4
5	.01	—	—	—	—	.07	.02	—	.07	.70	.05	—	5
6	.01	.03	.07	—	.16	.07	.17	—	—	.09	—	.01	6
7	—	.08	—	—	.01	.07	.01	—	—	.83	.04	.01	7
8	—	—	.02	—	.15	.11	—	—	—	.04	.12	—	8
9	—	.22	.04	.01	.01	.17	—	—	—	—	.07	.02	9
10	.02	—	—	.13	.13	—	.37	—	—	—	.57	—	10
11	.32	—	.01	.44	—	.02	—	.02	—	.04	.19	—	11
12	—	.01	—	—	.17	—	—	.14	—	.01	.39	—	12
13	.03	.01	.02	.04	—	—	—	—	.05	—	.21	—	13
14	.07	.02	.27	.04	—	—	.19	—	—	.07	.03	—	14
15	.10	—	.27	.33	—	—	.12	—	.06	—	—	—	15
16	.03	.01	.75	.13	—	—	.01	—	.02	.01	.04	—	16
17	.08	.07	.06	.14	—	.02	.03	—	—	—	.04	.03	17
18	—	—	.17	.12	—	—	.04	—	—	—	.02	.03	18
19	.09	.01	.17	—	—	—	.03	—	.06	.34	—	.03	19
20	.10	—	.08	.02	—	.01	—	—	.02	—	.04	—	20
21	.01	—	.14	.02	.13	—	.02	—	—	—	.27	.01	21
22	.29	—	.20	.01	—	—	—	.07	.20	—	—	—	22
23	—	—	.02	—	—	.08	—	.04	.02	.01	.01	.01	23
24	.05	.01	—	.09	—	—	—	.19	—	.01	.01	—	24
25	—	.02	—	.06	—	.03	—	—	—	.27	—	.02	25
26	—	.05	.24	.10	—	—	—	.02	—	.01	.02	.20	26
27	.02	.01	.02	.02	.08	—	.01	—	—	.01	—	—	27
28	.29	—	.31	.14	—	—	—	—	—	.07	.01	.06	28
29	.02	—	.15	.49	.05	—	—	.10	—	.03	—	.06	29
30	.24	—	—	.03	.03	—	—	.03	—	.13	.20	.02	30
31	.01		—		.02	—	—	.53	—	—	—	—	31
Total	2.16	0.65	3.31	2.41	1.50	0.65	1.24	1.14	1.37	3.33	2.57	0.90	YEAR'S TOTAL 21.23
Rain Days.	23	15	22	21	13	10	15	9	11	19	22	16	196

W.7,000, XI. 13

ExLMCE

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Weldon Grange.
in the County of Northampton. 4
by John Rooke.

Lat. 52°.29'.12" N. Long. 0°.39'.20" W.
Time of Observation 9 A.M.
Nearest Railway Station Weldon & Corby
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.04	—	—	—	.24	—	.01	.07	.07	1
2	.01	—	—	—	—	—	—	.09	—	—	.11	.19	2
3	—	.01	—	—	.14	—	.35	—	—	—	.05	—	3
4	.18	.01	.01	.15	—	—	—	.57	—	—	.56	.12	4
5	.02	—	.10	.13	.15	.13	.17	.12	—	—	—	—	5
6	—	.05	—	—	.04	.01	.01	.01	—	—	.02	.06	6
7	—	.05	.34	—	.05	—	.04	.03	—	—	—	.03	7
8	.05	.03	.08	—	.10	.85	.01	.16	—	—	—	.02	8
9	.42	.01	.22	.22	—	.86	—	—	.24	—	—	—	9
10	.22	.07	.01	.09	.06	—	—	—	.06	—	—	—	10
11	—	.09	.26	.11	.13	.04	—	—	.02	—	.38	.29	11
12	—	.01	.10	—	—	—	.01	—	.31	—	.03	.33	12
13	.03	.13	.11	—	—	—	—	—	.03	.37	.11	.19	13
14	.01	.01	.15	—	—	—	.13	—	—	.72	.08	.23	14
15	.05	—	.16	—	—	—	—	.04	.05	—	.04	.17	15
16	—	—	.05	—	—	—	.16	—	.01	—	.01	—	16
17	.03	.17	.03	—	—	—	.03	—	.24	—	—	.20	17
18	—	—	.04	—	—	.73	.27	—	—	—	—	.37	18
19	—	.05	.27	—	—	—	.03	—	—	—	.05	.02	19
20	.01	.14	.20	—	—	—	—	—	—	.01	—	.10	20
21	.01	.13	.07	—	—	—	—	—	—	.06	—	.33	21
22	.02	.01	—	—	.22	.01	.05	.16	—	.14	.01	—	22
23	—	.04	.06	—	.12	—	—	—	—	.04	—	.03	23
24	—	.01	.03	.01	.02	—	.12	—	—	.27	.14	—	24
25	.04	—	—	—	—	—	—	.14	—	.42	.01	.14	25
26	—	—	—	—	—	—	—	.05	—	.05	.17	.26	26
27	.03	—	.01	—	—	—	—	—	—	—	.02	.20	27
28	—	.07	—	—	.07	—	—	—	—	.16	.08	1.15	28
29	.02	—	.10	—	.04	—	—	—	—	.33	.05	—	29
30	—	X	.01	—	—	.04	—	—	—	.04	.24	.21	30
31	.01	X	—	X	.04	X	.11	—	X	.01	X	.07	31
Total	1.16	1.09	2.41	0.75	1.18	2.67	1.49	1.55	0.96	2.63	2.23	4.78	YEAR'S TOTAL 22.90 ✓
Rain Days.	17	19	22	7	13	8	14	11	8	14	20	23	176 ✓

W. 8,000. X. 14.

ex + 75

1230

REGISTER OF RAINFALL IN 19/15.

FORM A.
BRITISH RAINFALL.
6 - JAN 1916

Kept at Weldon Grange
in the County of Northampton 4
by John Rooke

Lat. 52° 29' 12" Long. 0° 39' 20" W.
Time of Observation 9-AM.
Nearest Railway Station Weldon & Corby - M.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. " in.
" " " " Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20	.05	.10	—	.20	—	—	.05	.07	—	.06	.10	1
2	.03	.11	.13	.15	—	.03	—	.55	.01	.06	.05	.05	2
3	.32	—	.05	.15	—	—	.34	.15	.14	—	.01	.11	3
4	.06	—	—	—	—	—	.10	.10	—	—	—	.45	4
5	.02	.20	—	—	.14	—	—	.02	—	—	.02	.24	5
6	.09	.03	.03	.19	—	—	.80	.02	—	.02	—	.03	6
7	.07	.31	.07	.02	.01	.33	.11	.24	—	—	—	.18	7
8	.01	.10	.03	.01	—	—	—	—	—	—	.05	—	8
9	.01	—	—	.02	—	.11	—	—	—	.02	.18	.42	9
10	.34	—	.02	—	—	—	.01	.25	—	—	.07	.03	10
11	—	—	.12	.03	.13	—	.03	—	—	—	.62	.16	11
12	.02	—	—	.25	.43	—	—	.48	—	.02	1.15	—	12
13	.02	.45	—	—	.89	—	.06	—	—	—	—	—	13
14	—	.06	—	—	—	—	.08	.02	.09	.01	.02	.32	14
15	.34	—	—	—	.07	—	.02	.14	—	.03	.15	.12	15
16	—	.21	—	—	.01	—	.91	.10	—	.02	—	.04	16
17	—	.17	—	—	—	—	.18	—	—	—	—	.02	17
18	—	.05	.25	—	—	—	—	—	—	—	.06	.02	18
19	—	—	.02	—	—	—	.07	—	—	—	.02	—	19
20	.40	—	—	—	—	—	—	.01	—	.01	—	.37	20
21	.09	.07	—	—	.14	—	.10	—	—	—	—	.07	21
22	.10	—	.19	.01	—	—	.19	—	—	.02	—	.14	22
23	.03	.04	.02	—	—	.06	.10	—	.06	.27	.01	.29	23
24	.01	—	.11	—	—	.01	.15	—	.07	.05	—	.07	24
25	.01	—	.02	—	—	.25	.10	—	—	.06	—	.22	25
26	—	.14	.01	—	—	—	.10	—	—	—	—	.26	26
27	.01	.04	.03	—	—	.18	.10	—	—	.44	—	.06	27
28	.01	.12	.04	—	—	.50	.10	.04	.07	.03	.02	—	28
29	.01	—	.61	—	—	.67	.08	.08	—	.01	.12	.20	29
30	.09	X	.01	—		.01				.01	.01	.06	30
31	.02	X	—	X	—	X	—	.09	X	.18	X	.06	31
Total	2.31	2.25	1.26	0.83	2.02	2.15	3.73	2.34	1.11	1.26	2.62	4.09	YEAR'S TOTAL 25.97
Rain Days.	24	16	19	9	9	10	21	16	7	17	17	26	191

W. 8,000. X. 15.

1207

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Weldon Grange
in the County of Northampton
by John Rooke

Lat. 52° 29' 12" Long. 0° 39' 20" W.
Time of Observation 9.0 A.M.
Nearest Railway Station Weldon & Corby M.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	—	.16	—	—	.03	.23	—	—	—	.40	—	1
2	.40	.01	.11	—	.30	—	.02	—	.07	.38	.05	—	2
3	.01	.29	.02	—	.01	—	.10	—	.43	.29	.04	—	3
4	.46	.16	—	.01	.13	.20	.02	—	.01	.01	.17	—	4
5	.02	—	—	.04	.02	.04	—	—	—	.14	.36	—	5
6	.04	.10	.12	.04	.01	.06	.27	—	—	.06	.30	.01	6
7	.09	—	.20	—	.07	—	.21	—	—	.10	.17	.10	7
8	—	.02	.02	—	—	.28	—	—	—	—	.05	.31	8
9	.01	—	.06	—	.29	.06	—	—	—	[illegible]	—	.05	9
10	—	.06	.10	.06	—	.12	—	—	.04	.02	—	.10	10
11	.03	.20	.15	.09	.11	.08	—	—	—	—	—	.08	11
12	.03	.02	.15	—	.48	.10	.03	—	—	.03	.01	—	12
13	.01	.19	.15	.04	.09	.04	—	.04	—	—	—	—	13
14	—	.38	—	13	.03	—	—	.16	—	.02	—	—	14
15	—	.29	.38	—	.02	—	.10	.07	—	—	—	.01	15
16	—	.05	.16	.15	.03	—	.08	—	—	.03	—	.02	16
17	.03	.05	.02	.07	—	—	.05	.54	.20	.21	—	—	17
18	.02	.12	.02	.07	—	—	—	.58	.17	—	1.05	.02	18
19	.11	.05	.26	.17	—	—	—	.05	.10	—	.38	.08	19
20	.08	.02	.07	.08	—	—	—	.04	—	—	.21	.29	20
21	.01	.01	.31	.07	—	—	—	—	—	—	.02	.89	21
22	—	.03	.04	—	.04	.04	—	—	—	.05	.01	.61	22
23	.05	.32	.01	—	—	.10	—	.04	—	.01	.05	.37	23
24	—	.45	.01	.03	—	.13	—	.07	—	.01	.01	.25	24
25	—	.08	.13	—	.03	—	—	.24	—	.03	.11	.01	25
26	—	.06	.02	—	—	—	—	.47	—	.02	—	.01	26
27	.06	.25	.65	—	—	~~.19~~	.17	.23	.01	.18	—	.02	27
28	.01	.33	.25	—	—	.19	—	—	—	.02	.01	.19	28
29	—	.09	.01	—	—	.20	—	1.28	—	.29	—	.03	29
30	.01	X	—	—	—	.10	—	.10	—	.14	—	—	30
31	.01	X		X	.01	X		.06	X	.10	X	—	31
Total	1.51	3.63	3.58	0.99	1.69	1.77	1.28	3.97	1.03	2.19	3.40	3.45	YEAR'S TOTAL 28.47
Rain Days.	21	25	26	14	16	16	11	15	8	22	18	20	212

W. 8,000, VIII. 16

1163

FORM A.
BRITISH RAINFALL
2. JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Weldon Grange
in the County of Northampton
by John Rooke

Lat. 52°. 29. 12" Long. 0.39.20 W
Time of Observation 9 A.M.
Nearest Railway Station Weldon & Corby M.R.
Diameter of Funnel of Rain Gauge 8" to March 15th, 5" — Dec. 31st
Height of top of Gauge above Ground ft. 12" in.
" " " " Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	.03	—	—	—	1.13	.30	—	.02	—	1
2	.05	.04	—	—	—	.12	—	.09	—	.01	.04	—	2
3	—	—	—	.07	—	—	—	.57	—	.24	.06	—	3
4	—	.05	.04	—	—	—	—	.12	—	.50	—	—	4
5	.18	—	.02	.07	—	—	—	.02	.29	.05	.10	—	5
6	—	—	—	—	—	.10	—	—	—	.09	—	—	6
7	.65	—	—	—	—	.01	—	—	—	.36	.01	—	7
8	.45	—	—	.14	—	—	.25	1.02	—	.31	.09	—	8
9	.11	—	.03	.08	.07	—	.01	.22	—	—	.09	.01	9
10	.35	—	.21	.20	—	—	—	.22	—	.07	.02	—	10
11	.03	.03	.15	.13	—	—	—	.25	.07	.25	.01	—	11
12	.17	.04	.01	.02	.15	—	—	.12	—	.36	—	—	12
13	.02	—	.10	—	—	—	.01	.24	.06	—	—	.03	13
14	.10	—	.01	.08	—	—	—	.53	—	—	—	.03	14
15	.02	—	—	—	—	—	.06	.04	—	.01	—	.01	15
16	.07	.14	—	.12	—	—	.01	—	—	.09	—	.07	16
17	—	.01	.01	.14	.56	1.29	.18	.08	.05	.09	—	.01	17
18	.03	.01	—	.09	.16	—	.16	.08	.79	—	—	—	18
19	—	.13	.11	—	.06	—	—	—	.65	—	—	—	19
20	.02	.25	.06	—	.65	—	—	—	—	—	.16	—	20
21	—	.01	.04	.01	.06	—	—	—	—	—	.01	—	21
22	—	—	.09	—	—	—	—	.09	.05	.08	—	—	22
23	—	.07	—	—	.09	—	—	.19	.03	.03	—	—	23
24	—	.03	—	—	—	.57	—	.01	—	.17	.08	—	24
25	—	.01	.06	—	—	—	—	—	—	—	.09	—	25
26	—	.01	.03	—	—	—	—	.53	.11	—	.14	.03	26
27	—	—	—	—	—	.09	—	1.01	—	—	—	.02	27
28	—	—	.07	—	—	.68	—	.09	—	.01	—	.06	28
29	—	×	.04	—	.10	.12	.14	—	—	.30	—	.28	29
30	—	×	—	—	—	—	.33	.23	—	—	—	—	30
31	—	×	.19	×	—	×	.12	.15	×	—	×	.08	31
Total	2.25	0.83	1.27	1.18	1.90	2.92	1.27	6.97	1.80	3.02	0.92	0.63	YEAR'S TOTAL 24.96
Rain Days.	14	14	18	13	9	8	10	23	10	~~17~~ 18	14	11	~~161~~ 162

W. 8,000, IX. 17.

2.38

54

FORM A.
BRITISH RAINFALL.

3. 1.

REGISTER Ex OF RAINFALL IN 1918

Kept at Weldon Grange, Kettering.
in the County of Northamptonshire
by John Rooke.

Lat 52°-29'-12" Long. 0°-39'-20"
Time of Observation 9-A.M.
Nearest Railway Station Weldon & Corby L.N.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1. ft. " in.
” ” ” ” Sea Level 342 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.03	.02	.14	—	—	—	—	—	—	.17	.07	1
2	—	.17	—	.07	—	—	—	.14	—	—	.08	.12	2
3	—	.03	.06	—	.47	—	—	.09	.09	—	.50	.01	3
4	—	.01	.07	—	—	—	.14	.06	.64	—	.42	.02	4
5	—	.06	.03	—	.24	—	—	.06	.36	.04	—	.02	5
6	—	.06	—	.13	—	—	—	—	—	.02	—	—	6
7	.06	.09	—	.24	—	.06	—	—	.04	.18	.10	—	7
8	.01	.01	—	—	—	—	—	—	.05	.03	—	.05	8
9	—	.16	—	.14	—	.03	.20	—	.31	.24	—	.07	9
10	.10	—	—	.03	—	—	.30	—	.07	.18	—	.05	10
11	—	.01	—	.01	.14	—	.19	—	.05	.22	—	.07	11
12	—	.11	.04	—	.28	—	.04	—	.19	—	—	.07	12
13	—	.01	—	.03	.34	—	—	—	.12	.03	—	.03	13
14	.31	—	—	.79	—	.04	.50	—	.28	.11	—	.03	14
15	.69	—	—	.38	—	.05	.10	—	.18	—	—	.19	15
16	.06	—	—	.07	—	.01	—	—	.30	.02	—	—	16
17	.20	—	—	—	.22	—	.68	.02	—	.01	—	.12	17
18	.28	—	—	.12	—	.07	.15	—	.22	—	—	.26	18
19	.02	—	.07	.40	—	—	.06	—	—	.09	—	.11	19
20	.02	.06	—	—	—	.05	.01	—	.10	.23	.01	—	20
21	.09	—	—	.17	—	—	.04	—	.18	.13	—	.03	21
22	.13	—	—	—	.04	—	.02	—	.02	.01	.01	.39	22
23	.09	—	—	—	.49	.02	.09	—	—	—	—	.01	23
24	—	.15	—	—	—	—	.10	—	.04	.01	.10	—	24
25	—	—	—	—	.03	.11	.03	.27	—	.03	.03	—	25
26	—	—	—	—	—	—	.19	.01	.04	—	.08	.10	26
27	—	.01	—	—	—	—	.09	.19	.07	—	.11	.02	27
28	—	.10	.14	—	—	.02	—	.01	—	—	.26	.11	28
29	—	X	—	—	—	—	—	—	.85	—	.02	—	29
30	—	X	.28	—	—	—	—	—	.03	—	.08	.10	30
31	—	X	.26	X	—	X	—	—	X	.02	X	—	31 ✓
Total	2.06	1.07	0.97	2.72	2.25	0.46	2.93	0.85	4.23	1.60	1.97	2.05	YEAR'S TOTAL 23.16
Rain Days.	13	16	9	14	9	10	18	9	22	18	14	23	175 ✓

W. 8,000, IX. 17.

[illegible] G.M.S. 1095

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

28 MAR 20

Kept at Weldon Grange, Corby

in the County of Northants

by John Rooke per Major C.A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·06	·02	·	·13	·	·03	-	-	·06			1
2	·11	-	·03	·	·02	·	·18	-	·10	·06			2
3	·90	-	·07	·	·04	·	·12	-	·15	·			3
4	·10	-	·37	·	·	·10	·20	·09	·05	·			4
5	·03	·15	·10	·	-	·	·04	-	·64	·			5
6	-	·	·03	-	·77	·	·	-	-	·			6
7	·12	·	·23	-	·	·	-	-	·	·			7
8	·12	·	·05	·19	·	·	-	-	-	·01			8
9	·02	·	·02	·07	·	·	-	-	·	-			9
10	-	·	·32	·04	-	·	·	·	·	-			10
11	·09	·	·34	·04	·12		·59	·	-	-			11
12	-	·	·43	·06	·	·27	-	·	·	·07			12
13	·13	·	·	·22	-	02	·	-	·04	·04			13
14	·28	·01	·	·27	·	·	-	-	·17	-			14
15	·22	·03	·12	·24	·	·	·	-	-	·08			15
16	·10	·97	-	·02	-	-	·	·02	·				16
17	·03	·33	·	·	·	·	·	-	·				17
18	-	-	·08	-	·	-	·	·20	·				18
19	·03	·17	1·00	·	-	·17	·75	·16	·16				19
20	·56	·03	·15	·	·	·13	·60	·34	·				20
21	·27	·43	·12	·	·	·	·28	-	·				21
22	-	·30	·01	·	-	·	-	-	·33				22
23	-	-		·03	·	-	·04	·09	·02	·72			23
24	-	·		·20	·02	-	·02	·06	-	·18			24
25	·12	-		·23	·24	·03	-	·26	-	·			25
26	·04	-	·18	·08	·	·	-	·08	·09	·			26
27	·60 1·5	·15	·04	·58	·	-	-	·07	-	·			27
28	-	-	-	·05	-	·	·	·81	-	·03			28
29	·06	╳	-	02	·	·01	·	·20	-	·21			29
30	-	╳	·05	·23	·	·19	·	-	·	·07			30
31	·04S	╳	·06	╳	·	╳	·03	·	╳	·08	╳		31
TOTAL	~~3·64~~ 4·24	2·63	3·82	2·57	1·34	·92	2·88	2·38	1·75	1·61			YEAR'S TOTAL
Days with ·01 in. or more	24	11	22	17	7	8	12	12	10	12			

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

8L

REGIST

NORTHANTS
WELFORD – SALFORD HOUSE.
1911– 1917

Kept at Welford, Sa
in the County of Northamp
by J. Gee

in.
ound 1 ft. in.
Level 566 ft.
me
tance Direction

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03					·01			·02	·04	1
2	·04				·12		·01		·01	·02	·04	·05	2
3					·17			·07	·01	·07	·01		3
4	·04	·01	·08	·09	·01			·01	·11	·07	·20	·28	4
5	·01			·12				·16		·04	·01		5
6	·31		·01	·02							·06	·34	6
7	·01										·12	·08	7
8	·13		·15								·04	·13	8
9	·07				·13						·01	·03	9
10	·01	·07	·38					·11				·43	10
11	·15							·58			·40	·01	11
12	·02		·59						·16		·20		12
13			·04			·01			·21	·01	·02	·56	13
14		·08	·08		·01					·02	·01	·50	14
15		·09	·12				·01			·05	·08	·04	15
16					·04	·03				·01	·27	·07	16
17						·10					·07	·17	17
18		·23			·04	·08					·05	·05	18
19		·01				·17			·05	·08	·49	·10	19
20	·01	·07		·01				·61	·11			·53	20
21		·14				·01		·64		·19	·02	·09	21
22		·01	·11			·49		·07		·15	·02	·39	22
23		·07	·28			·48			·26			·41	23
24		·07	·02	·01		·45		·03		·84		·06	24
25		·03	·05	·12	·73	·08		·04		·12		·02	25
26		·03		·28	·40	·07		·02		·12	·21	·15	26
27		·20	·15	·19			·01	·48	·22	·01	·02	·06	27
28		·17		·20		·01		·12			·02	·01	28
29				·08		·13	·05	·03	·18	·17			29
30			·02	·01		·04				·12			30
31					·04					·02		·01	31
Total	·81	1·28	2·11	1·13	1·69	2·15	·08	2·98	1·32	2·11	2·39	4·61	TOTAL for year 22·66
No. of Rain Days	12	15	15	11	10	14	4	15	10	18	23	26	173

9,000, IX. '10.

8L

196

REGIST

Kept at Welford, Salford House

in the County of Northamptonshire

by J. Gee

RAIN GAUGE
Pattern
Diameter of top 4½ in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 566 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·03					·01			·02	·04	1
2	·04				·12		·01		·01	·02	·04	·05	2
3					·17			·07	·01	·07	·01		3
4	·04	·01	·08	·09	·01			·01	·11	·07	·20	·28	4
5	·01			·12				·16		·04	·01		5
6	·31		·01	·02							·06	·34	6
7	·01										·12	·08	7
8	·13		·15								·04	·13	8
9	·07				·13						·01	·03	9
10	·01	·07	·38					·11				·43	10
11	·15							·58			·40	·01	11
12	·02		·59						·16		·20		12
13			·04			·01			·21	·01	·02	·56	13
14		·08	·08		·01					·02	·01	·50	14
15		·09	·12				·01			·05	·08	·04	15
16					·04	·03				·01	·27	·07	16
17						·10					·07	·17	17
18		·23			·04	·08					·05	·05	18
19		·01				·17			·05	·08	·49	·10	19
20	·01	·07		·01				·61	·11			·53	20
21		·14				·01		·64		·19	·02	·09	21
22		·01	·11			·49		·07		·15	·02	·39	22
23		·07	·28			·48			·26			·41	23
24		·07	·02	·01		·45		·03		·84		·06	24
25		·03	·05	·12	·73	·08		·04		·12		·02	25
26		·03		·28	·40	·07		·02		·12	·21	·15	26
27		·20	·15	·19			·01	·48	·22	·07	·02	·06	27
28		·17		·20		·01		·12			·02	·01	28
29				·08		·13	·05	·03	·18	·17			29
30			·02	·01		·04				·12			30
31					·04					·02		·01	31
Total	·81	1·28	2·11	1·13	1·69	2·15	·08	2·98	1·32	2·11	2·39	4·61 4·63	TOTAL for year 22·66
No. of Rain Days	12	15	15	11	10	14	4	15	10	18	23	26	173

9,000, IX. '10.

Markham

con[illegible] 17·III·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

4 - JAN 1913

Kept at Welford

in the County of Northampton

by John Gee

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Welford

Diameter of Rain Gauge 4½ in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 566 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.1			11	.3	.4	.4			13	1
2			.5	.3		16	43					.2	2
3	15		.1		10	.5	15	44	.2	.1	.1	.5	3
4	10		60		.9	50		.5			26		4
5	10	.2	26	.1	.1	14		55	.3		.8	.1	5
6	35	.1	.1		.1	.9	.1	24			.1	.4	6
7		11	.1		.4	20		.6				.1	7
8	35	28	14			10	.4	19	13			.3	8
9	.1	.5	20	11		14	.1	.1				14	9
10			.1	.2				84 84			39		10
11	.9	13			.1	.6		.8			.6	40	11
12	.5	39	10		.4	.1	14			.1	16		12
13	.1	.1				.1				.4	.9		13
14	.8		29		.3	31		.4					14
15	.4	.4	.4		26	21		.1		.6		18	15
16	51		11		.3	.2		.9					16
17	43		.9			14		14		.2	.4	33	17
18	21	.1	11				.1	15		.2	.1	.3	18
19	20	.5	.1			.1	16	20	.1	28	.3	.1	19
20	13		29		.1		49	69		22			20
21		.1	.4		40		.1	75		.4	.1		21
22	35	.4			49		33	32				.4	22
23	.9	25	24		.1	.8	20	49			.9	24	23
24	.8	.1	.1			10	.3	.8				11	24
25						52		33 34			24	30	25
26		.5	.1				16	100		52	18	29	26
27						16				43	.1	23	27
28		.3		.1		.9	.6	55 55	.2	26	33	41	28
29						14	39	.1	69	19	.2	.3	29
30	.9				22		.1		.4	17			30
31			.6		16		46	18		.1		.8	31
Total	3.45	1.52	2.82	18	1.94	3.41	3.45	4.54	1.21	2.26	2.02	3.20	YEAR'S TOTAL 33.32 ✓
Rain Days.	20	14	23	5	16	23	19	26	8	15	18	22	2.12

3·45 2·28

W. 7,500, XI. ·12

Cordly own stats 9.III.14 ~~W~~ DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
8 JAN 1914

Kept at Salford House Welford
in the County of Northamptonshire
by John Gee Esqr

Lat. Long.
Nearest Railway Station Welford.
Time of Observation 9 a.m
Diameter of Rain Gauge 4½ in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 566 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.4	.1	10	.9					91		.9		1
2	.1	10	.1	18					11		.2		2
3	.2		16		62				.5			.6	3
4	55				.8	.8	.3			11	12	14	4
5	.3					.2	14		.4	57	11	.3	5
6	.1		.6		27	22	49			13		.4	6
7		16			.6	.2	15			44	.4	.2	7
8		.3	.3		20	11				.9	.4		8
9		28	.6	.1	.1	20		30	.3		.4	.5	9
10	.5		.1	.8				.1			41		10
11	110			43						.8	50		11
12					10					.1	62		12
13	.4		.5	.4				.3	.5		22		13
14	.6		43	.2			.3	.9		11	.3		14
15	11	14	38	41			.1		.6				15
16	.3	.1	45	.8			.1		.4		.1		16
17	.9	.5	(25)	.6		.5			.1		.5	.2	17
18			23	.9			11				.2		18
19	13		18	.1	.6	.1	.8		.6			.1	19
20	28		10	.4					.1	23	.5		20
21	.3		13	.5			.2		.1		40		21
22	50		29					10					22
23			.1			.6	.1	.5	22				23
24	.5			.9				10	.3				24
25		.6		12		.1			.1		.1	.2	25
26		.4	14	16				.4		26	.2	20	26
27		.1	.2	.4	.4								27
28	44		26	22	.1					15		.8	28
29	.2		16	52	.5			16		17		15	29
30	23			.4						13	15		30
31			.2		.6			12			.1		31
Total	3.85	89	3.83	2.78	1.56	48	1.38	1.03	1.67	2.48	3.05	65	TOTAL for year 24.15
No. of Rain Days	21	11	23	21	12	10	11	10	15	13	21	12	181

180

(3.83)

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

~~Copy for Northampton~~
~~Sent this Sr~~
referred 12.11.13

end for audit 23. 11. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 MAR 1915

Kept at Welford Salford House

in the County of Northamptonshire

by C. A. Markham J Gee

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 566 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.10			.53	.28			.05	.04	1
2								.18		.01	.44	.23	2
3			.01		.17		.20	.02					3
4	.26		.02	.20	.03			.28			.39	.20	4
5	.07		.09	.31	.19	.15	.17	.07			.03		5
6		.04		.01	.04	.01		.01			.13	.03	6
7		.08	.35		.11	.01	.03	.04				.02	7
8	.10	.03	.25	.11	.06	1.18	.02	.20					8
9	.38	.01	.23	.18		.90		.03	.03				9
10	.12	.10	01	.12	.09				.09				10
11		.20	.29	.15	.15	.11			.04		.20	.52	11
12	.02		.08			.01	.18		.25		.04	.30	12
13	.01	.15	.20						.04	.18	.15	.30	13
14		.02	.12				.18			.61	.09	.27	14
15			.15					.01	.07	.01	02	.08	15
16			.04				.09		.01				16
17		.24	.11						.15			.23	17
18			.01			.01	.24		.01			.45	18
19		.01	.03				.03		.04		.04	.01	19
20		.22	.14				.04		.03			.10	20
21		32	13			.04				.08		.31	21
22		.01			.13	.01	.04	.07		.23			22
23		10	.07		.09			.01		.05		.01	23
24	.03		.02		.14	.01	.02			.19	.13		24
25	.07						.05	.22		.38	.01	.23	25
26			01				.01	.06		.06	.14	.33	26
27	.07										.01	.18	27
28		.08	.01		.01					.04	.05	1.12	28
29	.01		.12							.31	.10		29
30		×				.06				.03	.23	.22	30
31	.01	×		×	.04	×	.26		×		×		31
Total	1.15	1.61	2.49	1.18	1.25	2.50	2.09	1.48	.76	2.18	2.25 2.25	5.18	YEAR'S TOTAL 24.[illegible]2 24.12
Rain Days.	12	15	23	8	13	12	16	14	11	13	18	21	176

W. 8,000. X. 14.

From Northampton Nat His Soc

1175

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Welford Salford House

in the County of Northampton

by Major C A. Markham J. Gee

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.24	.10	.16		.18			.02	.06	.04	.02	.13	1
2	.02	.22	.20	.19		.06		.65		.13		.05	2
3	.49		.05	.10			.16	.85	.06			.09	3
4	.09				.05		.06					.57	4
5	.04	.39			.02			.02				.28	5
6	.14	.10		.23			.77	.06		.06		.03	6
7	.09	.26		.01	.01		.09	.13				.20	7
8	.01	.11	.02					.01			.07		8
9						.01					.23	.38	9
10	.34		.03					.14		.02	.15		10
11				.01	.08		.19				.58	.02	11
12	.03			.20	.36			.78			.89		12
13	.01	.57			.85								13
14		.02					.11	.01	.07			.35	14
15	.29				.07		.01	.04			12	.20	15
16	.03	.36			.02		1.02			.02		.01	16
17		.18			.07		.39						17
18		.15	.31										18
19		.01			.02		.14						19
20	.38											.29	20
21	.13	.15			.08		.15					.10	21
22	.15		.18	.04			.18		.01			.10	22
23		.03	.03			.03	.35		.06	.27		.27	23
24	.01		.04	.04		.03	.12		1.25	.10		.07	24
25	.01		.01			.02	.09			.06		.23	25
26		.15					.02		.03			.27	26
27		.02	.01				.03			.45		.04	27
28		.07	.01			.04		.10	.09				28
29					.01	.40	.09	.08		.13	.19	.10	29
30	.09	X				.31		.01		.01	.01	.05	30
31	.04	X		X		X		.04	X	.45	X	.10	31
Total	2.63	2.89	1.05	.82	1.82	.90	3.97	2.94	1.63	1.74	2.26	3.93	YEAR'S TOTAL 26.58
Rain Days.	20	17	12	8	13	8	18	15	8	12	9	23	163

W. 8,000. X. 15.

✓ 1152

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Salford House Welford
in the County of Northamptonshire
by John Gee Esqr

Lat. Long.
Time of Observation 9
Nearest Railway Station Welford & Kilworth
Diameter of Funnel of Rain Gauge 4 1/2 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 566 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.9		.9			.6	16				23		1
2	45	.1	.9		18		.3	.	2	45	.8		2
3		46			.1		26	.	4	20	.4		3
4	34	.2			19	30	38			.1			4
5	.6				.5	.9	.1			11	27		5
6	.1	14	21	.5	.3		44			14	28		6
7	12		14		.1	.3	41			.4	22	12	7
8			.4								.4	17	8
9	.1		.4		22	26				.4		.4	9
10	.2	13	10	.4		.1	.5		.3	.2	.1	.5	10
11	.8	19	.8	13	11	11			.1			.4	11
12	.5	.4	10	.1	34	.9	.6	.1	.2	.4		.5	12
13		21	.6	.5	.4	.3	29	12					13
14		41		.4	.2			.4	19	11			14
15		52	55		.2		10	19	.9	.1			15
16		.3	44	18	.6		25	.3	15	.4			16
17	.6	.4		30			.3	106	.2	18			17
18		15	.1	.8				15			91	.4	18
19		.5	29	.5							65		19
20	11		13	.3				.5			.9	20	20
21	.1		28	.1								54	21
22		.6	.2		.4	.1				.4		54	22
23	.5	42				16		.4		.4	.6	21	23
24		43	11	.2		44		.5		.3		14	24
25		11	13					27		.8	15		25
26	.1	.4				.4		16		.9	.2		26
27	.3	33	93				.5	.4	.2	31			27
28		12	96			.2				.1		14	28
29		.7			14	28		1.25		24		.4	29
30		X			19	.5		.6		13			30
31		X		X		X		.2	X	.4	X	.5	31
Total	1.50	404	4.76	1.02	1.71	2.31	2.52	3.54	62	2.55	3.08	249	YEAR'S TOTAL 30.14
Rain Days.	16	22	21	13	16	16	14	16	10	23	14	15	~~182~~ 196

W. 8,000, VIII. 16

Ewd D.L.

1112

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Welford, Salford House
in the County of Northamptonshire
The Cott
by J. Gee , Mr [illegible] C. A. Markham

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·18									1
2	·02												2
3				·19									3
4		·35	·12										4
5	·16		·05	·13									5
6													6
7	·39		·03										7
8	·52			·10									8
9	·04		·14	·10									9
10	·30		·25	·10									10
11	·11		·11	·12									11
12	·01	·02											12
13			·01	·01									13
14	·15		·04	·15									14
15				·08									15
16	·11	·22		·21									16
17		·02	·01	·12									17
18		·03		·11									18
19		·12	·09	·01									19
20		·17	·04										20
21			·08	·02									21
22			·05										22
23		·11											23
24		·02											24
25		·02	·07										25
26			·02										26
27													27
28			·06										28
29			·01										29
30	·02	×											30
31		×	·03	×		×			×		×		31
Total	1·83	1·08	1·21	1·63									YEAR'S TOTAL
Rain Days.	11	10	18	15									

W. 8,000, VIII. 16

—

NORTHANTS.

WELLINGBOROUGH

1918 -1920

REGI 18 1 July to 31 December

FORM A. BRITISH RAINFALL

Kept at Welling ong.

9. am

in the County of North on Wellingborough M.R.

Rain Gauge 5 in.

by John Edwa above Ground 4 ft. 6 in.

„ Sea Level 160 ft.

IMPORTANT NOTI and the result entered to the previous day. If an Obs universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							—	—	—	—	0.14	0.03	1
2							—	0.05	—	—	0.09	0.11	2
3							—	0.02	0.15	—	0.44	0.02	3
4							0.16	0.02	0.42	0.02	0.39	0.04	4
5							—	0.11	0.31	0.07	—	0.02	5
6							—	—	0.01	—	—	0.01	6
7							—	—	0.02	0.07	0.10		7
8							—	—	0.06	0.03	0.01	0.05	8
9							0.17	—	0.41	0.18	—	0.07	9
10							0.37	—	0.01	0.11	—	0.10	10
11	Not observed						0.05	—	0.09	0.28	—	0.05	11
12							0.17	—	0.08	—	—	0.02	12
13							—	—	0.10	—	—	0.03	13
14							0.32	—	0.38	0.28	0.01	0.05	14
15		Do	Do	Do	Do	Do	0.06	—	0.02	—	—	0.10	15
16							—	0.03	0.47	—	—		16
17							0.70	0.01	0.02	—	—	0.09	17
18							0.28	—	0.68	—	—	0.43	18
19							0.01	—	0.02	0.07	—	0.09	19
20							—	—	0.16	0.20	0.02	0.01	20
21							—	—	0.23	0.04	—	0.02	21
22							0.02	—	0.03	0.02	—	0.34	22
23							0.07	—	0.07	0.01	0.01		23
24							0.01	—	0.02	—	0.15		24
25							0.07	0.18	—	0.02	0.01		25
26							0.27	0.01	0.02	0.03	0.10	0.23	26
27							0.16	0.16	0.03	—	0.06	0.02	27
28							—	0.09	—	—	0.24	0.07	28
29							—	—	1.21	—	0.02		29
30		X					—	0.06	0.05	0.01	0.12	0.06	30
31		X		X		X	—	0.04	X	0.08	X	0.01	31
Total							2.89	0.78	5.07	1.52	1.91	2.07	YEAR'S TOTAL ~~14.24~~
Rain Days.							16	12	26	17	16	25	142

W. 8,000, IX. 17.

REGISTER OF RAINFALL 18 1 July to 31 December

FORM A.
BRITISH RAINFALL

Kept at Wellingborough

in the County of Northampton

by John Edward Ekins

Lat. Long.

Time of Observation 9. am

Nearest Railway Station Wellingborough M.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 6 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							—	—	—	—	0.14	0.03	1
2							—	0.05	—	—	0.09	0.11	2
3							—	0.02	0.15	—	0.44	0.02	3
4							0.16	0.02	0.42	0.02	0.39	0.04	4
5							—	0.11	0.31	0.07	—	0.02	5
6							—	—	0.01	—	—	0.01	6
7							—	—	0.02	0.07	0.10		7
8							—	—	0.06	0.03	0.01	0.05	8
9							0.17	—	0.41	0.18	—	0.07	9
10							0.37	—	0.01	0.11	—	0.10	10
11							0.05	—	0.09	0.28	—	0.05	11
12							0.17	—	0.08	—	—	0.02	12
13							—	—	0.10	—	—	0.03	13
14							0.32	—	0.38	0.28	0.01	0.05	14
15	Not observed	Do	Do	Do	Do	Do	0.06	—	0.02	—	—	0.10	15
16							—	0.03	0.47	—	—		16
17							0.70	0.01	0.02	—	—	0.09	17
18							0.28	—	0.68	—	—	0.43	18
19							0.01	—	0.02	0.07	—	0.09	19
20							—	—	0.16	0.20	0.02	0.01	20
21							—	—	0.23	0.04	—	0.02	21
22							0.02	—	0.03	0.02	—	0.34	22
23							0.07	—	0.07	0.01	0.01		23
24							0.01	—	0.02	—	0.15		24
25							0.07	0.18	—	0.02	0.01		25
26							0.27	0.01	0.02	0.03	0.10	0.23	26
27							0.16	0.16	0.03	—	0.06	0.02	27
28							—	0.09	—	—	0.24	0.07	28
29							—	—	1.21	—	0.02		29
30		X					—	0.06	0.05	0.01	0.12	0.06	30
31		X		X		X	—	0.04	X	0.08	X	0.01	31
Total							2.89	0.78	5.07	1.52	1.91	2.07	YEAR'S TOTAL ~~14.24~~
Rain Days.							16	12	26	17	16	25	142

W. 8,000, IX. 17.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Wellingborough
in the County of Northampton
by J. Edward Ekins

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wellingborough Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.27	0.07	0.03		0.06		0.07			0.11	0.01	0.74	1
2	0.13		0.01		0.04		0.25		0.13		0.37	0.01	2
3	0.80		0.10		0.02		0.26		0.14		0.15	0.10	3
4	0.05	0.01	0.29			0.08	0.02	0.11	0.02		0.02	0.11	4
5	0.03	0.29	0.29				0.03		0.70			0.12	5
6			0.03		0.91						0.02	0.03	6
7	0.03		0.28		0.04				0.01				7
8	0.13		0.06	0.12							0.03		8
9			0.01	0.06									9
10			0.39	0.04							0.01	0.05	10
11	0.04		0.35	0.06	0.08		0.50					0.01	11
12			0.28	0.08		0.13	0.07			0.09	0.07		12
13	0.15			0.11						0.10		0.01	13
14	0.29	0.01		0.20			0.02		0.10	0.01		0.01	14
15	0.12	0.02	0.19	0.08						0.03	0.08	0.35	15
16	0.06	0.75		0.01				0.17			0.16		16
17		0.31		0.01							0.21	0.02	17
18		0.01	0.08					0.30	0.01		0.02	0.11	18
19	0.03	0.21	1.05			0.11	0.26	0.23	0.05		0.01	0.03	19
20	0.46	0.05	0.29			0.20	0.27	0.31			0.04	0.04	20
21	0.23	0.37	0.06				0.31		0.02		0.03	0.12	21
22		0.31	0.01				0.09		0.09			0.40	22
23						0.03	0.02	0.05	0.06	0.50		0.05	23
24				0.11			0.06			0.30	0.01	0.06	24
25	0.72			0.04	0.06	0.02		0.14			0.01	0.03	25
26	0.08		0.15	0.04				0.01				0.25	26
27	0.69	0.09	0.03	0.75		0.01		0.08		0.01		0.07	27
28	0.12			0.05			0.01	0.75				0.21	28
29	0.05			0.04		0.03	0.05	0.10		0.32	0.32	0.15	29
30	~~[illegible]~~	×	0.05	0.22		0.24				0.10	0.10	0.4	30
31		×		×		×	0.04		×	0.03	×	0.02	31
TOTAL	3.88	2.50	4.03	2.02	1.21	0.85	2.33	2.25	1.33	1.60	1.67	3.39	YEAR'S TOTAL 27.06
Days with ·01 in. or more	20	13	21	17	7	9	17	11	11	11	19	26	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Max. Daily fall 1.05 in on March 19.

1016

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

1921

Kept at Wellingborough
in the County of Northampton
by J. Edward Ekins

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Wellingborough Midland Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 6 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									0.02	0.20	0.02	0.14	1
2								0.26	0.09	0.15		0.04	2
3		0.03							0.06	0.10			3
4	0.01							0.24	0.02	0.22		0.01	4
5		0.01						0.03	0.08				5
6												0.02	6
7		0.01										0.02	7
8	0.26	0.04								0.01			8
9	0.37							0.02			0.03		9
10	0.15	0.02											10
11	0.20							0.03				0.10	11
12	0.04							0.01			0.01	0.18	12
13	0.01	0.02	No Record Kept						0.01		0.01	0.02	13
14	0.02								0.21	0.52	0.28		14
15	0.01	0.06							0.36	0.09	0.01		15
16									0.42	0.08			16
17		0.08							0.15	0.02		0.09	17
18	0.14	0.10		Do	Do	Do	Do	0.11	0.42				18
19	0.09	0.06						0.11	0.04				19
20	0.06	0.15										0.02	20
21	0.01	0.06						0.08	0.04			0.02	21
22								0.01	0.20			0.03	22
23		0.07										0.32	23
24										0.02		0.08	24
25		0.10											25
26	0.15											0.02	26
27	0.13										0.54	0.15	27
28	0.41	0.03									0.04		28
29	0.10								0.01		0.05	0.56	29
30	0.03								0.11		0.08	0.21	30
31	0.08									0.24		0.02	31
TOTAL	2.27	0.84						0.90	2.24	1.65	1.07	2.05	YEAR'S TOTAL
Days with ·01 in. or more	19	15						10	16	11	10	19	
Days with ·04 in. or more	13	9						5	12	8	5	10	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WELLING-BOROUGH
BUSHFIELD, WATER WORKS
NORTHAMPTONSHIRE
1914–1920

REGISTER

3

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Bushfield Waterwork
W

in the County of Northamptons ... borough Midland Railway

in.

by the Urban District Counc ... nd — ft. 11" in.

R. Stevenson ... Level 271·86 ft.

approximate

IMPORTANT NOTE.—Rain ... result entered to the previous day. If an Observer pre ... rule, he is earnestly requested to add the reading at 9 ... the space provided for it at the end of this paragrap ... of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04		·05	·16	21		02	08	03	1
2			·02					09			20	23	2
3							45	—			04		3
4	·19		·02	·20	·16			57			35	23	4
5	Snow ·02		·06	·12			03	17			01		5
6		·02		·09	·03	·09		04			07	05	6
7		·08	·43		·07		01						7
8	·08	·04	·24	·04	·04	·87	15	20				04	8
9	·33		·23	·08	·12	1·02		03					9
10	·12	·06		·06	·01	·05			13				10
11		·07	·27	·04	·09	·37			03		30	33	11
12		·02	·09		·11		04		29		02	26	12
13	·01	·09	·16						02	·22	11	23	13
14	Snow	·05	·34				05			·65	10	37	14
15	·05	·02	·22				45	01	03		04	09	15
16			·08				08		05				16
17		·27	·02						13			15	17
18			·02				25					32	18
19		·03	·13						02		08	02	19
20		·16	·22				04		01			06	20
21		·15	·08			·01				·06		30	21
22			·03				10	03		06			22
23		·02	·06		·21		02	03		10			23
24					·10		07	01		12	13		24
25	·03						04	20		39		·20	25
26			·02					08		10	16	40	26
27	·03										06	11	27
28		·09	·02				01			11	13	1·27	28
29	·02	X	·12							30	08		29
30		X	·04		·05	·06				04	25	20	30
31	·02	X		X		X	04		X		X	10	31
Total	·90	1·17	2·92	·67	·99	2·52	1·99	1·67	·71	2·17	2·21	4·99	YEAR'S TOTAL 22·91
Rain Days.	11	15	23	8	11	8	17	13	9	12	18	21	166

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
8 JAN 1918

Kept at Bushfield Waterworks, Wellingborough
in the County of Northamptonshire
by the Urban District Council
R. Stevenson Henshaw Engineer

Lat. 52·19 Long. 0·43
Time of Observation 9 A.M.
Nearest Railway Station Wellingborough, Midland Railway
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. ~~5½~~ 11" in.
" " " " Sea Level 271·86 ft. approximate

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04		·05	·16	21		02	08	03	1
2			·02					09			20	23	2
3							45				04		3
4	·19		·02	·20	·16			57			35	23	4
5	Snow ·02		·06	·12			03	17			01		5
6		·02		·09	·03	·09		04			07	05	6
7		·08	·43		·07		01						7
8	·08	·04	·24	·04	·04	·87	15	20				04	8
9	·33		·23	·08	·12	1·02		03					9
10	·12	·06		·06	·01	·05			13				10
11		·07	·27	·04	·09	·37			03		30	33	11
12		·02	·09		·11		04		29		02	26	12
13	·01	·09	·16						02	·22	11	23	13
14	Snow	·05	·34				05			·65	10	37	14
15	·05	·02	·22				45	01	03		04	09	15
16			·08				08		05				16
17		·27	·02						13			15	17
18			·02				25					32	18
19		·03	·13						02		08	02	19
20		·16	·22				04		01			06	20
21		·15	·08			·01				·06		30	21
22			·03				10	03		06			22
23		·02	·06		·21		02	03		10			23
24					·10		07	01		12	13		24
25	·03						04	20		39		·20	25
26			·02					08		10	16	40	26
27	·03										06	11	27
28		·09	·02				01			11	13	1·27	28
29	·02		·12							30	08		29
30			·04		·05	·06				04	25	20	30
31	·02						04					10	31
Total	·90	1·17	2·92	·67	·99	2·52	1·99	1·67	·71	2·17	2·21	4·99	YEAR'S TOTAL 22·91
Rain Days.	11	15	23	8	11	8	17	13	9	12	18	21	166

W. 8,000. X. 14.

Exd LAN

1206

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

8 - JAN 19

Kept at Bushfield Waterworks. Wellingborough.
in the County of Northamptonshire 4
by the Urban District Council R. Stevenson Henshaw, Engineer.

Lat. 52·19 Long. 0·43
Time of Observation 9 a.m.
Nearest Railway Station Wellingborough Midland Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 11 in.
" " " " Sea Level 286·00 ft. approximate

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·39	·12	·16		·20				·11	·01	·04	·10	1
2	·03	·15	·23	·15		·02		·22	·10	·13		·07	2
3	·27		·04				·21	·36	·14			·17	3
4	·04						·23	·04				·59	4
5	·06	·31			·33			·05				·25	5
6	·19			·16			·78	·04				·12	6
7	·03	·39	Snow ·05	·01		·04	·09	·09				·12	7
8	·03	·12		·01				·02			·02		8
9				·02		·09				·02	·19	·55	9
10	·04		·02					·15			·03	·01	10
11	·02		·01	·02	·08		·07	·01			·71	·02	11
12	·04			·15	·38			·46		·02	Snow ·93	·03	12
13		·37			·96								13
14		·03						·18	·07			·40	14
15	·20				·05			·20			Snow ·24	·13	15
16		·22					·89	·12		·02	—	·04	16
17		·21			·07		·17					·02	17
18		·07	Snow ·13								·05		18
19		·03			·01		·10						19
20	·31											·27	20
21	·11				·03		·08					·04	21
22	·14		·26	·03			·35		·02			·11	22
23	·01	Snow ·05	·10			·08	·37		·10	·18		·34	23
24			·03			·05	·13		·72	·05		·04	24
25						·10	·12			·02		·29	25
26		·12					·17					·30	26
27						·02	·05			·44		·03	27
28		·08					·01	·05	·13	·08			28
29							·21	·07			·15	·16	29
30	·10	X				·30		·02		·01	·03	·06	30
31	·02	X		X		X		·05	X	·31	X	·09	31
Total	2·03	2·27	1·03	·55	2·11	·70	4·03	2·13	1·39	1·29	2·39	4·35	YEAR'S TOTAL 24·27
Rain Days.	18	14	10	8	9	8	17	17	8	12	10	26	157

W. 8,000. X. 15.

38 Exd E3E

FORM A.
BRITISH RAINFALL
[illegible] 1917

REGISTER OF RAINFALL IN 1916

Kept at Bushfield Waterworks Wellingborough
in the County of Northamptonshire
by The Urban District Council
R. Stevenson Henshaw, Engineer

Lat. 52°19'N. Long. 0°43'W.
Time of Observation 9 a.m. + 10.a.m. Summer Time
Nearest Railway Station Wellingborough Mid. Ry.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	–	·11	–	–	·04	·28	–	–	–	·31	–	1
2	·52	·05	·07	–	·22	–	·05	–	·01	·37	·06	–	2
3	–	·45	–	–	·01	–	·03	–	·07	·22	·09	–	3
4	·55	·13	–	–	·09	·21	–	–	–	·01	·18	–	4
5	·04	–	–	–	·04	·15	·02	–	–	·14	·19	–	5
6	–	·10	Snow ·07	·11	·02	·03	·27	–	–	·06	·31	–	6
7	·06	–	Snow ·18	–	·07	·02	·27	–	–	–	·33	·07	7
8	–	–	Snow ·02	–	·03	·33	–	–	–	–	·02	·08	8
9	–	–	Snow ·01	–	·35	·17	–	–	–	·12	–	·14	9
10	–	·08	Snow ·08	·06	·02	·04	·05	–	·01	·04	–	·03	10
11	·03	·15	·08	·15	·09	·12	–	–	–	–	·01	·07	11
12	·05	·03	·14	–	·73	·08	·05	–	–	·03	–	–	12
13	·02	·27	·16	·07	·04	·06	·40	·05	–	–	–	–	13
14	–	Snow ·52	–	·06	·01	–	–	·01	–	·02	–	–	14
15	–	·25	·43	–	·03	–	·12	·06	–	–	–	–	15
16	–	·06	·23	·20	·05	–	·09	·03	–	·08	–	–	16
17	·07	·02	–	·06	–	–	·03	·36	·20	·30	–	–	17
18	–	·12	·04	·06	–	–	–	·30	·05	–	·80	·09	18
19	·13	·04	·24	·09	–	–	–	–	·05	–	·40	–	19
20	·07	–	·15	·02	–	–	–	·03	–	–	·46	·29	20
21	·03	–	·40	–	–	–	–	–	–	–	·02	·63	21
22	–	Snow ·03	·01	–	·09	·05	–	–	–	·03	–	·55	22
23	·05	Snow ·28	–	–	–	·12	–	·04	–	–	·03	·14	23
24	–	Snow ·30	·03	·03	–	·07	–	·04	–	·03	–	·25	24
25	–	Snow ·18	·07	–	·05	–	–	·29	–	·06	·11	–	25
26	–	·10	·04	–	–	·02	–	·16	–	·03	·03	–	26
27	·03	·06	1·06	–	–	·14	·11	1·14	·07	·24	–	–	27
28	–	Snow ·31	·35	·06	–	·05	–	–	·02	·02	–	·17	28
29	–	·08	–	–	·10	·12	–	1·52	–	·35	–	·03	29
30	·01	X	–	–	–	·02	–	·03	–	·20	–	–	30
31	·01	X	–	X	–	X	–	·02	X	·03	X	·02	31
Total	1·77	3·61	3·97	·97	2·04	1·84	1·77	4·08	0·48	2·38	3·35	2·56	YEAR'S TOTAL 28·82
Rain Days.	16	22	22	11	18	19	13	15	8	20	16	14	194

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ex H

1138

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917.

Kept at Bushfield Waterworks, Wellingborough.
in the County of Northamptonshire.
by Urban District Council.
R. Stevenson Henshaw, Engineer.

Lat. 52°19′N. Long. 0°43′W.
Time of Observation 9 a.m.
Nearest Railway Station Wellingboro' Mid. Rly.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·11	-	-	-	·95	·12	-	·04	·01	1
2	·03	·02	-	-	-	·12	-	·06	-	·02	·04	-	2
3	-	-	-	·07	-	-	-	·40	-	·20	·10	-	3
4	-	·12	·09	·01	-	-	-	·05	-	·48	-	·02	4
5	·13	-	·06	·07	-	-	-	·01	·11	·03	·11	-	5
6	-	-	-	-	-	·09	-	-	·01	·07	·04	-	6
7	·42	-	-	-	-	-	·01	-	-	·28	-	-	7
8	·26	-	-	·12	-	-	·34	·48	-	·36	·15	-	8
9	·06	-	·13	·05	·07	-	-	·83	-	-	·12	·02	9
10	·40	-	·21	·19	·03	-	-	·21	-	·02	·01	-	10
11	·03	·03	·23	·22	-	-	-	·27	·05	·24	-	-	11
12	·07	-	·02	-	·06	·64	-	·08	-	·25	-	-	12
13	·01	-	·02	-	-	-	·03	·24	·08	-	-	-	13
14	·11	-	-	·08	-	-	-	·98	-	-	-	·01	14
15	·02	-	-	-	-	-	·05	·01	-	·04	-	·03	15
16	·05	·13	-	·20	·03	-	·02	-	-	·21	-	·09	16
17	-	·01	·01	·13	·40	·19	·28	·06	·24	·06	-	-	17
18	·02	·02	-	·05	·06	·06	·10	·03	·72	-	-	-	18
19	·01	·16	·09	-	·16	-	-	-	·05	-	-	-	19
20	·04	·23	·04	-	·79	-	·09	-	·20	-	·11	-	20
21	·01	-	·04	·02	·02	·02	-	-	-	·01	-	-	21
22	-	-	·03	-	-	-	-	·14	·02	·18	-	-	22
23	-	·10	-	-	·06	-	-	·47	·05	·01	-	·02	23
24	-	·04	-	-	-	·13	-	·06	-	·20	·05	·01	24
25	-	·01	·02	-	-	-	·19	-	·03	-	·04	-	25
26	-	-	-	-	-	-	-	·52	·15	-	·19	-	26
27	-	-	-	-	-	·26	-	·75	-	-	-	·01	27
28	-	-	·15	-	-	·50	-	·10	-	-	-	·05	28
29	-		-	-	1·02	·14	·23	·02	-	·30	-	·23	29
30	·01		-	-	-	-	·26	·15	-	-	-	·01	30
31	-		·11		-		·07	·12		-		·14	31
Total	1·68	0·87	1·25	1·32	2·70	2·15	1·67	6·99	1·83	2·96	1·00	·65	YEAR'S TOTAL 25·07
Rain Days.	17	11	15	13	11	10	12	24	13	18	12	13	169

W. 500, VIII. 16.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited. Printers. London Wall. London.

Price 2d.

Ex ML

WELLINGBOROUGH. 1/29

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL

Kept at Bushfield Waterworks, Wellingborough.
in the County of Northamptonshire,
by Wellingborough U. D. C. per R. Stevenson Henshaw. Engineer & Surveyor

Lat. 52° 19' Long. 0° 43' W.
Time of Observation 9 am.
Nearest Railway Station Midland Railway.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 11. in.
" " " Sea Level 286. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01.	·04	–	·08	–	–	–	–	–	–	·19	·06	1
2	–	·19	–	·21	–	–	–	·05	–	–	·09	·14	2
3	–	·05	·04	–	·54	–	–	·07	·22	–	·45	·05	3
4	–	·02	·05	–	–	–	·18	·05	·45	·03	·34	·04	4
5	–	·04	–	·02	·26	–	–	·07	·40	·07	·02	·02	5
6	·02	·19	·01	·13	–	·01	–	–	·01	·01	–	·02	6
7	–	·09	–	·11	–	·03	–	–	·03	·12	·10	–	7
8	·01 s	–	·03	·06	–	–	–	–	·03	·05	·01	·08	8
9	·01	·19	–	·03	–	·06	·14	–	·42	·21	–	·12	9
10	·03	–	–	·04	–	·02	·37	–	·02	·11	·01	·09	10
11	–	–	–	·01	·35	–	·13	–	·13	·23	–	·06	11
12	·02	·08	·03	–	·18	–	·23	–	·10	–	–	·04	12
13	–	–	–	·02	·14	·03	·04	–	·13	·02	–	·05	13
14	·27	–	–	·05	–	–	·32	–	·33	·27	·02	·06	14
15	·74 s	–	–	·65	–	–	·10	–	·05	–	·01	·11	15
16	·08 s	–	–	·46	–	·02	–	·04	·43	–	–	–	16
17	·16	–	–	·03	–	–	·68	·02	·18	–	–	·10	17
18	·42	–	–	–	–	·11	·18	–	·25	–	–	·41	18
19	·03	·02	·03	·15	–	–	·06	–	·02	·05	–	·16	19
20	·02	·07	–	·65	–	·06	–	–	·21	·18	·02	·02	20
21	·04	·01	–	·13	–	–	·01	–	·23	·05	–	·02	21
22	·16	–	–	–	·44	–	·02	–	·05	·02	·02	·34	22
23	·09	–	–	–	·40	·02	·19	–	·14	–	·02	·03	23
24	–	·13	–	–	–	–	·02	–	·03	–	·15	–	24
25	–	–	–	–	·11	·03	·06	·21	·01	·03	·02	–	25
26	–	–	–	–	–	–	·08	–	–	·01	·10	·24	26
27	–	–	·02	·01	–	·01	·04	·15	·03	–	·10	·02	27
28	–	·05	·15	–	–	·01	–	·09	–	–	·25	·09	28
29	–	X	–	–	–	–	–	–	1·13	–	·02	·01	29
30	–	X	·28	–	–	–	–	·05	·06	·01	·09	·09	30
31	·02	X	·07	X	–	X	–	·04	X	·07	X	·01	31
Total	2·13	1·17	·71	2·84	2·12	0·41	2·85	·84	5·09	1·54	2·03	2·48	YEAR'S TOTAL 24·21
Rain Days.	17	14	10	18	8	12	18	11	26	18	20	27	199.

W, 6,500, VII. 18. w w c

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.
6 JAN 20

Kept at Bushfield Waterworks. Wellingborough.
in the County of Northamptonshire.
Wellingborough U.D.C. per
by R. Stevenson Henshaw.
Engineer.

Lat. 52° 19′ Long. 0° 43′ W.
Time of Observation 9am
Nearest Railway Station Midland.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·05	·03	–	·11	–	·07	–	–	·04	·02	·71	1
2	·14	–	·03	–	–	–	·24	–	·10	·03	·37	·05	2
3	·74	–	·10	–	·03	–	·17	–	·19	–	·17	·09	3
4	·04	·02	·32	–	–	·09	–	–	·07	–	·01	·11	4
5	·03	s ·30	·28	–	–	–	·03	·14	·75	–	–	·13	5
6	–	–	·13	–	·96	–	–	–	–	·01	·03	·03	6
7	·04	–	·19	–	–	–	–	–	·01	–	–	–	7
8	·15	–	·06	·12	–	–	–	–	–	–	·02	–	8
9	–	–	·05	·11	–	–	–	–	–	–	·02	–	9
10	·01	–	·35	·05	–	–	–	–	–	·02	·04	·04	10
11	·06	–	·36	·06	·04	–	·49	–	–	–	·02	–	11
12	·01	–	·26	·10	–	·13	–	–	·01	·07	·03	·03	12
13	·17	–	–	·19	–	–	–	–	·05	·04	–	·03	13
14	·35	·02	–	·11	–	–	·03	–	·06	–	–	·01	14
15	·16	·03	·13	·08	–	–	–	–	–	·03	·07	·41	15
16	·08	·76	–	·02	–	–	–	·13	–	–	·17	–	16
17	·02	·29	–	·01	–	–	–	–	–	–	·22	·02	17
18	–	·02	·11	–	–	–	–	·25	–	–	·02	·12	18
19	·03	·24	·90	–	–	·20	·27	·25	·05	–	·02	·03	19
20	·52	·07	·26	–	–	·09	·21	·26	–	–	·04	·02	20
21	·24	·40	·04	–	–	–	·38	–	·01	–	·03	·13	21
22	–	·34	–	–	–	–	–	–	·20	–	·01	·48	22
23	–	–	–	–	–	·03	–	·04	–	·52	·02	·05	23
24	–	–	–	·13	·03	–	·07	–	–	·33	–	·03	24
25	·10	–	–	·05	·04	·03	–	·15	–	–	–	·04	25
26	·09	–	·18	·02	–	–	–	–	·08	–	–	·28	26
27	s ·63	·08	·03	·51	–	–	–	·39	–	·01	–	·05	27
28	·03	·01	–	·04	–	–	–	·52	–	·02	·13	·29	28
29	·04	✕	–	·02	–	·02	·02	·09	–	·24	·11	·20	29
30	·02	✕	·04	·23	–	·23	–	·02	–	·09	·09	·22	30
31	·02	✕	–	✕	–	✕	·04	–	✕	·01	✕	·02	31
Total	4·00	2·63	3·85	1·85	1·21	·82	2·02	2·24	1·58	1·46	1·66	3·62	YEAR'S TOTAL 26·94
Rain Days.	25	14	20	17	6	8	12	11	12	14	22	26	187

W. 6,500, VII. 18. w w c

.1018

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bushfield Waterworks, Wellingborough,
in the County of Northamptonshire
by Wellingborough U.D.C. per R. Stevenson Henshaw, Engineer.

Lat. 52° 19′ Long. 0° 43′ W.
Time of Observation 9 a.m.
Nearest Railway Station Wellingborough
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground - ft. 11 in.
" " " " Sea Level 286 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·10	·21	-	·39	-	·02	·17	·01	·15	1
2	-	-	-	·09	-	-	·01	·22	·07	·12	-	·04	2
3	-	·01	-	·24	-	·04	·22	-	·08	·11	-	-	3
4	-	-	·06	·06	-	-	·13	·29	·02	·25	-	-	4
5	-	-	·04	-	·21	-	·36	·05	·07	-	-	-	5
6	-	-	·14	-	·04	-	·38	-	-	-	-	-	6
7	-	·01	·06	·06	·04	-	·06	-	-	-	-	·01	7
8	·25	·04	-	·44	·01	-	·04	-	-	·01	-	·01	8
9	·45	-	-	·90	-	-	·03	·03	-	-	-	-	9
10	·17	·06	·03	·35	-	-	·07	-	-	-	·03	-	10
11	·21	-	·06	·28	·21	·08	·03	·07	-	-	-	·09	11
12	·04	·01	·03	·10	-	·52	·01	-	-	-	·01	·19	12
13	-	·02	·09	·17	-	-	-	-	·01	-	·01	-	13
14	·01	-	·56	·25	-	·10	·09	-	·23	·44	·19	·02	14
15	·01	·07	·29	·13	-	-	·01	-	·31	·05	·14	-	15
16	-	-	·01	·10	·02	·07	-	-	·37	·08	-	-	16
17	·01	-	-	·05	·14	-	-	-	·14	·02	-	·07	17
18	·14	-	-	·05	·03	-	·11	·09	·17	-	-	·01	18
19	·07	·07	-	·35	-	·10	-	·09	-	-	·02	·02	19
20	·06	·35	-	·35	-	·36	-	-	-	-	·01	·01	20
21	-	-	-	-	-	-	·02	·09	·03	-	-	·04	21
22	·01	·01	-	·18	-	-	-	·01	·18	-	-	·01	22
23	-	·02	-	-	-	-	·21	-	-	·01	·02	·31	23
24	-	-	·14	-	-	-	-	-	-	-	-	·08	24
25	-	·09	·02	·01	-	·02	·60	-	-	-	-	·01	25
26	·14	-	·12	·01	·02	-	·01	-	-	-	·01	·02	26
27	·11	·03	-	·11	-	·70	-	-	-	-	·46	·17	27
28	·38	-	·10	·01	·08	-	·02	-	-	-	·03	·01	28
29	·06	-	·04	-	·22	-	·06	-	-	-	·06	·54	29
30	·02		-	·04	-	·08	·05	-	·10	-	·10	·19	30
31	·09		·03		·02		-	-		·21		·05	31
Total	2·23	·79	1·82	4·43	1·25	2·07	2·91	·94	1·80	1·47	1·10	2·05	Year's Total 22·86
Days with ·01 in. or more	18	13	17	24	13	10	22	9	14	11	14	22	187
Days with ·04 in. or more	13	6	12	21	8	9	14	7	10	8	5	12	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WELLINGBOROUGH
PUMPING STATION
NORTHAMPTON SHIRE
1917- 1920

FORM A.
BRITISH RAINFALL

IN 1917

°17'45" Long. 0° 40' W.

Kept at Sewr
Observation 9 a.m
in the County o
Railway Station Wellingboro' Mid. Rly.
r of Funnel of Rain Gauge 5" in.
by Urban D
of top of Gauge above Ground 1 ft. 0 in.
R. Steven
„ „ „ Sea Level 138·5 ft.

IMPORT… at 9 a.m. and the result entered to the previous day. … his almost universal rule, he is earnestly requested to a… e following year in the space provided for it at the e… the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	-	·09	-	-	-	1·13	·14	-	·13	·03	1
2	-	·01	-	-	-	·23	-	·08	-	·02	·04	-	2
3	-	-	-	·03	-	-	-	·46	-	·22	·09	-	3
4	-	·11	·11	-	-	-	-	·06	-	·43	-	-	4
5	·13	-	·04	·10	-	-	-	-	·14	·03	·09	-	5
6	-	-	-	-	-	·03	-	-	-	·12	·02	-	6
7	·37	-	-	-	-	-	·03	-	·01	·21	-	-	7
8	·46	-	-	·11	-	-	·42	1·38	-	·28	·09	·01	8
9	·08	-	·11	·06	·06	-	-	·19	-	-	·15	·02	9
10	·38	-	·21	·21	·01	-	-	·19	-	·05	·01	-	10
11	·02	·02	·30	·21	-	-	-	·07	·07	·19	-	-	11
12	·09	-	-	-	·11	·09	-	·11	-	·18	-	-	12
13	-	-	·01	·02	-	-	·07	·12	·06	-	-	-	13
14	·12	-	-	·04	-	-	-	·47	-	-	-	·01	14
15	-	-	-	-	-	-	·03	·13	-	·02	-	-	15
16	·06	·11	-	·23	·03	-	-	-	-	·24	-	·08	16
17	-	·02	-	·12	·47	·01	·27	·01	·30	·09	-	-	17
18	·02	·03	-	·06	·04	·25	·13	·02	·79	-	-	-	18
19	-	·13	·12	-	·37	-	-	-	·01	-	-	-	19
20	·06	·17	·08	-	·90	-	·01	-	·13	-	·12	-	20
21	·02	-	·05	·02	-	-	-	-	-	·01	-	-	21
22	-	-	·09	-	-	-	-	·18	·02	·12	-	-	22
23	-	·08	-	-	·06	-	-	·24	·04	-	-	-	23
24	-	·03	-	-	-	·09	-	·09	-	·18	·06	-	24
25	-	-	·01	-	-	-	-	-	·01	-	·05	-	25
26	-	-	·03	-	-	·14	-	·39	·09	-	·16	-	26
27	-	-	-	-	-	·22	-	·67	-	-	-	-	27
28	-	-	·18	-	-	·60	-	·23	-	·01	-	·07	28
29	-	X	-	-	·45	·23	·28	·03	-	·38	-	·24	29
30	·02	X	-	-	-	-	·46	·13	-	-	-	·01	30
31	-	X	·09	X	-	X	·19	·09	X	-	X	·13	31
Total	1·83	·71	1·43	1·30	2·50	1·89	1·89	6·47	1·81	2·78	1·01	·60	YEAR'S TOTAL 24·22
Rain Days.	13	10	14	13	10	10	10	23	13	18	12	9	155

W. 8,000, IX. 17.

FORM A.

BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Sewage Pumping Station. near Wellingborough.

in the County of Northamptonshire.

by Urban District Council of Wellingboro' R. Stevenson Henshaw. Engineer.

Lat. 50° 17' 45" Long. 0° 40' W.

Time of Observation 9 a.m

Nearest Railway Station Wellingboro' Mid. Rly.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 138·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	-	·09	-	-	-	1·13	·14	-	·13	·03	1
2	-	·01	-	-	-	·23	-	·08	-	·02	·04	-	2
3	-	-	-	·03	-	-	-	·46	-	·22	·09	-	3
4	-	·11	·11	-	-	-	-	·06	-	·43	-	-	4
5	·13	-	·04	·10	-	-	-	-	·14	·03	·09	-	5
6	-	-	-	-	-	·03	-	-	-	·12	·02	-	6
7	·37	-	-	-	-	-	·03	-	·01	·21	-	-	7
8	·46	-	-	·11	-	-	·42	1·38	-	·28	·09	·01	8
9	·08	-	·11	·06	·06	-	-	·19	-	-	·15	·02	9
10	·38	-	·21	·21	·01	-	-	·19	-	·05	·01	-	10
11	·02	·02	·30	·21	-	-	-	·07	·07	·19	-	-	11
12	·09	-	-	-	·11	·09	-	·11	-	·18	-	-	12
13	-	-	·01	·02	-	-	·07	·12	·06	-	-	-	13
14	·12	-	-	·04	-	-	-	·47	-	-	-	·01	14
15	-	-	-	-	-	-	·03	·13	-	·02	-	-	15
16	·06	·11	-	·23	·03	-	-	-	-	·24	-	·08	16
17	-	·02	-	·12	·47	·01	·27	·01	·30	·09	-	-	17
18	·02	·03	-	·06	·04	·25	·13	·02	·79	-	-	-	18
19	-	·13	·12	-	·37	-	-	-	·01	-	-	-	19
20	·06	·17	·08	-	·90	-	·01	-	·13	-	·12	-	20
21	·02	-	·05	·02	-	-	-	-	-	·01	-	-	21
22	-	-	·09	-	-	-	-	·18	·02	·12	-	-	22
23	-	·08	-	-	·06	-	-	·24	·04	-	-	-	23
24	-	·03	-	-	-	·09	-	·09	-	·18	·06	-	24
25	-	-	·01	-	-	-	-	-	·01	-	·05	-	25
26	-	-	·03	-	-	·14	-	·39	·09	-	·16	-	26
27	-	-	-	-	-	·22	-	·67	-	-	-	-	27
28	-	-	·18	-	-	·60	-	·23	-	·01	-	·07	28
29	-	X	-	-	·45	·23	·28	·03	-	·38	-	·24	29
30	·02	X	-	-	-	-	·46	·13	-	-	-	·01	30
31	-	X	·09	X	-	X	·19	·09	X	-	X	·13	31
Total	1·83	·71	1·43	1·30	2·50	1·89	1·89	6·47	1·81	2·78	1·01	·60	YEAR'S TOTAL 24·22
Rain Days.	13	10	14	13	10	10	10	23	13	18	12	9	155

W. 8,000, IX. 17.

Ex MS

WELLINGBOROUGH. 28

D. I. 1.

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918.

Kept at Sewage Pumping Station Wellingborough.
in the County of Northamptonshire.
by Wellingborough U.D.C. per R. Stevenson Henshaw. Engineer.

Lat. 52° 17′ 45″ Long. 0° 40′ W.
Time of Observation 9 am
Nearest Railway Station Midland Railway.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 138·5. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·05	-	·06	-	-	-	-	-	-	·19	·03	1
2	-	·15	-	·21	-	-	-	·05	-	-	·08	·11	2
3	-	·04	·04	·01	·48	-	-	·02	·23	-	·48	·02	3
4	-	·01	·05	-	-	-	·14	·03	·36	·02	·32	·03	4
5	-	·03	-	·01	·25	-	-	·15	·34	·09	-	·01	5
6	-	·14	-	·13	-	-	-	-	-	·06	-	·01	6
7	·02	·07	-	·12	-	·08	-	-	·02	·02	·10	-	7
8	-	-	·01	·06	-	-	·02	-	·05	·03	·01	·03	8
9	·01	·12	-	·02	-	·05	·14	-	·43	·16	-	·10	9
10	·02	-	-	·02	-	·02	·39	-	·02	·12	-	·10	10
11	-	-	-	-	·23	-	·04	-	·07	·28	-	·06	11
12	-	·08	·03	-	·23	-	·16	-	·08	-	-	·02	12
13	-	-	-	·01	·20	·03	·04	-	·07	·02	-	·03	13
14	·24 H	-	-	·01	·01	-	·28	-	·33	·27	-	·03	14
15	1·26 S	-	-	·84	-	-	·06	-	·02	-	-	·09	15
16	·08 S	-	-	·45	-	-	-	·03	·47	-	-	-	16
17	·14	-	-	·04	·03	-	·69	·01	·02	-	-	·08	17
18	·41	-	-	·01	-	·09	·27	-	·63	-	-	·43	18
19	·03	·01	·02	·18	-	·01	·01	-	·01	·07	-	·17	19
20	·02	·04	-	·57	-	·09	-	-	·17	·24	·01	-	20
21	·03	-	-	·11	-	-	·01	-	·23	·05	-	-	21
22	·11	-	-	-	·17	-	·01	-	·02	-	-	·35	22
23	·08	·01	-	-	·35	-	·07	-	·06	-	-	·02	23
24	-	·13	-	-	-	-	·02	-	·02	-	·15	-	24
25	-	-	-	-	·16	·03	·12	·16	·01	·04	-	-	25
26	-	-	-	-	-	-	·25	-	-	-	·10	·20	26
27	-	-	-	-	-	-	·12	·16	·04	-	·09	·02	27
28	-	·12	·11	-	-	-	-	·07	-	-	·22	·08	28
29	-		-	-	-	-	-	-	1·30	·01	·01	-	29
30	-	X	·24	-	-	-	-	·06	·05	-	·12	·07	30
31	-	X	·08	X	-	X	-	·04	X	·06	X	-	31
Total	2·45	1·00	·58	2·86	2·11	0·40	2·79	·78	5·05	1·54	1·88	2·09	YEAR'S TOTAL 23·53.
Rain Days.	13.	14	8	18	10	8	19	11	25.	16	13.	23	178.

W, 6,500, VII. 18. W W C

52/12 1068

REGISTER OF RAINFALL IN 19 19.

FORM A. BRITISH RAINFALL

6 JAN 20

Kept at SEWAGE PUMPING STATION WELLINGBOROUGH.
in the County of NORTHAMPTONSHIRE.
Wellingborough U.D.C. per
by R. STEVENSON HENSHAW. Engineer.

Lat. 52° 17' 45" Long. 0° 40' W.
Time of Observation 9 am.
Nearest Railway Station Midland.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 138 ·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·25	s ·05	·02	–	·09	–	·03	–	–	·04	·01	·68	1
2	·14	–	·03	–	–	–	·28	–	·12	·02	·36	·08	2
3	·80	–	·11	–	·01	–	·25	–	·21	–	·18	·11	3
4	·06	·01	·32	–	–	·07	·02	·10	·05	–	·01	·13	4
5	·04	s ·25	·20	–	–	–	·01	–	·68	–	–	·11	5
6	–	–	·03	–	·82	–	–	–	–	–	·01	·03	6
7	·03	–	·25	–	–	–	–	–	–	–	–	–	7
8	·14	–	·05	·12	–	–	–	–	–	–	·02	–	8
9	–	–	·01	·05	·01	–	–	–	–	–	·01	–	9
10	–	–	·40	·04	–	–	–	–	–	·01	·04	·05	10
11	·03	–	·30	·06	·12	–	·59	–	–	–	–	–	11
12	·01	–	·29	·07	–	·10	–	–	·01	·08	·02	–	12
13	·13	–	–	·19	–	–	–	–	·04	·02	–	–	13
14	·27	–	–	·09	–	–	–	–	·04	·03	–	–	14
15	·13	·03	·23	·08	–	–	–	–	–	·05	·10	·36	15
16	·05	·78	·01	·01	–	–	–	·17	–	–	·15	–	16
17	·02	·37	–	·01	–	–	–	–	–	–	·21	·01	17
18	–	·01	·13	–	–	–	–	·24	·01	–	·02	·11	18
19	·02	·22	1·12	–	–	·19	·23	·26	·04	–	·01	·05	19
20	·46	·05	·24	–	–	·13	·26	·29	·01	–	·05	·01	20
21	·24	·38	·06	–	–	–	·41	–	·01	–	·03	·14	21
22	–	·33	–	–	–	–	·01	–	·23	–	–	·49	22
23	–	–	–	–	–	·03	·02	·04	·01	·39	–	·04	23
24	–	–	–	·14	·02	–	·04	–	–	·32	–	·04	24
25	·10	–	–	·06	·02	·03	–	·12	–	–	–	·04	25
26	·12	–	·14	·01	–	–	–	·01	·09	–	–	·26	26
27	s ·76	·09	·04	·69	–	–	–	·39	–	–	–	·08	27
28	·03	·01	–	·06	–	–	–	·51	–	–	·19	·25	28
29	·05		–	·02	–	·01	·03	·09	–	·33	·09	·15	29
30	·01	X	·05	·21	–	·24	–	·01	–	·09	·14	·19	30
31	s ·01	X	–	X	–	X	·04	–	X	·04	X	·02	31
Total	3·90	2·58	4·03	1·91	1·09	·80	2·22	2·23	1·55	1·42	1·65	3·43	YEAR'S TOTAL 26·81
Rain Days.	24	13	21	17	7	8	14	12	14	12	19	23	184

W, 6,500, VII. 18. W W C

Exd WRD 1017

JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sewage Pumping Station, Wellingborough.
in the County of Northamptonshire.
by Wellingborough U.D.C. per R. Stevenson Henshaw Engineer.

Lat. 52°-17'-45" Long. 0°-40' W.
Time of Observation 9 a.m.
Nearest Railway Station Wellingborough Midland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 138·5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·15	·16	·01	·20	-	·03	·22	-	·15	1
2	-	-	·01	·05	-	-	·03	·26	·06	·05	-	·04	2
3	-	·02	-	·18	-	·03	·08	-	·06	·12	-	-	3
4	-	-	·05	·07	-	-	·23	·27	·01	·18	-	·02	4
5	-	-	·06	-	·20	-	·35	·02	·07	-	-	·01	5
6	-	-	·21	-	·06	-	·35	-	-	-	-	-	6
7	-	-	·10	·03	·06	-	·05	-	-	-	-	·02	7
8	·27	·01	-	·42	·01	-	·06	-	-	·01	-	-	8
9	·37	-	-	·75	-	-	·05	·01	-	-	-	-	9
10	·10	·04	·04	·13	-	-	·07	-	-	-	·02	-	10
11	·21	-	·04	·20	·20	·10	·03	·01	-	-	-	·07	11
12	·05	-	·04	·08	·05	·53	-	-	-	-	·01	·19	12
13	-	·02	·07	·38	-	·02	-	-	-	-	-	·01	13
14	·01	-	·45	·16	-	·07	·09	-	·20	·21	·19	·01	14
15	-	·05	·34	·12	-	-	-	-	·34	·21	·05	-	15
16	-	-	·01	·04	·04	·08	-	-	·32	·07	-	·01	16
17	-	-	-	·05	·13	-	-	-	·22	·01	-	·05	17
18	·14	-	-	·08	·05	-	·10	·10	·59	-	-	-	18
19	·08	·07	-	·21	-	-	-	·07	·03	-	-	·02	19
20	·05	·49	-	·26	-	·41	-	-	-	-	-	-	20
21	·01	-	-	-	-	-	·03	·07	·05	-	-	-	21
22	-	-	-	·19	-	-	-	-	·18	-	-	·02	22
23	-	-	-	-	-	-	·22	-	-	-	-	·31	23
24	-	-	·12	-	-	-	-	-	-	-	-	·09	24
25	-	·09	·04	·02	·01	-	·50	-	-	-	-	-	25
26	·13	-	·09	·01	·01	-	·03	-	-	-	-	·01	26
27	·14	·02	·01	·12	-	·60	-	-	-	-	·55	·14	27
28	·41	-	·20	-	·17	-	·03	-	-	-	·06	-	28
29	·07	-	·04	-	·10	-	·07	-	-	-	·05	·55	29
30	·03		-	·04	-	·05	·06	-	·12	-	·09	·17	30
31	·06		·01		·02		·01	-		·24		·04	31
Total	2·13	·81	1·93	3·74	1·27	1·90	2·64	·81	2·28	1·32	1·02	1·93	Year's total 21·78
Days with ·01 in. or more	16	9	19	23	15	10	21	8	14	10	8	20	173
Days with ·04 in. or more	13	5	15	20	11	7	15	5	11	8	6	11	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WELLINGBOROUGH
SWANSPOOL
NORTHAMPTONSHIRE
1911–1920

1118

1118

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REG

Kept at Wellingb
in.
Ground before ft. in.
in the County of North
Sea Level ft.
by N. Pearce
Name
Distance Direction

IMPORTANT NOTE.—he result entered to the previous day. If an Observer sal rule, he is earnestly requested to add the reading a on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

	Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
11	1	—	—	0.02	0.06	—	—	0.01	0.03	—	—	0.03	0.04	1
	2	0.05	—	—	0.02	0.19	—	—	0.01	—	—	0.06	0.04	2
	3	0.01	0.02	—	—	0.20	—	—	0.08	0.02	0.06	0.03	0.03	3
	4	0.02	0.02	0.07	0.02	—	—	—	—	0.05	0.28	0.27	0.38	4
	5	0.01	0.01	—	0.01	—	—	—	0.15	—	0.06	0.02	—	5
	6	0.20	—	0.01	—	—	—	—	—	—	—	0.06	0.3	6
	7	0.01	—	—	—	—	—	—	—	—	0.08	0.22	0.11	7
	8	0.12	—	0.13	—	—	—	—	—	—	—	0.04	0.07	8
	9	0.08	—	—	0.03	—	—	—	—	—	—	0.02	0.65	
	10	0.01	0.07	0.15	0.01	—	—	—	—	—	—	0.08	0.10	
	11	0.17	—	—	—	—	—	—	0.05	—	—	0.59	—	
	12	0.06	—	0.47	—	—	—	—	—	0.02	0.04	0.26	—	12
	13	—	—	0.03	—	0.13	—	—	—	0.28	—	0.01	0.36	13
	14	—	0.03	0.01	—	0.25	—	—	—	—	—	—	0.30	14
	15	—	0.05	0.15	—	—	—	0.01	—	—	0.02	0.09	0.02	15
	16	—	—	0.07	—	—	0.01	—	—	—	0.01	0.36	0.08	16
	17	0.02	—	0.01	—	—	0.05	—	—	—	—	0.07	0.20	17
	18	—	0.17	—	—	—	0.06	—	—	—	—	0.05	0.06	18
	19	—	0.02	—	—	0.02	0.12	0.02		0.09	0.04	0.35	0.07	19
	20	0.01	0.07	0.02		—	—	—	0.71	0.15	0.06	—	0.43	20
	21	—	0.14	—	0.02	—	—	—	0.38	—	0.12	—	0.11	21
	22	0.02	0.01	0.23	0.67	—	0.05	—	0.02	—	0.14	0.02	0.29	22
	23	—	0.15	0.23	—	—	0.67	—	—	0.33	—	—	0.11	23
	24	—	0.10	—	—	—	0.34	—	—	—	0.46	—	0.07	24
Rl	25	—	0.04	0.03	.05 ~~0.03~~	1.04	0.05	—	0.01	0.02	—	0.01	0.01	25
Rl	26	—	—	—	32	0.54	0.04	—	—	—	0.19	0.10	0.20	26
	27	—	0.19	0.18	0.02	—	—	0.06	0.04	0.18	—	—	0.05	27
	28	—	0.18	—	0.11	—	—	—	0.21	—	—	0.07	0.01	28
	29	—		—	0.04	—	0.07	0.03	—	0.13	0.26	—	—	29
	30	—		—	—	—	0.09	—	—	—	0.13	—	—	30
	31	—		0.01		0.09		—	—		0.07		—	31
99	Total	0.79	1.27	1.77	8 0.72	2.46	1.55	0.13	1.69	1.27	2.02	2.61	3.50	TOTAL for year
	No. of Rain Days.	14	16	16 17	13	8	11	5	11	10	16	22	25	19.78

165

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912
1118
1118

Kept at Wellingborough
in the County of Northampton 4
by N. Pearce Sharman

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " Sea Level .... ft.
Time of Observation
Same as before

Nearest Railway Station
Name
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	—	—	0.02	0.06	—	—	0.01	0.03	—	—	0.03	0.04	1
2	0.05	—	—	0.02	0.19	—	—	0.01	—	—	0.06	0.04	2
3	0.01	0.02	—	—	0.20	—	—	0.08	0.02	0.06	0.03	0.03	3
4	0.02	0.02	0.07	0.02	—	—	—	—	0.05	0.28	0.27	0.38	4
5	0.01	0.01	—	0.01	—	—	—	0.15	—	0.06	0.02	—	5
6	0.20	—	0.01	—	—	—	—	—	—	—	0.06	0.31	6
7	0.01	—	—	—	—	—	—	—	—	0.08	0.22	0.11	7
8	0.12	—	0.13	—	—	—	—	—	—	—	0.04	0.07	8
9	0.08	—	—	0.03	—	—	—	—	—	—	0.02	0.05	9
10	0.01	0.07	0.15	0.01	—	—	—	—	—	—	0.08	0.10	10
11	0.17	—	—	—	—	—	—	0.05	—	—	0.39	—	11
12	0.06	—	0.47	—	—	—	—	—	0.02	0.04	0.26	—	12
13	—	—	0.03	—	0.13	—	—	—	0.28	—	0.01	0.36	13
14	—	0.03	0.01	—	0.25	—	—	—	—	—	—	0.30	14
15	—	0.05	0.15	—	—	—	0.01	—	—	0.02	0.09	0.02	15
16	—	—	0.07	—	—	0.01	—	—	—	0.01	0.36	0.08	16
17	0.02	—	0.01	—	—	0.05	—	—	—	—	0.07	0.20	17
18	—	0.17	—	—	—	0.06	—	—	—	—	0.05	0.06	18
19	—	0.02	—	—	0.02	0.12	0.02	—	0.09	0.04	0.35	0.07	19
20	0.01	0.07	0.02	—	—	—	—	0.71	0.15	0.06	—	0.43	20
21	—	0.14	—	0.02	—	—	—	0.38	—	0.12	—	0.11	21
22	0.02	0.01	0.23	0.07	—	0.05	—	0.02	—	0.14	0.02	0.29	22
23	—	0.15	0.23	—	—	0.67	—	—	0.33	—	—	0.11	23
24	—	0.10	—	—	—	0.34	—	—	—	0.46	—	0.07	24
Rl 25	—	0.04	0.03	.05 ~~0.37~~	1.04	0.05	—	0.01	0.02	—	0.01	0.01	25
Rl 26	—	—	—	32	0.54	0.04	—	—	—	0.19	0.10	0.20	26
27	—	0.19	0.13	0.02	—	—	0.06	0.04	0.18	—	—	0.05	27
28	—	0.18	—	0.11	—	—	—	0.21	—	—	0.07	0.01	28
29	—		—	0.04	—	0.07	0.03	—	0.13	0.26	—	—	29
30	—		—	—	—	0.09	—	—	—	0.13	—	—	30
31	—		0.01		0.09		—	—		0.07		—	31
99 Total	0.79	1.27	1.77	$0.7\overset{8}{2}$	2.46	1.55	0.13	1.69	1.27	2.02	2.61	3.50	TOTAL for year
No. of Rain Days.	14	16	16 17	13	8	11	5	11	10	16	22	25	19.78

165

W. 8,000, X. '11.

Exe EL

REGISTER OF RAINFALL IN 1912

FORM A2.

BRITISH RAINFALL
7 JAN 1913

Kept at Wellingborough
in the County of Northampton 4
by N. Pearce Sharman

RAIN GAUGE
Pattern
Diameter of top ... in.
Height of top above Ground ... ft. ... in.
" " Sea Level ... ft.
Same as before
Time of Observation
Nearest Railway Station
Name
Distance ... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
12 1	—	—	—	—	—	0.06	0.11	—	0.08	0.06	—	0.07	1
2	—	0.02	—	—	—	0.19	0.45	—	0.01	—	—	0.03	2
3	0.10	—	0.32	—	0.07	0.06	0.01	0.45	0.02	—	0.01	0.11	3
4	0.06	—	0.51	—	0.09	0.43	—	0.01	—	—	0.33	—	4
5	0.15	0.10	0.27	—	—	0.13	—	0.12	0.03	—	0.04	0.02	5
6	0.26	0.14	0.01	—	—	0.03	0.21	0.27	—	—	—	0.03	6
7	—	0.01	—	—	0.05	0.60	0.01	0.04	—	—	—	0.06	7
8	0 34	0.25	0.16	0.04	—	0.09	0.03	0.12	0.12	—	—	0.01	8
9	—	0.11	0.05	0.08	—	0.37	0.03	0.08	—	—	—	0.17	9
10	0.01	0.02	—	0.01	—	0.09	—	0.06	—	—	0.25	—	10
11	0.11	0.07	—	—	—	0.05	—	0.05	—	—	0.02	0.22	11
12	0.10	0.44	0.08	—	0.04	0.10	0.01	—	—	—	0.04	—	12
13	0.02	0.03	—	—	—	0.01	—	0.01	—	—	0.08	0.02	13
14	0.04	0.03	0.06	—	0.09	0.06	—	0.08	—	0.01	—	—	14
15	—	—	0.07	—	0.30	0.15	—	0.01	—	—	0.01	0.15	15
16	0.40	—	0.04	—	0.01	0.01	—	0.10	—	0.05	0.01	—	16
17	0.60	—	0.16	—	—	0.13	—	0.12	—	—	0.04	0.19	17
18	0.09	—	0.06	—	—	—	0.15	0.02	—	0.02	—	0.02	18
19	0.19	0.09	0.01	—	—	—	—	0.25	—	0.02	0.03	—	19
20	0.03	0.01	0.17	—	0.02	—	0.15	0.17	—	0.16	—	—	20
21	—	0.01	0.14	—	0.54	—	—	0.77	—	0.16	0.05	—	21
22	0.40	0.08	—	—	0.03	—	0.32	0.50	—	0.05	—	0.02	22
23	0.15	0.36	0.35	—	—	—	0.65	0.33	—	—	0.11	0.25	23
24	0 08	0.03	—	—	—	0.08	0.01	0.17	0.01	—	—	0.11	24
25	—	—	—	—	—	0.11	—	0.65	—	—	0.21	0.40	25
26	—	0.03	—	—	—	0.02	0.37	1.24	—	0.50	0.35	0.08	26
27	—	—	0.01	—	—	0.09	0.52	0.02	—	0.36	—	0.30	27
28	—	—	—	—	—	—	0.24	0.40	0.05	0.20	0.16	0.70	28
29	—	0.03	—	—	—	0.04	0.21	0.01	0.55	0.25	—	—	29
30	—		—	—	0.14	0.22	0.04	—	0.22	0.15	—	—	30
31	0.02		0.03		0.22		0.45	0.23		0.01		0.02	31
99 Total	3,15	1,82	2,50	0.13	1,80	3,12	3,97	6,26	1.12	2,00	1.74	2,98	TOTAL for year
No. of Rain Days.	19	19	18	3	12	23	19	27	9	14	16	21	30,39 200

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL, FORM
2-JAN
1148

Kept at Wellingborough
in the County of Northampton
by N. Pearce Sharman

4

Lat. Long. Same as before
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	0.09	0.06	0.12	—	—	—	—	—	—	0.05	—	1
2	—	0.21	—	—	—	—	0.13	—	0.70	0.38	0.01	—	2
3	0.03	—	0.12	—	0.62	—		—	0.13	0.02	—	0.05	3
4	0.30	—	—	—	0.01	—	0.07	—	0.02	0.56	0.06	0.33	4
5	0.01	—	0.01	—	—	0.01	0.01	—	0.03	0.72	0.01	—	5
6	—	0.01	0.04	—	0.14	0.23	0.16	—	—	0.23	—	0.03	6
7	—	0.12	—	—	0.64	0.05	0.11	—	—	0.42	0.04	—	7
8	—	—	0.01	—	0.10	0.10	—	—	—	0.01	0.03	—	8
9	—	0.26	0.05	0.01	—	0.15	—	—	0.06	—	0.05	0.02	9
10	0.01	—	0.01	0.07	0.01	—	0.40	0.02	—	—	0.61	—	10
11	0.70	—	—	0.42	—	0.03	—	—	—	0.14	0.40	—	11
12	—	—	—	—	0.12	—	—	—	0.02	—	0.23	—	12
13	—	—	—	0.02	—	—	—	0.02	0.05	—	0.22	—	13
14	0.08	0.01	0.15	0.02	—	—	—	—	—	0.07	0.01	—	14
15	0.10	—	0.23	0.29	—	—	0.25	—	0.03	—	—	—	15
16	0.05	—	0.69	0.09	—	—	—	—	0.01	—	—	—	16
17	—	0.01	0.64	0.20	—	0.01	0.01	—	0.02	—	0.02	0.05	17
18	0.12	—	0.17	—	—	—	0.07	—	—	—	—	0.01	18
19	0.18	—	0.09	0.08	—	—	0.04	—	0.09	—	—	0.01	19
20	0.08	—	0.19	0.02	—	0.03	—	—	—	0.36	0.01	—	20
21	0.02	—	0.33	0.02	0.07	—	0.03	—	—	—	0.22	—	21
22	0.38	—	0.21	—	—	—	0.02	0.07	0.18	—	—	—	22
23	—	—	0.02	—	—	0.03	—	0.03	0.02	—	—	0.02	23
24	0.01	—	—	0.06	—	0.01	—	0.03	—	—	—	—	24
25	0.01	0.01	—	0.11	—	0.01	—	—	—	—	—	—	25
26	—	0.05	0.22	0.11	—	—	—	0.03	—	0.27	0.03	0.20	26
27	—	0.01	0.02	—	0.40	—	—	—	—	—	—	—	27
28	0.33	—	0.16	0.02	—	—	—	—	—	0.13	—	0.05	28
29	0.01		0.14	0.17	0.12	—	—	0.98	—	0.03	—	0.03	29
30	0.18		—	0.55	—	—	—	0.02	—	0.16	0.12	0.01	30
31	—		—		0.19		—	0.50		—		—	31
99 Total	2,61	076	2,96	2,38	1,82	,66	1,30	1,70	1,36	3,50	2,12	0.81	YEAR'S TOTAL 21.98
Rain Days.	19	10	21	18	11	11	12	9	13	14	17	12	167

W. 7,500, XI. '12

[illegible] July [illegible] 5.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 JAN 1915
1116

Kept at Wellingborough
in the County of Northampton 4
by N. Pearce Sharman

Lat. ______ Long. ______
Time of Observation Same as before
Nearest Railway Station ______
Diameter of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—R[illegible] he result entered to the previous day. [illegible] l rule, he is earnestly requested to add the [illegible] r in the space provided for it at the end of this [illegible] instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 14	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.01	0.03	0.01	—	0.08	0.21	—	—	—	0.07	1
2	0.01	—	0.02	—	—	—	—	0.21	—	0.02	0.07	0.~~07~~ 18	2
Rl 3	—	—	—	—	0.14	—	(30)	0.01	—	—	0.18	~~0.18~~	3
4	~~0.18~~	—	0.02	0.13	—	—	—	0.96	—	—	0.05	0.18	4
Rl 5	0.02	—	0.08	0.14	0.02	0.08	(30)	0.13	—	—	0.30	—	5
6	—	0.02	0.01	0.08	0.05	—	—	0.03	—	—	0.03	0.05	6
Rl 7	—	0.09	0.42	0.02	0.05	—	(04)	0.03	—	—	0.01	0.01	7
RP 8	0.10	0.04	0.16	0.03	0.19	0.94	(29) ~~1.70~~	0.15	0.01	—	—	0.05	8
9	0.33	—	0.23	0.10	—	0.81	—	0.03	0.01	—	—	—	9
10	0.10	0.08	0.01	0.06	0.10	0.06	—	—	0.13	—	—	—	10
11	—	0.07	0.23	0.03	0.11	0.32	—	—	0.04	—	0.27	0.31	11
Rl 12	—	—	0.09	—	—	—	(04)	—	0.30	—	0.03	0.26	12
13	0.02	0.15	0.17	—	—	—	—	—	0.03	0.18	0.06	0.22	13
Rl 14	—	0.05	0.18	—	—	—	(14)	—	—	0.63	0.07	0.36	14
RP 15	0.03	0.02	0.26	—	—	—	(59)	0.01	0.06	—	0.08	0.09	15
16	—	—	0.04	—	—	—	3 0.16	—	0.02	—	—	—	16
17	0.01	0.28	0.02	—	—	—	—	—	0.12	—	—	0.14	17
18	—	—	0.0~~4~~ ·01	—	—	—	0.23	—	—	—	—	0.33	18
19	—	0.03	0.14	—	—	0.03	—	—	0.02	—	0.07	0.01	19
20	—	0.16	0.19	—	—	—	0.05	—	—	—	—	0.09	20
21	—	0.16	0.07	—	—	0.02	—	0.03	—	0.06	0.01	0.22	21
22	—	—	0.03	—	0.35	0.03	0.15	0.04	—	0.05	—	—	22
23	—	0.01	0.04	—	0.10	—	0.01	0.01	—	0.07	—	0.01	23
24	—	—	—	—	—	—	0.14	0.01	—	0.18	0.10	—	24
25	0.04	—	—	—	—	—	0.05	0.16	—	0.34	—	0.20	25
26	—	—	0.01	—	—	—	—	0.12	—	0.05	0.15	0.38	26
27	—	—	—	—	—	—	—	—	—	—	0.06	0.12	27
28	—	—	0.01	—	0.01	—	0.04	—	—	0.12	0.18	1.02	28
29	0.03	0.07	0.15	—	0.0~~8~~ 5	—	—	—	—	0.27	0.08	—	29
30	—	X	0.03	—	—	0.05	—	—	—	0.02	0.22	0.22	30
31	0.01	X	—	X	0.05	X	0.03	—	X	—	X	0.07	31
99 Total	.88	1,23	2,63	0,62	1,23	2,34	2,58	2,14	0,74	1,99	2,02	4,59	YEAR'S TOTAL 22.99
Rain Days.	12	14	26	9	13	9	(18)	16	10	12	19	23	(181)

W. 8,000. X. 14.

Comp'ly C 11.2.16

1205

1118

FORM A.
BRITISH RAINFALL
JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Wellingborough

in the County of Northampton 4

by N. Pearce Sharman

Lat. Long.

Time of Observation Same as before

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	0·48	0·13	0·15	—	0·18	—	—	—	0·09	0·01	0·05	0·11	1
2	0·03	0·18	0·24	0·15	—	0·02	—	0·51	0·02	0·10	—	0·07	2
3	0·27	—	0·03	0·11	—	—	0·20	0·34	0·13	—	—	0·16	3
4	0·04	—	—	—	—	—	0·38	0·13	—	—	—	0·56	4
5	0·04	0·33	—	—	0·05	—	—	0·03	—	—	—	0·20	5
6	0·23	0·01	0·01	0·15	—	—	0·83	0·05	—	0·01	—	0·09	6
7	0·03	0·39	0·09	0·01	—	0·03	0·08	0·08	—	—	—	0·12	7
8	0·03	0·13	—	—	—	—	—	0·01	—	—	0·01	—	8
9	—	—	—	0·01	—	0·04	—	—	—	0·02	0·19	0·52	9
10	0·37	—	0·01	—	—	—	—	0·07	—	—	0·03	0·01	10
11	0·03	—	0·02	0·02	0·09	—	0·06	—	—	—	0·69	0·05	11
12	0·05	—	—	0·19	0·40	—	—	0·28	—	0·01	0·89	0·02	12
13	—	0·33	—	—	0·91	—	—	—	—	—	—	—	13
14	—	0·03	—	—	—	—	—	0·14	0·07	—	—	0·38	14
15	0·19	—	—	—	0·04	—	0·01	0·10	—	—	0·21	0·09	15
16	—	0·27	—	—	—	—	0·66	0·07	—	—	—	0·05	16
17	—	0·18	—	—	0·06	—	0·14	—	—	—	—	—	17
18	—	0·04	0·20	—	—	—	—	—	—	—	0·04	—	18
19	—	0·01	0·01	—	—	—	0·11	—	—	—	—	—	19
20	0·34	—	—	0·01	—	—	—	—	—	—	—	0·28	20
21	0·10	0·01	—	—	0·05	—	0·06	—	—	—	—	0·04	21
22	0·16	—	0·30	0·01	—	—	0·41	—	0·01	—	—	0·11	22
23	0·01	0·06	0·09	—	—	0·09	0·23	—	0·10	0·18	—	0·35	23
24	—	—	0·02	—	—	0·06	0·10	—	0·68	—	—	0·24	24
25	—	—	—	—	—	0·11	0·11	—		0·01	—	0·25	25
26	—	0·10	—	—	—	—	0·16	—	—	—	—	0·27	26
27	—	—	—	—	—	0·02	0·04	—	—	0·38	—	0·03	27
28	—	0·08	—	—	—	—	0·01	0·05	0·19	0·05	—	—	28
29	—		—	—	—	—	0·13	0·10	—	—	0·09	0·13	29
30	0·10		—	—	—	1·39	—	0·02	—	—	0·01	0·05	30
31	0·01		—		—		—	0·05		0·29		0·12	31
99 Total	2-51	2·28	1·17 ✓	0·66	1·78	1·76	3·72	2·03	1·29	1·06	2·21	4·30	YEAR'S TOTAL 24·77
Rain Days.	18	16	12	9	8	8	18	16	8	10	10	25	158

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

1118

9 JAN 19

Kept at Wellingborough

in the County of Northampton

by N. Pearce Sharman

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Wellingborough

Diameter of Funnel of Rain Gauge same as in. before

Height of top of Gauge above Ground do ft. do. in.

" " " " Sea Level do. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
16 1	0·13	—	0·09	—	—	0·02	0·26	—	—	—	0·40	—	1
2	0·51	0·05	0·09	—	0·22	—	0·03	—	0·01	0·40	0·01	—	2
3	—	0·39	—	—	—	—	—	—	0·06	0·21	0·10	—	3
4	0·42	0·09	—	—	0·09	0·17	0·02	—	—	0·01	0·17	—	4
5	0·04	—	—	—	0·03	0·12	—	—	—	0·14	0·19	—	5
6	—	0·10	0·12	0·13	—	0·02	0·33	—	—	0·06	0·35	—	6
7	0·04	—	0·23	—	0·09	0·01	0·15	—	—	—	0·15	0·08	7
8	—	—	0·01	—	0·05	0·26	—	—	—	—	0·03	0·17	8
9	—	—	0·01	—	0·32	0·20	—	—	—	—	—	0·04	9
10	—	0·12	0·07	0·06	—	0·04	0·03	—	—	—	0·01	0·02	10
11	0·03	0·15	0·06	0·15	0·05	0·14	—	~~0·12~~	—	—	—	0·07	11
12	0·04	0·03	0·12		0·56	0·10	0·05	—	—	0·04	—	—	12
13	0·01	0·28	0·13	0·06	0·03	0·07	0·26	·03	—	—	—	—	13
14	—	0·46	—	0·06	—	—	—	·03	—	—	—	—	14
15	—	0·28	0·45		0·03	—	0·13	·03	—	0·01	—	—	15
16	—	0·05	0·23	0·18	0·04	—	0·09	·03	—	0·10	—	—	16
17	0·08	0·03	—	0·07	—	—	0·03	·35	0·19	0·25	—	—	17
18	—	0·07	0·04	0·06	—	—	—	~~0·35~~	0·06	—	0·84	0·01	18
19	0·11	0·05	0·26	0·09	—	—	—	·20 ~~0·20~~	0·07	—	0·79	0·06	19
20	0·06	—	0·15	0·01 0·01	—	—	—	0·04	—	—	0·10	0·32	20
21	0·04	—	0·38	0·01	—	—	—	—	—	—	—	0·58	21
22	—	0·08	—	—	0·13	0·04	—	—	—	0·02	—	0·57	22
23	0·04	0·23	—	—	—	0·14	—	0·04	—	—	0·04	0·12	23
24	—	0·18	0·03	0·02	—	0·06	—	0·04	—	0·03	0·01	0·25	24
25	—	0·13	0·05	—	0·05	—	—	0·28	—	0·04	0·10	—	25
26	—	0·06	0·04	—	—	0·04	—	0·05	—	0·04	0·04	—	26
27	0·03	0·06	1·01	—	—	0·08	—	0·19	0·06	0·18	—	—	27
28	—	0·25	0·95	0·11	—	0·05	—	—	0·08	0·02	—	0·18	28
29	—	0·07	—	—	0·24	0·10	—	1·42	—	0·27	—	0·06	29
30	—	✕	—	—	—	0·03	—	0·06	—	0·19	—	—	30
31	—	✕	—	✕	—	✕	—	0·01	✕	0·02	✕	0·04	31
99 Total	1·58	3·21	4·52	1·01	1·93	1·69	1·38	2·80	0·53	2·03	3·33	2·57	YEAR'S TOTAL 26·58
Rain Days.	14	22	21	13	14	19	11	(15)	7	18	16	15	~~170~~ (185)

W. 8,000, VIII. 16

Ex 9 3

1137

46

FORM A.
BRITISH RAINFALL.

1118

REGISTER OF RAINFALL IN 1917

√

Kept at Wellingborough

in the County of Northamptonshire

by N. P. Sharman

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
17 1	—	—	—	·10	—	—	—	1·14	·19	—	·04	·03	1
2	·04	02	—	—	—	·21	—	·08	—	·02	·05	—	2
3	—	—	—	·06	—	—	—	·42	—	·27	·10	—	3
4	—	·14	·09	—	—	—	—	·09	—	·40	—	·02	4
5	·15	—	·06	·12	—	—	—	—	·13	·03	·12	—	5
6	—	—	—	—	—	·06	—	—	·01	·10	·03	·01	6
7	·40	—	·01	—	—	—	—	—	—	·25	—	·02	7
8	·43	—	—	·11	—	—	·41	·94	—	·31	·16	—	8
9	·10	—	·12	·04	·07	—	·02	·38	—	—	·13	·02	9
10	·75	—	·21	·20	·02	—	—	·21	—	·02	·01	—	10
11	·06	·02	·28	·24	—	—	—	·08	·07	·19	—	—	11
12	·09	·01	·01		·10	·31	—	·11	—	·30	—	—	12
13	·01	—	·01	·03	—	·01	·03	·17	·06	—	—	·01	13
14	·25	—	—	·07	—	—	—	·99	—	—	—	·01	14
15	·02	—	—	—	—	—	·05	·04	—	·10 ·54	—	·02	15
16	·07	·12	—	·24	·02	—	·01	—	—	·04	—	·10	16
17	·01	·02	·01	·13	·47	·05	·27	·04	·28	·10	—	·01	17
18	·02	·02	—	·07	·06	·25	·12	·04	·77	—	—	—	18
19	·03	·16	·12	—	·21	—	—	—	·03	—	—	—	19
20	·01	·20	·06	—	·83	—	·02	—	·14	—	·11	—	20
21	·02	·01	·06	·03	·01	·01	—	—	—	·01	—	—	21
22	—	—	·11	—	—	—	—	·10	·02	·14	—	—	22
23	—	·10	—	—	·06	—	—	·30	·04	·01	—	—	23
24	·01	·03	—	—	—	·10	—	·11	—	·20	·03	—	24
25	—	·01	·02	—	—	—	·12	—	·01	—	·03	—	25
26	—	—	·01	—	—	·06	—	·38	·05	—	·18	·02	26
27	—	—	—	—	—	·23	·01	·64	—	—	—	·01	27
28	—	—	·19	—	—	·53	—	·17	—	—	·01	·04	28
29	—	×	—	—	·74	·21	·25	·03	—	·39	—	·22	29
30	·01	×					·37	·13			·01	·01	30
31	—	×	·12	×	—	×	·09	·05	×	—	×	·12	31
99 Total	2·48	·86	1·49	1·44	2·59	2·03	1·77	6·64	1·80	2·88	1·01	·67	YEAR'S TOTAL 25·66
Rain Days	[illegible]	13	17	13	11	12	13	23	13	18	14	16	182
		5	11	11	8	10	8	2·35	9	13	8	4	11

Dl Ex Dl

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 1118

22 . 1 19

Kept at Wellingborough
in the County of Northamptonshire
by N. P. Sharman

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18 1	·01	·04	—	·06	—	—	—	—	—	—	·16	·04	1
2	—	·18	—	·22	—	—	—	·04	—	—	·07	·12	2
3	—	·04	·04	—	·53	—	—	·02	·15	—	·46	·02	3
4	—	·01	·06	—	—	—	·17	·03	·38	·01	·38	·04	4
5	—	·04	—	·01	·27	—	—	·09	·35	·07	—	·01	5
6	·01	·18	·01	·13	—	·01	—	—	—	—	—	·02	6
7	·01	·08	—	·11	—	·04	—	—	—	·06	·09	—	7
8	·01	·01	·01	·09	—	—	—	—	·06	·03	—	·06	8
9	·01	·14	—	·02	—	·05	·16	—	·37	·18	—	·10	9
10	·03	—	—	·03	—	·06	·38	—	·02	·11	—	·08	10
11	—	—	—	—	·28	—	·04	—	·08	·27	·01	·06	11
12	·02	·08	·04	—	·26	—	·17	—	·07		—	·02	12
13	—	—	—	·01	·23	·04	·01	—	·08	—	—	·03	13
14	·24	—	—	·02	·01	·01	·30	—	·24	·27	—	·05	14
15	·23	—	—	1·20 x	—	·01	·06	—	·13	—	—	·10	15
16	·04 x	—	—	·02	—	·01	—	·03	·44	—	—	—	16
17	·25 x	—	—	·01 1·23	·01	—	·67	·01	·03	—	—	·08	17
18	·40 ·69 x	—	—	—	—	·09	·30	—	·65	—	—	·42	18
19	·04	·01	·03	·15	—	·03	·02	—	·01	·07	—	·17	19
20	·03	·07	—	·56	—	·07	—	—	·14	·19	·01	·02	20
21	·04	·01	—	·17	—		—	—	·21	·02	—	—	21
22	·15	—	—	—	·12	—	·01	—	·02	—	—	·36	22
23	·09	—	—	—	·42	·02	·09	—	·05	—	—	·03	23
24	—	·13	—	—	—	—	·02	—	·02	—	·18	—	24
25	·01	—	—	—	·19	·04	·06	·16	—	·04	·01	—	25
26	—	—	—	—	—	—	·21	—	·01	—	·11	·21	26
27	—	—	·01	·01	—	—	·14	·14	·03	—	·09	·04	27
28	—	·10	·14	—	—	·01	—	·10	—	—	·25	·09	28
29	—	X	—	—	—	—	—	—	1·17	—	·01	—	29
30	—	X	·25	—	—	—	—	·06	·06	—	·11	·06	30
31	—	X	·06	X	—	X	—	·03	X	·08	X	·01	31
99 Total	1·62	1·12	·65	2·82	2·32	·49	2·81	·71	4·77	1·40	1·94	2·24	YEAR'S TOTAL 22·89
Rain Days.	~~17~~ 18	15	10	17	10	14	17	11	24	13	14	25	188
Wet Days	9	11	6	9	8	7	13	6	17	10	10	17	123

W. 8,000, VIII. 16

84

REGISTER OF RAINFALL IN 1919

FORM 1118
BRITISH RAINFALL.

Kept at Wellingborough

in the County of Northamptonshire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
19 1	.25	.05	.01	—	.05	—	.08	.04	—	.05	.01	.58	1
2	.13		.01	—	.04	—	.24	—	—	.02	.36	.16	2
3	.77	—	.10	—	.01	.05	.25	—	.19	—	.14	.08	3
4	.05	.01	.30	—	—	—	.01	—	.08	—	—	.13	4
5	.02	.23	.23	—	—	—	.02	.12	.05	.01	—	.10	5
6	—	.01	.07	—	.96	—	—	—	.66	—	.02	.03	6
7	.02	—	.23	—	—	—	—	—	—	—	—	—	7
8	.14	—	.05	.12	—	—	—	—	—	—	.02	—	8
9	.01	—	.07	.06	—	—	—	—	—	—	—	—	9
10	—	—	.46	.04	—	—	—	—	—	—	.01	.03	10
11	.04	—	.37	.06	.08	—	—	—	—	—	—	—	11
12	—	—	.23	.04	—	.10	.54	—	—	.11	.01	.01	12
13	.15	—	—	.13	—	—	.05	—	.05	.01	—	—	13
14	.30	—	—	.13	—	—	.02	—	.05	.03	—	—	14
15	.13	—	.19	.09	—	—	—	—	—	.03	.01	.35	15
16	.06	.82	—	.01	—	—	—	—	—	—	.03	—	16
17	.01	.28	—	—	—	—	—	.14	—	—	.32	—	17
18	—	—	.11	—	—	—	—	.27	—	—	.02	.12	18
19	.03	.22	.94	—	—	.29	.26	.23	.04	—	.01	.03	19
20	.45	.06	.26	—	—	~~—~~	.28	.32	—	—	.05	.04	20
21	.23	.34	.05	—	—	~~.29~~	.42	—	—	—	.02	.13	21
22	—	.31	—	—	—	—	—	—	.25	—	—	.50	22
23	—	—	—	—	—	—	—	—	—	.46	.01	.03	23
24	—	—	—	.12	—	.04	—	.05	—	.33	.01	.05	24
25	.11	—	.14	.04	.08	—	.06	—	—	—	.01	.01	25
26	.08	—	—	.04	—	—	—	.13	.07	—	—	.26	26
27	.65	.09	.04	.64	—	—	—	—	—	—	—	.05	27
28	.06	.01	—	.05	—	—	—	.90	—	.08	.03	.25	28
29	.05	X	—	.03	—	—	—	.10	—	.26	.10	.17	29
30	—	X	.05	.22	—	.26	—	—	—	.10	.13	.21	30
31	.02	X	—	X	—	X	—	—	X	.03	X	.01	31
99 Total	3.76	2.43	3.91	1.82	1.22	74 ~~.76~~	2.23	2.30	1.44	1.52	1.32	3.33	YEAR'S TOTAL 26.02 ~~26.07~~
Rain Days.	23	12	20	16	6	5	12	10	9	13	20	23	169
	17	9	18	14	5	5	9	10	9	7	6		

W. 8,000, IX. 17.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

1118

REGISTER OF RAINFALL IN 1920.

Kept at Swanspool Gardens Wellingborough.
in the County of Northamptonshire
by Wellingborough U. D. C. per R. S. Henshaw Engineer & Surveyor.

Lat. 52°-17'-54" Long. 0°-41'-20" W.
Time of Observation 9 a.m.
Nearest Railway Station Wellingborough Midland.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 168½ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
20 1	-	-	-	·14	·16	-	·27	-	·02	·19	·02	·15	1
2	-	-	·01	·03	-	-	·02	·23	·08	·15	-	·06	2
3	-	-	-	·19	·01	·03	·15	-	·06	·11	-	·01	3
4	-	-	·06	·07	-	-	·23	·29	·03	·22	-	-	4
5	-	-	·05	-	·20	-	·32	·02	·07	-	-	-	5
6	-	-	·17	-	·06	-	·39	-	-	-	-	-	6
7	-	-	·10^{s}	·03	·08	-	·04	-	-	-	-	-	7
8	·31	·04	-	·45	-	-	·06	-	-	·01	-	-	8
9	·38	-	-	·87	-	-	·04	·02	-	-	-	-	9
10	·09	·02	·04	·20	-	-	·07	-	-	-	-	·03	10
11	·26	-	·04	·26	·20	·07	·03	·04	-	-	·02	·09^{s}	11
12	·03	-	·04	·09	·10	·53	·01	-	-	-	·01	·20^{s}	12
13	-	·01	·08	·21	-	-	-	-	·01	-	-	-	13
14	·01	-	·49^{s}	·18	-	·08	·09	-	·21	·54	·14	-	14
15	-	·06	·55^{s}	·11	-	-	·01	-	·36	·08	·12	-	15
16	-	-	-	·06	·07	·08	-	-	·43	·08	-	-	16
17	-	-	-	·04	·14	-	-	-	·13	·02	-	-	17
18	·14	-	-	·10	·07	-	·09	·10	·43	-	-	-	18
19	·11	·06	-	·25	-	·20	-	·07	·05	-	-	-	19
20	·06	·46^{s}	-	·35	-	·24	-	-	-	-	-	·02	20
21	·01	-	-	-	-	-	·04	·07	·03	-	-	·07	21
22	-	-	-	·17	-	-	-	-	·21	-	-	-	22
23	-	-	-	-	-	-	·23	-	-	-	-	·33	23
24	-	-	·14	-	-	-	-	-	-	-	-	·08	24
25	-	·10	·02	·02	-	·01	·53	-	-	-	-	-	25
26	·15	-	·11	·01	-	-	·03	-	-	-	·01	·02	26
27	·15	·04	·01	·14	-	·80	-	-	-	-	·48	·14	27
28	·41	-	·14	-	·11	-	·03	-	-	-	·05	·01	28
29	·09	-	·04	-	·14	-	·07	-	-	-	·06	·62	29
30	·02	✕	-	·03	-	·08	·07	-	·11	-	·09	·16	30
31	·08	✕	·02	✕	·02	✕	-	-	✕	·20	✕	·06	31
99 TOTAL	2·30	·79	2·11	4·00	1·36	2·12	2·82	·84	2·23	1·60	1·00	2·05	YEAR'S TOTAL 23·22
Days with ·01 in. or more	16	8	18	23	13	10	22	8	15	10	10	16	169
Days with ·04 in. or more	12	6	14	18	11	8	16	6	11	8	6	11	127

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1/186 ext conf for [illegible] ?1015 1118

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Wellingborough ~~[illegible]~~

in the County of Northamptonshire

by ~~[illegible]~~ ~~R. Stevenson Henshaw.~~ B. Hollis

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·14	·17	·01	·28		·19	·19	·02	·15	1
2		·01	·02	·03			·02	·22	·15	·15		·06	2
3		·02		·20	·01	·03	·16		·11	·11		·01	3
4			·06	·07			·40	·24	·22	·22			4
5			·04		·24		·37	·05					5
6			·16		·04		·35						6
7			·09	·04	·04		·02						7
8	·31	·04		·61	·01		·04		·01	·01			8
9	·34			·83			·03	·02					9
10	·16	·02	·03	·17			·08					·03	10
11	·18		·05	·11	·19	·06	·04	·03			·02	·09	11
12	·04	·01	·03	·26	·10	·57					·01	·20	12
13		·01	·07	·21		·01							13
14	·01		·64	·16		·07	·08		·54	·54	·14		14
15		·05	·41	·05					·08	·08	·12		15
16			·02	·07	·05	·08	·01		·08	·08			16
17				·05	·14				·02	·02			17
18	·17			·12	·05	·17	·12	·10					18
19	·06	·14		·20			·01						19
20	·05	·36		·39		·30		·10				·02	20
21				·01			·05	·08				·07	21
22	·01			·15			·01						22
23							·27					·33	23
24			·13	·01			·01					·08	24
25	·15	·12	·02	·02			·03						25
26			·10	·01			·48				·01	·02	26
27	·13	·04	·01	·15		·76	·03				·48	·14	27
28	·45		·16		·10						·05	·01	28
29	·09		·04		·12	·01	·06				·06	·62	29
30	·03			·04		·08	·06				·09	·16	30
31	·08				·02					·20		·06	31
TOTAL	2·26	·82	2·08	4·10 ~~4·11~~	1·28	2·15	3·01	·84		~~1·60~~	~~1·00~~	~~2·05~~	YEAR'S TOTAL 21·40
Days with ·01 in. or more	16	11	18	25	14	12	24	8		10	10	16	

11

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Dh

1/6

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

REGI 1

NORTHANTS.

WELLINGBOROUGH - CROYLAND ABBEY

1911 - 1914

Kept at Wellingborough

in the County of Northam

by E Sharman

5 in.

e Ground ~~1~~ ft. 11 in.

Sea Level 174·38 ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·05				·02			·03	·03	1
2	·04			·02	·19		·02	·01		·02	·06	·03	2
3		·01			·22			·07		·04	·02	·03	3
4	·03	·02	·07	·02						·29	·31	·35	4
5								·17		·07	·01	·01	5
6	·21		·01						·06		·06	·26	6
7				·02						·08	·23	·16	7
8	·11		·14								·04	·07	8
9	·09			·02							·02	·03	9
10	·01	·07	·15								·07	·21	10
11	·17							·03			·43	·01	11
12	·05		·47						·03		·24		12
13			·03		·18				·29	·02	·01	·36	13
14		·02	·02		·24					·01		·29	14
15		·04	·16							·02	·08	·01	15
16			·06			·01				·01	·39	·05	16
17			·01			·02					·06	·18	17
18		·19				·08					·03	·06	18
19		·02			·02	·12	·02		·08	·04	·44	·03	19
20		·06	·01	·01				·34	·13	·07		·50	20
21		·10		·01				·82		·10		·12	21
22	·03		·15			·04		·04		·13	·01	·32	22
23		·15	·33			·69			·36			·10	23
24		·09				·38		·01		·48		·08	24
25		·04	·05	·05	1·09	·06		·01				·01	25
26				·32	·56	·03				·20	·12	·19	26
27		·19	·16	·03			·06	·02	·20	·02		·05	27
28		·17		·12				·23			·06	·01	28
29				·03		·11	·02		·14	·25			29
30			·01			·08				·15			30
31					·09					·08			31
Total	·76	1·17	1·84	·70	2·59	1·62	·12	1·77	1·29	2·08	2·72	3·55	TOTAL for year 20·21
No. of Rain Days	10	14	17	12	8	11	4	12	8	19	21	27	163

9,000, IX. '10.

REGISTER OF RAINFALL IN 19 1

FORM A2.
BRITISH RAINFALL
19 JAN 1912

Kept at Wellingborough, Croyland Abbey
in the County of Northampton 4
by E. Sharman

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ~~2~~ ft. 11 in.
" " " Sea Level 174·38 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·01	·05				·02			·03	·03	1
2	·04			·02	·19		·02	·01		·02	·06	·03	2
3		·01			·22			·07		·04	·02	·03	3
4	·03	·02	·07	·02						·29	·31	·35	4
5								·17		·07	·01	·01	5
6	·21		·01						06		·06	·26	6
7				·02						·08	·23	·16	7
8	·11		·14								·04	·07	8
9	·09			·02							·02	·03	9
10	·01	·07	·15								·07	·21	10
11	·17							·03			·43	·01	11
12	·05		·47						·03		·24		12
13			·03		·18				·29	·02	·01	·36	13
14		·02	·02		·24					·01		·29	14
15		·04	·16							·02	·08	·01	15
16			·06			·01				·01	·39	·05	16
17			·01			·02					·06	·18	17
18		·19				·08					·03	·06	18
19		·02			·02	·12	·02		08	·04	·44	·03	19
20		·06	·01	·01				·34	·13	·07		·50	20
21		·10		·01				·82		·10		·12	21
22	·03		·15			·04		·04		·13	·01	·32	22
23		·15	·33			·69			·36			·10	23
24		·09				·38		·01		·48		·08	24
25		·04	·05	·05	1·09	·06		·01				·01	25
26				·32	·56	·03				·20	·12	·19	26
27		·19	·16	·03			·06	·02	·20	·02		·05	27
28		·17		·12				·23			·06	·01	28
29				·03		·11	·02		·14	·25			29
30			·01			·08				·15			30
31					·09					·08			31
Total	·76	1·17	1·84	·70	2·59	1·62	·12	1·77	1·29	2·08	2·72	3·55	TOTAL for year 20·21
No. of Rain Days	10	14	17	12	8	11	4	12	8	19	21	27	163

9,000, IX. '10.

9L.

Ex. HG

1/6

FORM A2.
BRITISH RAINFALL
24 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Wellingborough, Croyland Abbey

in the County of Northampton 4

by E Sharman

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level 174 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01			·06	·12		·09	·06		·07	1
2		·03	·10			·19	·47					·03	2
3	·10		·07		·07	·06		·47	·02			·10	3
4	·05		·59		·08	·43		·02			·29		4
5	·07	·09	·23			·13		·12	·03		·09		5
6	·32	·14				·03	·22	·28				·05	6
7					·04	·64	·01	·04				·05	7
8	·35	·25	·16	·04		·09	·03	·11	·14				8
9		·12	·03	·07		·35	·03	·02				·16	9
10						·08		·08			·30		10
11	·12	·06				·05		·06			·02	·22	11
12	·10	·40	·06		·03	·10	·01			·02	·04		12
13	·01	·02									·07	·01	13
14	·02		·05			·07		·08		·01			14
15		·03	·06		·35	·15		·02			·01	·15	15
16	·45		·04					·10		·05	·01		16
17	·50		·16			·15		·12			·04	·20	17
18	·12		·05					·02		·02	·01	·03	18
19	·20	·08	·02				·15	·28		·02	·03		19
20	·03		·16		·01		·17	·18		·17			20
21		·01	·11		·56			·80		·18	·04		21
22	·45	·07			·03		·34	·35		·05		·01	22
23	·14	·35	·35				·66	·50			·11	·26	23
24	·11	·02				·08	·01	·16	·01			·10	24
25						·13		·60		·01	·21	·34	25
26		·02	·02			·02	·34	1·32		·50	·37	·13	26
27						·09	·69	·02		·35		·30	27
28		·02					·24	·42	·04	·20	·16	·74	28
29						·03	·21	·01	·54	·25			29
30					·15	·21	·01		·29	·15			30
31	·01		·03		·25		·49	·23		·01		·01	31
Total	3·15	1·71	2·30	·11	1·57	3·14	4·20	6·41	1·16	2·05	1·80	2·96	TOTAL for year 30·56
No. of Rain Days	18	16	19	2	10	21	18	26	8	16	16	19	189

9,000, IX. '10.

82

1/6

FORM A.
BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Wellingborough, Croyland Abbey
in the County of Northampton Ex RMO 4
by E. Sharman

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·07	·05	·13					·80		·04		1
2		·19					·12		·14	·37	·02		2
3	·04		·12		·61		·01		·02	·02		·06	3
4	·30				·01		·07			·51	·06	·35	4
5							·01		·04	·74	·02		5
6			·04		·14	·22	·16			·15		·02	6
7		·11			·04	·05	·13			·52	·04		7
8			·02		·09	·09				·02	·03		8
9		·26	·04	·01		·16			·06		·05	·02	9
10	·02		·03	·07	·01		·41	·03			·59		10
11	1·10			·42		·04				·15	·10		11
12					·10	·01			·02		·23		12
13	·03			·02				·02	·05		·23		13
14	·08	·02	·15	·02				·01		·08	·02		14
15	·11		·27	·22			·23		·03				15
16	·06		·73	·15					·02				16
17	·13	·01	·07	·18			·01		·02		·02	·05	17
18			·17	·06			·05						18
19	·15		·12				·05		·09			·02	19
20	·10		·18	·02						·34	·01		20
21	·03		·30	·02	·08	·03	·03			·01	·23		21
22	·38		·21					·05	·18				22
23			·02			·03		·03	·02			·02	23
24	·01			·06		·01	·01	·02					24
25		·02		·12		·01							25
26		·03	·22	·11				·03		·26	·02	·20	26
27		·01	·03	·02	·30								27
28	·36		·17	·18						·13		·05	28
29	·02		·14	·56	·11			1·11		·03		·04	29
30	·20							·01		·17	·12	·02	30
31					·17			·40					31
Total	3·14	·72	3·08	2·37	1·66	·65	1·29	1·71	1·49	3·50	1·83	·85	YEAR'S TOTAL 22·29
Rain Days.	18	9	20	18	11	10	13	10	13	15	17	11	165

W. 7,500, XI. ·12

#LMC

1/6

FORM A.
BRITISH RAINFALL.

21 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Wellingborough, Croyland Abbey

in the County of Northamptonshire 4

by E. Sharman

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 174 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·03									1
2			·02										2
3					·14								3
4	·18		·02	·14									4
5	·02		·07	·14	·02	·08							5
6		·02		·10	·05								6
7		·09	·42	·03	·04								7
8	·08	·03	·16	·03	·20	·95							8
9	·33		·25	·10		·85							9
10	·11	·07	·02	·05	·09	·05							10
11		·07	·22	·03	·12	·35							11
12		·01	·08			·01							12
13	·02	·13	·16										13
14		·05	·20										14
15	·02	·03	·22										15
16			·08										16
17		·27	·01										17
18			·02			·02							18
19		·03	·13										19
20		·15	·22										20
21		·15	·07			·02							21
22		·01	·03		·36	·03							22
23		·01	·04		·10								23
24													24
25	·04												25
26			·01										26
27	·02												27
28		·06			·01								28
29	·01		·14		·05								29
30			·04			·04							30
31	·01				·05								31
Total	·84	1·18	2·65	·65	1·23	2·40							YEAR'S TOTAL
Rain Days.	11	16	24	9	12	10							

W.7,000, XI. 13

WESTON BY WELLARD
NORTHAMPTON SHIRE
1919-1920

FORM A. 1. METEOROLOGIC GANIZATION.

REGI 19.

8 JAN

Kept at Ashley Mar ·55 W.
a.m.
in the County of Northa Ashley & Weston.
in Gauge 5 in.
by Major H. H. Matt ove Ground 1 ft 3 in.
, Sea Level 240 ft.

IMPORTANT NOTE.—Ra entered to the previous day. If an Observer prefers not to conform ested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·07	·02	·01	·16	—	·03	—	—	·07	·10	·53	1
2	·09	—	—	—	·01	—	·07	—	·17	·19	·48	·01	2
3	·84	—	·05	—	·04	—	·30	—	·18	—	·19	·04	3
4	·09	—	·40	—	—	·10	·05	·12	·05	—	·04	·23	4
5	—	·10	·03	—	—	—	·03	—	·56	—	—	·13	5
6	—	·06	·04	—	·58	—	—	—	—	—	·06	·16	6
7	·02	—	·22	—	·01	—	—	—	—	—	·01	—	7
8	·10	—	·05	·17	—	—	—	—	—	—	·02	—	8
9	—	—	—	·05	·02	—	—	—	—	—	·02	—	9
10	—	—	·28	·01	—	—	—	—	—	·04	·09	·06	10
11	·05	—	·38	·02	·05	—	·51	—	—	—	—	—	11
12	—	—	·22	·02	—	·28	·07	—	—	·11	—	—	12
13	·10	—	—	·15	—	·01	—	—	·02	·05	—	·02	13
14	·25	—	—	·17	—	—	·01	—	·17	—	—	—	14
15	·57	·02	·13	·20	—	—	—	—	—	·11	·13	·51	15
16	·14	·82	—	·01	—	—	—	·02	—	—	·26	—	16
17	·01	·41	—	—	—	—	—	—	—	—	·25	·02	17
18	·01	—	·09	—	—	—	—	·21	·03	—	·13	·18	18
19	·01	·18	·81	—	—	·24	·63	·18	·10	—	·05	·08	19
20	·49	·03	·15	—	—	·04	·40	·30	·03	—	·12	·01	20
21	·25	·35	·13	—	—	—	·35	—	—	—	·04	·23	21
22	—	·19	·01	—	—	—	·05	—	·20	—	—	·43	22
23	—	—	—	—	—	·05	·07	·10	—	·60	—	·11	23
24	—	—	—	·22	—	—	·02	—	—	·23	—	·05	24
25	·07	—	—	·31	·19	—	—	·25	—	—	—	·06	25
26	·06	—	·17	·06	—	—	—	·09	·13	—	—	·35	26
27	·60	·01	·02	·49	—	·03	—	·03	—	·01	—	·06	27
28	—	—	—	·02	—	—	—	·71	—	·04	·04	·32	28
29	·17	✕	—	·05	—	·03	—	·19	—	·23	·24	·10	29
30	—	✕	·06	·23	—	·26	—	·04	—	·05	·14	·24	30
31	·04	✕	·13	✕	—	✕	·06	—	✕	·07	✕	·02	31
TOTAL	4·17	2·24	3·39	2·19	1·06	1·04	2·65 ~~2·67~~	2·24	1·64	1·80	2·41	3·95	YEAR'S TOTAL 28·78 ~~28·80~~
Days with ·01 in. or more	21	11	20	17	8	9	15	12	11	13	19	24	180 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

8 JAN 20

Kept at Ashley. Market Harborough.
in the County of Northampton.
by Major H. H. Matthews. T.D.

Lat. 52½ N. Long. 0·55 W.
Time of Observation 9 a.m.
Nearest Railway Station Ashley & Weston.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·27	·07	·02	·01	·16	—	·03	—	—	·07	·10	·53	1
2	·09	—	—	—	·01	—	·07	—	·17	·19	·48	·01	2
3	·84	—	·05	—	·04	—	·30	—	·18	—	·19	·04	3
4	·09	—	·40	—	—	·10	·05	·12	·05	—	·04	·23	4
5	—	·10	·03	—	—	—	·03	—	·56	—	—	·13	5
6	—	·06	·04	—	·58	—	—	—	—	—	·06	·16	6
7	·02	—	·22	—	·01	—	—	—	—	—	·01	—	7
8	·10	—	·05	·17	—	—	—	—	—	—	·02	—	8
9	—	—	—	·05	·02	—	—	—	—	—	·02	—	9
10	—	—	·28	·01	—	—	—	—	—	·04	·09	·06	10
11	·05	—	·38	·02	·05	—	·51	—	—	—	—	—	11
12	—	—	·22	·02	—	·28	·07	—	—	·11	—	—	12
13	·10	—	—	·15	—	·01	—	—	·02	·05	—	·02	13
14	·25	—	—	·17	—	—	·01	—	·17	—	—	—	14
15	·57	·02	·13	·20	—	—	—	—	—	·11	·13	·51	15
16	·14	·82	—	·01	—	—	—	·02	—	—	·26	—	16
17	·01	·41	—	—	—	—	—	—	—	—	·25	·02	17
18	·01	—	·09	—	—	—	—	·21	·03	—	·13	·18	18
19	·01	·18	·81	—	—	·24	·63	·18	·10	—	·05	·08	19
20	·49	·03	·15	—	—	·04	·40	·30	·03	—	·12	·01	20
21	·25	·35	·13	—	—	—	·35	—	—	—	·04	·23	21
22	—	·19	·01	—	—	—	·05	—	·20	—	—	·43	22
23	—	—	—	—	—	·05	·07	·10	—	·60	—	·11	23
24	—	—	—	·22	—	—	·02	—	—	·23	—	·05	24
25	·07	—	—	·31	·19	—	—	·25	—	—	—	·06	25
26	·06	—	·17	·06	—	—	—	·09	·13	—	—	·35	26
27	·60	·01	·02	·49	—	·03	—	·03	—	·01	—	·06	27
28	—	—	—	·02	—	—	—	·71	—	·04	·04	·32	28
29	·17	✕	—	·05	—	·03	—	·19	—	·23	·24	·10	29
30	—	✕	·06	·23	—	·26	—	·04	—	·05	·14	·24	30
31	·04	✕	·13	✕	—	✕	·06	—	✕	·07	✕	·02	31
TOTAL	4·17	2·24	3·39	2·19	1·06	1·04	2·65 ~~2·67~~	2·24	1·64	1·80	2·41	3·95	28·78 YEAR'S TOTAL ~~28·80~~
Days with ·01 in. or more	21	11	20	17	8	9	15	12	11	13	19	24	180 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1050

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ashley, Market Harborough

in the County of Northampton

by Major N. H. Matthews T.D.

Lat. 52½ N. Long. 0·58. W.

Time of Observation 9 a.m.

Nearest Railway Station Ashley & Weston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·30

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·13	·24	—	·14	—	·01	·17	·04	·22	1
2	—	—	—	·18	—	—	·13	·33	·10	·26	—	·10	2
3	—	·03	—	·53	·03	~~·49~~ —	~~·02~~ ·49	·02	·07	~~·08~~	—	·02	3
4	—	—	·03	·10	—	—	·03	·33	—	·35	—	·07	4
5	—	—	·06	—	·25	—	·80	·11	·05	—	—	·04	5
6	—	—	·15	·01	·06	—	·27	·01	—	—	—	·02	6
7	—	—	·09	·21	·04	—	·06	—	—	—	—	·01	7
8	·19	·07	·03	·57	·08	—	·10	—	—	—	—	—	8
9	·40	·03	·02	1·07	—	—	·01	·14	—	—	—	—	9
10	·13	·06	·03	·18	—	·01	·04	—	—	—	—	—	10
11	·20	·06	·01	·16	·24	·15	—	·10	—	—	—	·02	11
12	·03	—	—	·21	—	·12	—	·05	—	—	·04	·23	12
13	·03	·05	·07	·16	—	·09	—	—	·21	—	—	—	13
14	·01	·02	·43	·17	—	·17	—	—	·09	·20	·18	—	14
15	—	·07	·72	·06	—	—	·04	—	·42	·14	·09	—	15
16	—	—	·01	·04	·17	—	—	—	·10	·11	—	—	16
17	·02	—	—	·02	·11	—	—	—	·39	·10	—	·11	17
18	·13	—	—	·04	·06	—	·10	·16	·33	—	—	·03	18
19	·03	·12	—	·36	—	·13	—	·06	—	—	·02	·02	19
20	·08	·33	—	·35	—	·36	—	—	·01	—	·02	—	20
21	·04	·02	—	·01	—	·01	·11	·09	·09	—	—	·04	21
22	—	—	—	·21	—	—	·02	—	·18	—	—	—	22
23	·02	·02	—	—	—	—	·21	—	·01	·04	—	·32	23
24	—	—	·15	—	—	—	—	—	—	—	·04	·04	24
25	—	·05	·03	·12	—	·03	·57	—	—	·03	—	—	25
26	·22	—	·10	·03	·04	—	·01	—	·02	·02	·02	·01	26
27	·09	—	—	·11	—	·57	·12	—	·02	·02	·55	·27	27
28	·48	·02	·10	·01	·13	—	·02	—	—	·01	·10	·15	28
29	·09	—	·06	—	·26	·04	·02	—	—	—	·07	·42	29
30	·01	╳	—	·05	·03	·05	·04	—	·10	—	·08	·12	30
31	·09	╳	·05	╳	·05	╳	·10	—	╳	·33	╳	·10	31
TOTAL	2·29	·95	2·16	5·09	1·79	1·73	3·43	1·40	2·20	1·86	1·25	2·36	YEAR'S TOTAL 26·51 ✓
Days with ·01 in. or more	19	14	19	26	15	12	22	11	17	14	12	21	202 ✓
Days with ·04 in. or more	12	8	11	21	13	9	16	9	12	10	9	14	144

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

R

WINWICK WARREN
NORTHAMPTON
1911–1920

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at Winwi

in the County of No

by R. H ... welton

ft. in.

...vel 648 ft.

...5½ Direction S.W.

IMPORTANT NO... ...esult entered to the previous day. If an ... ...rule, he is earnestly requested to add the re... ...the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. :

Jan. 1, following.
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·03	—	—	—	—	—	—	—	·04	·09	1
2	·03	—	—	—	·14	—	·10	·03	·02	·06	·07	·05	2
3	—	·03	—	—	·16	—	—	·04	—	·03	·03	—	3
4	·06	·02	·10	·08	—	—	—	—	·10	·15	·28	·38	4
5	·01	—	—	·04	—	—	—	·19	—	·03	·03	—	5
6	·30	—	03	—	—	—	—	—	—	—	·07	·34	6
7	·02	—	—	·02	—	—	—	—	—	—	·13	·07	7
8	·13	—	·16	—	—	—	—	—	—	—	·03	·11	8
9	·09	—	—	·01	—	—	—	—	—	—	·02	·08	9
10	·02	·08	·35	—	—	—	—	·09	—	·02	—	·40	10
11	·14	—	—	—	—	—	—	1·00	—	—	·40	·03	11
12	—	—	·53	—	—	—	—	—	·26	—	·22	·02	12
13	—	—	·03	—	—	,03	—	—	·31	—	·02	·58	13
14	·02	·03	10	—	·02	—	—	—	—	—	·03	·47	14
15	—	·08	·12	—	—	—	—	—	—	·05	·10	·05	15
16	·01	—	—	—	·06	·05	—	—	—	·02	·32	·10	16
17	—	—	—	—	—	·13	—	—	—	—	·11	·21	17
18	—	·25	—	·01	·23	·07	—	—	—	—	·05	·10	18
19	—	—	—	—	—	·41	·03	—	·10	·10	·44	·12	19
20	·02	·09	—	—	—	·01	—	1·03	·11	·05	—	·55	20
21	—	·11	—	—	—	—	—	·77	—	·21	·02	·09	21
22	—	—	·12	—	—	·25	—	·07	—	·11	·03	·41	22
23	—	·12	·31	—	—	·45	—	—	·38	—	—	·12	23
24	·02	·10	·02	—	—	·49	—	·04	—	·79	—	·06	24
25	—	·04	·02	·09	·64	·06	—	·07	·01	·02	—	·03	25
26	—	·05	—	31	·67	·09	—	·03	—	·19	·20	·19	26
27	—	·25	11	·10	—	—	·03	·31	·21	·01	·05	·08	27
28	—	·22	—	·18	—	·02	—	·12	—	—	·03	·02	28
29	—		—	·03	—	·17	·15	·02	·17	·20	·02	—	29
30	—		·02	—	—	·12	—	—	—	·03	—	·02	30
31	—		—		·03		—	—		·05		·02	31
Total	·89	1·47	2·05	·87	1·95	2·35	·31	3·76	1·67	2·12	2·74	4·79	TOTAL for year 24·1
No. of Rain Days	14	14	15	10	8	14	4	14	10	18	24	28	173

7,000. X. '09.

17·2

24·97

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

REGISTER OF

Kept at Winwick Warren

in the County of Northampton

by R. H. Ainsworth

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground ft. in.
" " " Sea Level 648 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Welton
Distance 5½ Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·03	—	—	—	—	—	—	—	·04	·09	1
2	·03	—	—	—	·14	—	·10	·03	·02	·06	·07	·05	2
3	—	·03	—	—	·16	—	—	·04	—	·03	·03	—	3
4	·06	·02	·10	·08	—	—	—	—	·10	·15	·28	·38	4
5	·01	—	—	·04	—	—	—	·19	—	·03	·03	—	5
6	·30	—	03	—	—	—	—	—	—	—	·07	·34	6
7	·02	—	—	·02	—	—	—	—	—	—	·13	·07	7
8	·13	—	·16	—	—	—	—	—	—	—	·03	·11	8
9	·09	—	—	·01	—	—	—	—	—	—	·02	·08	9
10	·02	·08	·35	—	—	—	—	·09	—	·02	—	·40	10
11	·14	—	—	—	—	—	—	1·00	—	—	·40	·03	11
12	—	—	·53	—	—	—	—	—	·26	—	·22	·02	12
13	—	—	·03	—	—	·03	—	—	·31	—	·02	·58	13
14	·02	·03	10	—	·02	—	—	—	—	—	·03	·47	14
15	—	·08	·12	—	—	—	—	—	—	·05	·10	·05	15
16	·01	—	—	—	·06	·05	—	—	—	·02	·32	·10	16
17	—	—	—	—	—	·13	—	—	—	—	·11	·21	17
18	—	·25	—	·01	·23	·07	—	—	—	—	·05	·10	18
19	—	—	—	—	—	·41	·03	—	·10	·10	·44	·12	19
20	·02	·09	—	—	—	·01	—	1·03	·11	·05	—	·55	20
21	—	·11	—	—	—	—	—	·77	—	·21	·02	·09	21
22	—	—	·12	—	—	·25	—	·07	—	·11	·03	·41	22
23	—	·12	·31	—	—	·45	—	—	·38	—	—	·12	23
24	·02	·10	·02	—	—	·49	—	·04	—	·79	—	·06	24
25	—	·04	·02	·09	·64	·06	—	·07	·01	·02	—	·03	25
26	—	·05	—	31	·67	·09	—	·03	—	·19	·20	·19	26
27	—	·25	11	·10	—	—	·03	·32	·21	·01	·05	·08	27
28	—	·22	—	·18	—	·02	—	·12	—	—	·03	·02	28
29	—		—	·03	—	·17	·15	·02	·17	·20	·02	—	29
30	—		·02	—	—	·12	—	—	—	·03	—	·02	30
31	—		—		·03		—	—		·05		·02	31
Total	·89	1·47	2·05	·87	1·95	2·35	·31	3·46	1·67	2·12	2·74	4·79	TOTAL for year 24·
No. of Rain Days	14	14	15	10	8	14	4	14	10	18	24	28	173

7,000. X. '09.

17·22 24·97

cor'd for auth. 17·III·13

Wrote Fe... 17 III

FORM A2.
BRITISH RAINFALL.

15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Winwick Warren

in the County of Northamptonshire

Col.

by R. H. Ainsworth

RAIN GAUGE	Pattern
	Diameter of top in.
	Height of top above Ground ft. in.
	„ „ „ Sea Level 648 ft.
Time of Observation	9 a.m.
Nearest Railway Station	Name Welton
	Distance 5½ Direction W

rec'd. 20th/13.

CANFORD CHINE,
CANFORD C

IMPORTAN result entered to the previous day. If sal rule, he is earnestly requested to add the year in the space provided for it at the end of this measurement of rain, the selection and placing of rain gauges, to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·05	—	—	·08	·02	—	·04	·02	—	·11	1
2	—	·05	·08	·04	·02	·09	·50	—	—	—	—	·02	2
3	·11	—	·05	—	·10	·10	·22	·40	·04	—	·02	·04	3
4	·08	—	·65	—	·14	·53	—	·08	—	—	·22	—	4
5	·09	·04	·25	—	·02	·12	—	·35	·06	—	·09	·02	5
6	·35	·06	·02	—	·02	·07	·06	·47	·01	—	—	·05	6
7	—	·05	—	—	·07	·29	·02	·26	—	—	—	·03	7
8	·38	·31	·20	—	—	·20	·07	·32	·17	—	—	·02	8
9	·03	·09	·18	·12	—	·10	·03	·01	—	—	—	·19	9
10	—	—	—	·01	—	·01	—	·30	·01	—	·18	—	10
11	·11	·14	·02	—	—	·09	—	·01	—	—	·10	·35	11
12	·09	·32	·14	—	·07	—	·16	—	—	—	·15	—	12
13	·01	·03	—	—	—	·12	—	—	—	·02	·07	—	13
14	·10	—	·25	—	·06	·10	—	·04	—	·03	—	—	14
15	·06	·07	·08	—	·27	·25	—	·02	—	—	—	·19	15
16	·43	—	·11	—	·07	·13	—	·07	—	·10	·01	—	16
17	·70	—	·07	—	—	·13	—	·18	—	—	·02	·31	17
18	·11	·02	·10	—	—	—	—	·12	—	·05	·03	·08	18
19	·27	·07	·05	—	—	—	·12	·26	—	·03	·02	—	19
20	·10	·01	·24	—	—	—	·80	·32	—	·38	—	—	20
21	—	·03	·12	—	·36	—	—	·89	—	·23	·02	—	21
22	·40	·11	·01	—	·32	—	·55	·33	—	—	—	·03	22
23	·09	·29	·31	—	—	·10	·21	·50	—	—	·08	·36	23
24	·08	·02	—	—	—	·29	·04	·15	·01	—	—	·16	24
25	—	—	—	—	—	·46	—	·24	—	—	·23	·33	25
26	—	·07	·02	—	—	—	·09	1.16	—	·65	·20	·20	26
27	—	—	—	—	—	·14	—	—	—	·48	·01	·25	27
28	—	·03	—	—	—	·11	·07	·66	·06	·27	·30	·45	28
29	—	—	—	—	—	·35	·36	—	·85	·24	·02	—	29
30	·02		—	—	·29	—	—	—	·09	·65	—	—	30
31	·06		·09		·23		·59	·21		·01		·07	31
Total	3.63	1.81 1·81	3.09	·17	2.04	3.86	[illegible]	4·34	1·34	3·11	1·77	3.26	TOTAL for year [illegible] 4
No. of Rain Days.	[illegible]	19	22	3	14	22	17	24	10	14	18	20	5 205

3.94

W. 8,000, X. '11.

Simple

REGISTER OF RAINFALL IN 1913.

E4 M

FORM A2.
BRITISH RAINFALL.
24 JAN 1914

Kept at Winwick Warren
in the County of Northamptonshire
by R. H. Ainsworth

RAIN GAUGE: Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level 648 ft.
Time of Observation 9 - a. m
Nearest Railway Station: Name Welton station
Distance 5½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·02	·07	·13	—	—	—	—	·98	·02	·10	·01	1
2	·02	·14	—	·14	—	—	—	—	·15	·06	·02	—	2
3	·03	—	·15	—	·68	—	—	—	·05	·09	—	·07	3
4	·66	—	—	—	·05	·02	·05	—	—	·21	·09	·27	4
5	·01	·01	—	—	—	—	·14	—	·09	·61	·07	·03	5
6	—	·02	·09	—	·23	·20	·67	—	—	·15	—	·07	6
7	—	·12	—	—	·11	·04	·25	—	—	·50	·07	·03	7
8	—	·04	·03	—	·20	·09	—	—	—	·17	·09	—	8
9	—	·30	·05	·03	·02	·20	—	·06	·07	—	·10	·05	9
10	·05	—	·03	·05	—	—	—	·04	—	—	·46	—	10
11	·85	—	—	·57	·05	—	—	—	—	·17	·57	—	11
12	—	—	—	—	·10	—	—	—	—	·01	·78	—	12
13	·09	—	·04	·04	—	—	—	—	—	—	·20	—	13
14	·06	·01	·37	·02	—	—	·04	·10	·05	·13	·04	—	14
15	·13	·17	·36	·38	—	—	·02	—	·03	—	—	—	15
16	·03	·02	·41	·10	—	—	—	·03	·04	—	—	—	16
17	·10	·04	·49	·13	—	—	·02	—	·03	—	·05	·03	17
18	—	—	·10	·08	—	—	·11	—	·03	—	—	·02	18
19	·19	—	·11	—	—	—	·09	—	·05	·02	—	·02	19
20	·38	—	·09	·05	—	—	—	—	—	·28	·06	—	20
21	·03	—	·13	·05	·10	—	·02	—	—	—	·37	—	21
22	·56	—	·30	—	—	—	—	·18	·24	—	—	—	22
23	—	—	—	—	—	·05	·02	·09	·05	—	·02	—	23
24	·05	—	—	·13	—	—	—	—	—	—	—	—	24
25	·01	·13	—	·13	—	—	—	—	·02	—	—	·03	25
26	—	·05	·14	·21	—	—	—	·07	—	·32	·02	·17	26
27	—	·02	·02	·06	—	—	—	—	—	·02	—	—	27
28	·57	—	·25	·20	—	—	—	—	·01	·19	—	·07	28
29	·01		·18	·53	·04	—	—	·08	—	·17	—	·13	29
30	·19		—	—	—	—	—	—	—	·20	·15	—	30
31	·02		·02		·12		—	·09		—		—	31
Total	4·07	1.09	3.43	3·03	1.70	·60	1·43	·74	1·89	3·34	3·26	1·00	TOTAL for year 25·58
No. of Rain Days	22	14	21	19	11	6	11	9	15	18	18	14	178

9,000/ IX. '10.

Total. Inches 25·58 – 178 days

cml for arith 16.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

23 JAN 1915

Kept at Winwick Warren, Rugby
in the County of Northamptonshire
by Col. Ainsworth X

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Welton
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·06	—	—	·41	·30	—	—	·05	·14	1
2	·02	—	—	—	—	—	—	·15	—	·03	·42	·23	2
3	—	—	—	—	·16	—	·32	·08	—	—	·03	—	3
4	·19	—	·04	·24	—	—	—	·32	—	—	·38	·30	4
5	·06	—	·10	·15	·20	·20	·23	·05	—	—	·04	—	5
6	—	·05	—	—	·06	·02	·01	·02	—	—	·15	·07	6
7	—	·15	·40	·03	·08	—	·06	·04	—	—	·02	·06	7
8	·10	·03	·10	·04	·11	1·05	·05	·22	—	—	—	·04	8
9	·36	—	·26	·23	—	1·05	—	·03	·04	—	—	—	9
10	·07	·10	·02	·10	·12	—	—	—	·12	—	—	—	10
11	—	·14	·29	·09	·13	·18	—	—	·05	—	·28	·45	11
12	—	—	·10	—	—	—	·21	—	·26	—	·05	·29	12
13	—	·19	·25	—	—	—	—	—	·04	·21	~~05~~	·33	13
14	—	·04	·12	—	—	—	·21	—	—	·75	·18	·27	14
15	·03	·06	·18	—	—	—	·03	·03	·08	—	·10	·08	15
16	—	—	·08	—	—	—	·10	—	·04	—	—	—	16
17	—	·24	·12	—	—	—	—	—	·23	—	—	·27	17
18	·05	—	—	—	—	—	·22	—	·02	—	—	·50	18
19	—	—	·06	—	—	—	·05	—	·03	·01	—	·04	19
20	—	·19	·15	—	—	—	·07	—	·02	—	—	·17	20
21	—	·29	·12	—	—	—	—	—	—	·09	—	·24	21
22	—	—	·02	—	·38	·16	·07	·08	—	·21	—	—	22
23	—	·13	·09	—	·09	—	—	—	—	·05	—	·21	23
24	—	—	·05	—	·16	—	·13	—	—	·19	·19	—	24
25	·07	—	—	—	—	·02	·04	·28	—	·42	—	·25	25
26	—	—	·02	—	—	—	·02	·21	—	·07	·20	·37	26
27	·08	—	—	—	—	—	—	—	—	—	·02	·14	27
28	—	·09	—	—	·03	—	—	—	—	·12	·06	·37	28
29	·03		·15	—	—	—	—	—	—	·35	·09	·73	29
30	—		·03	—	—	·01	—	—	—	·03	·29	·28	30
31	·03		—		·04		·25	—		·02		—	31
Total	1·09	1·70 1·70	2·75	·94 ·91	1·56	2·69	2·48	1·81 ·81	·93	2·55	2·60 2·60	5·83	YEAR'S TOTAL 26·93
Rain Days.	12	13	22	8	12	8	18	13	11	14	18	23	172

172

W.7,000, XI. 13

1174

FORM A.
BRITISH RAINFALL.
14. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Winwick Warren
in the County of Northamptonshire
by Col. Ainsworth

Lat. Long.
Time of Observation 9.a.m
Nearest Railway Station Welton, L.&N.W.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·12	·13	—	·21	—	—	·03	·03	·09	·04	·16	1
2	·10	·15	·26	·21	—	·06	—	1.52	·02	·19	—	·10	2
3	·45	—	·06	·13	—	—	·19	·17	·18	—	—	·12	3
4	·15	—	—	—	·05	—	·08	·01	—	—	—	·56	4
5	·04	·34	—	—	·01	—	—	·05	—	—	·04	·31	5
6	·19	·09	—	·21	—	—	·84	·02	—	·02	—	·04	6
7	·08	·27	—	—	·09	—	·25	·13	—	—	—	·24	7
8	·05	·12	—	—	—	—	—	·03	—	—	·06	—	8
9	—	·02	—	—	—	—	—	—	—	—	·28	·43	9
10	·35	—	·03	—	—	—	—	·13	—	·03	·13	—	10
11	—	—	—	·02	·07	—	·21	—	—	—	·65	—	11
12	·04	—	—	·24	·36	—	·03	·23	·02	—	·90	·10	12
13	—	·56	—	—	·85	—	—	—	—	—	—	—	13
14	—	·05	—	—	—	—	·34	·03	·06	·03	—	·36	14
15	·28	—	—	—	·10	—	·05	·19	—	·02	·09	·20	15
16	—	·28	—	—	·04	—	1.11	·04	—	—	—	·03	16
17	—	·32	—	—	·09	—	·41	—	—	—	—	—	17
18	—	·09	·07	—	—	—	—	—	—	·02	·10	—	18
19	·03	—	·26	—	·03	—	·14	—	—	—	—	—	19
20	·36	·02	—	·01	—	—	—	—	—	·01	—	·27	20
21	·06	·12	—	—	·07	—	·15	—	—	—	—	·10	21
22	·21	—	·26	·03	—	—	·26	—	·02	—	—	·12	22
23	·02	—	·08	—	—	·03	·18	—	·09	·31	—	·45	23
24	—	—	·10	·05	—	·05	·09	—	1.35	·11	—	·10	24
25	—	—	—	—	—	·06	·12	—	·02	·06	—	·31	25
26	—	·16	—	—	—	—	·04	—	·04	—	—	·35	26
27	—	—	—	—	—	—	·16	—	—	·49	—	·03	27
28	—	—	—	—	—	—	—	·12	·10	·18	—	—	28
29	—		—	—	—	·06	·30	·09	—	—	·19	·11	29
30	·11	X	—	—	·01	·24	·04	·02	—	·03	·05	·09	30
31	·08	X	—	X	—	X	—	·07	X	·45	X	·08	31
Total	2·88	2·71	1.25	·93	1.98	·50	4·99	2·88	1·93	2·04	2·53	4·66	YEAR'S TOTAL 29·28
Rain Days.	18	15	9	8	13	6	20	17	11	15	11	23	166

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL. 16. JAN

Kept at Winwick Warren
in the County of Northamptonshire
by Col. Ainsworth

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Welton L.N.W. Rly
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	—	·08	—	—	·06	·23	—	—	·01	·23	—	1
2	·50	·03	·02	—	·18	—	·04	—	·02	·61	·02	—	2
3	—	·47	·07	—	—	—	·10	—	·27	·26	·05	—	3
4	·34	·02	—	—	·17	·25	·42	—	·04	·02	·10	—	4
5	·06	—	—	—	·06	·24	·01	—	—	·13	·28	—	5
6	—	·15	·17	·09	·05	·02	·73	—	—	·18	·34	—	6
7	·12	—	·22	—	·02	·02	·27	—	—	·12	·20	·12	7
8	—	—	—	—	—	—	—	—	—	—	·08	·17	8
9	·02	—	·05	—	·26	·11	—	—	—	·05	—	·04	9
10	—	·15	·14	·07	—	·04	·01	—	·10	—	·02	—	10
11	·05	·21	·08	·16	·15	·15	—	—	·03	—	·01	·08	11
12	·07	·09	·07	—	·47	·10	·17	—	·03	·05	—	—	12
13	—	·23	·06	·05	·06	·04	·05	·10	—	—	·02	—	13
14	—	·32	—	·04	·04	—	—	—	—	—	—	—	14
15	—	·17	·62	—	·03	—	·12	·09	·04	·04	—	—	15
16	—	·04	·48	·23	·06	—	·27	·09	—	·01	—	—	16
17	·15	·05	—	·12	—	—	·07	·49	·31	·27	—	—	17
18	—	·22	·04	·11	—	—	—	·48	·17	·02	·81	—	18
19	·06	·08	·28	·05	—	—	—	—	·11	—	·28	·17	19
20	·05	—	·16	·03	—	—	—	·02	—	—	·54	·32	20
21	—	—	·34	·19	—	—	·11	—	—	—	—	·58	21
22	—	—	·02	—	·08	·02	—	—	—	·04	—	·09	22
23	·05	·50	—	—	—	—	—	·05	—	·07	·10	·67	23
24	—	·63	·04	·04	—	·21	—	·06	—	·04	—	·12	24
25	—	·24	·15	—	·05	—	—	·32	—	·09	·17	—	25
26	—	·05	—	—	—	·06	—	·14	—	·10	·04	—	26
27	·04	·22	·54	—	—	—	·05	·04	·03	·30	—	—	27
28	—	·29	·20	·02	—	·02	—	—	—	·02	—	·21	28
29	—	·60	·06	—	·05	·31	—	1.23	—	·33	·02	·03	29
30	—		—	—	·06	·02	—	·07	—	·14	—	—	30
31	—		—		—		—	·02		·05		·05	31
Total	1.56	4.76	3.69 3.89	1.20	1.79	1.67	2.65	3.20	1.15	2.95	3.31	2.65	YEAR'S TOTAL 30.58 30.78
Rain Days.	13	21	22	13	16	16	15	14	11	23	18	13	195

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL

19 JAN 18

REGISTER OF RAINFALL IN 1917

Kept at Winwick Warren

in the County of Northamptonshire

by Col. Ainsworth

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Welton L.N.W. Rlwy
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·15	—	—	—	1,25	·18	—	·03	·02	1
2	·02	—	—	—	—	·09	—	·15	—	·05	·04	—	2
3	—	—	—	·28	—	—	—	·44	—	·20	·11	—	3
4	—	·39	·17	—	—	—	—	·03	—	·37	—	·04	4
5	·15	—	·06	·13	—	—	—	·01	·04	·07	·12	—	5
6	—	—	—	—	—	·16	—	—	—	·09	·03	—	6
7	·46	—	—	—	—	·02	—	—	—	·34	—	·08	7
8	·20	—	—	·12	—	—	·32	—	—	·39	·16	·11	8
9	·50	—	·19	·10	·09	—	·04	·22	—	—	·15	—	9
10	·53	—	·25	·16	,15	—	—	·07	—	—	·09	—	10
11	·06	—	·16	·24	—	—	—	·03	·04	·25	·02	—	11
12	·03	—	—	—	·08	—	—	·10	—	·33	·03	—	12
13	·10	—	—	—	—	—	—	·02	·10	·02	·02	—	13
14	·09	—	·04	·10	—	—	—	·22	—	—	—	—	14
15	·06	—	—	·08	·05	—	·06	·09	—	·04	—	·12	15
16	—	—	—	·16	—	—	·04	·13	—	·08	—	—	16
17	·07	—	—	·12	·44	1,30	·19	—	·08	·15	—	·03	17
18	—	·29	—	·15	·16	—	·16	·02	·85	·04	—	—	18
19	·05	·21	·46	—	·79	—	—	·04	·07	—	—	—	19
20	—	·20	·04	—	·63	·02	·03	—	—	—	·16	—	20
21	—	—	·10	·03	·05	·10	—	—	—	·02	·03	·10	21
22	—	—	·09	—	—	—	—	—	·03	·20	—	—	22
23	—	·13	—	—	·09	—	—	·03	—	·05	—	—	23
24	—	·04	—	—	—	·66	—	·24	—	·21	·06	·05	24
25	—	—	—	—	—	—	—	·05	—	—	·07	—	25
26	—	—	·06	—	—	—	—	—	·11	—	·10	—	26
27	—	—	—	—	—	·49	·01	·33	—	—	—	—	27
28	—	—	·05	—	—	·60	—	·59	—	·02	—	·09	28
29	—		—	—	—	·05	·02	·18	—	·38	—	·25	29
30	—	✕	—	—	—	—	·55	·24	—	—	—	—	30
31	—	✕	·17	✕	—	✕	·07	·04	✕	—	✕	—	31
Total	2·32	1·20	1·54	1·82	2·53	3·49	1·49	4·52	1·50	3·38	1·22	·89	YEAR'S TOTAL 25.90
Rain Days.	13	6	13	13	10	10	11	23	9	20	16	10	154

W. 8,000. X. 15.

2.48

made

Coaly C. 24.IV.19.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13.1

Kept at WINWICK WARREN

in the County of NORTHAMPTONSHIRE

by COL: AINSWORTH

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station WELTON. L.N.W. RLWY

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·07	·21	·17	—	—	—	—	—	—	·21	·02	1
2	—	·13	—	·06	—	—	—	·09	·03	—	·05	·16	2
3	—	·04	·05	—	·50	—	—	·05	·20	—	·38	·02	3
4	—	·02	·04	—	—	—	—	·02	·55	—	·56	·03	4
5	—	·10	—	—	·15	—	—	·14	·08	·07	—	—	5
6	—	·14	—	·20	—	—	—	—	·05	—	—	—	6
7	—	·09	—	·27	—	·05	—	—	·09	·12	·12	—	7
8	—	·07	·02	·02	—	—	—	—	·14	·05	—	·33	8
9	·10	·22	—	·04	—	·28	·20	—	·25	·29	—	·07	9
10	·07	—	—	·02	—	·03	·57	—	·06	·15	—	·05	10
11	—	·02	—	—	·07	—	·09	—	·07	·22	·02	·06	11
12	—	·13	·05	—	·21	—	·11	—	·06	—	—	—	12
13	—	·04	—	—	·10	·05	·03	—	·14	·03	—	·05	13
14	·32	—	—	·05	—	·02	·39	—	·35	·15	—	·07	14
15	·50	—	—	·67	—	·01	·18	—	·10	—	—	·22	15
16	·10	—	—	·59	—	·02	—	—	·09	—	—	—	16
17	·16	—	—	·05	·11	·30	·31	·05	—	·02	—	·12	17
18	·37	—	—	—	—	·15	·09	—	·76	—	—	·35	18
19	·03	·05	·04	·05	—	·05	·03	—	·02	·09	—	·14	19
20	·02	·13	—	·58	—	·07	·02	—	·08	·12	·04	·18	20
21	·05	—	—	·75	—	·01	·02	—	·35	·06	—	·07	21
22	·18	—	—	—	·25	—	·07	—	·04	·02	·02	·35	22
23	·07	—	—	—	·54	—	·04	—	·07	—	·02	—	23
24	—	·17	—	—	—	—	·15	—	·04	·02	·13	—	24
25	—	—	—	—	—	·05	·11	·26	—	·04	·05	—	25
26	—	—	—	—	—	—	·16	·05	·05	·02	·09	·21	26
27	—	—	—	—	—	—	·10	·27	·05	—	·08	·06	27
28	—	—	·17	—	—	·02	—	·03	—	—	·28	·10	28
29	—	—	—	—	—	—	—	—	1.08	—	·03	·03	29
30	—	X	·34	—	—	—	—	·13	·14	—	·10	·18	30
31	—	X	·28	X	—	X	—	·03	X	—	X	·35	31
Total	2.04	1.42	1.19	~~3.12~~ 3.52	1.93	1·11	2·75	1·12	4.86	1.47	2.20 2.00	3·22	YEAR'S TOTAL 26·43
Rain Days.	13	15	9	14	8	14	18	11	26	16	16	23	183

W. 8,000, IX. 17.

3.52

26.63

1

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at WINWICK WARREN
in the County of NORTHAMPTONSHIRE
by COLONEL R. H. AINSWORTH

Lat. Long. —
Time of Observation 9 a.m.
Nearest Railway Station WELTON. L.N.W.Ry
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·35	·10	·06	—	·18	—	·15	—	—	·13	·03	·47	1
2	·13	—	·02	—	·03	—	·27	—	.32	·19	·32	·08	2
3	·15	—	·09	—	·05	—	36	—	·18	—	·16	·13	3
4	·05	—	·37	—	—	·06	—	·20	[illegible]	—	·03	·17	4
5	·22	·35	·16	·03	—	—	·09	—	·43	—	—	·12	5
6	·24	—	·05	—	·74	—	—	—	[illegible]	—	·04	·07	6
7	·06	—	·27	—	·02	—	—	—	·1	—	—	—	7
8	·15	—	·06	·24	—	—	—	—	—	—	·02	—	8
9	·03	—	—	·19	—	—	—	—	—	—	·03	—	9
10	—	—	·34	·06	—	—	—	—	—	·04	·02	·07	10
11	·13	—	·40	·04	—	—	·40	—	—	—	—	·02	11
12	·04	—	·29	·05	—	·18	—	—	—	·10	·12	—	12
13	·12	—	—	·18	—	—	—	—	·03	·06	—	·05	13
14	·37	—	—	·16	—	—	·05	—	·12	·05	—	·02	14
15	·44	·12	·11	·14	—	—	—	—	—	·04	·16	·65	15
16	·21	·65	—	·05	—	—	—	·22	—	—	·24	·03	16
17	·02	·37	—	·02	—	—	—	—	—	—	·20	—	17
18	—	—	·08	—	—	—	·01	·12	—	—	·03	·20	18
19	·05	·22	·88	—	—	·13	·65	·19	·17	—	·04	·03	19
20	·54	·07	·30	—	—	·10	·41	·34	·02	—	·05	·02	20
21	·08	·44	·10	—	—	—	·37	—	—	—	·13	·15	21
22	—	·41	·03	—	—	—	·04	—	·42	—	—	·66	22
23	—	—	—	—	—	·13	—	·03	·03	·49	—	·07	23
24	—	—	—	·16	·03	—	·13	—	—	·38	·02	·02	24
25	·15	—	—	·04	·06	·05	—	·41	—	—	—	·05	25
26	·04	—	·16	·08	—	—	·02	·18	·08	—	·02	·37	26
27	·26	·03	—	·45	—	·04	—	·40	—	·03	·01	·06	27
28	·21	—	—	·02	—	—	—	·39	—	·01	·02	·25	28
29	·03		—	·04	—	·07	—	[illegible]	—	·29	·15	·23	29
30	—	✕	·18	·28	—	·26	—	·12	—	·06	·10	·25	30
31	—	✕	—	✕	—	✕	·08		✕	·08	✕	·03	31
Total	4.07	2.76	3.95	2.23	1.11	1.02	3.03	2.65	1.88	1.95	1.94	4.27	YEAR'S TOTAL 30.87
Rain Days.	24	10	19	18	7	9	14	12	12	14	22	26	187

W, 6,500, VII. 18. W W C

958

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at WINWICK WARREN

in the County of NORTHAMPTONSHIRE

by COLONEL R.H. AINSWORTH

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station WELTON. L.N.W.Ry

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 648 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·27

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·19	·26	—	·60	—	·03	·28	·03	·16	1
2	—	—	—	·04	—	—	·12	·11	·10	·20	—	·09	2
3	·02	·03	—	·30	—	·03	·35	—	·07	·09	—	·02	3
4	·02	—	·05	·16	—	—	·06	·39	·03	·28	—	·09	4
5	—	·02	·07	·02	·27	—	·51	·13	·03	·02	—	—	5
6	—	—	·15	·01	·07	—	·39	—	—	—	·02	—	6
7	·02	·02	·03	·15	·02	—	·10	—	—	—	—	·02	7
8	·27	·08	—	·57	·03	—	·13	—	—	·01	—	—	8
9	·43	—	—	1·21	—	—	·10	·12	—	—	—	—	9
10	·24	·05	·15	·73	—	·03	·10	—	—	—	·05	—	10
11	27	—	·05	·42	·28	·06	·02	·08	—	—	—	·03	11
12	·07	—	·04	·17	—	·47	·02	—	—	—	·03	·25	12
13	—	·03	·12	·12	—	—	—	—	·09	—	—	—	13
14	·06	·02	·42	·16	—	·36	·02	—	·20	·04	·20	—	14
15	—	·10	·40	·06	—	—	·04	—	·15	·03	·10	—	15
16	—	·02	·28	·03	·07	·56	—	—	·15	·10	—	—	16
17	—	—	—	·14	·13	—	—	—	·37	·04	—	·07	17
18	·25	—	—	·02	·10	—	·07	·22	·31	—	—	·02	18
19	—	·13	—	·38	—	·05	—	·06	·02	—	·03	·09	19
20	·08	·23	—	·32	—	·43	—	—	—	—	—	—	20
21	—	—	—	·02	—	—	·04	·13	·07	—	—	·05	21
22	—	—	—	·11	—	—	·02	·01	·15	—	—	—	22
23	·03	·03	—	—	—	—	·35	·01	—	—	·03	·35	23
24	—	·04	·14	—	—	—	—	·02	—	—	·02	·10	24
25	—	—	·03	·06	·20	—	·70	—	—	·02	—	·02	25
26	·28	—	·16	·02	·02	—	·07	—	—	—	·02	·04	26
27	·11	—	·02	·14	—	·55	—	—	—	—	·78	·29	27
28	·50	·02	·05	·02	·18	—	·05	—	—	·03	·10	·08	28
29	·07	—	·27	—	·65	·08	·05 ·09	—	—	—	·06	·52	29
30	·02	☒	—	·04	·05	·09	·01	—	15	—	·09	·19	30
31	·06	☒	—	☒	·03	☒	—	—	☒	·35	☒	·08	31
Total	2.78	.82	2.43 ~~2.33~~	5.01	2.36	2.71	4.00	1.28	1.95	9 1.48	1.56	2.49	Year's Total 28.88 ~~28.78~~
Days with ·01 in. or more	18	14	18	27	15	11	24	11	15	13	14	20	200
	13	6	14	20	11	9	19	8	13	8	8	13	142

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REG 11

NORTHANTS
WITTERING RECTORY
1911 - 1920

Kept at Wittering
in the County of No
by Sidney B. W

Snowdon
5 in.
ove Ground 1 ft. - in.
„ Sea Level about 175 ft.
9 a.m
Name Stamford
Distance 4 Direction N.W.

IMPORTANT NOTE.- nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	.01	·	·	·	.01	.01	·	·	.01	.01	1
2	.10	·	·	.02	.11	·	·	·	·	·	.04	.05	2
3	.02	.02	·	·	.09	·	·	.08	·	.09	.01	.01	3
4	.06	.02	.11	.10	·	·	·	·	.08	.27	.21	.23	4
5	.01	·	·	.06	·	·	·	.08	·	.05	·	.11	5
6	.28	·	.02	.03	·	·	·	.02	·	.02	·	.25	6
7	·	·	·	.01	·	·	·	·	·	·	.14	.25	7
8	.17	·	.11	·	·	·	·	·	.40	·	.06	.08	8
9	.08	·	·	·	·	·	·	·	·	·	.06	.02	9
10	.01	.03	.12	·	·	·	·	·	·	·	.01	.31	10
11	.15	·	·	·	·	·	·	.05	·	·	.37	·	11
12	.10	·	.31	·	·	·	·	·	.09	·	.09	.01	12
13	·	·	.09	·	·	·	·	·	.16	.01	·	.38	13
14	·	.05	.02	·	.32	.01	.01	·	·	.02	.01	.50	14
15	.03	.05	.13	·	·	·	·	·	·	.05	.01	·	15
16	·	·	.08	·	·	.01	·	·	·	.02	.32	.06	16
17	·	·	.02	·	·	.03	·	·	·	·	.04	.11	17
18	·	.16	·	·	·	.07	·	·	·	.01	.09	.03	18
19	·	.07	·	·	.09	.07	·	.02	.03	.15	.19	.07	19
20	·	.03	·	.02	·	.01	·	.47	.12	.11	·	.47	20
21	·	.27	·	·	·	·	·	.55	·	.06	·	.14	21
22	·	·	.12	.01	·	.12	·	.08	·	.16	·	.43	22
23	·	·	.17	·	·	.75	.01	·	.36	·	.01	.09	23
24	·	.07	·	·	·	.31	·	·	·	.52	·	.15	24
25	.01	·	.03	.10	.07	.06	·	·	·	.01	.03	.05	25
26	·	·	·	.18	.45	.04	.01	·	·	.28	.31	.30	26
27	·	.16	.03	.18	·	·	.12	.20	.14	·	·	.03	27
28	·	.11	·	.11	·	.06	·	·	·	·	.06	.02	28
29	·		.02	·	·	.12	.03	·	.19	.26	·	·	29
30	·		·	·	.07	.01	·	·	·	.09	.01	·	30
31	·		·		·		·	·		·		·	31
Total	1.02	1.04	1.49	.82	1.20	1.67	.19	1.56 1.56	1.57 ✓	2.18 ✓	2.08 ✓	4.16 ✓	TOTAL for year 19.08 18.98
No. of Rain Days.	12	12	16	11	7	14	6	10	9	18	21	26	162 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Wittering Rectory

in the County of Northampton 4

by Sidney B. Warde

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level abt 175 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Stamford
Distance 4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	.01	·	·	·	.01	.01	·	·	.01	.01	1
2	.10	·	·	.02	.11	·	·	·	·	·	.04	.05	2
3	.02	.02	·	·	.09	·	·	.08	·	.09	.01	.01	3
4	.06	.02	.11	.10	·	·	·	·	.08	.27	.21	.23	4
5	.01	·	·	.06	·	·	·	.08	·	.05	·	.11	5
6	.28	·	.02	.03	·	·	·	.02	·	.02	·	.25	6
7	·	·	·	.01	·	·	·	·	·	·	.14	.25	7
8	.17	·	.11	·	·	·	·	·	.40	·	.06	.08	8
9	.08	·	·	·	·	·	·	·	·	·	.06	.02	9
10	.01	.03	.12	·	·	·	·	·	·	·	.01	.31	10
11	.15	·	·	·	·	·	·	.05	·	·	.37	·	11
12	.10	·	.31	·	·	·	·	·	.09	·	.09	.01	12
13	·	·	.09	·	·	·	·	·	.16	.01	·	.38	13
14	·	.05	.02	·	.32	.01	.01	·	·	.02	.01	.50	14
15	.03	.05	.13	·	·	·	·	·	·	.05	.01	·	15
16	·	·	.08	·	·	.01	·	·	·	.02	.32	.06	16
17	·	·	.02	·	·	.03	·	·	·	·	.04	.11	17
18	·	.16	·	·	·	.07	·	·	·	.01	.09	.03	18
19	·	.07	·	·	.09	.07	·	.02	.03	.15	.19	.07	19
20	·	.03	·	.02	·	.01	·	.47	.12	.11	·	.47	20
21	·	.27	·	·	·	·	·	.55	·	.06	·	.14	21
22	·	·	.12	.01	·	.12	·	.08	·	.16	·	.43	22
23	·	·	.17	·	·	.75	.01	·	.36	·	.01	.09	23
24	·	.07	·	·	·	.31	·	·	·	.52	·	.15	24
25	.01	·	.03	.10	.07	.06	·	·	·	.01	.03	.05	25
26	·	·	·	.18	.45	.04	.01	·	·	.28	.31	.30	26
27	·	.16	.03	.18	·	·	.12	.20	.14	·	·	.03	27
28	·	.11	·	.11	·	.06	·	·	·	·	.06	.02	28
29	·		.02	·	·	.12	.03	·	.19	.26	·	·	29
30	·		·	·	.07	.01	·	·	·	.09	.01	·	30
31	·		·		·		·	·		·		·	31
Total	1.02	1.04	1.49	.82	1.20	1.67	.19	1.56 1.56	1.57 ✓	2.18 ✓	2.08 ✓	4.16 ✓	TOTAL for year 18.98
No. of Rain Days.	12	12	16	11	7	14	6	10	9	18	21	26	162 ✓

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

9 JAN 1913

17·III·13

REGISTER OF RAINFALL IN 1912

Kept at Wittering Rectory
in the County of Northampton 4
by Sidney B Warde

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station Stamford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level about 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	.01	·	·	·	.18	.15	·	.03	·	·	.26	1
2	·	.04	.03	·	.02	.17	.62	·	.02	·	·	·	2
3	.11	·	.45	·	.07	.48	.03	.47	.04	·	·	.11	3
4	.05	·	.44	·	.04	.26	·	.08	·	·	.25	·	4
5	.06	.08		·	·	.04	·	.09	.01	·	.05	·	5
6	.52	.09	·	·	·	.02	.67	.50	·	·	·	.05	6
7	·	.02	.12	·	·	.59	.02	.07	·	·	·	·	7
8	.45	.27	.02	·	·	.05	.01	·	.14	·	·	.02	8
9	·	.13	·	.05	.07	.31	.01	·	·	·	·	.12	9
10	·	–	·	·	·	.02	·	.07	·	·	.10	·	10
11	.16	.12	.06	·	·	.03	·	·	.02	·	·	.20	11
12	.10	.17	·	·	.12	.18	.07	·	·	·	.05	·	12
13	.03	.06	.07	·	·	.04	·	·	·	·	.17	.03	13
14	.10	·	.06	·	.06	.05	·	.02	·	·	·	·	14
15	·	.02	.07	·	.28	.16	·	·	·	·	·	.12	15
16	.44	·	.18	·	.08	.14	·	.05	·	.08	·	·	16
17	.43	·	.10	·	–	.26	·	.17	·	–	.06	.16	17
18	.20	·	·	·	·	·	.01	.03	·	.02	.01	.01	18
19	.28	.10	22	·	·	·	.19	.15	.03	·	.02	·	19
20	.12	·	·	·	.07	·	.57	.62	·	.22	·	·	20
21	·	.01	·	·	.48	·	.03	.50	·	.29	.03	·	21
22	.17	.04	(21)	·	.31	·	1.32	.46	·	.01	·	.01	22
23	.17	.23	·	·	.02	·	1.23	.31	·	·	.10	.23	23
24	.19	·	·	·	·	.36	.02	.19	·	·	·	.18	24
25	·	·	·	·	·	.15	·	.67	·	·	.19	.32	25
26	·	.02	·	·	·	.05	.55	1.63	·	.73	.15	.36	26
27	·	·	·	·	·	.07	.49	·	·	.31	·	.15	27
28	·	.01	·	·	·	·	.06	.45	.04	.38	.29	.45	28
29	·	.01	·	·	·	.31	.27	·	.50	.21	.05	·	29
30	.03		·	·	.18	·	·	·	.17	.29	·	·	30
31	·		.14		.61		.40	.15		·		·	31
													YEAR'S TOTAL
Total	3.61	1.43	2.17 ✓	.05	2.41	3.92	6.72	6.68	1.00	2.54	1.52	2.78	34.83
Rain Days.	18	18	16 ✓	1	14	22	20	20	10	10	14	17	180

W. 7,500, XI. '12

DL   cd for aults 9.III.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

12 JAN 1914

Kept at Wittering Rectory

in the County of Northampton   4

by The Rev. Sidney B. Warde

Lat. 53 D   Long. 19 1 9

Time of Observation 9 a.m.

Nearest Railway Station Stamford

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 175 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·	·08	·01	·	·	·	·	·72	·	·06	·	1
2	·	·08	·04	·	·12	·	·13	·	·01	·	·	·	2
3	·01	·	·12	·	·57	·	·01	·	·03	·03	·	·20	3
4	·28	·	·	·	·07	·	·01	·	·	·18	·11	·35	4
5	·	·	·	·	·	·04	·03	·	·05	·83	·01	·02	5
6	·	·01	·01	·	·78	·14	·03	·	·	·01	·	·	6
7	·	·06	·	·	·09	·06	·	·	·	·65	·02	·	7
8	·	·01	·	·	·36	·12	·	·	·	·01	·16	·	8
9	·	·23	·05	·01	·	·13	·07	·	·	·	·13	·01	9
10	·03	·	·	·	·10	·	·37	·24	·	·	·52	·	10
11	·75	·	·	·41	·	·	·	·33	·	·01	·06	·	11
12	·	·	·	·	·02	·01	·	·	·	·	·30	·02	12
13	·02	·	·02	·01	·	·	·	·	·03	·	·25	·	13
14	·03	·01	·28	·01	·	·	·10	·	·	·07	·01	·	14
15	·14	·	·42	·19	·	·	·01	·	·36	·	·01	·	15
16	·12	·01	·75	·10	·	·	·	·	·10	·	·	·	16
17	·09	·06	·17	·06	·	·07	·08	·	·01	·	·04	·05	17
18	·	·	·24	·03	·	·	·05	·	·29	·	·	·04	18
19	·06	·	·03	·	·	·	·03	·	·06	·	·	·02	19
20	·13	·	·11	·01	·	·	·	·	·03	·38	·	·	20
21	·03	·	·18	·	·10	·	·03	·	·	·	·16	·	21
22	·25	·	·14	·	·	·	·	·	·21	·	·	·	22
23	·01	·	·01	·	·	·03	·	·03	·04	·	·	·	23
24	·02	·	·	·11	—	·04	·	·	·	·	·	·	24
25	·	·	·	·11	·	·02	·	·	·	·01	·	·	25
26	·	·05	·24	·04	·	·	·	·	·	·33	·05	·18	26
27	·	·02	·01	·01	·	·	·01	·	·	·01	·	·	27
28	·34	·	·08	·12	·	·	·	·	·	·02	·	·07	28
29	·02		·18	·44	·07	·	·	·09	·01	·04	·	·07	29
30	·19		·	·01	·	·	·	·05	·	·10	·06	·01	30
31	·01		·		·04		·	·52		·		·	31
Total	2.54	.54	3.16	1.68	2.32	.76	.96	1.26	1.95	2.68	1.95	1·04 1·94	YEAR'S TOTAL 20.84 20.84
Rain Days.	20	10	20	17	11	10	14	6	14	15	16	12	165

W.7,000, XI. 13

~~written 6·III·15~~ cnd for anith 5·III·15 ~~W~~ LMCC

REGISTER OF RAINFALL IN 1914

w

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Wittering
in the County of Northampton 4
by The Rev. S. B. Warde

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Stamford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·	·	·03	·	·	·99	·24	·	·	·08	·03	1
2	·	·	·	·01	·	·	·02	·12	·	·	·07	·15	2
3	·	·	·01	·01	·13	·	·30	·01	·	·	·03	·	3
4	·11	·	·01	·18	·	·	·	·36	·	·	·46	·10	4
5	·02	·	·05	·11	·17	·05	·11	·16	·	·	·	·	5
6	·	·04	·	·01	·05	·	·14	·	·	·	·02	·01	6
7	·	·03	·40	·01	·01	·07	·01	·01	·	·	·	·62	7
8	·06	·03	·10	·02	·11	·98	·04	·15	·	·	·	·	8
9	·51	·01	·27	·26	·	·84	·	·	·	·	·	·	9
10	·43	·07	·	·05	·01	·	·	·	·05	·	·	·	10
11	·	·09	·30	·14	·20	·08	·	·	·03	·	·29	·21	11
12	·02	·	·08	·	·	·01	·17	·	·32	·	·	·28	12
13	·02	·10	·14	·	·	·	·	·	·	·46	·06	·25	13
14	·01	·01	·22	·	·	·	·05	·	·	·81	·06	·28	14
15	·04	·	·16	·	·	·01	·	·	·01	·16	·11	·14	15
16	·03	·	·02	·	·	·	·14	·	·02	·	·02	·	16
17	·03	·18	·01	·	·	·	·03	·	·06	·	·	·07	17
18	·01	·	·05	·	·	·04	·17	·	·	·	·	·41	18
19	·	·04	·17	·	·	·	·02	·	·04	·	·07	·01	19
20	·01	·11	·29	·	·	·	·	·	·01	·	·	·01	20
21	·01	·26	·11	·	·	·06	·	·	·	·08	·04	·18	21
22	·01	·	·	·	·33	·	·12	·12	·	·11	·	·	22
23	·	·01	·05	·	·05	·07	·01	·	·	·	·	·05	23
24	·	·	·03	·05	·12	·01	·02	·01	·	·13	·11	·	24
25	·01	·	·	·	·	·	·	·08	·	·49	·	·11	25
26	·	·	·04	·	·	·	·01	·18	·	·08	·12	·36	26
27	·	·	·	·	·	·	·	·	·	·	·	·16	27
28	·	·02	·	·	·04	·	·	·	·	·20	·11	1·20	28
29	·02		·09	·	·02	·	·	·	·	·41	·03	·	29
30	·	╳	·	·	·	·04	·	·	·	·05	·16	·22	30
31	·	╳	·	╳	·	╳	·08	·	╳	·01	╳	·05	31
Total	1·35	1·00	2·60	·88	1·24	2·26	2·43	1·44	·54	2·99	1·84	4·90	YEAR'S TOTAL 23·47 ~~22·27~~
Rain Days.	17	14	21	12	12	12	18	11	8	12	17	22	176 ✓

W. 8,000. X. 14.

ex + js

1235

REGISTER OF RAINFALL IN 19~~14~~ 15

FORM A.
BRITISH RAINFALL.
4. JAN 1916

Kept at Wittering Rectory

in the County of Northampton 4

by The Rev. Sidney B Warde

Lat. Long.

Time of Observation 8.50

Nearest Railway Station Stamford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level about 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·24	·	·	·26	·	·	·	·06	·	·14	·07	1
2	·03	·08	·12	·11	·	·03	·	·48	·08	·01	·03	·03	2
3	·25	·	·04	·13	·	·	·16	·21	·20	·	·	·18	3
4	·19	·	·01	·	·	·	·13	·01	·	·	·	·49	4
5	·03	·15	·	·	·47	·	·	·01	·	·	·03	·28	5
6	·08	·02	·01	·18	·	·	·77	·	·	·03	·	·02	6
7	·05	·29	·14	·01	·	·02	·11	·16	·	·	·	·12	7
8	·02	·18	·	·02	·	·	·	·02	·	·	·05	·	8
9	·01	·01	·	·	·	·18	·	·50	·	·01	·14	·42	9
10	·36	·	·01	·	·	·	·	·	·	·	·05	·	10
11	·	·	·03	·	·15	·	·16	·	·	·	·43	·16	11
12	·02	·	·01	·26	·41	·	·05	·06	·	·	1.75	·	12
13	·01	·40	·	·	1.23	·	·04	·27	·	·	·	·	13
14	·	·	·	·	·	·	·03	·	·	·03	·	·20	14
15	·22	·	·	·	·07	·	·	·43	·	·01	·21	·09	15
16	·	·25	·	·	·	·	1.00	·	·	·	·	·01	16
17	·	·13	·	·	·	·	·05	·	·	·	·	·04	17
18	·	·03	·24	·	·	·	·	·	·	·	·13	·01	18
19	·	·13	·	·	·	·	·06	·	·	·	·	·	19
20	·19	·	·	·	·	·	·	·	·	·	·	·22	20
21	·05	·05	·	·	·72	·	·07	·	·	·	·	·02	21
22	·11	·	·16	·02	·	·	·21	·	·01	·	·	·12	22
23	·01	·10	·01	·	·	·01	·05	·	·09	·22	·01	·26	23
24	·	·	·17	·	·	·	·25	·	·68	·03	·	·13	24
25	·	·	·04	·	·	·19	·09	·	·	·07	·	·23	25
26	·	·10	·01	·01	·	·	·16	·	·	·	·	·35	26
27	·	·02	·06	·	·	·07	·02	·	·	·49	·	·02	27
28	·	·08	·04	·	·	·05	·	·04	·07	·18	-	·	28
29	·		·	·	·	·37	·	·15	·	·	·13	·27	29
30	·07	╳	·01	·	·	·07	·01	·	·	·	·01	·03	30
31	·05	╳	·	╳	·	╳	·	·08	╳	·06	╳	·08	31
Total	1.94	2.26	1.11	·74	3.31	·99	3.42	2.42	1.19	1.14	3.11	3.85	YEAR'S TOTAL 26.48
Rain Days.	19	17	17	8	7	9	19	13	7	11	13	25	165

W. 8,000. X. 15.

1212

cord for auth

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Wittering Rectory

in the County of Northampton

by Sidney B. Warde

Lat. ______ Long. ______

Time of Observation 9 a.m.

Nearest Railway Station Stamford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ______ in.

" " " " Sea Level abt 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·	·05	·	·	·11	·19	·	·	·	·39	·	1
2	·42	·01	·15	·	·56	·	·08	·	·01	·20	·04	·	2
3	·	·21	·01	·	·01	·	·48	·	·40	·28	·04	·	3
4	·39	·21	·	·	·16	·07	·	·	·01	·02	·25	·	4
5	·	·	·	·02	·02	·17	·	·	·	·17	·36	·01	5
6	·06	·12	·22	·08	·	·	·25	·	·	·02	·30	·	6
7	·05	·	·35	·	·10	·	·22	·	·	·01	·14	·04	7
8	·	·	·03	·	·	·	·	·	·	·	·	·14	8
9	·	·	·04	·	·39	·08	·	·	·	·02	·	·03	9
10	·	·01	·16	·04	~~·06~~	·05	·	·	·05	·	·	·06	10
11	·02	·32	·19	·07	·06	·06	·	·	·	·	·	·03	11
12	·04	·01	·08	·	·60	·15	·04	·	·	·04	·	·	12
13	·	·18	·21	·04	·19	·10	·	·04	·	·	·	·	13
14	·	·40	·01	·01	·12	·	·	·18	·	·03	·	·	14
15	·	·18	·38	·08	·01	·	·17	·01	·	·	·	·	15
16	·	·08	·15	·11	·01	·	·05	·06	·	·	·	·	16
17	·02	·03	·01	·13	·	·	·21	·14	·24	·27	·	·	17
18	·	·17	·01	·04	·	·	·	·06	·03	·01	1·25	·	18
19	·08	·03	·14	·05	·	·07	·	·05	·08	·	·47	·15	19
20	·08	·	·18	·05	·	·	·01	·07	·	·	·18	·23	20
21	·	·	·33	·01	~~·08~~	·	·04	·	·	·	·01	·72	21
22	·	·08	·01	·	·08	·06	·	·	·	·02	·	·45	22
23	·03	·38	·	·	·	·26	·01	·01	·	·	·06	·29	23
24	·	·65	·	·03	~~·04~~	·01	·	·03	·	·01	·	·16	24
25	·	·13	·17	·	·04	·	·	·30	·	·04	·04	·01	25
26	·	·11	·	·	·	·02	·	·18	·	·02	·02	·	26
27	·02	·26	1·02	·	·	·02	·	·08	·01	·11	·	·	27
28	·	·38	1·35	·01	·	·06	·02	·	·	·	·	·15	28
29	·	·10	·	·	·	·25	·	1·85	·	·29	·	·03	29
30	·	✕	·	·	·	·12	·	·20	·	·16	·	·	30
31	·	✕	·	✕	·	✕	·	·03	✕	·02	✕	·	31
Total	1·22 1·22	4·05	5·25	·77	2·35	1·66	1·77	3·29 3·29	·83	1·74	3·55	2·50	YEAR'S TOTAL 28·98 28·98
Rain Days.	12	22	23	15	14	17	13	16	8	19	14	15	188

W. 8,000, VIII. 16

1168

FORM A. BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wittering Rectory

in the County of Northampton

by The Rev. Sidney B. Warde

Lat. .... Long. ....

Time of Observation 8.50

Nearest Railway Station Stamford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level about 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	·	·14	·	·	·	·93	·20	·	·01	·	1
2	·01	·02	·	·06	·	·06	·	·11	·	·03	·01	·	2
3	·	·	·	·05	·	·	·	·42	·	·11	·	·	3
4	·	·06	·05	·05	·	·	·	·26	·	·40	·02	·	4
5	·11	·	·03	·11	·	·	·	·14	·24	·	·10	·	5
6	·	·	·	·	·	·02	·	·	·	·06	·02	·	6
7	·44	·	·	·	·	·07	·	·	·	·35	·	·	7
8	·46	·	·	·14	·	·	·21	1·10	·	·31	·06	·	8
9	·13	·	·20	·02	·	·	·	·15	·	·01	·06	·01	9
10	·28	·	·30	·16	·01	·	·	·15	·	·11	·01	·	10
11	·02	·02	·07	·20	·	·	·	·29	·06	·18	·	·	11
12	·14	·03	·	·	·16	·	·	·18	·	·32	·	·01	12
13	·02	·	·06	·	·	·	·	·23	·01	·	·	·	13
14	·18	·01	·	·08	·	·	·	·29	·	·	·	·02	14
15	·04	·	·	·	·	·	·21	·16	·	·01	·01	·02	15
16	·06	·11	·	·08	·	·02	·02	·	·	·10	·	·08	16
17	·01	·02	·02	·15	·52	·25	·08	·01	·02	·09	·	·03	17
18	·04	·	·	·03	·04	·	·22	·01	·69	·	·	·	18
19	·	·11	·16	·	·04	·	·	·	·08	·	·	·	19
20	·01	·23	·10	·	·19	·	·	·	·	·	·12	·	20
21	·	·02	·01	·02	·01	·	·	·	·	·01	·01	·	21
22	·	·	·11	·	·	·	·	·11	·02	·10	·	·	22
23	·	·01	·	·	·08	·	·	·24	·06	·	·	·	23
24	·	·	·	·	·	·91	·	·01	·	·24	·02	·	24
25	·	·	·03	·	·	·	·	·01	·	·	·01	·	25
26	·	·	·03	·	·	·	·	·37	·17	·	·29	·	26
27	·	·	·	·	·	·05	·	·73	·	·	·	·02	27
28	·	·	·03	·	·	·63	·	·03	·	·	·	·06	28
29	·	·	·	·	·06	·10	·11	·	·	·40	·	·19	29
30	·02	X	·	·	·	·	·15	·20	·	·	·	·01	30
31	·02	X	·02	X	·	X	·15	·16	X	·	X	·12	31
Total	1·99 ✓	·64	1·22 ✓ 1·22	1·29 ✓	1·11 ✓	2·11 ✓	1·15 ✓	6·29 ✓	1·55 ✓	2·83 ✓	·75 ✓	1·07 ✓	YEAR'S TOTAL 21.40 ~~21.50~~
Rain Days.	17 ✓	11 ✓	15 ✓	14 ✓	9 ✓	9 ✓	8 ✓	24 ✓	10 ✓	17 ✓	14 ✓	11 ✓	159

W. 8,000, IX. 17.

187

~~W~~ Ely cwd for mth

60

FORM A.
BRITISH RAINFALL
2 · 1 · 19

REGISTER OF RAINFALL IN 1918

Kept at Wittering Rectory
in the County of Northamptonshire
by the Rev. Sidney B. Warde

Lat. .... Long. —
Time of Observation 8.40
Nearest Railway Station Stamford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level abt 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	·	·11	·	·	·	·	·	·	·10	·07	1
2	·01	·15	·	·08	·	·	·	·24	·	·	·02	·18	2
3	·	·01	·12	·	·75	·	·	·13	·05	·	·79	·	3
4	·	·01	·11	·	·01	·	·01	·02	·97	·01	·35	·	4
5	·	·09	·	·01	·13	·	·	·09	·37	·05	·	·	5
6	·01	·04	·	·10	·	·03	·	·01	·	·	·	·05	6
7	·06	·09	·	·13	·	·06	·	·	·	·10	·06	·	7
8	·	·	·	·	·	·	·	·	·04	·01	·02	·06	8
9	·02	·17	·	·04	·	·	·01	·	·37	·18	·	·02	9
10	·	·01	·	·10	·	·01	·37	·	·02	·19	·	·06	10
11	·	·	·	·04	·12	·	·17	·	·20	·40	·	·08	11
12	·02	·14	·02	·01	·09	·	·09	·	·03	·	·	·02	12
13	·	·01	·	·02	·33	·	·	·	·14	·	·	·02	13
14	·28	·01	·	·04	·	·01	·39	·	·21	·13	·	·03	14
15	·62	·	·	·74	·	·	·06	·	·21	·	·	·21 ~~·01~~	15
16	·02	·	·01	·35	·	·07	·	·	·42	·	·	· ~~·21~~	16
17	·30	·	·	·21	·01	·	·59	·01	·	·	·	·10	17
18	·21	·	·	·01	·	·06	·22	·	·22	·02	·	·22	18
19	·02	·	·03	·02	·	·04	·01	·	·	·12	·	·13	19
20	·03	·02	·	·20	·	·04	·02	·	·02	·18	·	· ~~·13~~	20
21	·04	·	·	·02	·	·	·	·	·30	·24	·	·02	21
22	·06	·	·	·	·03	·01	·02	·	·01	·01	·	·25	22
23	·12	·	·	·	·28	·	·06	·	·02	·	·01	·03	23
24	·	·14	·	·03	·	·	·14	·	·03	·01	·04	· ~~·03~~	24
25	·	·	·	·	·	·	·01	·27	·	·02	·03	·	25
26	·	·	·	·	·	·	·13	·	·03	·	·15	·04	26
27	·	·	·	·	·	·07	·06	·22	·12	·	·18	·01 ~~·04~~	27
28	·	·12	·12	·	·	·02	·	·03	·	·	·22	·05	28
29	·		·	·	·	·	·	·	·82	·	·02	·02	29
30	·01	✕	·22	·	·	·	·	·	·01	·	·05	·16 ~~·02~~	30
31	·	✕	·13	✕	·	✕	·	·	✕	·07	✕	·01	31
Total	1·84 ~~1·74~~	1·02	·76 ~~·78~~	2·26	1·75	·42	2·36	1·02 ~~1·00~~	4·61	1·74	2·04	1·84 ~~1·94~~	YEAR'S TOTAL 21·66
Rain Days.	17	15	8	19	9	11	17	9	22	16	14	23	180

W. 6,500, VII. 18. W W C

1101

5 JA 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION**

REGISTER OF RAINFALL IN 1919.

Kept at Wittering Rectory

in the County of Northampton

by The Rev. S. B. Warde

Lat. Long.

Time of Observation 8.40

Nearest Railway Station Stamford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·06	·01	·	·08	·	·24	·	·	·01	·19	·52	1
2	·15	·	·01	·	·	·	·40	·	·02	·04	·49	·22	2
3	·78	·	·05	·	·02	·	·44	·19	·05	·	·22	·	3
4	·09	·	·45	·	·	·10	·02	·	·01	·	·03	·19	4
5	·02	·12	·02	·	·	·	·	·	·78	·	·	·06	5
6	·	·	·02	·	1·09	·	·	·	·	·01	·04	·04	6
7	·02	·	·18	·	·	·	·	·	·	·	·01	·	7
8	·08	·	·02	·08	·	·	·	·	·	·	·06	·	8
9	·	·	·01	·01	·	·	·	·	·	·	·01	·	9
10	·	·	·20	·06	·	·	·	·	·	·02	·07	·06	10
11	·09	·	·34	·03	·06	·	·67	·	·	·	·02	·	11
12	·	·	·19	·	·	·15	·06	·	·02	·02	·01	·	12
13	·15	·	·	·16	·	·	·	·	·	·02	·01	·	13
14	·26	·02	·	·18	·	·	·	·	·03	·	·01	·	14
15	·25	·03	·11	·06	·	·	·	·	·	·	·26	·46	15
16	·06	·98	·	·02	·	·	·	·	·	·	·11	·	16
17	·01	·77	·	·	·	·	·	·	·	·	·19	·01	17
18	·	·	·01	·	·	·	·	·16	·	·	·	·13	18
19	·	·18	·75	·	·	·09	·56	·15	·13	·	·06	·02	19
20	·57	·02	·21	·	·	·19	·32	·37	·01	·	·13	·02	20
21	·40	·47	·18	·	·	·	·40	·	·	·	·	·21	21
22	·	·15	·04	·	·	·	·01	·	·24	·	·	·33	22
23	·	·	·	·03	·	·	·08	·	·02	·60	·	·01	23
24	·	·	·	·16	·03	·14	·	·	·	·12	·	·02	24
25	·06	·	·	·01	·12	·01	·	·32	·	·	·	·08	25
26	·05	·	·20	·02	·	·	·	·05	·05	·	·	·37	26
27	·49	·18	·	·63	·	·	·	·02	·	·	·01	·01	27
28	·04	·	·	·10	·	·	·01	·77	·	·15	·03	·38	28
29	·05		·	·07	·	·	·	·15	·	·20	·19	·21	29
30	·01	×	·	·28	·	·31	·	·01	·	·09	·06	·26	30
31	·08	×	·03	×	·	×	·01	·	×	·17	×	·02	31
Total	3·99	2·98	3·03	1·90	1·40	·99	3·22	2·19	1·36	1·45	2·21	3·63	Year's Total 28·35
Days with ·01 in. or more	22	11	20	16	6	7	13	10	11	12	22	22	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W/o~~ cwd frank

1044

JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 192.........

Kept at Wittering Rectory

in the County of Northampton

by The Rev. Sidney B. Warde

Lat. .... Long. ....

Time of Observation 8.30

Nearest Railway Station Stamford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level abt 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	•	•	.01	.12	.19	•	.17	•	.03	.33	.03	.10	1
2	•	•	•	.07	.01	•	.06	.68	.11	.15	•	.06	2
3	•	•	•	.03	.02	.04	.97	.01	.05	.07	•	.01	3
4	•	•	.02	.15	•	•	.09	.39	.03	.21	•	.08	4
5	•	•	.05	•	.18	•	.75	.14	.03	•	•	.04	5
6	•	•	.08	.01	.04	•	.26	•	•	•	•	.03	6
7	•	•	.09	.11	.01	•	.12	•	•	•	•	.01	7
8	.66	.02	•	.53	.06	•	.02	•	•	.02	•	•	8
9	.43	•	•	.93	•	•	•	.06	•	•	•	•	9
10	.10	.04	.03	.25	•	.01	.01	.01	•	•	.04	•	10
11	.21	•	.03	.22	.17	.02	.04	.05	•	•	•	.23	11
12	.07	•	.01	.24	•	.15	•	.07	•	•	.01	.09	12
13	.06	.04	.06	.09	•	.18	•	•	.09	•	.02	.01	13
14	•	.05	.47	.12	•	.26	.01	•	.12	.11	.15	•	14
15	•	.03	.82	.05	•	•	.01	•	.25	.03	.10	.03	15
16	.01	•	.01	.01	.01	•	•	•	.24	.01	•	.04	16
17	•	•	•	.01	.12	•	•	•	.50	.01	•	.08	17
18	.05	•	•	•	•	.14	.14	.17	.19	•	•	.01	18
19	.06	.14	•	.08	•	.06	•	.02	.03	•	.01	.02	19
20	.02	.41	•	.24	•	.49	•	•	.01	•	.01	•	20
21	.01	•	•	.06	•	•	.11	.05	.08	•	•	.01	21
22	•	•	•	.17	•	•	.05	•	.31	•	.02	•	22
23	•	.01	•	•	•	•	.09	•	•	.01	.02	.37	23
24	•	•	.15	•	•	•	•	•	•	.01	.01	.03	24
25	•	.11	.02	.07	.62	.04	.48	•	•	.01	.01	•	25
26	.08	•	.08	•	.04	•	.03	•	•	.01	•	•	26
27	.08	.02	.01	.09	.01	.79	.02	•	•	.01	.28	.66	+18 27
28	.44	•	.08	•	.12	.01	.03	•	•	•	.03	.06	28
29	.06	•	.19	•	.68	•	.02	•	•	•	.07	.43	29
30	.01	×	•	•	•	.01	.04	•	.12	•	.08	.16	30
31	.04	×	.01	×	.02	×	.21	•	×	.11	×	.08	31
Total	1.89 ~~1.83~~	.87 ~~[illegible]~~	2.22 ~~2.12~~	3.65 ~~3.63~~	2.30	2.20 ~~[illegible]~~	3.73 ~~3.75~~	1.65	2.19	1.10	.89	2.16	24.85 ~~24.78~~
Days with ·01 in. or more	17	10	19	22	16	13	23	11	16	15	16	23	201
Days with ·04 in. or more	13	6	10	18	10	9	15	8	11	6	6	14	126

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

//

REGIS … 4

FORM A.
BRITISH RAINFALL.
29 JAN 1915

NORTHANTS.

WITTERING - WHITEWATER LODGE

1914 + 1919 ONLY

Kept at Whitewater Lodge

in the County of Nor … Stamford

… 8 in.

by Thos Mo … bove Ground 3 ft. – in.

…, Sea Level 241.3 ft.

IMPORTANT NOTE.- … nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.03			.30	.24			.09		1
2				.01			.01	.14			.09	.18	2
3					.13	.04	.32	.05			.10	~~.10~~	3
4				.18				.16			.48		4
5				.10	.13½		.10½	.14			.03	.10	5
6				.03	.06		.20						6
7				.02	.02	.08							7
8				.04	.10	1.02	.11	.18					8
9				.27		.90							9
10				.07	.02								10
11				.14	.15	.10			.08		.35	.29	11
12							.19		.31			.32	12
13										.37	.04	.26	13
14							.01			.85	.07	.30	14
15									.02 ~~.08~~		.15	.07	15
16							.16						16
17							.09		.10			.11	17
18						.05	.13					.36	18
19							.02				.06		19
20						.04						.07	20
21										.02		.13	21
22				.01	.25	.06	.06	.13		.09			22
23					.04½								23
24				.06	.13		.02			.14	.11		24
25								.15		.09	.11	.23	25
26								.37		.47		.26	26
27												.12 ~~.26~~	27
28					.04					.07	.10	1.00	28
29					.03					.24	.04		29
30		✕				.05				.31	.15	.23	30
31		✕		✕	.01	✕	.09		✕	.05	✕	.05	31
Total			2.28	.96	1.12	2.34	1.81½	1.59	.51	2.70	1.97	4.09	YEAR'S TOTAL
Rain Days.			21.	12	13	9	15	9	4	11	15	14	

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
29 JAN 1915

Kept at Whitewater Lodge Wittering

in the County of Northants

by Thd Mootte

Lat. Long.

Time of Observation

Nearest Railway Station Stamford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. – in.

" " " " Sea Level 241.3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.03			.30	.24			.09		1
2				.01			.01	.14			.09	.18	2
3					.13	.04	.32	.05			.10	~~.10~~	3
4				.18				.16			.48		4
5				.10	.13½		.10½	.14			.03	.10	5
6				.03	.06		.20						6
7				.02	.02	.08							7
8				.04	.10	1.02	.11	.18					8
9				.27		.90							9
10				.07	.02								10
11				.14	.15	.10			.08		.35	.29	11
12							.19		.31			.32	12
13										.37	.04	.26	13
14							.01			.85	.07	.30	14
15									.02		.15	.07	15
16							.16						16
17							.09		.10			.11	17
18						.05	.13					.36	18
19							.02				.06		19
20						.04						.07	20
21										.02		.13	21
22				.01	.25	.06	.06	.13		.09			22
23					.04½								23
24				.06	.13		.02			.14	.11		24
25								.15		.09	.11	.23	25
26								.37		.47		.26	26
27												.13 ~~.26~~	27
28					.04					.07	.10	1.00	28
29					.03					.24	.04		29
30		×				.05				.31	.15	.23	30
31		×		×	.01	×	.09		×	.05	×	.05	31
Total			2.28	.96	1.12	2.34	1.81½	1.59	.51	2.70	1.97	4.09	YEAR'S TOTAL
Rain Days.			21.	12	13	9	15	9	4	11	15	14	

W. 8,000. X. 14.

102

6 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Whitewater Wr Wittering

in the County of Northants

by W J Richards

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station G. N. Stamford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 3 ft. in.

„ „ „ „ Sea Level 241' 3 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38				·10		·08				·12	·65	1
2	·14						·33		·21	·05	·45	·09	2
3							·18		·04		·19		3
4	·79		·40			·12	·02					·17	4
5	·09								·83			·05	5
6	·03				1·11						·09		6
7													7
8	·08		·25	·13									8
9						·02					·08		9
10			·22							·03		·10	10
11			·40				·77	·27					11
12			·26½			·14	·02						12
13	·32									·05			13
14	·23			·50									14
15			·10	·06								·46	15
16	·23	1·15									·47		16
17		·55									·17		17
18								·17				·12	18
19		·17	1·07			·15	·72	·21	·18		·07		19
20			·27			·13	·33	·32					20
21	·99	·51	·20				·43						21
22		·22	·07½						·24				22
23							·08			·66	·11	·54	23
24				·20						·09			24
25	·09			·02	·17	·13		·37					25
26			·14					·14	·05				26
27		·25		·55				·03				·49	27
28							·02	·36		·11		·41	28
29				·09						·21			29
30		×		·28		·32				·14	·29	·48	30
31	·69	×		×		×			×	·17	×		31
Total	4·06 ✓	2·85 ✓	3·38 ✓	1·83 ✓	1·38 ✓	1·01 ✓	2·98	1·84 ✓	1·55 ✓	1·51 ✓	2·04 ✓	3·56 ✓	Year's Total 28·02 ✓
Days with ·01 in. or more													

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

REG 11

NORTHANTS.
WOODFORD HOUSE (NR THRAPSTONE).
1911–1918

Kept at Woodford Hou

isher 8 in.

ove Ground 1 ft. in.

in the County of North

, Sea Level 252 ft.

9AM.

by E. N. Plevi

Name Cranford
Distance 1 Mile Direction W.N.W.

IMPORTANT NOTE.- nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·01	·03	—	—	—	·05	—	—	·01	·02	1
2	·06	—	—	—	·19	—	—	·01	·01	—	·05	·04	2
3	—	·01	—	—	·21	—	—	·07	—	·06	·04	·01	3
4	·01	·02	·07	·02	—	—	—	—	·06	·28	·16	·32	4
5	—	—	—	·01	—	—	—	·09	—	·03	—	·01	5
6	·25	—	·01	—	—	—	—	—	—	—	·04	·25	6
7	—	—	—	·02	—	—	—	—	—	·01	·17	·22	7
8	·13	—	·12	—	—	—	—	—	—	—	·04	·08	8
9	·08	—	—	·02	—	—	—	—	—	—	·06	·02	9
10	·01	·07	·17	·01	—	—	—	—	—	—	·06	·23	10
11	·17	—	—	—	—	—	—	·34	—	—	·39	·01	11
12	·09	—	·41	—	—	—	—	—	·03	—	·19	—	12
13	—	—	·05	—	·01	—	—	—	·28	·01	—	·33	13
14	—	·02	·02	—	·40	—	—	—	—	·06	—	·28	14
15	—	·04	·13	—	—	—	—	—	—	·02	·12	·01	15
16	—	—	·05	—	—	·03	—	—	—	·01	·36	·08	16
17	—	—	·01	—	—	·03	—	—	—	—	·05	·16	17
18	—	·17	—	—	—	·10	—	—	—	—	·05	·04	18
19	—	·04	—	—	·05	·08	—	—	·07	·03	·32	·02	19
20	·01	·04	—	·03	—	·04	—	·39	·09	·07	—	·37	20
21	—	·08	—	—	—	—	—	1·33	—	·09	—	·12	21
22	·02	—	·10	·01	—	·04	—	·06	—	·30	·02	·35	22
23	—	·09	·18	—	—	·53	—	—	·31	—	—	·15	23
24	·01	·09	—	—	—	·28	—	—	—	·43	—	·07	24
25	—	·04	·01	·05	·50	·05	—	·08	—	—	—	—	25
26	—	—	—	·29	·56	—	·02	—	—	·25	·12	·20	26
27	—	·20	·16	·16	—	—	·40	·01	·08	—	—	·04	27
28	—	·16	—	·13	—	—	—	·25	—	—	·06	—	28
29	—		—	—	—	·12	·05	—	·19	·25	·01	—	29
30	—		—	·01	—	·03	—	—	—	·08	—	·01	30
31	—		—		·05		—	—		·01		—	31
Total	·85	1·07	1·50	·79	1·97	1·33	·47	2·68	1·12	1·99	2·32	3·44	TOTAL for year 19·53
No. of Rain Days.	12	14	15	13	8	11	3	11	9	17	20	26	159

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

6 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Woodford House
in the County of Northampton 4
by E. N. Plevins.

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 252 ft.
Time of Observation 9 AM.
Nearest Railway Station
Name Cranford
Distance 1 mile Direction W.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·01	·03	—	—	—	·05	—	—	·01	·02	1
2	·06	—	—	—	·19	—	—	·01	·01	—	·05	·04	2
3	—	·01	—	—	·21	—	—	·07	—	·06	·04	·01	3
4	·01	·02	·07	·02	—	—	—	—	·06	·28	·16	·32	4
5	—	—	—	·01	—	—	—	·09	—	·03	—	·01	5
6	·25	—	·01	—	—	—	—	—	—	—	·04	·25	6
7	—	—	—	·02	—	—	—	—	—	·01	·17	·22	7
8	·13	—	·12	—	—	—	—	—	—	—	·04	·08	8
9	·08	—	—	·02	—	—	—	—	—	—	·06	·02	9
10	·01	·07	·17	·01	—	—	—	—	—	—	·06	·23	10
11	·17	—	—	—	—	—	—	·34	—	—	·39	·01	11
12	·09	—	·41	—	—	—	—	—	·03	—	·19	—	12
13	—	—	·05	—	·01	—	—	—	·28	·01	—	·33	13
14	—	·02	·02	—	·40	—	—	—	—	·06	—	·28	14
15	—	·04	·13	—	—	—	—	—	—	·02	·12	·01	15
16	—	—	·05	—	—	·03	—	—	—	·01	·36	·08	16
17	—	—	·01	—	—	·03	—	—	—	—	·05	·16	17
18	—	·17	—	—	—	·10	—	—	—	—	·05	·04	18
19	—	·04	—	—	·05	·08	—	—	·07	·03	·32	·02	19
20	·01	·04	—	·03	—	·04	—	·39	·09	·07	—	·37	20
21	—	·08	—	—	—	—	—	1·33	—	·09	—	·12	21
22	·02	—	·10	·01	—	·04	—	·06	—	·36	·02	·35	22
23	—	·09	·18	—	—	·53	—	—	·31	—	—	·15	23
24	·01	·09	—	—	—	·28	—	—	—	·43	—	·07	24
25	—	·04	·01	·05	·50	·05	—	·08	—	—	—	—	25
26	—	—	—	·29	·56	—	·02	—	—	·25	·12	·20	26
27	—	·20	·16	·16	—	—	·40	·01	·08	—	—	·04	27
28	—	·16	—	·13	—	—	—	·25	—	—	·06	—	28
29	—		—	—	—	·12	·05	—	·19	·25	·01	—	29
30	—		—	·01	—	·03	—	—	—	·08	—	·01	30
31	—		—		·05		—	—		·01		—	31
Total	·85	1·07	1·50	·79	1·97	1·33	·47	2·68	1·12	1·99	2·32	3·44	TOTAL for year 19·53
No. of Rain Days.	12	14	15	13	8	11	3	11	9	17	20	26	159

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

Ex ml

FORM A.
BRITISH RAINFALL.
20 JAN 1913

Kept at Woodford House
in the County of Northampton, 4
by E. N. Plevins.

Lat. 52·22N. Long. 0·37W.
Time of Observation 9 A.M.
Nearest Railway Station Cranford.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	trace	·01	—	—	·04	·11	—	·05	—	—	·06	1
2	—	·02	·07	—	Trace	·65	·44	—	—	—	—	·02	2
3	·11	—	·03	—	·04	·13	·19	·42	·04	—	—	·10	3
4	·03	—	·44	—	·09	·36	—	·01	—	—	·27	—	4
5	·07	·10	·18	—	—	·13	—	·10	·01	—	·07	—	5
6	·27	·12	—	—	—	·09	·19	·31	—	—	—	·02	6
7	—	·01	·01	—	·01	·61	·05	·06	—	—	—	·02	7
8	—	·23	·13	—	—	·07	·11	·71	·06	·01	—	·01	8
9	·31	·09	·02	·05	—	·15	·02	·01	—	—	—	·09	9
10	—	trace	trace	—	—	·17	—	·08	—	—	·22	—	10
11	·14	·08	—	—	—	·04	—	—	—	—	·01	·24	11
12	·08	·21	·04	—	·05	·19	—	—	—	—	·02	—	12
13	·01	·02	—	—	—	·05	—	·24	—	—	·07	·01	13
14	·07	trace	·04	—	·10	·24	—	·02	—	—	—	—	14
15	—	·03	·15	—	·30	·14	—	·01	—	—	—	·15	15
16	·48	—	·06	—	·10	·01	—	·06	—	·04	—	—	16
17	·41	—	·18	—	—	·12	—	·15	—	—	·02	·20	17
18	·12	trace	·06	—	—	—	—	·02	—	—	·01	·04	18
19	·22	·08	trace	—	—	—	·18	·24	trace	·03	·03	—	19
20	·03	—	·13	—	·04	—	·17	·46	—	·14	—	—	20
21	—	·01	·14	—	·61	—	—	·74	—	·16	·04	—	21
22	·40	·08	—	—	·09	—	·96	·29	—	·12	—	·01	22
23	·10	·30	·31	—	—	—	·93	·34	—	—	·04	·31	23
24	·11	·01	—	—	—	·13	·01	·28	—	—	—	·12	24
25	—	—	—	—	—	·13	—	·47	—	—	·18	·37	25
26	—	·02	·02	—	—	·04	·19	1·72	—	·61	·24	·20	26
27	·01	—	—	—	—	·06	·36	·04	—	·31	—	·26	27
28	—	·01	—	—	—	—	·20	·48	·04	·19	·14	·65	28
29	—	·01	—	—	—	·05	·24	—	·61	·27	—	—	29
30	·01		—	—	·13	·04	—	—	·16	·15	—	—	30
31	—		·08		·11		·48	·16		—		—	31
Total	2·98	1·43	2·10	·05	1·67	3·64	4·83	7·42	·97	2·03	1·36	2·88	YEAR'S TOTAL 31·36
Rain Days.	19	18	19	1	12	23	17	25	7	11	14	19	185

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
26 JAN 1914

Kept at Woodford House. Exd D.J.
in the County of Northampton. 4
by E. N. Plevins.

Lat. 52·23'N Long. 0·37'W
Time of Observation 9 A.M.
Nearest Railway Station Cranford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·04	·15	·14	—	—	—	—	·57	—	·12	—	1
2	·01	·14	—	—	—	—	·11	—	·16	·01	trace	—	2
3	·01	—	·11	—	·56	—	trace	—	·06	·45	—	·03	3
4	·30	—	—	—	·01	—	·07	—	—	·15	·03	·09	4
5	trace	—	—	—	—	·03	·01	—	trace	·71	·02	·01	5
6	—	·01	·01	—	·13	·07	·16	—	—	·21	·15	·01	6
7	—	·06	—	—	·02	·04	·05	—	—	·61	·04	·01	7
8	—	—	·02	—	·20	·12	—	—	—	—	·07	—	8
9	—	·24	·04	·01	—	·11	—	trace	·01	—	·05	—	9
10	—	—	·01	·18	·02	—	·29	trace	—	—	·66	—	10
11	1·03	—	—	·45	—	—	—	trace	—	·10	·08	—	11
12	—	trace	—	—	·18	—	—	—	trace	—	·34	—	12
13	·02	trace	—	·02	—	—	—	·02	·02	—	·22	—	13
14	·06	·01	·15	·02	—	—	·01	—	—	·06	·02	—	14
15	·11	—	·16	·27	—	—	·13	—	·02	—	—	—	15
16	·02	—	·85	·20	—	—	—	—	trace	—	—	—	16
17	·10	·02	·12	·16	—	—	—	—	—	—	·03	·06	17
18	·01	—	·12	·06	—	—	·02	—	—	—	—	·01	18
19	·11	—	·06	—	—	—	·05	—	·06	—	—	·03	19
20	·13	—	·17	trace	—	—	—	—	—	·39	·01	—	20
21	—	—	·22	·04	·08	—	·03	—	—	—	·24	—	21
22	·38	—	·18	trace	—	—	trace	·04	·15	—	—	—	22
23	—	—	—	—	—	·03	—	·02	·01	—	trace	·03	23
24	·01	—	—	·08	—	—	—	·08	—	trace	—	—	24
25	trace	trace	—	·10	—	·01	—	—	—	trace	—	—	25
26	—	·02	·25	·06	—	—	trace	—	—	·30	·02	·17	26
27	—	—	·02	·02	—	—	—	—	—	trace	—	—	27
28	·37	—	·09	·09	—	—	—	—	—	·04	—	·05	28
29	·02		·13	·56	·11	—	—	·14	—	·04	—	·04	29
30	·17		—	·02	—	—	trace	·01	—	·09	·13	·02	30
31	—		—		·09			·26		—		—	31
Total	2·88	·54	2·86	2·48	1·40	·41	·93	·57	1·06	3·16	2·23	·56	YEAR'S TOTAL 19·08
Rain Days.	18	8	19	18	10	7	11	7	9	13	17	13	150

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

Kept at Woodford House.

in the County of Northamptonshire 4

by E. H. Plevins.

Lat. 52°23'N. Long. 0,37 W.

Time of Observation 9 a.m.

Nearest Railway Station Cranford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 252 ft.

FORM A.
BRITISH RAINFALL.
-2 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Trace	—	—	·05	—	—	—	·24	—	—	·08	·02	1
2	—	—	—	trace	—	—	—	·14	—	·03	·07	·19	2
3	—	—	—	·01	·17	—	·16	—	—	—	·02	—	3
4	·15	—	—	·17	—	—	—	·36	—	—	·38	·21	4
5	·01	Trace	·04	·11	·04	·13	·19	·10	—	—	—	—	5
6	—	·01	—	Trace	·05	—	—	—	—	—	·05	·03	6
7	—	·06	·37	Trace	·01	trace	·05	·01	—	—	—	·01	7
8	·03	·03	·08	·02	·02	·73	·03	·14	—	—	—	·05	8
9	·38	—	·20	·08	—	1·32	—	·01	·04	—	—	—	9
10	·10	·04	·01	·07	·04	—	—	—	·10	—	—	—	10
11	—	·08	·31	·02	·13	·29	—	—	·01	—	·24	·30	11
12	—	trace	·08	—	—	trace	·01	—	·28	—	·01	·29	12
13	·01	·13	·17	—	—	—	—	—	·03	·48	·14	·18	13
14	—	trace	·24	—	—	—	·09	—	—	·70	·08	·28	14
15	—	·04	·14	—	—	—	·10	·03	·05	—	·08	·10	15
16	·03	—	·06	—	—	—	·11	—	·01	—	·01	—	16
17	·02	·24	·03	—	—	—	—	—	·10	—	—	·14	17
18	—	—	·02	—	—	·16	·17	—	—	—	—	·33	18
19	—	·02	·10	—	—	·26	trace	—	·02	—	·06	Trace	19
20	—	·15	·20	—	—	—	—	—	·01	—	—	·12	20
21	—	·12	·07	—	—	·05	—	·02	—	·08	—	·20	21
22	·01	trace	—	—	·33	—	·10	·09	—	·07	—	—	22
23	—	·01	·05	—	·08	trace	—	—	—	·05	—	·01	23
24	·01	—	—	·01	·10	—	·18	·01	—	·15	·09	—	24
25	·01	—	—	—	—	—	—	·13	—	·45	—	·14	25
26	—	—	·02	—	—	—	—	·09	—	·04	·17	·32	26
27	·02	—	—	—	—	—	—	—	—	—	·02	·17	27
28	—	·07	—	—	·06	—	—	—	—	·11	·11	1·23	28
29	·03		·11	—	·05	—	—	—	—	·27	·03	—	29
30	—	X	·01	—	—	·07	—	—	—	·03	·23	·21	30
31	·01	X	—	X	·04	X	·03	—	X	—	X	·08	31
Total	·82	1·00	2·31	·54	1·12	2·99	1·22	1·54	·65	2·46	1·84	4·61	YEAR'S TOTAL 21·10
Rain Days.	14	13	20	9	13	8	12	13	10	12	18	22	164

W. 8,000. X. 14.

Cod 27.1.16

1212

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

26 JAN 1916

Kept at Woodford House

in the County of Northamptonshire 4

by E. N. Plevins Esq.

Lat. 52° 23' N. Long. 0° 37' W.

Time of Observation 9 a.m.

Nearest Railway Station Cranford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·39	·13	·08	—	·21	—	—	·02	·05	—	·05	·06	1
2	·04	·14	·13	·12	—	·01	—	·32	—	·05	—	·06	2
3	·22	—	·03	·14	—	—	·20	·14	·05	—	—	·18	3
4	·05	—	—	—	—	—	·14	·71	—	—	—	·60	4
5	·03	·21	—	—	·25	—	—	·04	—	—	—	·24	5
6	·13	·03	·01	·10	—	—	·84	·02	—	—	—	·17	6
7	·02	·31	—	—	·01	·13	·18	·10	—	—	—	·10	7
8	·01	·14	·07	·02	—	—	—	·01	—	—	·01	—	8
9	—	—	—	—	—	·02	—	—	—	—	·14	·67	9
10	·32	—	·01	—	—	—	—	·34	—	—	·01	—	10
11	·01	—	·01	·01	·08	—	·16	—	—	—	·58	·06	11
12	·03	trace	—	·19	·31	—	—	34	—	·01	·98	—	12
13	·01	·38	—	—	·91	—	—	—	—	—	—	—	13
14	—	·04	—	—	—	—	·08	·13	·05	—	—	·32	14
15	·20	—	—	—	·09	—	·02	·15	—	·01	·16	·12	15
16	—	·20	—	—	—	—	·75	·09	—	·01	—	·01	16
17	—	·17	—	—	·03	—	·20	—	—	—	—	—	17
18	—	·05	·12	—	—	—	—	—	—	—	·03	—	18
19	—	·01	·02	—	—	—	·07	—	—	—	—	—	19
20	·21	—	—	—	—	—	—	—	—	—	—	·23	20
21	·07	·01	—	—	·06	—	·10	—	—	—	—	·05	21
22	·10	—	·25	—	—	—	·30	—	·01	—	—	·11	22
23	·01	·04	—	—	—	·09	·06	—	·08	·24	—	·31	23
24	·01	—	·01	—	—	·01	·03	—	·62	—	—	·11	24
25	·01	—	trace	—	—	·47	·12	—	—	·01	—	·22	25
26	—	·13	—	—	—	—	·15	—	—	—	—	·28	26
27	—	—	—	—	—	—	·04	—	—	·45	—	·02	27
28	—	·07	·01	—	—	·11	—	·02	·11	·12	—	—	28
29	—	X	—	—	—	—	—	·06	—	—	·09	·16	29
30	·12	X	—	—	—	·03	—	·06	—	—	—	·02	30
31	trace	X	—	X	—	X	—	·04	X	·17	X	·09	31
Total	1·99	2·06	·75	·58	1·95	·89	3·44	2·59	·97	1·07	2·05	3·93	YEAR'S TOTAL 22·~~41~~ 25 22·25
Rain Days.	20	16	12	6	9	8	17	17	7	9	9	23	153

W. 8,000. X. 15.

1187

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at Woodford House

in the County of Northamptonshire

by E. N. Plevins.

Lat. 52° 23' N Long. 37' W

Time of Observation 9 A.M.

Nearest Railway Station Cranford

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·13	—	—	·08	·21	—	—	—	·35	—	1
2	·51	·02	·08	—	·25	—	·03	—	·04	·31	·02	—	2
3	—	·35	—	—	—	—	·01	—	·07	·21	·06	—	3
4	·39	·11	—	—	·09	·16	·04	—	—	—	·20	—	4
5	·01	—	—	—	·02	·15	—	—	—	·12	·18	—	5
6	—	·12	·16	·09	—	—	·32	—	—	·03	·27	—	6
7	·08	—	·29	—	·07	—	·75	—	—	·01	·28	·06	7
8	—	—	·03	—	·03	·02	—	—	—	—	·02	·18	8
9	—	—	·01	—	·38	·01	—	—	—	·06	—	·01	9
10	—	·05	·08	·04	—	·14	·01	—	·02	·01	—	·03	10
11	·03	·16	·10	·11	·05	·10	—	—	—	—	—	·05	11
12	·02	·02	·14	—	·20	·09	·02	—	—	·02	—	—	12
13	—	·25	·16	·02	·05	—	·02	·05	—	—	—	—	13
14	—	·54	—	·04	·02	—	—	—	—	·06	—	—	14
15	—	·25	·41	—	·02	—	·05	·03	—	—	—	—	15
16	—	·06	·21	·18	·03	—	·08	·01	—	·01	—	—	16
17	·05	·03	—	·06	—	—	·04	·66	·15	·24	—	—	17
18	—	·15	·04	·05	—	—	—	·39	·15	—	·86	—	18
19	·07	·04	·25	·20	—	—	—	—	·12	—	·54	·07	19
20	·07	—	·10	·05	—	—	—	—	—	—	·09	·31	20
21	·01	—	·32	·01	—	—	—	—	—	—	·01	·59	21
22	—	·07	·01	—	·09	·06	—	—	—	—	—	·54	22
23	·03	·33	—	—	—	·21	—	·03	—	—	·03	·15	23
24	—	·37	·04	·01	—	·28	—	·02	—	—	·01	·25	24
25	—	·17	·07	—	·03	—	—	·27	—	·05	·08	—	25
26	—	·07	·03	—	—	·03	—	·08	—	·02	·01	·01	26
27	·03	·12	1·05	—	—	·01	—	·08	·01	·20	—	·01	27
28	—	·34	·88	—	—	·07	—	—	—	—	—	·17	28
29	—	·07	—	—	—	·09	—	1·60	—	·30	—	—	29
30	—	X	—	—	—	·02	—	·04	—	·15	—	—	30
31	·01	X	—	X	—	X	—	·01	X	·02	X	—	31
Total	1·34	3·69	4·59	·86	1·53	1·52	1·58	3·17	·56	1·82	3·01	2·43	YEAR'S TOTAL 26·13
Rain Days.	14	22	22	12	14	16	12	13	7	17	16	14	179

W. 8,000, VIII. 16

1145

FORM A. BRITISH RAINFALL. 12 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Woodford House Thrapston

in the County of Northamptonshire

by W. J. Daniels for E. K. Plevins Esqre

Lat. 52° 23' N. Long. 0° 34' W.

Time of Observation 9 A.M.

Nearest Railway Station Cranford . M. Rey

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·10	—	—	—	·89	·11	—	·03	—	1
2	·02	·02	—	—	—	·06	—	·06	—	—	·02	·01	2
3	—	—	—	·04	—	—	—	·40	—	·14	·17	—	3
4	—	·10	·06	—	—	—	—	·01	—	·34	—	·01	4
5	·10	—	·02	·04	—	—	—	—	(·57)	·03	·12	—	5
6	—	—	—	—	—	·13	—	—	—	·04	·02	—	6
7	·52	—	·01	—	—	—	·04	—	—	·34	—	·01	7
8	·42	—	—	·16	—	—	·26	·92	—	·32	·09	—	8
9	·05	—	·10	·04	·03	—	—	·51	—	—	·04	·02	9
10	·34	—	·18	·16	—	—	—	·21	—	·05	·01	—	10
11	·01	·01	·18	·12	—	—	—	·12	·02	·29	—	—	11
12	·04	·01	—	—	·02	—	—	·06	—	·35	—	·01	12
13	—	—	·01	·02	—	—	·05	·18	·05	—	—	—	13
14	·08	—	—	·06	—	—	—	·88	—	—	—	·01	14
15	·03	—	—	—	·01	—	—	—	—	·02	—	·01	15
16	·11	·09	—	·16	—	—	·04	—	—	·15	—	·09	16
17	—	·01	—	·16	·46	—	·21	·01	·18	·05	—	—	17
18	·01	·01	—	·05	·26	·51	·04	—	·81	·01	—	—	18
19	·01	·11	·14	—	·10	·01	—	—	·02	—	—	—	19
20	·01	·19	·09	—	·76	—	—	—	·14	—	·11	—	20
21	—	·01	·01	·04	·01	—	—	—	—	—	—	—	21
22	—	—	·05	—	—	—	—	·15	·02	·15	—	—	22
23	—	·04	—	—	·08	—	—	·39	·04	—	—	—	23
24	—	·03	—	—	—	·25	—	·02	—	·16	·07	—	24
25	—	—	·01	—	—	—	—	—	·01	—	·13	—	25
26	—	—	·02	—	—	—	—	·41	~~·44~~	—	·15	—	26
27	—	—	—	—	—	·20	—	·68	[illegible]	—	—	·01	27
28	—	—	·05	—	—	·66	—	·09	—	—	—	·04	28
29	—	—	—	—	·24	·10	·24	·03	—	·34	—	·20	29
30	·01	✕	—	—	—	—	·24	·12	—	—	—	—	30
31	—	✕	·15	✕	—	✕	·09	·13	✕	—	✕	·14	31
Total	1·82	·66	1·08	1·24	1·99	1·92	1·24	6·25	2·71	2·74	·99	·56	YEAR'S TOTAL 22·68
Rain Days.	15	12	15	13	10	8	9	21	12	16	12	12	155

2·05

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL.

10 19

REGISTER OF RAINFALL IN 1918

Kept at Woodford House
in the County of Northamptonshire
by E. N. Plevins

Lat. 52° 23N Long. 0' 34' W
Time of Observation 9 A.M.
Nearest Railway Station Cranford M.R.Co.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 252 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	—	·14	—	—	—	—	—	—	·14	·03	1
2	—	·19	—	·16	—	—	—	·05	—	—	·07	·12	2
3	—	·04	·03	—	·56	—	—	·21	·19	—	·50	·03	3
4	—	·01	·05	—	—	—	·09	·03	·41	·01	·29	·05	4
5	—	·04	—	·01	·15	—	—	·08	·62	·03	—	—	5
6	—	·22	—	·15	—	·02	—	—	·08	—	—	—	6
7	·01	·04	—	·15	—	·04	—	—	·01	·12	·15	—	7
8	—	—	·02	—	—	—	—	—	·01	·03	·01	·06	8
9	·01	·19	—	·04	—	·07	·20	—	·42	·14	—	·12	9
10	·06	—	—	·15	—	—	·33	—	—	·12	—	·09	10
11	—	—	—	·01	·37	—	·04	—	·08	·29	·01	·05	11
12	—	·09	·02	·04	·16	—	·11	—	·05	—	—	·01	12
13	—	—	—	·01	·13	·02	·02	—	·05	·02	—	·02	13
14	·28	—	—	·02	—	—	·35	—	·45	·18	—	·06	14
15	·94	—	—	·84	—	·09	·06	—	·52	—	—	·15	15
16	·04	—	—	·44	—	—	—	·01	·04	—	—	—	16
17	·21	—	—	·04	—	—	·64	—	·48	—	—	·12	17
18	·30	—	—	·01	—	·11	·13	—	—	—	—	·34	18
19	·02	·01	·04	·06	—	—	—	—	—	·08	—	·09	19
20	·02	·04	—	·56	—	·04	—	—	·14	·19	—	—	20
21	·02	—	—	·12	—	—	—	—	·22	·04	—	·01	21
22	·10	—	—	—	·20	—	·02	—	·02	·01	·05	·32	22
23	·06	—	—	—	·38	·01	·07	—	—	—	—	·01	23
24	—	·12	—	—	—	—	·04	—	·03	·02	·16	—	24
25	—	—	—	—	·01	·03	·03	·23	·01	·03	—	—	25
26	—	—	—	—	—	—	—	—	·02	—	·09	·16	26
27	—	—	·01	—	—	·01	·27	·13	—	—	·14	—	27
28	—	·08	·10	—	—	—	—	—	—	—	·29	·08	28
29	·01		—	—	—	—	—	—	1·06	—	—	—	29
30	·01	✕	·27	—	—	—	—	—	·04	·01	·26	·06	30
31	·02	✕	·05	✕	—	✕	—	—	✕	·11	✕	—	31
Total	2·11	1·08	·59	2·98	1·96	·44	2·40	·74	5·25	1·46	2·14	2·01	YEAR'S TOTAL 23·29
Rain Days.	16	13	9	18	8	10	15	7	22	17	13	21	169